

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/57278 A2(51) International Patent Classification⁷: C12Q 1/68,
G06F 19/00, C07K 14/4794043 (US). RANK, David, R. [US/US]; 117 El Dorado
Commons, Fremont, CA 94539 (US).

(21) International Application Number: PCT/US01/00670

(74) Agent: RONNING, Royal, N., Jr.; Amersham Pharma-
cia Biotech, Inc., 800 Centennial Avenue, Piscataway, NJ
08855 (US).

(22) International Filing Date: 30 January 2001 (30.01.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/180,312	4 February 2000 (04.02.2000)	US
60/207,456	26 May 2000 (26.05.2000)	US
09/608,408	30 June 2000 (30.06.2000)	US
09/632,366	3 August 2000 (03.08.2000)	US
60/234,687	21 September 2000 (21.09.2000)	US
60/236,359	27 September 2000 (27.09.2000)	US
0024263.6	4 October 2000 (04.10.2000)	GB

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).(71) Applicant (*for all designated States except US*): MOLEC-
ULAR DYNAMICS, INC. [—/US]; 928 East Arques Av-
enue, Sunnyvale, CA 94086 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): PENN, Sharron,
G. [GB/US]; 617 South Delaware Street, San Mateo, CA
94402 (US). HANZEL, David, K. [US/US]; 988 Loma
Verde Avenue, Palo Alto, CA 94303 (US). CHEN, Wen-
sheng [CN/US]; 210 Easy Street #25, Mountain View, CA**Published:**

- without international search report and to be republished
upon receipt of that report
- entirely in electronic form (except for this front page) and
available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.(54) Title: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR ANALYSIS OF GENE
EXPRESSION IN HUMAN HELA CELLS OR OTHER HUMAN CERVICAL EPITHELIAL CELLS(57) Abstract: A single exon nucleic acid microarray comprising a plurality of single exon nucleic acid probes for measuring gene
expression in a sample derived from human HeLa cells is described. Also described are single exon nucleic acid probes expressed
in the HeLa cells and their use in methods for detecting gene expression.

WO 01/57278 A2

HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL
FOR ANALYSIS OF GENE EXPRESSION IN HUMAN HELA CELLS OR
OTHER HUMAN CERVICAL EPITHELIAL CELLS

5 CROSS REFERENCE TO RELATED APPLICATIONS

The present application is a continuation-in-part of U.S.
patent application serial nos. 09/632,366, filed August 3,
2000 and 09/608,408, filed June 30, 2000; claims the
10 benefit under 35 U.S.C. s 119(e) of U.S. provisional patent
application serial nos. 60/236,359, filed September 27,
2000, 60/234,687, filed September 21, 2000, 60/207,456,
filed May 26, 2000, and 60/180,312, filed February 4, 2000;
and further claims the benefit under 35 U.S.C. s 119(a) of
15 UK patent application no. 0024263.6, filed October 4, 2000,
the disclosures of which are incorporated herein by
reference in their entireties.

REFERENCE TO SEQUENCE LISTING AND INCORPORATION BY
20 REFERENCE THEREOF

The present application includes a Sequence Listing in
electronic format, filed pursuant to PCT Administrative
Instructions 801 - 806 on a single CD-R disc, in
25 triplicate, containing a file named pto_HELA.txt, created
24 January 2001, having 18,781,468 bytes. The Sequence
Listing contained in said file on said disc is incorporated
herein by reference in its entirety.

30 Field of the Invention

The present invention relates to genome-derived
single exon microarrays useful for verifying the expression
of regions of genomic DNA predicted to encode protein. In
35 particular, the present invention relates to unique genome-

derived single exon nucleic acid probes expressed in human HeLa cells and single exon nucleic acid microarrays that include such probes.

5 Background of the Invention

For almost two decades following the invention of general techniques for nucleic acid sequencing, Sanger et al., *Proc. Natl. Acad. Sci. USA* 70(4):1209-13 (1973); Gilbert et al., *Proc. Natl. Acad. Sci. USA* 70(12):3581-4 (1973), these techniques were used principally as tools to further the understanding of proteins – known or suspected – about which a basic foundation of biological knowledge had already been built. In many cases, the cloning effort that preceded sequence identification had been both informed and directed by that antecedent biological understanding.

For example, the cloning of the T cell receptor for antigen was predicated upon its known or suspected cell type-specific expression, by its suspected membrane association, and by the predicted assembly of its gene via T cell-specific somatic recombination. Subsequent sequencing efforts at once confirmed and extended understanding of this family of proteins. Hedrick et al., *Nature* 308(5955):153-8 (1984).

More recently, however, the development of high throughput sequencing methods and devices, in concert with large public and private undertakings to sequence the human and other genomes, has altered this investigational paradigm: today, sequence information often precedes understanding of the basic biology of the encoded protein product.

One of the approaches to large-scale sequencing is predicated upon the proposition that expressed sequences – that is, those accessible through isolation of mRNA – are of greatest initial interest. This "expressed

sequence tag" ("EST") approach has already yielded vast amounts of sequence data (see for example Adams et al., *Science* 252:1651 (1991); Williamson, *Drug Discov. Today* 4:115 (1999)). For nucleic acids sequenced by this approach, often the only biological information that is known *a priori* with any certainty is the likelihood of biologic expression itself. By virtue of the species and tissue from which the mRNA had originally been obtained, most such sequences are also annotated with the identity of the species and at least one tissue in which expression appears likely.

More recently, the pace of genomic sequencing has accelerated dramatically. When genomic DNA serves as the initial substrate for sequencing efforts, expression cannot be presumed; often the only *a priori* biological information about the sequence includes the species and chromosome (and perhaps chromosomal map location) of origin.

With the ever-accelerating pace of sequence accumulation by directed, EST, and genomic sequencing approaches – and in particular, with the accumulation of sequence information from multiple genera, from multiple species within genera, and from multiple individuals within a species – there is an increasing need for methods that rapidly and effectively permit the functions of nucleic sequences to be elucidated. And as such functional information accumulates, there is a further need for methods of storing such functional information in meaningful and useful relationship to the sequence itself; that is, there is an increasing need for means and apparatus for annotating raw sequence data with known or predicted functional information.

Although the increase in the pace of genomic sequencing is due in large part to technological changes in sequencing strategies and instrumentation, Service, *Science* 280:995 (1998); Pennisi, *Science* 283: 1822-1823 (1999),

there is an important functional motivation as well.

While it was understood that the EST approach would rarely be able to yield sequence information about the noncoding portions of the genome, it now also appears
5 the EST approach is capable of capturing only a fraction of a genome's actual expression complexity.

For example, when the *C. elegans* genome was fully sequenced, gene prediction algorithms identified over 19,000 potential genes, of which only 7,000 had been found
10 by EST sequencing. *C. elegans* Sequencing Consortium, *Science* 282:2012 (1998). Analogously, the recently completed sequence of chromosome 2 of *Arabidopsis* predicts over 4000 genes, Lin et al., *Nature*, 402:761 (1999), of which only about 6% had previously been identified via EST
15 sequencing efforts. Although the human genome has the greatest depth of EST coverage, it is still woefully short of surrendering all of its genes. One recent estimate suggests that the human genome contains more than 146,000 genes, which would at this point leave greater than half of
20 the genes undiscovered. It is now predicted that many genes, perhaps 20 to 50%, will only be found by genomic sequencing.

There is, therefore, a need for methods that permit the functional regions of genomic sequence – and
25 most importantly, but not exclusively, regions that function to encode genes – to be identified.

Much of the coding sequence of the human genome is not homologous to known genes, making detection of open reading frames ("ORFs") and predictions of gene function
30 difficult. Computational methods exist for predicting coding regions in eukaryotic genomes. Gene prediction programs such as GRAIL and GRAIL II, Uberbacher et al., *Proc. Natl. Acad. Sci. USA* 88(24):11261-5 (1991); Xu et al., *Genet. Eng.* 16:241-53 (1994); Uberbacher et al.,
35 *Methods Enzymol.* 266:259-81 (1996); GENEFINDER, Solovyev et

al., *Nucl. Acids. Res.* 22:5156-63 (1994); Solovyev et al., *Ismb* 5:294-302 (1997); and GENESCAN, Burge et al., *J. Mol. Biol.* 268:78-94 (1997), predict many putative genes without known homology or function. Such programs are known, however, to give high false positive rates. Burset et al., *Genomics* 34:353-367 (1996). Using a consensus obtained by a plurality of such programs is known to increase the reliability of calling exons from genomic sequence. Ansari-Lari et al., *Genome Res.* 8(1):29-40 (1998)

10 Identification of functional genes from genomic data remains, however, an imperfect art. For example, in reporting the full sequence of human chromosome 21, the Chromosome 21 Mapping and Sequencing Consortium reports that prior bioinformatic estimates of human gene number may
15 need to be revised substantially downwards. *Nature* 405:311-199 (2000); Reeves, *Nature* 405:283-284 (2000).

Thus, there is a need for methods and apparatus that permit the functions of the regions identified bioinformatically - and specifically, that permit the
20 expression of regions predicted to encode protein - readily to be confirmed experimentally.

Recently, the development of nucleic acid microarrays has made possible the automated and highly parallel measurement of gene expression. Reviewed in
25 Schena (ed.), DNA Microarrays : A Practical Approach (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); *Nature Genet.* 21(1)(suppl):1 - 60 (1999); Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books
30 Division (2000) (ISBN: 1881299376).

It is common for microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, such as those from the I.M.A.G.E. consortium, Lennon et al., *Genomics* 33(1):151-2 (1996), or
35 from the construction of "problem specific" libraries

targeted at a particular biological question, R.S. Thomas et al., *Cancer Res.* (in press). Such microarrays by definition can measure expression only of those genes found in EST libraries, and thus have not been useful as probes
5 for genes discovered solely by genomic sequencing.

The utility of using whole genome nucleic acid microarrays to answer certain biological questions has been demonstrated for the yeast *Saccharomyces cerevisiae*. De Risi et al., *Science* 278:680 (1997). The vast majority of
10 yeast nuclear genes, approximately 95% however, are single exon genes, i.e., lack introns, Lopez et al., *RNA* 5:1135-1137 (1999); Goffeau et al., *Science* 274:563-67 (1996), permitting coding regions more readily to be identified. Whole genome nucleic acid microarrays have not generally
15 been used to probe gene expression from more complex eukaryotic genomes, and in particular from those averaging more than one intron per gene.

Summary of the Invention

20

The present invention solves these and other problems in the art by providing methods and apparatus for predicting, confirming, and displaying functional information derived from genomic sequence. The present
25 invention also provides apparatus for verifying the expression of putative genes identified within genomic sequence.

In particular, the invention provides novel genome-derived single exon nucleic acid microarrays useful
30 for verifying the expression of putative genes identified within genomic sequence.

The present invention also provides compositions and kits for the ready production of nucleic acids identical in sequence to, or substantially identical in
35 sequence to, probes on the genome-derived single exon

microarrays of the present invention.

Accordingly, in a first aspect of the invention, there is provided a spatially-addressable set of single exon nucleic acid probes for measuring gene expression in a sample derived from human HeLa cells or other human cervical epithelial cells, comprising a plurality of single exon nucleic acid probes according to any one of the nucleotide sequences set out in SEQ ID NOS: 1 - 9,290 or a complementary sequence, or a portion of such a sequence.

By plurality is meant at least two, suitably at least 20, most suitably at least 100, preferably at least 1000 and, most preferably, upto 5000.

In one embodiment of the first aspect, each of said plurality of probes is separately and addressably amplifiable.

In an alternative embodiment, each of said plurality of probes is separately and addressably isolatable from said plurality.

In a preferred embodiment, each of said plurality of probes is amplifiable using at least one common primer. Preferably, each of said plurality of probes is amplifiable using a first and a second common primer.

In yet another embodiment, said set of single exon nucleic acid probes comprises between 50 - 20,000 probes, for example, 50 - 5000.

Suitably, said set of single exon nucleic acid probes comprises at least 50 - 1000 discrete single exon nucleic acid probes having a sequence as set out in any of SEQ ID NOS.: 1 - 18,392 or a complimentary sequence, or a portion of such a sequence.

Preferably, the average length of the single exon nucleic acid probes is between 200 and 500 bp. It is preferred that the average length should be at least 200bp, suitably at least 250bp, most suitably at least 300bp, preferably at least 400bp and, most preferably, 500 bp.

In another embodiment, the single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence. It is preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least 5 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.

In another preferred embodiment, said single exon nucleic acid lack homopolymeric stretches of A or T. It is 10 preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.

15 Preferably, a spatially-addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention is addressably disposed upon a substrate.

Suitable substrates include a filter membrane 20 which may, preferably, be nitrocellulose or nylon. The nylon may preferably, be positively-charged. Other suitable substrates include glass, amorphous silicon, crystalline silicon, and plastic. Further suitable materials include polymethylacrylic, polyethylene, polypropylene, 25 polyacrylate, polymethylmethacrylate, polyvinylchloride, polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, and mixtures thereof.

In a second aspect of the invention, there is 30 provided a microarray comprising a spatially addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention.

In one embodiment, a genome-derived single-exon microarray is packaged together with such an ordered set of 35 amplifiable probes corresponding to the probes, or one or

more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is packaged separately from the genome-derived single exon microarray.

5 In another aspect, the invention provides genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression analysis by microarray. In particular embodiments of this aspect, the present invention provides human single-exon
10 probes that include specifically-hybridizable fragments of SEQ ID Nos. 9,291 - 18,392, wherein the fragment hybridizes at high stringency to an expressed human gene. In particular embodiments, the invention provides single exon probes comprising SEQ ID Nos. 1 - 9,290.

15 Accordingly, in a third aspect of the invention, there is provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from human HeLa cells or other human cervical epithelial cells which is a nucleic acid molecule comprising a nucleotide
20 sequence as set out in any of SEQ ID NOS.: 1 - 9,290 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human HeLa cells or other human cervical epithelial cells.

25 In one embodiment, a single exon nucleic acid probe in accordance with the third aspect comprises a nucleotide sequence as set out in any of SEQ ID NOS.: 9,291 - 18,392 or a complementary sequence or a fragment thereof.

In a fourth aspect of the invention, there is
30 provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from human HeLa cells or other human cervical epithelial cells which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any of SEQ ID
35 NOS.: 18,393 - 26,941 or a complementary sequence or a

fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human HeLa cells or other human cervical epithelial cells.

Preferably, a single exon nucleic acid probe in accordance with the third or fourth aspects of the invention comprises between at least 15 and 50 contiguous nucleotides of said SEQ ID NO:. It is preferred that the single exon nucleic acid probe comprises at least 15, suitably at least 20, more suitably at least 25 or preferably at least 50 contiguous nucleotides of said SEQ ID NO:.

In another preferred embodiment, a single exon nucleic acid probe in accordance with the third or fourth aspects of the invention is between 3kb and 25kb in length. It is preferred that said probe is no more than 3kb, suitably no more than 5kb, more suitably no more than 10kb, preferably 15kb, more preferably 20kb or, most preferably, no more than 20kb in length.

Preferably, a single exon nucleic acid probe in accordance with either the fifth or sixth aspect of the invention is DNA, preferably single-stranded DNA, RNA or PNA.

In another embodiment of either the third or fourth aspect of the invention, a single exon nucleic acid probe is detectably labeled. Suitable detectable labels include a radionuclide, a fluorescent label or a first member of a specific binding pair. Suitable fluorescent labels include dyes such as cyanine dyes, preferably Cy3 and Cy5 although other suitable dyes will be known to those skilled in the art.

In a particularly preferred embodiment, a single exon nucleic acid probe in accordance with either the third or fourth aspect of the invention lacks prokaryotic and bacteriophage vector sequence. In yet another embodiment, a single exon nucleic acid probe in accordance with either

the third or fourth aspect of the invention lacks homopolymeric stretches of A or T.

In a fifth aspect of the invention, there is provided an amplifiable nucleic acid composition,

5 comprising:

the single exon nucleic acid probe in accordance with either of the third or fourth aspects of the invention; and at least one nucleic acid primer;

wherein said at least one primer is sufficient to
10 prime enzymatic amplification of said probe.

In an sixth aspect of the invention, there is provided a method of measuring gene expression in a sample derived from human HeLa cells or other human cervical epithelial cells, comprising:

15 contacting the single exon microarray in accordance with the second aspect of the invention, with a first collection of detectably labeled nucleic acids, said first collection of nucleic acids derived from mRNA of human HeLa cells or other human cervical epithelial cells;
20 and then

measuring the label detectably bound to each probe of said microarray.

In a seventh aspect of the invention, there is provided a method of identifying exons in a eukaryotic
25 genome, comprising:

algorithmically predicting at least one exon from genomic sequence of said eukaryote; and then

detecting specific hybridization of detectably labeled nucleic acids to a single exon probe,

30 wherein said detectably labeled nucleic acids are derived from mRNA from the HeLa cells or other human cervical epithelial cells of said eukaryote, said probe is a single exon probe having a fragment identical in sequence to, or complementary in sequence to, said predicted exon,
35 said probe is included within a single exon microarray in

accordance with the first aspect of the invention, and said fragment is selectively hybridizable at high stringency.

In a eighth aspect of the invention, there is provided a method of assigning exons to a single gene,
5 comprising:

identifying a plurality of exons from genomic sequence in accordance with the seventh aspect of the invention; and then

measuring the expression of each of said exons in
10 a plurality of tissues and/or cell types using hybridization to single exon microarrays having a probe with said exon,

wherein a common pattern of expression of said exons in said plurality of tissues and/or cell types
15 indicates that the exons should be assigned to a single gene.

In an ninth aspect of the invention, there is provided a nucleic acid sequence as set out in any of SEQ ID NOS: 1 - 18,392 wherein said sequence encodes a peptide.

20 In a tenth aspect of the invention, there is provided a peptide encoded by a sequence comprising a sequence as set out in any of SEQ ID NOS: 9,291 - 18,392, or a complementary sequence or coding portion thereof.

In a preferred embodiment, a peptide may be
25 encoded by a sequence comprising a sequence set out in any of SEQ ID NOS.: 1 -9,290.

In a further aspect, the invention provides peptides comprising an amino acid sequence translated from the DNA fragments, said amino acid sequences comprising SEQ
30 ID NOS.: 18,393 - 26,941.

Accordingly in a eleventh aspect of the invention there is provided a peptide comprising a sequence as set out in any of SEQ ID NOS: 18,393 - 26,941, or fragment thereof.

35 In another aspect, the invention provides means

for displaying annotated sequence, and in particular, for displaying sequence annotated according to the methods and apparatus of the present invention. Further, such display can be used as a preferred graphical user interface for electronic search, query, and analysis of such annotated sequence.

Detailed Description of the Invention

10

Definitions

As used herein, the term "microarray" and phrase "nucleic acid microarray" refer to a substrate-bound collection of plural nucleic acids, hybridization to each of the plurality of bound nucleic acids being separately detectable. The substrate can be solid or porous, planar or non-planar, unitary or distributed.

As so defined, the term "microarray" and phrase "nucleic acid microarray" include all the devices so called in Schena (ed.), DNA Microarrays: A Practical Approach (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); Nature Genet. 21(1)(suppl):1 - 60 (1999); and Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376). As so defined, the term "microarray" and phrase "nucleic acid microarray" further include substrate-bound collections of plural nucleic acids in which the nucleic acids are distributably disposed on a plurality of beads, rather than on a unitary planar substrate, as is described, *inter alia*, in Brenner et al., *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000); in such case, the term "microarray" and phrase "nucleic acid microarray" refer to the plurality of beads in aggregate.

As used herein with respect to a nucleic acid

microarray, the term "probe" refers to the nucleic acid that is, or is intended to be, bound to the substrate; in such context, the term "target" thus refers to nucleic acid intended to be bound thereto by Watson-Crick

5 complementarity. As used herein with respect to solution phase hybridization, the term "probe" refers to the nucleic acid of known sequence that is detectably labeled.

As used herein, the expression "probe comprising SEQ ID NO.", and variants thereof, intends a nucleic acid probe, at least a portion of which probe has either (i) the sequence directly as given in the referenced SEQ ID NO., or (ii) a sequence complementary to the sequence as given in the referenced SEQ ID NO., the choice as between sequence directly as given and complement thereof dictated by the
15 requirement that the probe hybridize to mRNA.

As used herein, the term "open reading frame" and the equivalent acronym "ORF" refer to that portion of an exon that can be translated in its entirety into a sequence of contiguous amino acids i.e. a nucleic acid sequence that, in at least one reading frame, does not possess stop
20 codons; the term does not require that the ORF encode the entirety of a natural protein.

As used herein, the term "amplicon" refers to a PCR product amplified from human genomic DNA, containing
25 the predicted exon.

As used herein the term "exon" refers to the consensus prediction of the various exon and gene predicting algorithms i.e. a nucleic acid sequence bioinformatically predicted to encode a portion of a
30 natural protein.

As used herein, the term "peptide" refers to a sequence of amino acids. The sequences referred to as PEPTIDE SEQ ID NOS.: are the predicted peptide sequences that would be translated from one of the exons, or a
35 portion thereof set out in exon SEQ ID NOS.: The codons

encoding the peptide are wholly contained within the exon.

As used herein, a "portions" of a defined nucleotide sequence or sequences can be and, preferably, are fragments unique to that sequence or to one or a
5 combination of those sequences. A fragment unique to a nucleic acid molecule is one that is a signature for the larger nucleic acid molecule.

As used herein, the phrase "expression of a probe" and its linguistic variants means that the ORF
10 present within the probe, or its complement, is present within a target mRNA.

As used herein, "stringent conditions" refers to parameters well known to those skilled in the art. When a nucleic acid molecule is said to be hybridisable to another
15 of a given sequence under "stringent conditions" it is meant that it is homologous to the given sequence.

As used herein, the phrase "specific binding pair" intends a pair of molecules that bind to one another with high specificity. Binding pairs are said to exhibit
20 specific binding when they exhibit avidity of at least 10^7 , preferably at least 10^8 , more preferably at least 10^9 liters/mole. Nonlimiting examples of specific binding pairs are: antibody and antigen; biotin and avidin; and biotin and streptavidin.

As used herein with respect to the visual display of annotated genomic sequence, the term "rectangle" means any geometric shape that has at least a first and a second border, wherein the first and second borders each are capable of mapping uniquely to a point of another visual
30 object of the display.

As used herein, a "Mondrian" means a visual display in which a single genomic sequence is annotated with predicted and experimentally confirmed functional information.

35

Brief Description of the Drawings

The present invention is further illustrated with
5 reference to the following non-limiting figures and
examples in which:

FIG. 1 illustrates a process for predicting
functional regions from genomic sequence, confirming the
functional activity of such regions experimentally, and
10 associating and displaying the data so obtained in
meaningful and useful relationship to the original sequence
data;

FIG. 2 further elaborates that portion of the
process schematized in FIG. 1 for predicting functional
15 regions from genomic sequence;

FIG. 3 illustrates a Mondrian visual display;

FIG. 4 presents a Mondrian showing a hypothetical
annotated genomic sequence;

FIG. 5 is a histogram showing the distribution of
20 ORF length and PCR products as obtained, with ORF length
shown in black and PCR product length shown in dotted
lines;

FIG. 6 is a histogram showing the distribution,
among exons predicted according to the methods described,
25 of expression as measured using simultaneous two color
hybridization to a genome-derived single exon microarray.
The graph shows the number of sequence-verified products
that were either not expressed ("0"), expressed in one or
more but not all tested tissues ("1" - "9"), or expressed
30 in all tissues tested ("10");

FIG. 7 is a pictorial representation of the
expression of verified sequences that showed expression
with signal intensity greater than 3 in at least one
tissue, with: FIG. 7A showing the expression as measured by
35 microarray hybridization in each of the 10 measured

tissues, and the expression as measured "bioinformatically" by query of EST, NR and SwissProt databases; with FIG. 7B showing the legend for display of physical expression (ratio) in FIG. 7A; and with FIG. 7C showing the legend for
5 scoring EST hits as depicted in FIG. 7A;

FIG. 8 shows a comparison of normalized CY3 signal intensity for arrayed sequences that were identical to sequences in existing EST, NR and SwissProt databases or that were dissimilar (unknown), where black denotes the
10 signal intensity for all sequence-verified products with a BLAST Expect ("E") value of greater than $1e-30$ (1×10^{-30}) ("unknown") and a dotted line denotes sequence-verified spots with a BLAST expect ("E") value of less than $1e-30$ (1×10^{-30}) ("known");

15 FIG. 9 presents a Mondrian of BAC AC008172 (bases 25,000 to 130,000), containing the carbamyl phosphate synthetase gene (AF154830.1); and

FIG. 10 is a Mondrian of BAC A049839.

20

Methods and Apparatus for Predicting, Confirming,
Annotating, and Displaying Functional Regions From Genomic
Sequence Data

25 FIG. 1 is a flow chart illustrating in broad outline a process for predicting functional regions from genomic sequence, confirming and characterizing the functional activity of such regions experimentally, and then associating and displaying the information so obtained
30 in meaningful and useful relationship to the original sequence data.

The initial input into process 10 of the present invention is drawn from one or more databases 100 containing genomic sequence data. Because genomic sequence
35 is usually obtained from subgenomic fragments, the sequence

data typically will be stored in a series of records corresponding to these subgenomic sequenced fragments. Some fragments will have been catenated to form larger contiguous sequences ("contigs"); others will not. A
5 finite percentage of sequence data in the database will typically be erroneous, consisting *inter alia* of vector sequence, sequence created from aberrant cloning events, sequence of artificial polylinkers, and sequence that was erroneously read.

10 Each sequence record in database 100 will minimally contain as annotation a unique sequence identifier (accession number), and will typically be annotated further to identify the date of accession, species of origin, and depositor. Because database 100 can
15 contain nongenomic sequence, each sequence will typically be annotated further to permit query for genomic sequence. Chromosomal origin, optionally with map location, can also be present. Data can be, and over time increasingly will be, further annotated with additional information, in part
20 through use of the present invention, as described below. Annotation can be present within the data records, in information external to database 100 and linked to the records thereto, or through a combination of the two.

Databases useful as genomic sequence database 100
25 in the present invention include GenBank, and particularly include several divisions thereof, including the htgs(draft), NT (nucleotide, command line), and NR (nonredundant) divisions. GenBank is produced by the National Institutes of Health and is maintained by the
30 National Center for Biotechnology Information (NCBI). Databases of genomic sequence from species other than human, such as mouse, rat, Arabidopsis, *C. elegans*, *C. brigssii*, *Drosophila*, zebra fish, and other higher eukaryotic organisms will also prove useful as genomic
35 sequence database 100.

Genomic sequence obtained by query of genomic sequence database 100 is then input into one or more processes 200 for identification of regions therein that are predicted to have a biological function as specified by the user. Such functions include, but are not limited to, encoding protein, regulating transcription, regulating message transport after transcription into mRNA, regulating message splicing after transcription into mRNA, of regulating message degradation after transcription into mRNA, and the like. Other functions include directing somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X chromosome inactivation, and the like.

The particular genomic sequence to be input into process 200 will depend upon the function for which relevant sequence is to be identified as well as upon the approach chosen for such identification. Process step 200 can be iterated to identify different functions within a given genomic region. In such case, the input often will be different for the several iterations.

Sequences predicted to have the requisite function by process 200 are then input into process 300, where a subset of the input sequences suitable for experimental confirmation is identified. Experimental confirmation can involve physical and/or bioinformatic assay. Where the subsequent experimental assay is bioinformatic, rather than physical, there are fewer constraints on the sequences that can be tested, and in this latter case therefore process 300 can output the entirety of the input sequence.

The subset of sequences output from process 300 is then used in process 400 for experimental verification and characterization of the function predicted in process 200, which experimental verification can, and often will, include both physical and bioinformatic assay.

Process 500 annotates the sequence data with the functional information obtained in the physical and/or bioinformatic assays of process 400. Such annotation can be done using any technique that usefully relates the
5 functional information to the sequence, as, for example, by incorporating the functional data into the sequence data record itself, by linking records in a hierarchical or relational database, by linking to external databases, by a combination thereof, or by other means well known within
10 the database arts. The data can even be submitted for incorporation into databases maintained by others, such as GenBank, which is maintained by NCBI.

As further noted in FIG. 1, additional annotation can be input into process 500 from external sources 600.
15 The annotated data is then displayed in process 800, either before, concomitantly with, or after optional storage 700 on nontransient media, such as magnetic disk, optical disc, magnetooptical disk, flash memory, or the like.

FIG. 1 shows that the experimental data output from process 400 can be used in each preceding step of process 10: e.g., facilitating identification of functional sequences in process 200, facilitating identification of an experimentally suitable subset thereof in process 300, and
25 facilitating creation of physical and/or informational substrates for, and performance of subsequent assay, of functional sequences in process 400.

Information from each step can be passed directly to the succeeding process, or stored in permanent or
30 interim form prior to passage to the succeeding process. Often, data will be stored after each, or at least a plurality, of such process steps. Any or all process steps can be automated.

FIG. 2 further elaborates the prediction of
35 functional sequence within genomic sequence according to

process 200.

Genomic sequence database 100 is first queried 20 for genomic sequence.

The sequence required to be returned by query 20
5 will depend, in the first instance, upon the function to be identified.

For example, genomic sequences that function to encode protein can be identified *inter alia* using gene prediction approaches, comparative sequence analysis
10 approaches, or combinations of the two. In gene prediction analysis, sequence from one genome is input into process 200 where at least one, preferably a plurality, of algorithmic methods are applied to identify putative coding regions. In comparative sequence analysis, by contrast,
15 corresponding, e.g., syntenic, sequence from a plurality of sources, typically a plurality of species, is input into process 200, where at least one, possibly a plurality, of algorithmic methods are applied to compare the sequences and identify regions of least variability.

20 The exact content of query 20 will also depend upon the database queried. For example, if the database contains both genomic and nongenomic sequence, perhaps derived from multiple species, and the function to be determined is protein coding regions in human genomic
25 sequence, the query will accordingly require that the sequence returned be genomic and derived from humans.

Query 20 can also incorporate criteria that compel return of sequence that meets operative requirements of the subsequent analytical method. Alternatively, or in
30 addition, such operative criteria can be enforced in subsequent preprocess step 24.

For example, if the function sought to be identified is protein coding, query 20 can incorporate criteria that return from genomic sequence database 100
35 only those sequences present within contigs sufficiently

long as to have obviated substantial fragmentation of any given exon among a plurality of separate sequence fragments.

Such criteria can, for example, consist of a
5 required minimal individual genomic sequence fragment length, such as 10 kb, more typically 20 kb, 30 kb, 40kb, and preferably 50 kb or more, as well as an optional further or alternative requirement that sequence from any given clone, such as a bacterial artificial chromosome
10 ("BAC"), be presented in no more than a finite maximal number of fragments, such as no more than 20 separate pieces, more typically no more than 15 fragments, even more typically no more than about 10 - 12 fragments.

Results using the present invention have shown
15 that genomic sequence from bacterial artificial chromosomes (BACs) is sufficient for gene prediction analysis according to the present invention if the sequence is at least 50 kb in length, and if additionally the sequence from any given BAC is presented in fewer than 15, and preferably fewer
20 than 10, fragments. Accordingly, query 20 can incorporate a requirement that data accessioned from BAC sequencing be in fewer than 15, preferably fewer than 10, fragments.

An additional criterion that can be incorporated into the query can be the date, or range of dates, of
25 sequence accession. Although the process has been described above as if genomic sequence database 100 were static, it is of course understood that the genomic sequence databases need not be static, and indeed are typically updated on a frequent, even hourly, basis. Thus,
30 as further described in Examples 1 and 2, *infra*, it is possible to query the database for newly added sequence, either newly added after an absolute date, or newly added relative to a prior analysis performed using the methods and apparatus of the present invention. In this way, the
35 process herein described can incorporate a dynamic,

temporal component.

One utility of such temporal limitation is to identify, from newly accessioned genomic sequence, the presence of novel genes, particularly those not previously identified by EST sequencing (or other sequencing efforts that are similarly based upon gene expression). As further described in Example 1, such an approach has shown that newly accessioned human genomic sequence, when analyzed for sequences that function to encode protein, readily identifies genes that are novel over those in existing EST and other expression databases. This makes the methods of the present invention extremely powerful gene discovery tools. And as would be appreciated, such gene discovery can be performed using genomic sequence from species other than human.

If query 20 incorporates multiple criteria, such as above-described, the multiple criteria can be performed as a series of separate queries or as a single query, depending in part upon the query language, the complexity of the query, and other considerations well known in the database arts.

If query 20 returns no genomic sequence meeting the query criteria, the negative result can be reported by process 22, and process 200 (and indeed, entire process 10) ended 23, as shown. Alternatively, or in addition to report and termination of the initial inquiry, a new query 20 can be generated that takes into account the initial negative result.

When query 20 returns sequence meeting the query criteria, the returned sequence is then passed to optional preprocessing 24, suitable and specific for the desired analytical approach and the particular analytical methods thereof to be used in process 25.

Preprocessing 24 can include processes suitable for many approaches and methods thereof, as well as

processes specifically suited for the intended subsequent analysis.

Preprocessing 24 suitable for most approaches and methods will include elimination of sequence irrelevant to, or that would interfere with, the subsequent analysis. Such sequence includes repetitive sequence, such as Alu repeats and LINE elements, vector sequence, artificial sequence, such as artificial polylinkers, and the like. Such removal can readily be performed by identification and subsequent masking of the undesired sequence.

Identification can be effected by comparing the genomic sequence returned by query 20 with public or private databases containing known repetitive sequence, vector sequence, artificial sequence, and other artifactual sequence. Such comparison can readily be done using programs well known in the art, such as CROSS_MATCH, or by proprietary sequence comparison programs the engineering of which is well within the skill in the art.

Alternatively, or in addition, undesirable, including artifactual, sequence can be identified algorithmically without comparison to external databases and thereafter removed. For example, synthetic polylinker sequence can be identified by an algorithm that identifies a significantly higher than average density of known restriction sites. As another example, vector sequence can be identified by algorithms that identify nucleotide or codon usage at variance with that of the bulk of the genomic sequence.

Once identified, undesired sequence can be removed. Removal can usefully be done by masking the undesired sequence as, for example, by converting the specific nucleotide references to one that is unrecognized by the subsequent bioinformatic algorithms, such as "X". Alternatively, but at present less preferred, the undesired sequence can be excised from the returned genomic sequence,

leaving gaps.

Preprocessing 24 can further include selection from among duplicative sequences of that one sequence of highest quality. Higher quality can be measured as a lower percentage of, fewest number of, or least densely clustered occurrence of ambiguous nucleotides, defined as those nucleotides that are identified in the genomic sequence using symbols indicating ambiguity. Higher quality can also or alternatively be valued by presence in the longest contig.

Preprocessing 24 can, and often will, also include formatting of the data as specifically appropriate for passage to the analytical algorithms of process 25. Such formatting can and typically will include, *inter alia*, addition of a unique sequence identifier, either derived from the original accession number in genomic sequence database 100, or newly applied, and can further include additional annotation. Formatting can include conversion from one to another sequence listing standard, such as conversion to or from FASTA or the like, depending upon the input expected by the subsequent process.

Preprocessing, which can be optional depending upon the function desired to be identified and the informational requirements of the methods for effecting such identification, is followed by sequence processing 25, where sequences with the desired function are identified within the genomic sequence.

As mentioned above, such functions can include, but are not limited to, encoding protein, regulating transcription, regulating message transport after transcription into mRNA, regulating message splicing after transcription, of regulating message degradation, and the like. Other functions include directing somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X

chromosome inactivation, or the like.

The methods of the present invention are particularly useful for gene discovery, that is, for identifying, from genomic sequence, regions that function to encode genes, and in a particularly useful embodiment, for identifying regions that function to encode genes not hitherto identified by expression-based or directed cloning and sequencing. In conjunction with verification using the novel single exon microarrays of the present invention, as further described below, the methods herein described become powerful gene discovery tools.

Accordingly, in a preferred embodiment of the present invention, process 25 is used to identify putative coding regions. Two preferred approaches in process 25 for identifying sequence that encodes putative genes are gene prediction and comparative sequence analysis.

Gene prediction can be performed using any of a number of algorithmic methods, embodied in one or more software programs, that identify open reading frames (ORFs) using a variety of heuristics, such as GRAIL, DICTION, and GENEFINDER. Comparative sequence analysis similarly can be performed using any of a variety of known programs that identify regions with lower sequence variability.

As further described in Example 1, below, gene finding software programs yield a range of results. For the newly accessioned human genomic sequence input in Example 1, for example, GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed; GENEFINDER was second, calling 1%; and DICTION yielded the least putative coding region, with 0.8% of genomic sequence called as coding region.

Increased reliability can be obtained when consensus is required among several such methods. Although discussed herein particularly with respect to exon calling, consensus among methods will in general increase

reliability of predicting other functions as well.

Thus, as indicated by query 26, sequence processing 25, optionally with preprocessing 24, can be repeated with a different method, with consensus among such
5 iterations determined and reported in process 27.

Process 27 compares the several outputs for a given input genomic sequence and identifies consensus among the separately reported results. The consensus itself, as well as the sequence meeting that consensus, is then stored
10 in process 29a, displayed in process 29b, and/or output to process 300 for subsequent identification of a subset thereof suitable for assay.

Multiple levels of consensus can be calculated and reported by process 27. For example, as further
15 described in Example 1, *infra*, process 27 can report consensus as between all specific pairs of methods of gene prediction, as consensus among any one or more of the pairs of methods of gene prediction, or as among all of the gene prediction algorithms used. Thus, in Example 1, process 27
20 reported that GRAIL and GENEFINDER programs agreed on 0.7% of genomic sequence, that GRAIL and DICTION agreed on 0.5% of genomic sequence, and that the three programs together agreed on 0.25% of the data analyzed. Put another way, 0.25% of the genomic sequence was identified by all three
25 of the programs as containing putative coding region.

Furthermore, consensus can be required among different approaches to identifying a chosen function.

For example, if the function desired to be identified is coding of protein sequence, and a first used
30 approach to exon calling is gene prediction, the process can be repeated on the same input sequence, or subset thereof, with another approach, such as comparative sequence analysis. In such a case, where comparative sequence analysis follows gene prediction, the comparison
35 can be performed not only on genomic nucleic acid sequence,

but additionally or alternatively can be performed on the predicted amino acid sequence translated from the ORFs prior identified by the gene prediction approach.

Although shown as an iterative process, the
5 multiple analyses required to achieve consensus can be done in series, in parallel, or some combination thereof.

Predicted functional sequence, optionally representing a consensus among a plurality of methods and approaches for determination thereof, is passed to process
10 300 for identification of a subset thereof for functional assay.

In the preferred embodiment of the methods of the present invention, wherein the function sought to be identified is protein coding, process 300 is used to
15 identify a subset thereof suitable for experimental verification by physical and/or bioinformatic approaches.

For example, putative ORFs identified in process 200 can be classified, or binned, bioinformatically into putative genes. This binning can be based *inter alia* upon
20 consideration of the average number of exons/gene in the species chosen for analysis, upon density of exons that have been called on the genomic sequence, and other empirical rules. Thereafter, one or more among the gene-specific ORFs can be chosen for subsequent use in gene
25 expression assay.

Where such subsequent gene expression assay uses amplified nucleic acid, considerations such as desired amplicon length, primer synthesis requirements, putative exon length, sequence GC content, existence of possible
30 secondary structure, and the like can be used to identify and select those ORFs that appear most likely successfully to amplify. Where subsequent gene expression assay relies upon nucleic acid hybridization, whether or not using amplified product, further considerations involving
35 hybridization stringency can be applied to identify that

subset of sequences that will most readily permit sequence-specific discrimination at a chosen hybridization and wash stringency. One particular such consideration is avoidance of putative exons that span repetitive sequence; such
5 sequence can hybridize spuriously to nonspecific message, reducing specific signal in the hybridization.

For bioinformatic assay, there are fewer constraints on the sequences that can be tested experimentally, and in this latter case therefore process
10 300 can output the entirety of the input sequence.

The subset of sequences identified by process 300 as suitable for use in assay is then used in process 400 to create the physical and/or informational substrate for experimental verification of the predictions made in
15 process 200, and thereafter to assay those substrates.

As mentioned, the methods of the present invention are particularly useful for identifying potential coding regions within genomic sequence. In a preferred embodiment of process 400, therefore, the expression of the
20 sequences predicted to encode protein is verified. The combination of the predictive and experimental methods provides a powerful gene discovery engine.

Thus, in another aspect, the present invention provides methods and apparatus for verifying the expression
25 of putative genes identified within genomic sequence. In particular, the invention provides a novel method of verifying gene expression in which expression of predicted ORFs is measured and confirmed using a novel type of nucleic acid microarray, the genome-derived single exon
30 nucleic acid microarrays of the present invention.

Putative ORFs as predicted by a consensus of gene calling, particularly gene prediction, algorithms in process 200, and as further identified as suitable by process 300, are amplified from genomic DNA using the
35 polymerase chain reaction (PCR). Although PCR is

conveniently used, other amplification approaches can also be used.

Amplification schemes can be designed to capture the entirety of each predicted ORF in an amplicon with
5 minimal additional (that is, intronic or intergenic) sequence. Because ORFs predicted from human genomic sequence using the methods of the present invention differ in length, such an approach results in amplicons of varying length.

10 However, most predicted ORFs are shorter than 500 bp in length, and although amplicons of at least about 100 or 200 base pairs can be immobilized as probes on nucleic acid microarrays, early experimental results using the methods of the present invention have suggested that longer
15 amplicons, at least about 400 or 500 base pairs, are more effective. Furthermore, certain advantages derive from application to the microarray of amplicons of defined size.

Therefore, amplification schemes can alternatively, and preferably, be designed to amplify
20 regions of defined size, preferably at least about 300, 400 or 500 bp, centered about each predicted ORF. Such an approach results in a population of amplicons of limited size diversity, but that typically contain intronic and/or intergenic nucleic acid in addition to putative ORF.

25 Conversely, somewhat fewer than 10% of ORFs predicted from human genomic sequence according to the methods of the present invention exceed 500 bp in length. Portions of such extended ORFs, preferably at least about 300, 400 or 500 bp in length, can be amplified. However, it
30 has been discovered that the percentage success at amplifying pieces of such ORFs is low, and that such putative exons are more effectively amplified when larger fragments, at least about 1000 or 1500 bp, and even as large as 2000 bp are amplified.

35 The putative ORFs selected in process 300 are

thus input into one or more primer design programs, such as
PRIMER3 (available online for use at
<http://www-genome.wi.mit.edu/cgi-bin/primer/>), with a goal
of amplifying at least about 500 base pairs of genomic
5 sequence centered within or about ORFs predicted to be no
more than about 500 bp, or at least about 1000 - 1500 bp of
genomic sequence for ORFs predicted to exceed 500 bp in
length, and the primers synthesized by standard techniques.
Primers with the requisite sequences can be purchased
10 commercially or synthesized by standard techniques.

Conveniently, a first predetermined sequence can
be added commonly to the ORF-specific 5' primer and a
second, typically different, predetermined sequence
commonly added to each 3' ORF-unique primer. This serves
15 to immortalize the amplicon, that is, serves to permit
further amplification of any amplicon using a single set of
primers complementary respectively to the common 5' and
common 3' sequence elements. The presence of these
"universal" priming sequences further facilitates later
20 sequence verification, providing a sequence common to all
amplicons at which to prime sequencing reactions. The
common 5' and 3' sequences further serve to add a cloning
site should any of the ORFs warrant further study.

Such predetermined sequence is usefully at least
25 about 10, 12 or 15 nt in length, and usually does not
exceed about 25 nt in length. The "universal" priming
sequences used in the examples presented *infra* were each 16
nt long.

The genomic DNA to be used as substrate for
30 amplification will come from the eukaryotic species from
which the genomic sequence data had originally been
obtained, or a closely related species, and can
conveniently be prepared by well known techniques from
somatic or germline tissue or cultured cells of the
35 organism. See, e.g., Short Protocols in Molecular Biology

: A Compendium of Methods from Current Protocols in Molecular Biology, Ausubel et al. (eds.), 4th edition (April 1999), John Wiley & Sons (ISBN: 047132938X) and Maniatis et al., Molecular Cloning : A Laboratory Manual, 5 2nd edition (December 1989), Cold Spring Harbor Laboratory Press (ISBN: 0879693096). Many such prepared genomic DNAs are available commercially, with the human genomic DNAs additionally having certification of donor informed consent.

10 Although the intronic and intergenic material flanking putative coding regions in the amplicons could potentially interfere with hybridizations during microarray experiments, we have found, surprisingly, that differential expression ratios are not significantly affected. Rather, 15 the predominant effect of exon size is to alter the absolute signal intensity, rather than its ratio. Equally surprising, the art had suggested that single exon probes would not provide sufficient signal intensity for high stringency hybridization analyses; we find that such probes 20 not only provide adequate signal, but have substantial advantages, as herein described.

 After partial purification, as by size exclusion spin column, with or without confirmation as to amplicon quality as by gel electrophoresis, each amplicon (single 25 exon probe) is disposed in an array upon a support substrate.

 Methods for creating microarrays by deposition and fixation of nucleic acids onto support substrates are well known in the art (Reviewed by Schena et al., see 30 above).

 Typically, the support substrate will be glass, although other materials, such as amorphous or crystalline silicon or plastics. Such plastics include polymethylacrylic, polyethylene, polypropylene, 35 polyacrylate, polymethylmethacrylate, polyvinylchloride,

polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, or mixtures thereof, can also be used. Typically, the support will be rectangular, 5 although other shapes, particularly circular disks and even spheres, present certain advantages. Particularly advantageous alternatives to glass slides as support substrates for array of nucleic acids are optical discs, as described in WO 98/12559.

10 The amplified nucleic acids can be attached covalently to a surface of the support substrate or, more typically, applied to a derivatized surface in a chaotropic agent that facilitates denaturation and adherence by presumed noncovalent interactions, or some combination 15 thereof.

Robotic spotting devices useful for arraying nucleic acids on support substrates can be constructed using public domain specifications (The MGuide, version 2.0, <http://cmgm.stanford.edu/pbrown/mguide/index.html>), or 20 can conveniently be purchased from commercial sources (MicroArray GenII Spotter and MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Spotting can also be effected by printing methods, including those using ink jet technology.

25 As is well known in the art, microarrays typically also contain immobilized control nucleic acids. For controls useful in providing measurements of background signal for the genome-derived single exon microarrays of the present invention, a plurality of *E. coli* genes can 30 readily be used. As further described in Example 1, 16 or 32 *E. coli* genes suffice to provide a robust measure of background noise in such microarrays.

As is well known in the art, the amplified product disposed in arrays on a support substrate to create 35 a nucleic acid microarray can consist entirely of natural

nucleotides linked by phosphodiester bonds, or alternatively can include either nonnative nucleotides, alternative internucleotide linkages, or both, so long as complementary binding can be obtained in the hybridization.

- 5 If enzymatic amplification is used to produce the immobilized probes, the amplifying enzyme will impose certain further constraints upon the types of nucleic acid analogs that can be generated.

Although particularly described herein as using
10 high density microarrays constructed on planar substrates, the methods of the present invention for confirming the expression of ORFs predicted from genomic sequence can use any of the known types of microarrays, as herein defined, including lower density planar arrays, and microarrays on
15 nonplanar, nonunitary, distributed substrates.

For example, gene expression can be confirmed using hybridization to lower density arrays, such as those constructed on membranes, such as nitrocellulose, nylon, and positively-charged derivatized nylon membranes.
20 Further, gene expression can also be confirmed using nonplanar, bead-based microarrays such as are described in Brenner et al., *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000); U.S. Patent No. 6,057,107; and U.S. Patent No. 5,736,330. In theory, a packed collection of such beads
25 provides in aggregate a higher density of nucleic acid probe than can be achieved with spotting or lithography techniques on a single planar substrate.

Planar microarrays on solid substrates, however, provide certain useful advantages, including high
30 throughput and compatibility with existing readers. For example, each standard microscope slide can include at least 1000, typically at least 2000, preferably 5000 and upto 10,000 - 50,000 or more nucleic acid probes of discrete sequence. The number of sequences deposited will
35 depend on their required application.

Each putative gene can be represented in the array by a single predicted ORF. Alternatively, genes can be represented by more than one predicted ORF. For purposes of measuring differential splicing, more than one
5 predicted ORF will be provided for a putative gene. And as is well known in the art, each probe of defined sequence, representing a single predicted ORF, can be deposited in a plurality of locations on a single microarray to provide redundancy of signal.

10 The genome-derived single exon microarrays described above differ in several fundamental and advantageous ways from microarrays presently used in the gene expression art, including (1) those created by deposition of mRNA-derived nucleic acids, (2) those created
15 by *in situ* synthesis of oligonucleotide probes, and (3) those constructed from yeast genomic DNA.

Most nucleic acid microarrays that are in use for study of eukaryotic gene expression have as immobilized probes nucleic acids that are derived - either directly or
20 indirectly - from expressed message. As discussed above, it is common, for example, for such microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, see Lennon et al., or from the *de novo* construction of "problem specific"
25 libraries targeted at a particular biological question, R.S. Thomas et al., *Cancer Res.* (in press). Such microarrays are herein collectively denominated "EST microarrays".

Such EST microarrays by definition can measure
30 expression only of those genes found in EST libraries, shown herein to represent only a fraction of expressed genes. Furthermore, such libraries - and thus microarrays based thereupon - are biased by the tissue or cell type of message origin, by the expression levels of the respective
35 genes within the tissues, and by the ability of the message

successfully to have been reverse-transcribed and cloned.

Thus, as further discussed in Example 1, the methods of the present invention enable sequences that do not appear in EST or other expression databases to be
5 determined - subsequently arrayed for expression measurements could not, therefore, have been represented as probes on an EST microarray. And as further demonstrated in the examples, *infra*, the remaining population of genes identified from genomic sequence by the methods of the
10 present invention - that is, the one third of sequences that had previously been accessioned in EST or other expression databases - are biased toward genes with higher expression levels.

Representation of a message in an EST and/or cDNA
15 library depends upon the successful reverse transcription, optionally but typically with subsequent successful cloning, of the message. This introduces substantial bias into the population of probes available for arraying in EST microarrays.

20 In contrast, neither reverse transcription nor cloning is required to produce the probes arrayed on the genome-derived single exon microarrays of the present invention. And although the ultimate deposition of a probe on the genome-derived single exon microarray of the present
25 invention depends upon a successful amplification from genomic material, *a priori* knowledge of the sequence of the desired amplicon affords greater opportunity to recover any given probe sequence recalcitrant to amplification than is afforded by the requirement for successful reverse
30 transcription and cloning of unknown message in EST approaches.

Thus, the genome-derived single exon microarrays of the present invention present a far greater diversity of probes for measuring gene expression, with far less bias,
35 than do EST microarrays presently used in the art.

As a further consequence of their ultimate origin from expressed message, the probes in EST microarrays often contain poly-A (or complementary poly-T) stretches derived from the poly-A tail of mature mRNA. These homopolymeric stretches contribute to cross-hybridization, that is, to a spurious signal occasioned by hybridization to the homopolymeric tail of a labeled cDNA that lacks sequence homology to the gene-specific portion of the probe.

In contrast, the probes arrayed in the genome-derived single exon microarrays of the present invention lack homopolymeric stretches derived from message polyadenylation, and thus can provide more specific signal. Typically, at least about 50, 60 or 75% of the probes on the genome-derived single exon microarrays of the present invention lack homopolymeric regions consisting of A or T, where a homopolymeric region is defined for purposes herein as stretches of 25 or more, typically 30 or more, identical nucleotides.

A further distinction, which also affects the specificity of hybridization, is occasioned by the typical derivation of EST microarray probes from cloned material. Because much of the probe material disposed as probes on EST microarrays is excised or amplified from plasmid, phage, or phagemid vectors, EST microarrays typically include a fair amount of vector sequence, more so when the probes are amplified, rather than excised, from the vector.

In contrast, the vast majority of probes in the genome-derived single exon microarrays of the present invention contain no prokaryotic or bacteriophage vector sequence, having been amplified directly or indirectly from genomic DNA. Typically, therefore, at least about 50, 60, 70 or 80% or more of individual exon-including probes disposed on a genome-derived single exon microarray of the present invention lack vector sequence, and particularly lack sequences drawn from plasmids and bacteriophage.

Preferably, at least about 85, 90 or more than 90% of exon-including probes in the genome-derived single exon microarray of the present invention lack vector sequence. With attention to removal of vector sequences through preprocessing 24, percentages of vector-free exon-including probes can be as high as 95 - 99%. The substantial absence of vector sequence from the genome-derived single exon microarrays of the present invention results in greater specificity during hybridization, since spurious cross-hybridization to a probe vector sequence is reduced.

As a further consequence of excision or amplification of probes from vectors in construction of EST microarrays, the probes arrayed thereon often contain artificial sequence, derived from vector polylinker multiple cloning sites, at both 5' and 3' ends. The probes disposed upon the genome-derived single exon microarrays need have no such artificial sequence appended thereto.

As mentioned above, however, the ORF-specific primers used to amplify putative ORFs can include artificial sequences, typically 5' to the ORF-specific primer sequence, useful for "universal" (that is, independent of ORF sequence) priming of subsequent amplification or sequencing reactions. When such "universal" 5' and/or 3' priming sequences are appended to the amplification primers, the probes disposed upon the genome-derived single exon microarray will include artificial sequence similar to that found in EST microarrays. However, the genome-derived single exon microarray of the present invention can be made without such sequences, and if so constructed, presents an even smaller amount of nonspecific sequence that would contribute to nonspecific hybridization.

Yet another consequence of typical use of cloned material as probes in EST microarrays is that such microarrays contain probes that result from cloning

artifacts, such as chimeric molecules containing coding region of two separate genes. Derived from genomic material, typically not thereafter cloned, the probes of the genome-derived single exon microarrays of the present invention lack such cloning artifacts, and thus provide greater specificity of signal in gene expression measurements.

A further consequence of the cloned origin of probes on many EST microarrays is that the individual probes often have disparate sizes, which can cause the optimal hybridization stringency to vary among probes on a single microarray. In contrast, as discussed above, the probes arrayed on the genome-derived single exon microarrays of the present invention can readily be designed to have a narrow distribution in sizes, with the range of probe sizes no greater than about 10% of the average size, typically no greater than about 5% of the average probe size.

Because of their origin from fully- or partially-spliced message, probes disposed upon EST arrays will often include multiple exons. The percentage of such exon-spanning probes in an EST microarray can be calculated, on average, based upon the predicted number of exons/gene for the given species and the average length of the immobilized probes. For human genes, the near-complete sequence of human chromosome 22, Dunham et al., *Nature* 402(6761):489-95 (1999), predicts that human genes average 5.5 exons/gene. Even with probes of 200 - 500 bp, the vast majority of human EST microarray probes include more than one exon.

In contrast, by virtue of their origin from algorithmically identified ORFs in genomic sequence, the probes in the genome-derived single exon microarrays of the present invention can consist of individual exons. Thus, in contrast to EST microarrays, at least about 50, 60, 70, 75, 80, 85, 95 or 99% of probes deposited in the genome-

derived microarray of the present invention consist of, or include, no more than one predicted ORF.

This provides the ability, not readily achieved using EST microarrays, to use the genome-derived single
5 exon microarrays of the present invention to measure tissue-specific expression of individual exons, which in turn allows differential splicing events to be detected and characterized, and in particular, allows the correlation of differential splicing to tissue-specific expression
10 patterns.

Furthermore, the exons that are represented in EST microarrays are often biased toward the 3' or 5' end of their respective genes, since sequencing strategies used for EST identification are so biased. In contrast, no such
15 3' or 5' bias necessarily inheres in the selection of exons for disposition on the genome-derived single exon microarrays of the present invention.

Conversely, the probes provided on the genome-derived single exon microarrays of the present invention
20 typically, but need not necessarily, include intronic and/or intergenic sequence that is absent from EST microarrays, which are derived from mature mRNA. Typically, at least about 50, 60, 70, 80 or 90% of the exon-including probes on the genome-derived single exon
25 microarrays of the present invention include sequence drawn from noncoding regions. As discussed above, the additional presence of noncoding region does not significantly interfere with measurement of gene expression, and provides the additional opportunity to assay prespliced RNA, and
30 thus measure such phenomena such as nuclear export control.

The genome-derived single exon microarrays of the present invention are also quite different from *in situ* synthesis microarrays, where probe size is severely constrained by inadequacies in the photolithographic
35 synthesis process.

Typically, probes arrayed on *in situ* synthesis microarrays are limited to a maximum of about 25 bp. As a well known consequence, hybridization to such chips must be performed at low stringency. In order, therefore, to
5 achieve unambiguous sequence-specific hybridization results, the *in situ* synthesis microarray requires substantial redundancy, with concomitant programmed arraying for each probe of probe analogues with altered (*i.e.*, mismatched) sequence.

10 In contrast, the longer probe length of the genome-derived single exon microarrays of the present invention allows much higher stringency hybridization and wash. Typically, therefore, exon-including probes on the genome-derived single exon microarrays of the present
15 invention average at least about 100, 200, 300, 400 or 500 bp in length. By obviating the need for substantial probe redundancy, this approach permits a higher density of probes for discrete exons or genes to be arrayed on the microarrays of the present invention than can be achieved
20 for *in situ* synthesis microarrays.

A further distinction is that the probes in *in situ* synthesis microarrays typically are covalently linked to the substrate surface. In contrast, the probes disposed on the genome-derived microarray of the present invention
25 typically are, but need not necessarily be, bound noncovalently to the substrate.

Furthermore, the short probe size on *in situ* microarrays causes large percentage differences in the melting temperature of probes hybridized to their
30 complementary target sequence, and thus causes large percentage differences in the theoretically optimum stringency across the array as a whole.

In contrast, the larger probe size in the microarrays of the present invention create lower
35 percentage differences in melting temperature across the

range of arrayed probes.

A further significant advantage of the microarrays of the present invention over *in situ* synthesized arrays is that the quality of each individual probe can be confirmed before deposition. In contrast, the quality of probes cannot be assessed on a probe-by-probe basis for the *in situ* synthesized microarrays presently being used.

The genome-derived single exon microarrays of the present invention are also distinguished over, and present substantial benefits over, the genome-derived microarrays from lower eukaryotes such as yeast. Lashkari et al., *Proc. Natl. Acad. Sci. USA* 94:13057-13062 (1997).

Only about 220 - 250 of the 6100 or so nuclear genes in *Saccharomyces cerevisiae* - that is, only about 4 - 5% - have standard, spliceosomal, introns, Lopez et al., *Nucl. Acids Res.* 28:85-86 (2000); Spingola et al., *RNA* 5(2):221-34 (1999). Furthermore, the entire yeast genome has already been sequenced. These two facts permit the ready amplification and disposition of single-ORF amplicons on such microarray without the requirement for antecedent use of gene prediction and/or comparative sequence analyses.

Thus, a significant aspect of the present invention is the ability to identify and to confirm expression of predicted coding regions in genomic sequence drawn from eukaryotic organisms that have a higher percentage of genes having introns than do yeast such as *Saccharomyces cerevisiae*, particularly in genomic sequence drawn from eukaryotes in which at least about 10, 20 or 50% of protein-encoding genes have introns. In preferred embodiments, the methods and apparatus of the present invention are used to identify and confirm expression of novel genes from genomic sequence of eukaryotes in which the average number of introns per gene is at least about

one, two or three or more.

After the physical substrate is prepared, experimental verification of predicted function is performed.

5 In a preferred embodiment of the present invention, where the function sought to be identified in genomic sequence is protein coding, experimental verification is performed by measuring expression of the putative ORFs, typically through nucleic acid hybridization
10 experiments, and in particularly preferred embodiments, through hybridization to genome-derived single exon microarrays prepared as above- described.

Expression is conveniently measured and expressed for each probe in the microarray as a ratio of the
15 expression measured concurrently in a plurality of mRNA sources, according to techniques well known in the microarray art, Reviewed in Schena et al., and as further described in Example 2, below. The mRNA source for the reference against which specific expression is measured can
20 be drawn from a homogeneous mRNA source, such as a single cultured cell-type, or alternatively can be heterogeneous, as from a pool of mRNA derived from multiple tissues and/or cell types, as further described in Example 2, *infra*.

mRNA can be prepared by standard techniques, see
25 Ausubel et al. and Maniatis et al., or purchased commercially. The mRNA is then typically reverse-transcribed in the presence of labeled nucleotides: the index source (that in which expression is desired to be measured) is reverse transcribed in the presence of
30 nucleotides labeled with a first label, typically a fluorophore (fluorochrome; fluor; fluorescent dye); the reference source is reverse transcribed in the presence of a second label, typically a fluorophore, typically fluorometrically-distinguishable from the first label. As
35 further described in Example 2, *infra*, Cy3 and Cy5 dyes

prove particularly useful in these methods. After partial purification of the index and reference targets, hybridization to the probe array is conducted according to standard techniques, typically under a coverslip.

5 After wash, microarrays are conveniently scanned using a commercial microarray scanning device, such as a Gen3 Scanner (Molecular Dynamics, Sunnyvale, CA). Data on expression is then passed, with or without interim storage, to process 500, where the results for each probe are
10 related to the original sequence.

Often, hybridization of target material to the genome-derived single exon microarray will identify certain of the probes thereon as of particular interest. Thus, it is often desirable that the user be able readily to obtain
15 sufficient quantities of an individual probe, either for subsequent arrayed deposition upon an additional support substrate, often as part of a microarray having a plurality of probes so identified, or alternatively or additionally as a solitary solid-phase or solution-phase probe, for
20 further use.

Thus, in another aspect, the present invention provides compositions and kits for the ready production of nucleic acids identical in sequence to, or substantially identical in sequence to, probes on the genome-derived
25 single exon microarrays of the present invention.

In this aspect, a small quantity of each probe is disposed, typically without attachment to substrate, in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96 well microtiter plate
30 can be used, greater efficiency is obtained using higher density arrays, such as are provided by microtiter plates having 384, 864, 1536, 3456, 6144, or 9600 wells, and although microtiter plates having physical depressions (wells) are conveniently used, any device that permits
35 addressable withdrawal of reagent from fluidly-

noncommunicating areas can be used.

In this aspect of the invention, therefore, a fluidly noncommunicating addressable ordered set of individual probes, corresponding to those on a genome-derived single exon microarray, is provided, with each probe in sufficient quantity to permit amplification, such as by PCR. As earlier mentioned, the ORF-specific 5' primers used for genomic amplification can have a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second, different, common sequence added thereto, thus permitting, in this preferred embodiment, the use of a single set of 5' and 3' primers to amplify any one of the probes from the amplifiable ordered set.

Each discrete amplifiable probe can also be packaged with amplification primers, solutes, buffers, etc., and can be provided in dry (e.g., lyophilized) form or wet, in the latter case typically with addition of agents that retard evaporation.

In another aspect of the present invention, a genome-derived single-exon microarray is packaged together with such an ordered set of amplifiable probes corresponding to the probes, or one or more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is packaged separately from the genome-derived single exon microarray.

In some embodiments, the microarray and/or ordered probe set are further packaged with recordable media that provide probe identification and addressing information, and that can additionally contain annotation information, such as gene expression data. Such recordable media can be packaged with the microarray, with the ordered probe set, or with both.

If the microarray is constructed on a substrate that incorporates recordable media, such as is described in

process 300, or process 400.

Experimental data, whether obtained by physical or bioinformatic assay in process 400, is passed to process 500 where it is usefully related to the sequence data itself, a process colloquially termed "annotation". Such annotation can be done using any technique that usefully relates the functional information to the sequence, as, for example, by incorporating the functional data into the record itself, by linking records in a hierarchical or relational database, by linking to external databases, or by a combination thereof. Such database techniques are well within the skill in the art.

The annotated sequence data can be stored locally, uploaded to genomic sequence database 100, and/or displayed 800.

The methods and apparatus of the present invention rapidly produce functional information from genomic sequence. Coupled with the escalating pace at which sequence now accumulates, the rapid pace of sequence annotation produces a need for methods of displaying the information in meaningful ways.

FIG. 3 shows visual display 80 presenting a single genomic sequence annotated according to the present invention. Because of its nominal resemblance to artistic works of Piet Mondrian, visual display 80 is alternatively described herein as a "Mondrian".

Each of the visual elements of display 80 is aligned with respect to the genomic sequence being annotated (hereinafter, the "annotated sequence"). Given the number of nucleotides typically represented in an annotated sequence, representation of individual nucleotides would rarely be readable in hard copy output of display 80. Typically, therefore, the annotated sequence is schematized as rectangle 89, extending from the left border of display 80 to its right border. By convention

herein, the left border of rectangle 89 represents the first nucleotide of the sequence and the right border of rectangle 89 represents the last nucleotide of the sequence.

5 As further discussed below, however, the Mondrian visual display of annotated sequence can serve as a convenient graphical user interface for computerized representation, analysis, and query of information stored electronically. For such use, the individual nucleotides
10 can conveniently be linked to the X axis coordinate of rectangle 89. This permits the annotated sequence at any point within rectangle 89 readily to be viewed, either automatically - for example, by time-delayed appearance of a small overlaid window upon movement of a cursor or other
15 pointer over rectangle 89 - or through user intervention, as by clicking a mouse or other pointing device at a point in rectangle 89.

Visual display 80 is generated after user specification of the genomic sequence to be displayed.
20 Such specification can consist of or include an accession number for a single clone (e.g., a single BAC accessioned into GenBank), wherein the starting and stopping nucleotides are thus absolutely identified, or alternatively can consist of or include an anchor or
25 fulcrum point about which a chosen range of sequence is anchored, thus providing relative endpoints for the sequence to be displayed. For example, the user can anchor such a range about a given chromosomal map location, gene name, or even a sequence returned by query for similarity
30 or identity to an input query sequence. When visual display 80 is used as a graphical user interface to computerized data, additional control over the first and last displayed nucleotide will typically be dynamically selectable, as by use of standard zooming and/or selection
35 tools.

Field 81 of visual display 80 is used to present the output from process 200, that is, to present the bioinformatic prediction of those sequences having the desired function within the genomic sequence. Functional sequences are typically indicated by at least one rectangle 83 (83a, 83b, 83c), the left and right borders of which respectively indicate, by their X-axis coordinates, the starting and ending nucleotides of the region predicted to have function.

Where a single bioinformatic method or approach identifies a plurality of regions having the desired function, a plurality of rectangles 83 is disposed horizontally in field 81. Where multiple methods and/or approaches are used to identify function, each such method and/or approach can be represented by its own series of horizontally disposed rectangles 83, each such horizontally disposed series of rectangles offset vertically from those representing the results of the other methods and approaches.

Thus, rectangles 83a in FIG. 3 represent the functional predictions of a first method of a first approach for predicting function, rectangles 83b represent the functional predictions of a second method and/or second approach for predicting that function, and rectangles 83c represent the predictions of a third method and/or approach.

Where the function desired to be identified is protein coding, field 81 is used to present the bioinformatic prediction of sequences encoding protein. For example, rectangles 83a can represent the results from GRAIL or GRAIL II, rectangles 83b can represent the results from GENEFINDER, and rectangles 83c can represent the results from DICTION.

Optionally, and preferably, rectangles 83 collectively representing predictions of a single method

and/or approach are identically colored and/or textured, and are distinguishable from the color and/or texture used for a different method and/or approach.

Alternatively, or in addition, the color, hue, density, or texture of rectangles 83 can be used further to report a measure of the bioinformatic reliability of the prediction. For example, many gene prediction programs will report a measure of the reliability of prediction. Thus, increasing degrees of such reliability can be indicated, e.g., by increasing density of shading. Where display 80 is used as a graphical user interface, such measures of reliability, and indeed all other results output by the program, can additionally or alternatively be made accessible through linkage from individual rectangles 83, as by time-delayed window ("tool tip" window), or by pointer (e.g., mouse)-activated link.

As earlier described, increased predictive reliability can be achieved by requiring consensus among methods and/or approaches to determining function. Thus, field 81 can include a horizontal series of rectangles 83 that indicate one or more degrees of consensus in predictions of function.

Although FIG. 3 shows three series of horizontally disposed rectangles in field 81, display 80 can include as few as one such series of rectangles and as many as can discriminably be displayed, depending upon the number of methods and/or approaches used to predict a given function.

Furthermore, field 81 can be used to show predictions of a plurality of different functions. However, the increased visual complexity occasioned by such display makes more useful the ability of the user to select a single function for display. When display 80 is used as a graphical user interface for computer query and analysis, such function can usefully be indicated and user-

selectable, as by a series of graphical buttons or tabs (not shown in FIG. 3).

Rectangle 89 is shown in FIG. 3 as including interposed rectangle 84. Rectangle 84 represents the
5 portion of annotated sequence for which predicted functional information has been assayed physically, with the starting and ending nucleotides of the assayed material indicated by the X axis coordinates of the left and right borders of rectangle 84. Rectangle 85, with optional
10 inclusive circles 86 (86a, 86b, and 86c) displays the results of such physical assay.

Although a single rectangle 84 is shown in FIG. 3, physical assay is not limited to just one region of annotated genomic sequence. It is expected that an
15 increasing percentage of regions predicted to have function by process 200 will be assayed physically, and that display 80 will accordingly, for any given genomic sequence, have an increasing number of rectangles 84 and 85, representing an increased density of sequence annotation.

20 Where the function desired to be identified is protein coding, rectangle 84 identifies the sequence of the probe used to measure expression. In embodiments of the present invention where expression is measured using genome-derived single exon microarrays, rectangle 84
25 identifies the sequence included within the probe immobilized on the support surface of the microarray. As noted *supra*, such probe will often include a small amount of additional, synthetic, material incorporated during amplification and designed to permit reamplification of the
30 probe, which sequence is typically not shown in display 80.

Rectangle 87 is used to present the results of bioinformatic assay of the genomic sequence. For example, where the function desired to be identified is protein coding, process 400 can include bioinformatic query of
35 expression databases with the sequences predicted in

process 200 to encode exons. And as earlier discussed, because bioinformatic assay presents fewer constraints than does physical assay, often the entire output of process 200 can be used for such assay, without further subsetting thereof by process 300. Therefore, rectangle 87 typically need not have separate indicators therein of regions submitted for bioinformatic assay; that is, rectangle 87 typically need not have regions therein analogous to rectangles 84 within rectangle 89.

10 Rectangle 87 as shown in FIG. 3 includes smaller rectangles 880 and 88. Rectangles 880 indicate regions that returned a positive result in the bioinformatic assay, with rectangles 88 representing regions that did not return such positive results. Where the function desired to be
15 predicted and displayed is protein coding, rectangles 880 indicate regions of the predicted exons that identify sequence with significant similarity in expression databases, such as EST, SNP, SAGE databases, with rectangles 88 indicating genes novel over those identified
20 in existing expression data bases.

 Rectangles 880 can further indicate, through color, shading, texture, or the like, additional information obtained from bioinformatic assay.

 For example, where the function assayed and
25 displayed is protein coding, the degree of shading of rectangles 880 can be used to represent the degree of sequence similarity found upon query of expression databases. The number of levels of discrimination can be as few as two (identity, and similarity, where similarity
30 has a user-selectable lower threshold). Alternatively, as many different levels of discrimination can be indicated as can visually be discriminated.

 Where display 80 is used as a graphical user interface, rectangles 880 can additionally provide links
35 directly to the sequences identified by the query of

expression databases, and/or statistical summaries thereof.
As with each of the precedingly-discussed uses of display
80 as a graphical user interface, it should be understood
that the information accessed via display 80 need not be
5 resident on the computer presenting such display, which
often will be serving as a client, with the linked
information resident on one or more remotely located
servers.

Rectangle 85 displays the results of physical
10 assay of the sequence delimited by its left and right
borders.

Rectangle 85 can consist of a single rectangle,
thus indicating a single assay, or alternatively, and
increasingly typically, will consist of a series of
15 rectangles (85a, 85b, 85c) indicating separate physical
assays of the same sequence.

Where the function assayed is gene expression,
and where gene expression is assayed as herein described
using simultaneous two-color fluorescent detection of
20 hybridization to genome-derived single exon microarrays,
individual rectangles 85 can be colored to indicate the
degree of expression relative to control. Conveniently,
shades of green can be used to depict expression in the
sample over control values, and shades of red used to
25 depict expression less than control, corresponding to the
spectra of the Cy3 and Cy5 dyes conventionally used for
respective labeling thereof. Additional functional
information can be provided in the form of circles 86 (86a,
86b, 86c), where the diameter of the circle can be used to
30 indicate expression intensity. As discussed *infra*, such
relative expression (expression ratios) and absolute
expression (signal intensity) can be expressed using
normalized values.

Where display 80 is used as a graphical user
35 interface, rectangle 85 can be used as a link to further

information about the assay. For example, where the assay is one for gene expression, each rectangle 85 can be used to link to information about the source of the hybridized mRNA, the identity of the control, raw or processed data
5 from the microarray scan, or the like.

FIG. 4 is rendition of display 80 representing gene prediction and gene expression for a hypothetical BAC, showing conventions used in the Examples presented *infra*. BAC sequence ("Chip seq.") 89 is presented, with the
10 physically assayed region thereof (corresponding to rectangle 84 in FIG. 3) shown in white. Algorithmic gene predictions are shown in field 81, with predictions by GRAIL shown, predictions by GENEFINDER, and predictions by DICTION shown. Within rectangle 87, regions of sequence
15 that, when used to query expression databases, return identical or similar sequences ("EST hit") are shown as white rectangles (corresponding to rectangles 880 in FIG. 3), gray indicates low homology, and black indicates unknowns (where black and gray would correspond to
20 rectangles 88 in FIG. 3).

Although FIGS. 3 and 4 show a single stretch of sequence, uninterrupted from left to right, longer sequences are usefully represented by vertical stacking of such individual Mondrians, as shown in FIGS. 9 and 10.

25

Single Exon Probes Useful For Measuring Gene Expression

The methods and apparatus of the present invention rapidly produce functional information from
30 genomic sequence. Where the function to be identified is protein coding, the methods and apparatus of the present invention rapidly identify and confirm the expression of portions of genomic sequence that function to encode protein. As a direct result, the methods and apparatus of
35 the present invention rapidly yield large numbers of

single-exon nucleic acid probes, the majority from previously unknown genes, each of which is useful for measuring and/or surveying expression of a specific gene in one or more tissues or cell types.

5 It is, therefore, another aspect of the present invention to provide genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression analysis by microarray.

 Using the methods and genome-derived single-exon
10 microarrays of the present invention, we have for example readily identified a large number of unique ORFs from human genomic sequence. Using single exon probes that encompass these ORFs, we have demonstrated, through microarray hybridization analysis, the expression of these ORFs in
15 HeLa cells.

 As would immediately be appreciated by one of skill in the art, each single exon probe having demonstrable expression in HeLa cells is currently available for use in measuring the level of its ORF's
20 expression in HeLa cells.

 Expression in HeLa cells provides a first level screen for demonstrating the expression of exons predicted from genomic sequence.

 HeLa cells are derived from human cervical cells.
25 Accordingly, it would be appreciated by one of skill in the art that each single exon probe having demonstrable expression in HeLa cells is available for measuring the level of its ORF expression in other human cervical epithelial cells thus making such detection of expression
30 useful in grading and/or staging of diseases of cervix, notably cervical carcinoma.

 The utility is specific to the probe; at sufficiently high hybridization stringency, which stringencies are well known in the art - see Ausubel et al.
35 and Maniatis et al. - each probe reports the level of

expression of message specifically containing that ORF.

It should be appreciated, however, that the probes of the present invention, for which expression in the HeLa cells has been demonstrated are useful for both measurement in the HeLa cells or other human cervical epithelial cells and for survey of expression in other tissues.

Significant among such advantages is the presence of probes for novel genes.

As mentioned above and further detailed in Examples 1 and 2, the methods described enable ORFs which are not present in existing expression databases to be identified. And the fewer the number of tissues in which the ORF can be shown to be expressed, the more likely the ORF will prove to be part of a novel gene: as further discussed in Example 2, ORFs whose expression was measurable in only a single of the tested tissues were represented in existing expression databases at a rate of only 11%, whereas 36% of ORFs whose expression was measurable in 9 tissues were present in existing expression databases, and fully 45% of those ORFs expressed in all ten tested tissues were present in existing expressed sequence databases.

Either as tools for measuring gene expression or tools for surveying gene expression, the genome-derived single exon probes of the present invention have significant advantages over the cDNA or EST-based probes that are currently available for achieving these utilities.

The genome-derived single exon probes of the present invention are useful in constructing genome-derived single exon microarrays; the genome-derived single exon microarrays, in turn, are useful devices for measuring and for surveying gene expression in the human.

Gene expression analysis using microarrays - conventionally using microarrays having probes derived from

expressed message - is well-established as useful in the biological research arts (see Lockhart et al. *Nature* 405, 827-836).

Microarrays have been used to determine gene
5 expression profiles in cells in response to drug treatment (see, for example, Kaminski et al., "Global Analysis of Gene Expression in Pulmonary Fibrosis Reveals Distinct Programs Regulating Lung Inflammation and Fibrosis," *Proc. Natl. Acad. Sci. USA* 97(4):1778-83 (2000); Bartosiewicz et
10 al., "Development of a Toxicological Gene Array and Quantitative Assessment of This Technology," *Arch. Biochem. Biophys.* 376(1):66-73 (2000)), viral infection (see for example, Geiss et al., "Large-scale Monitoring of Host Cell Gene Expression During HIV-1 Infection Using cDNA
15 Microarrays," *Virology* 266(1):8-16 (2000)) and during cell processes such as differentiation, senescence and apoptosis (see, for example, Shelton et al., "Microarray Analysis of Replicative Senescence," *Curr. Biol.* 9(17):939-45 (1999); Voehringer et al., "Gene Microarray Identification of Redox
20 and Mitochondrial Elements That Control Resistance or Sensitivity to Apoptosis," *Proc. Natl. Acad. Sci. USA* 97(6):2680-5 (2000)).

Microarrays have also been used to determine abnormal gene expression in diseased tissues (see, for
25 example, Alon et al., "Broad Patterns of Gene Expression Revealed by Clustering Analysis of Tumor and Normal Colon Tissues Probed by Oligonucleotide Arrays," *Proc. Natl. Acad. Sci. USA* 96(12):6745-50 (1999); Perou et al., "Distinctive Gene Expression Patterns in Human Mammary
30 Epithelial Cells and Breast Cancers," *Proc. Natl. Acad. Sci. USA* 96(16):9212-7 (1999); Wang et al., "Identification of Genes Differentially Over-expressed in Lung Squamous Cell Carcinoma Using Combination of cDNA Subtraction and Microarray Analysis," *Oncogene* 19(12):1519-28 (2000);
35 Whitney et al., "Analysis of Gene Expression in Multiple

Sclerosis Lesions Using cDNA Microarrays," *Ann. Neurol.* 46(3):425-8 (1999)), in drug discovery screens (see, for example, Scherf et al., "A Gene Expression Database for the Molecular Pharmacology of Cancer," *Nat. Genet.* 24(3):236-44 (2000)) and in diagnosis to determine appropriate treatment strategies (see, for example, Sgroi et al., "In vivo Gene Expression Profile Analysis of Human Breast Cancer Progression," *Cancer Res.* 59(22):5656-61 (1999)).

In microarray-based gene expression screens of pharmacological drug candidates upon cells, each probe provides specific useful data. In particular, it should be appreciated that even those probes that show no change in expression are as informative as those that do change, serving, in essence, as negative controls.

For example, where gene expression analysis is used to assess toxicity of chemical agents on cells, the failure of the agent to change a gene's expression level is evidence that the drug likely does not affect the pathway of which the gene's expressed protein is a part. Analogously, where gene expression analysis is used to assess side effects of pharmacological agents - whether in lead compound discovery or in subsequent screening of lead compound derivatives - the inability of the agent to alter a gene's expression level is evidence that the drug does not affect the pathway of which the gene's expressed protein is a part.

WO 99/58720 provides methods for quantifying the relatedness of a first and second gene expression profile and for ordering the relatedness of a plurality of gene expression profiles. The methods so described permit useful information to be extracted from a greater percentage of the individual gene expression measurements from a microarray than methods previously used in the art.

Other uses of microarrays are described in Gerhold et al., *Trends Biochem. Sci.* 24(5):168-173 (1999)

and Zweiger, *Trends Biotechnol.* 17(11):429-436 (1999);
Schena et al.

The invention particularly provides genome-
derived single-exon probes known to be expressed in HeLa
5 cells.

The individual single exon probes can be provided
in the form of substantially isolated and purified nucleic
acid, typically, but not necessarily, in a quantity
sufficient to perform a hybridization reaction.

10 Such nucleic acid can be in any form directly
hybridizable to the message that contains the probe's ORF,
such as double stranded DNA, single-stranded DNA
complementary to the message, single-stranded RNA
complementary to the message, or chimeric DNA/RNA molecules
15 so hybridizable. The nucleic acid can alternatively or
additionally include either nonnative nucleotides,
alternative internucleotide linkages, or both, so long as
complementary binding can be obtained. For example, probes
can include phosphorothioates, methylphosphonates,
20 morpholino analogs, and peptide nucleic acids (PNA), as are
described, for example, in U.S. Patent Nos. 5,142,047;
5,235,033; 5,166,315; 5,217,866; 5,184,444; 5,861,250.

Usefully, however, such probes are provided in a
form and quantity suitable for amplification, where the
25 amplified product is thereafter to be used in the
hybridization reactions that probe gene expression.
Typically, such probes are provided in a form and quantity
suitable for amplification by PCR or by other well known
amplification technique. One such technique additional to
30 PCR is rolling circle amplification, as is described, *inter*
alia, in U.S. Patent Nos. 5,854,033 and 5,714,320 and
international patent publications WO 97/19193 and
WO 00/15779. As is well understood, where the probes are
to be provided in a form suitable for amplification, the
35 range of nucleic acid analogues and/or internucleotide

linkages will be constrained by the requirements and nature of the amplification enzyme.

Where the probe is to be provided in form suitable for amplification, the quantity need not be
5 sufficient for direct hybridization for gene expression analysis, and need be sufficient, only to function as an amplification template, typically at least about 1, 10 or 100 pg or more.

Each discrete amplifiable probe can also be
10 packaged with amplification primers, either in a single composition that comprises probe template and primers, or in a kit that comprises such primers separately packaged therefrom. As earlier mentioned, the ORF-specific 5' primers used for genomic amplification can have a first
15 common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second, different, common sequence added thereto, thus permitting, in this embodiment, the use of a single set of 5' and 3' primers to amplify any one of the probes. The probe
20 composition and/or kit can also include buffers, enzyme, etc., required to effect amplification.

As mentioned earlier, when intended for use on a genome-derived single exon microarray of the present invention, the genome-derived single exon probes of the
25 present invention will typically average at least about 100, 200, 300, 400 or 500 bp in length, including (and typically, but not necessarily centered about) the ORF. Furthermore, when intended for use on a genome-derived single exon microarray of the present invention, the
30 genome-derived single exon probes of the present invention will typically not contain a detectable label.

When intended for use in solution phase hybridization, however - that is, for use in a hybridization reaction in which the probe is not first
35 bound to a support substrate (although the target may

indeed be so bound) - length constraints that are imposed in microarray-based hybridization approaches will be relaxed, and such probes will typically be labeled.

In such case, the only functional constraint that dictates the minimum size of such probe is that each such probe must be capable of specifically identifying in a hybridization reaction the exon from which it is drawn. In theory, a probe of as little as 17 nucleotides is capable of uniquely identifying its cognate sequence in the human genome. For hybridization to expressed message - a subset of target sequence that is much reduced in complexity as compared to genomic sequence - even fewer nucleotides are required for specificity.

Therefore, the probes of the present invention can include as few as 20, 25 or 50 bp or ORF, or more. In particular embodiments, the ORF sequences are given in SEQ ID NOS. 9,291 - 18,392, respectively, for probe SEQ ID NOS. 1 - 9,290. The minimum amount of ORF required to be included in the probe of the present invention in order to provide specific signal in either solution phase or microarray-based hybridizations can readily be determined for each of ORF SEQ ID NOS. 9,291 - 18,392 individually by routine experimentation using standard high stringency conditions.

Such high stringency conditions are described, *inter alia*, in Ausubel et al. and Maniatis et al. For microarray-based hybridization, standard high stringency conditions can usefully be 50% formamide, 5X SSC, 0.2 µg/µl poly(dA), 0.2 µg/µl human c_ot1 DNA, and 0.5 % SDS, in a humid oven at 42°C overnight, followed by successive washes of the microarray in 1X SSC, 0.2% SDS at 55°C for 5 minutes, and then 0.1X SSC, 0.2% SDS, at 55°C for 20 minutes. For solution phase hybridization, standard high stringency conditions can usefully be aqueous hybridization at 65°C in 6X SSC. Lower stringency conditions, suitable

for cross-hybridization to mRNA encoding structurally- and functionally-related proteins, can usefully be the same as the high stringency conditions but with reduction in temperature for hybridization and washing to room
5 temperature (approximately 25°C).

When intended for use in solution phase hybridization, the maximum size of the single exon probes of the present invention is dictated by the proximity of other expressed exons in genomic DNA: although each single
10 exon probe can include intergenic and/or intronic material contiguous to the ORF in the human genome, each probe of the present invention will include portions of only one expressed exon.

Thus, each single exon probe will include no more
15 than about 25 kb of contiguous genomic sequence, more typically no more than about 20 kb of contiguous genomic sequence, more usually no more than about 15 kb, even more usually no more than about 10 kb. Usually, probes that are maximally about 5 kb will be used, more typically no more
20 than about 3 kb.

It will be appreciated that the Sequence Listing appended hereto presents, by convention, only that strand of the probe and ORF sequence that can be directly translated reading from 5' to 3' end. As would be well
25 understood by one of skill in the art, single stranded probes must be complementary in sequence to the ORF as present in an mRNA; it is well within the skill in the art to determine such complementary sequence. It will further be understood that double stranded probes can be used in
30 both solution-phase hybridization and microarray-based hybridization if suitably denatured.

Thus, it is an aspect of the present invention to provide single-stranded nucleic acid probes that have sequence complementary to those described herein above and
35 below, and double-stranded probes one strand of which has

sequence complementary to the probes described herein.

The probes can, but need not, contain intergenic and/or intronic material that flanks the ORF, on one or both sides, in the same linear relationship to the ORF that the intergenic and/or intronic material bears to the ORF in genomic DNA. The probes do not, however, contain nucleic acid derived from more than one expressed ORF.

And when intended for use in solution hybridization, the probes of the present invention can usefully have detectable labels. Nucleic acid labels are well known in the art, and include, *inter alia*, radioactive labels, such as ^3H , ^{32}P , ^{33}P , ^{35}S , ^{125}I , ^{131}I ; fluorescent labels, such as Cy3, Cy5, Cy5.5, Cy7, SYBR®

Green and other labels described in Haugland, *Handbook of Fluorescent Probes and Research Chemicals*, 7th ed., Molecular Probes Inc., Eugene, OR (2000), or fluorescence resonance energy transfer tandem conjugates thereof; labels suitable for chemiluminescent and/or enhanced chemiluminescent detection; labels suitable for ESR and NMR detection; and labels that include one member of a specific binding pair, such as biotin, digoxigenin, or the like.

The probes, either in quantity sufficient for hybridization or sufficient for amplification, can be provided in individual vials or containers.

Alternatively, such probes can usefully be packaged as a plurality of such individual genome-derived single exon probes.

When provided as a collection of plural individual probes, the probes are typically made available in amplifiable form in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96 well microtiter plate can be used, greater efficiency is obtained using higher density arrays.

If, as earlier mentioned, the ORF-specific

5' primers used for genomic amplification had a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification had a second, different, common sequence added thereto, a single set of 5' and 3' primers can be used to amplify all of the probes from the amplifiable ordered set.

Such collections of genome-derived single exon probes can usefully include a plurality of probes chosen for the common attribute of expression in the human HeLa cells.

In such defined subsets, typically at least 50, 60, 75, 80, 85, 90 or 95% or more of the probes will be chosen by their expression in the defined tissue or cell type.

The single exon probes of the present invention, as well as fragments of the single exon probes comprising selectively hybridizable portions of the probe ORF, can be used to obtain the full length cDNA that includes the ORF by (i) screening of cDNA libraries; (ii) rapid amplification of cDNA ends ("RACE"); or (iii) other conventional means, as are described, *inter alia*, in Ausubel et al. and Maniatis et al.

It is another aspect of the present invention to provide genome-derived single exon nucleic acid microarrays useful for gene expression analysis, where the term "microarray" has the meaning given in the definitional section of this description, *supra*.

The invention particularly provides genome-derived single-exon nucleic acid microarrays comprising a plurality of probes known to be expressed in human HeLa cells. In preferred embodiments, the present invention provides human genome-derived single exon microarrays comprising a plurality of probes drawn from the group consisting of SEQ ID NOS.: 1 - 9,290.

When used for gene expression analysis, the

genome-derived single exon microarrays provide greater physical informational density than do the genome-derived single exon microarrays that have lower percentages of probes known to be expressed commonly in the tested tissue.

5 At a fixed probe density, for example, a given microarray surface area of the defined subset genome-derived single exon microarray can yield a greater number of expression measurements. Alternatively, at a given probe density, the same number of expression measurements can be obtained from

10 a smaller substrate surface area. Alternatively, at a fixed probe density and fixed surface area, probes can be provided redundantly, providing greater reliability in signal measurement for any given probe. Furthermore, with a higher percentage of probes known to be expressed in the

15 assayed tissue, the dynamic range of the detection means can be adjusted to reveal finer levels discrimination among the levels of expression.

Although particularly described with respect to their utility as probes of gene expression, particularly as

20 probes to be included on a genome-derived single exon microarray, each of the nucleic acids having SEQ ID NOS.: 1 - 9,290 contains an open-reading frame, set forth respectively in SEQ ID NOS.: 9,291 - 18,392, that encodes a protein domain. Thus, each of SEQ ID NOS. 1 - 9,290 can be

25 used, or that portion thereof in SEQ ID NOS. 9,291 - 18,392 used, to express a protein domain by standard *in vitro* recombinant techniques. See Ausubel et al. and Maniatis et al.

Additionally, kits are available commercially

30 that readily permit such nucleic acids to be expressed as protein in bacterial cells, insect cells, or mammalian cells, as desired (e.g., HAT™ Protein Expression & Purification System, ClonTech Laboratories, Palo Alto, CA; Adeno-X™ Expression System, ClonTech Laboratories, Palo

35 Alto, CA; Protein Fusion & Purification (pMAL™) System, New

England Biolabs, Beverly, MA)

Furthermore, shorter peptides can be chemically synthesized using commercial peptide synthesizing equipment and well known techniques. Procedures are described, *inter alia*, in Chan et al. (eds.), Fmoc Solid Phase Peptide Synthesis: A Practical Approach (Practical Approach Series, (Paper)), Oxford Univ. Press (March 2000) (ISBN: 0199637245); Jones, Amino Acid and Peptide Synthesis (Oxford Chemistry Primers, No 7) , Oxford Univ. Press (August 1992) (ISBN: 0198556683); and Bodanszky, Principles of Peptide Synthesis (Springer Laboratory), Springer Verlag (December 1993) (ISBN: 0387564314).

It is, therefore, another aspect of the invention to provide peptides comprising an amino acid sequence translated from SEQ ID NOS.: 9,291 - 18,392. Such amino acid sequences are set out in SEQ ID NOS: 18,393 - 26,941. Any such recombinantly-expressed or synthesized peptide of at least 8, and preferably at least about 15, amino acids, can be conjugated to a carrier protein and used to generate antibody that recognizes the peptide. Thus, it is a further aspect of the invention to provide peptides that have at least 8, preferably at least 15, consecutive amino acids.

The following examples are offered by way of illustration and not by way of limitation.

EXAMPLE 1

Preparation of Single Exon Microarrays from ORFs Predicted in Human Genomic Sequence

Bioinformatics Results

All human BAC sequences in fewer than 10 pieces that had been accessioned in a five month period immediately preceding this study were downloaded from

GenBank. This corresponds to ~2200 clones, totaling ~350 MB of sequence, or approximately 10% of the human genome.

After masking repetitive elements using the program CROSS_MATCH, the sequence was analyzed for open
5 reading frames using three separate gene finding programs. The three programs predict genes using independent algorithmic methods developed on independent training sets: GRAIL uses a neural network, GENEFINDER uses a hidden Markoff model, and DICTION, a program proprietary to
10 Genetics Institute, operates according to a different heuristic. The results of all three programs were used to create a prediction matrix across the segment of genomic DNA.

The three gene finding programs yielded a range
15 of results. GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed. GENEFINDER was second, calling 1%, and DICTION yielded the least putative coding region, with 0.8% of genomic sequence called as coding region.

20 The consensus data were as follows. GRAIL and GENEFINDER agreed on 0.7% of genomic sequence, GRAIL and DICTION agreed on 0.5% of genomic sequence, and the three programs together agreed on 0.25% of the data analyzed. That is, 0.25% of the genomic sequence was identified by
25 all three of the programs as containing putative coding region.

ORFs predicted by any two of the three programs ("consensus ORFs") were assorted into "gene bins" using two criteria: (1) any 7 consecutive exons within a 25 kb window
30 were placed together in a bin as likely contributing to a single gene, and (2) all ORFs within a 25 kb window were placed together in a bin as likely contributing to a single gene if fewer than 7 exons were found within the 25 kb window.

35

PCR

The largest ORF from each gene bin that did not span repetitive sequence was then chosen for amplification, as were all consensus ORFs longer than 500 bp. This method approximated one exon per gene; however, a number of genes were found to be represented by multiple elements.

Previously, we had determined that DNA fragments fewer than 250 bp in length do not bind well to the amino-modified glass surface of the slides used as support substrate for construction of microarrays; therefore, amplicons were designed in the present experiments to approximate 500 bp in length.

Accordingly, after selecting the largest ORF per gene bin, a 500 bp fragment of sequence centered on the ORF was passed to the primer picking software, PRIMER3 (available online for use at <http://www-genome.wi.mit.edu/cgi-bin/primer/>). A first additional sequence was commonly added to each ORF-unique 5' primer, and a second, different, additional sequence was commonly added to each ORF-unique 3' primer, to permit subsequent reamplification of the amplicon using a single set of "universal" 5' and 3' primers, thus immortalizing the amplicon. The addition of universal priming sequences also facilitates sequence verification, and can be used to add a cloning site should some ORFs be found to warrant further study.

The ORFs were then PCR amplified from genomic DNA, verified on agarose gels, and sequenced using the universal primers to validate the identity of the amplicon to be spotted in the microarray.

Primers were supplied by Operon Technologies (Alameda, CA). PCR amplification was performed by standard techniques using human genomic DNA (Clontech, Palo Alto, CA) as template. Each PCR product was verified by SYBR® green (Molecular Probes, Inc., Eugene, OR) staining of

agarose gels, with subsequent imaging by Fluorimager (Molecular Dynamics, Inc., Sunnyvale, CA). PCR amplification was classified as successful if a single band appeared.

5 The success rate for amplifying ORFs of interest directly from genomic DNA using PCR was approximately 75%. FIG. 5 graphs the distribution of predicted ORF (exon) length and distribution of amplified PCR products, with ORF length shown in red and PCR product length shown in blue
10 (which may appear black in the figure). Although the range of ORF sizes is readily seen to extend to beyond 900 bp, the mean predicted exon size was only 229 bp, with a median size of 150 bp (n=9498). With an average amplicon size of 475 ± 25 bp, approximately 50% of the average PCR
15 amplification product contained predicted coding region, with the remaining 50% of the amplicon containing either intron, intergenic sequence, or both.

 Using a strategy predicated on amplifying about 500 bp, it was found that long exons had a higher PCR
20 failure rate. To address this, the bioinformatics process was adjusted to amplify 1000, 1500 or 2000 bp fragments from exons larger than 500 bp. This improved the rate of successful amplification of exons exceeding 500 bp, constituting about 9.2% of the exons predicted by the gene
25 finding algorithms.

 Approximately 75% of the probes disposed on the array (90% of those that successfully PCR amplified) were sequence-verified by sequencing in both the forward and reverse direction using MegaBACE sequencer (Molecular
30 Dynamics, Inc., Sunnyvale, CA), universal primers, and standard protocols.

 Some genomic clones (BACs) yielded very poor PCR and sequencing results. The reasons for this are unclear, but may be related to the quality of early draft sequence
35 or the inclusion of vector and host contamination in some

submitted sequence data.

Although the intronic and intergenic material flanking coding regions could theoretically interfere with hybridization during microarray experiments, subsequent
5 empirical results demonstrated that differential expression ratios were not significantly affected by the presence of noncoding sequence. The variation in exon size was similarly found not to affect differential expression ratios significantly; however, variation in exon size was
10 observed to affect the absolute signal intensity (data not shown).

The 350 MB of genomic DNA was, by the above-described process, reduced to 9750 discrete probes, which were spotted in duplicate onto glass slides using
15 commercially available instrumentation (MicroArray GenII Spotter and/or MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Each slide additionally included either 16 or 32 *E. coli* genes, the average hybridization signal of which was used as a measure of
20 background biological noise.

Each of the probe sequences was BLASTed against the human EST data set, the NR data set, and SwissProt GenBank (May 7, 1999 release 2.0.9).

One third of the probe sequences (as amplified)
25 produced an exact match (BLAST Expect ("E") values less than 1×10^{-100}) to either an EST (20% of sequences) or a known mRNA (13% of sequences). A further 22% of the probe sequences showed some homology to a known EST or mRNA (BLAST E values from 1×10^{-5} to 1×10^{-99}). The remaining 45% of
30 the probe sequences showed no significant sequence homology to any expressed, or potentially expressed, sequences present in public databases.

All of the probe sequences (as amplified) were then analyzed for protein similarities with the SwissProt
35 database using BLASTX, Gish et al., *Nature Genet.* 3:266

(1993). The predicted functional breakdowns of the 2/3 of probes identical or homologous to known sequences are presented in Table 1.

5

Table 1

Function of Predicted ORFs As Deduced From Comparative Sequence Analysis			
Total	V6 chip	V7 chip	Function Predicted from Comparative Sequence Analysis
211	96	115	Receptor
120	43	77	Zinc Finger
30	11	19	Homeobox
25	9	16	Transcription Factor
17	11	7	Transcription
118	57	61	Structural
95	39	56	Kinase
36	18	18	Phosphatase
83	31	52	Ribosomal
45	19	26	Transport
21	17	14	Growth Factor
17	12	5	Cytochrome
50	33	17	Channel

As can be seen, the two most common types of genes were transcription factors and receptors, making up 2.2% and 1.8% of the arrayed elements, respectively.

10

EXAMPLE 2

Gene Expression Measurements From Genome-Derived Single Exon Microarrays

15

The two genome-derived single exon microarrays prepared according to Example 1 were hybridized in a series of simultaneous two-color fluorescence experiments to (1) 5 Cy3-labeled cDNA synthesized from message drawn individually from each of brain, heart, liver, fetal liver, placenta, lung, bone marrow, HeLa, BT 474, or HBL 100 cells, and (2) Cy5-labeled cDNA prepared from message pooled from all ten tissues and cell types, as a control in 10 each of the measurements. Hybridization and scanning were carried out using standard protocols and Molecular Dynamics equipment.

Briefly, mRNA samples were bought from commercial sources (Clontech, Palo Alto, CA and Amersham Pharmacia 15 Biotech (APB)). Cy3-dCTP and Cy5-dCTP (both from APB) were incorporated during separate reverse transcriptions of 1 µg of polyA⁺ mRNA performed using 1 µg oligo(dT)12-18 primer and 2 µg random 9mer primers as follows. After heating to 70°C, the RNA:primer mixture was snap cooled on ice. After 20 snap cooling on ice, added to the RNA to the stated final concentration was: 1X Superscript II buffer, 0.01 M DTT, 100µM dATP, 100 µM dGTP, 100 µM dTTP, 50 µM dCTP, 50 µM Cy3-dCTP or Cy5-dCTP 50 µM, and 200 U Superscript II enzyme. The reaction was incubated for 2 hours at 42°C. 25 After 2 hours, the first strand cDNA was isolated by adding 1 U Ribonuclease H, and incubating for 30 minutes at 37°C. The reaction was then purified using a Qiagen PCR cleanup column, increasing the number of ethanol washes to 5. Probe was eluted using 10 mM Tris pH 8.5.

30 Using a spectrophotometer, probes were measured for dye incorporation. Volumes of both Cy3 and Cy5 cDNA corresponding to 50 pmoles of each dye were then dried in a Speedvac, resuspended in 30 µl hybridization solution containing 50% formamide, 5X SSC, 0.2 µg/µl poly(dA), 0.2 35 µg/µl human c₀t1 DNA, and 0.5 % SDS.

Hybridizations were carried out under a coverslip, with the array placed in a humid oven at 42°C overnight. Before scanning, slides were washed in 1X SSC, 0.2% SDS at 55°C for 5 minutes, followed by 0.1X SSC, 0.2% SDS, at 55°C for 20 minutes. Slides were briefly dipped in water and dried thoroughly under a gentle stream of nitrogen.

Slides were scanned using a Molecular Dynamics Gen3 scanner, as described. Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376).

Although the use of pooled cDNA as a reference permitted the survey of a large number of tissues, it attenuates the measurement of relative gene expression, since every highly expressed gene in the tissue/cell type-specific fluorescence channel will be present to a level of at least 10% in the control channel. Because of this fact, both signal and expression ratios (the latter hereinafter, "expression" or "relative expression") for each probe were normalized using the average ratio or average signal, respectively, as measured across the whole slide.

Data were accepted for further analysis only when signal was at least three times greater than biological noise, the latter defined by the average signal produced by the *E. coli* control genes.

The relative expression signal for these probes was then plotted as function of tissue or cell type, and is presented in FIG. 6.

FIG. 6 shows the distribution of expression across a panel of ten tissues. The graph shows the number of sequence-verified products that were either not expressed ("0"), expressed in one or more but not all tested tissues ("1" - "9"), and expressed in all tissues tested ("10").

Of 9999 arrayed elements on the two microarrays (including positive and negative controls and "failed" products), 2353 (51%) were expressed in at least one tissue or cell type. Of the gene elements showing significant
5 signal - where expression was scored as "significant" if the normalized Cy3 signal was greater than 1, representing signal 5-fold over biological noise (0.2) - 39% (991) were expressed in all 10 tissues. The next most common class (15%) consisted of gene elements expressed in only a single
10 tissue.

The genes expressed in a single tissue were further analyzed, and the results of the analyses are compiled in FIG. 7.

FIG. 7A is a matrix presenting the expression of
15 all verified sequences that showed expression greater than 3 in at least one tissue. Each clone is represented by a column in the matrix. Each of the 10 tissues assayed is represented by a separate row in the matrix, and relative expression of a clone in that tissue is indicated at the
20 respective node by intensity of green shading, with the intensity legend shown in panel B. The top row of the matrix ("EST Hit") contains "bioinformatic" rather than "physical" expression data - that is, presents the results returned by query of EST, NR and SwissProt databases using
25 the probe sequence. The legend for "bioinformatic expression" (*i.e.*, degree of homology returned) is presented in panel C. Briefly, white is known, black is novel, with gray depicting nonidentical with significant homology (white: E values < $1e-100$; gray: E values from $1e-05$ to $1e-99$; black: E values > $1e-05$).
30

As FIG. 7 readily shows, heart and brain were demonstrated to have the greatest numbers of genes that were shown to be uniquely expressed in the respective tissue. In brain, 200 uniquely expressed genes were
35 identified; in heart, 150. The remaining tissues gave the

following figures for uniquely expressed genes: liver, 100; lung, 70; fetal liver, 150; bone marrow, 75; placenta, 100; HeLa, 50; HBL, 100; and BT474, 50.

It was further observed that there were many more
5 "novel" genes among those that were up-regulated in only one tissue, as compared with those that were down-regulated in only one tissue. In fact, it was found that ORFs whose expression was measurable in only a single of the tested tissues were represented in sequencing databases at a rate
10 of only 11%, whereas 36% of the ORFs whose expression was measurable in 9 of the tissues were present in public databases. As for those ORFs expressed in all ten tissues, fully 45% were present in existing expressed sequence databases. These results are not unexpected, since genes
15 expressed in a greater number of tissues have a higher likelihood of being, and thus of having been, discovered by EST approaches.

Comparison of Signal from Known and Unknown Genes

20 The normalized signal of the genes found to have high homology to genes present in the GenBank human EST database were compared to the normalized signal of those genes not found in the GenBank human EST database. The data are shown in FIG. 8.

25 FIG. 8 shows the normalized Cy3 signal intensity for all sequence-verified products with a BLAST Expect ("E") value of greater than $1e-30$ (designated "unknown") upon query of existing EST, NR and SwissProt databases, and shows in blue the normalized Cy3 signal intensity for all
30 sequence-verified products with a BLAST Expect value of less than $1e-30$ ("known"). Note that biological background noise has an averaged normalized Cy3 signal intensity of 0.2.

As expected, the most highly expressed of the
35 ORFs were "known" genes. This is not surprising, since

very high signal intensity correlates with very commonly-expressed genes, which have a higher likelihood of being found by EST sequence.

However, a significant point is that a large
5 number of even the high expressers were "unknown". Since the genomic approach used to identify genes and to confirm their expression does not bias exons toward either the 3' or 5' end of a gene, many of these high expression genes will not have been detected in an end-sequenced cDNA
10 library.

The significant point is that presence of the gene in an EST database is not a prerequisite for incorporation into a genome-derived microarray, and further, that arraying such "unknown" exons can help to
15 assign function to as-yet undiscovered genes.

Verification of Gene Expression

To ascertain the validity of the approach described above to identify genes from raw genomic
20 sequence, expression of two of the probes was assayed using reverse transcriptase polymerase chain reaction (RT PCR) and northern blot analysis.

Two microarray probes were selected on the basis of exon size, prior sequencing success, and tissue-specific
25 gene expression patterns as measured by the microarray experiments. The primers originally used to amplify the two respective ORFs from genomic DNA were used in RT PCR against a panel of tissue-specific cDNAs (Rapid-Scan gene expression panel 24 human cDNAs) (OriGene Technologies,
30 Inc., Rockville, MD).

Sequence AL079300_1 was shown by microarray hybridization to be present in cardiac tissue, and sequence AL031734_1 was shown by microarray experiment to be present in placental tissue (data not shown). RT-PCR on these two
35 sequences confirmed the tissue-specific gene expression as

measured by microarrays, as ascertained by the presence of a correctly sized PCR product from the respective tissue type cDNAs.

Clearly, all microarray results cannot, and indeed should not, be confirmed by independent assay methods, or the high throughput, highly parallel advantages of microarray hybridization assays will be lost. However, in addition to the two RT-PCR results presented above, the observation that 1/3 of the arrayed genes exist in expression databases provides powerful confirmation of the power of our methodology – which combines bioinformatic prediction with expression confirmation using genome-derived single exon microarrays – to identify novel genes from raw genomic data.

To verify that the approach further provides correct characterization of the expression patterns of the identified genes, a detailed analysis was performed of the microarrayed sequences that showed high signal in brain.

For this latter analysis, sequences that showed high (normalized) signal in brain, but which showed very low (normalized) signal (less than 0.5, determined to be biological noise) in all other tissues, were further studied. There were 82 sequences that fit these criteria, approximately 2% of the arrayed elements. The 10 sequences showing the highest signal in brain in microarray hybridizations are detailed in Table 2, along with assigned function, if known or reasonably predicted.

Table 2

Function of the Most Highly Expressed Genes Expressed Only in Brain

Microarray Sequence Name	Normal ized Signal	Expressi on Ratio	Homology to EST present in GenBank	Gene Function as described by GenBank
AP000217-1	5.2	+7.7	High	S-100 protein, b-chain, Ca ²⁺ binding protein expressed in central nervous system
AP000047-1	2.3		High	Unknown Function
AC006548-9	1.7		High	Similar to mouse membrane glyco-protein M6, expressed in central nervous system
AC007245-5	1.5		High	Similar to amphiphysin, a synaptic vesicle- associated protein. Ref 21
L44140-4	1.2	+2.0	High	Endothelial actin-binding protein found in nonmuscle filamin

AC004689-9	1.2	+3.5	High	Protein Phosphatase PP2A, neuronal/ downregulates activated protein kinases
AL031657-1	1.2	+3.0	High	Unknown function/ Contains the anhyrin motif, a common protein sequence motif
AC009266-2	1.1	+3.7	Low	Low homology to the Synaptotagmin I protein in rat/present at low levels throughout rat brain
AP000086-1	1.0	+2.7	Low	Unknown, very poor homology to collagen
AC004689-3	1.0		High	Protein Phosphatase PP2A, neuronal/ downregulates activated protein kinases

Of the ten sequences studied by these latter confirmatory approaches, eight were previously known. Of these eight, six had previously been reported to be
5 important in the central nervous system or brain. The exon

giving the highest signal (AP00217-1) was found to be the gene encoding an S100B Ca^{2+} binding protein, reported in the literature to be highly and uniquely expressed in the central nervous system. Heizmann, *Neurochem. Res.* 9:1097
5 (1997).

A number of the brain-specific probe sequences (including AC006548-9, AC009266-2) did not have homology to any known human cDNAs in GenBank but did show homology to rat and mouse cDNAs. Sequences AC004689-9 and AC004689-3
10 were both found to be phosphatases present in neurons (Millward et al., *Trends Biochem. Sci.* 24(5):186-191 (1999)). Two microarray sequences, AP000047-1 and AP000086-1 have unknown function, with AP000086-1 being absent from GenBank. Functionality can now be narrowed
15 down to a role in the central nervous system for both of these genes, showing the power of designing microarrays in this fashion.

Next, the function of the chip sequences with the highest (normalized) signal intensity in brain, regardless
20 of expression in other tissues, was assessed. In this latter analysis, we found expression of many more common genes, since the sequences were not limited to those expressed only in brain. For example, looking at the 20 highest signal intensity spots in brain, 4 were similar to
25 tubulin (AC00807905; AF146191-2; AC007664-4; AF14191-2), 2 were similar to actin (AL035701-2; AL034402-1), and 6 were found to be homologous to glyceraldehyde-3-phosphate dehydrogenase (GAPDH) (AL035604-1; Z86090-1; AC006064-L, AC006064-K; AC035604-3; AC006064-L). These genes are often
30 used as controls or housekeeping genes in microarray experiments of all types.

Other interesting genes highly expressed in brain were a ferritin heavy chain protein, which is reported in the literature to be found in brain and liver (Joshi et
35 al., *J. Neurol. Sci.* 134(Suppl):52-56 (1995)), a result

duplicated with the array. Other highly expressed chip
 sequences included a translation elongation factor 1 α
 (AC007564-4), a DEAD-box homolog (AL023804-4), and a Y-
 chromosome RNA-binding motif (Chai et al., *Genomics*
 5 49(2):283-89 (1998)) (AC007320-3). A low homology analog
 (AP00123-1/2) to a gene, DSCR1, thought to be involved in
 trisomy 21 (Down's syndrome), showed high expression in
 both brain and heart, in agreement with the literature
 (Fuentes et al., *Mol. Genet.* 4(10):1935-44 (1995)).

10 As a further validation of the approach, we
 selected the BAC AC006064 to be included on the array.
 This BAC was known to contain the GAPDH gene, and thus
 could be used as a control for the ORF selection process.
 The gene finding and exon selection algorithms resulted in
 15 choosing 25 exons from BAC AC006064 for spotting onto the
 array, of which four were drawn from the GAPDH gene. Table
 3 shows the comparison of the average expression ratio for
 the 4 exons from BAC006064 compared with the average
 expression ratio for 5 different dilutions of a
 20 commercially available GAPDH cDNA (Clontech).

Table 3

Comparison of Expression Ratio, for each tissue, of GAPDH		
	AC006064 (n = 4)	Control (n = 5)
Bone Marrow	-1.81 \pm 0.11	-1.85 \pm 0.08
Brain	-1.41 \pm 0.11	-1.17 \pm 0.05
BT474	1.85 \pm 0.09	1.66 \pm 0.12
Fetal Liver	-1.62 \pm 0.07	-1.41 \pm 0.05
HBL100	1.32 \pm 0.05	2.64 \pm 0.12
Heart	1.16 \pm 0.09	1.56 \pm 0.10
HeLa	1.11 \pm 0.06	1.30 \pm 0.15
Liver	-1.62 \pm 0.22	-2.07 \pm

Lung	-4.95 \pm 0.93	-3.75 \pm 0.21
Placenta	-3.56 \pm 0.25	-3.52 \pm 0.43

Each tissue shows excellent agreement between the experimentally chosen exons and the control, again demonstrating the validity of the present exon mining approach. In addition, the data also show the variability of expression of GAPDH within tissues, calling into question its classification as a housekeeping gene and utility as a housekeeping control in microarray experiments.

EXAMPLE 3

Representation of Sequence and Expression Data as a "Mondrian"

15

For each genomic clone processed for microarray as above-described, a plethora of information was accumulated, including full clone sequence, probe sequence within the clone, results of each of the three gene finding programs, EST information associated with the probe sequences, and microarray signal and expression for multiple tissues, challenging our ability to display the information.

Accordingly, we devised a new tool for visual display of the sequence with its attendant annotation which, in deference to its visual similarity to the paintings of Piet Mondrian, is hereinafter termed a "Mondrian". FIGS. 3 and 4 present the key to the information presented on a Mondrian.

30 FIG. 9 presents a Mondrian of BAC AC008172 (bases 25,000 to 130,000 shown), containing the carbamyl phosphate synthetase gene (AF154830.1). Purple background within the region shown as field 81 in FIG. 3 indicates all 37 known

exons for this gene.

As can be seen, GRAIL II successfully identified 27 of the known exons (73%), GENEFINDER successfully identified 37 of the known exons (100%), while DICTION
5 identified 7 of the known exons (19%).

Seven of the predicted exons were selected for physical assay, of which 5 successfully amplified by PCR and were sequenced. These five exons were all found to be from the same gene, the carbamyl phosphate synthetase gene
10 (AF154830.1).

The five exons were arrayed, and gene expression measured across 10 tissues. As is readily seen in the Mondrian, the five chip sequences on the array show identical expression patterns, elegantly demonstrating the
15 reproducibility of the system.

FIG. 10 is a Mondrian of BAC AL049839. We selected 12 exons from this BAC, of which 10 successfully sequenced, which were found to form between 5 and 6 genes. Interestingly, 4 of the genes on this BAC are protease
20 inhibitors. Again, these data elegantly show that exons selected from the same gene show the same expression patterns, depicted below the red line. From this figure, it is clear that our ability to find known genes is very good. A novel gene is also found from 86.6 kb to 88.6 kb,
25 upon which all the exon finding programs agree. We are confident we have two exons from a single gene since they show the same expression patterns and the exons are proximal to each other. Backgrounds in the following colors indicate a known gene (top to bottom):
30 red = kallistatin protease inhibitor (P29622);
purple = plasma serine protease inhibitor (P05154);
turquoise = α 1 anti-chymotrypsin (P01011); mauve = 40S ribosomal protein (P08865). Note that chip sequence 8 and 12 did not sequence verify.

35

EXAMPLE 4Genome-Derived Single Exon Probes Useful For Measuring
Human Gene Expression

5

The protocols set forth in Examples 1 and 2, *supra*, were applied to additional human genomic sequence as it became newly available in GenBank to identify unique exons in the human genome that could be shown to be expressed at significant levels in HeLa cell line.

10 These unique exons are within longer probe sequences. Each probe was completely sequenced on both strands prior to its use on a genome-derived single exon microarray; sequencing confirms the exact chemical structure of each probe. An added benefit of sequencing is that it placed us in possession of a set of single base-incremented fragments of the sequenced nucleic acid, starting from the sequencing primer 3' OH. (Since the single exon probes were first obtained by PCR amplification from genomic DNA, we were of course additionally in possession of an even larger set of single base incremented fragments of each of the 9,290 single exon probes, each fragment corresponding to an extension product from one of the two amplification primers.)

25 The structures of the 9,290 unique single exon probes are clearly presented in the Sequence Listing as SEQ ID Nos.: 1 - 9,290. The 16 nt 5' primer sequence and 16 nt 3' primer sequence present on the amplicon are not included in the sequence listing. The sequences of the exons present within each of these probes is presented in the Sequence Listing as SEQ ID Nos.: 9,291 - 18,392, respectively. It will be noted that some amplicons have more than one exon, some exons are contained in more than one amplicon.

35 As detailed in Example 2, expression was

demonstrated by disposing the amplicons as single exon probes on nucleic acid microarrays and then performing two-color fluorescent hybridization analysis; significant expression is based on a statistical confidence that the
5 signal is significantly greater than negative biological control spots. The negative biological control is formed from spotted DNA sequences from a different species. Here, 32 sequences from E.Coli were spotted in duplicate to give a total of 64 spots.

10 For each hybridisation (each slide, each colour) the median value of the signal from all of the spots is determined. The normalised signal value is the arithmetic mean of the signal from duplicate spots divided by the population median.

15 Control spots are eliminated if there is more than a five-fold difference between each one of the duplicate spots raw signals.

The median of the signal from the remaining control spots is calculated and all subsequent calculations
20 are done with normalised signals.

Control spots having a signal of greater than median + 2.4 (the value 2.4 is roughly 12 times the observed standard deviation of control spot populations) are eliminated. Spots with such high signals are considered
25 to be "outliers".

The mean and standard deviation of the modified control spot populations are calculated.

The mean + 3x the standard deviation (mean + (3*SD)) is used as the signal threshold qualifier for that
30 particular hybridisation. Thus, individual thresholds are determined for each channel and each hybridisation.

This means that, assuming that the data is distributed normally, there is a 99% confidence that any signal exceeding the threshold is significant.

35 The probes and their expression data are

presented in Table 4, set forth respectively in Example 5. Example 5 presents the subset of probes that is significantly expressed in the human HeLa cells and thus presents the subset of probes that was recognized to be
5 useful for measuring expression of their cognate genes in human HeLa cells.

The sequence of each of the exon probes identified by SEQ ID NOS.: 9,291 - 18,392 was individually used as a BLAST (or, for SWISSPROT, BLASTX) query to
10 identify the most similar sequence in each of dbEST, SwissProt (BLASTX), and NR divisions of GenBank. Because the query sequences are themselves derived from genomic sequence in GenBank, only nongenic hits from NR were scored.

15 The smallest in value of the BLAST (or BLASTX) expect ("E") scores for each query sequence across the three database divisions was used as a measure of the "expression novelty" of the probe's ORF. Table 4 is sorted in descending order based on this measure, reported as
20 "Most Similar (top) Hit BLAST E Value". Those sequences for which no "Hit E Value" is listed are those exons which were found to have no similar sequences.

As sorted, Table 4 thus lists its respective probes (by "AMPLICON SEQ ID NO.:" and additionally by the
25 SEQ ID NO.: of the exon contained within the probe:"EXON SEQ ID NO.:") from least similar to sequences known to be expressed (i.e., highest BLAST E value), at the beginning of the table, to most similar to sequences known to be expressed (i.e., lowest BLAST E value), at the bottom of
30 the table.

Table 4 further provides, for each listed probe, the accession number of the database sequence that yielded the "Most Similar (top) Hit BLAST E Value", along with the name of the database in which the database sequence is
35 found ("Top Hit Database Source").

Table 4 further provides SEQ ID NOS.

corresponding to the predicted amino acid sequences where they have been determined for the probe and exon nucleotide sequences. These are set out as PEPTIDE SEQ ID NOS... The
5 peptide sequences for a given exon are predicted as follows: Since each chip exon is a consensus sequence drawn from predictions from various exon finding programs (i.e. Grail, GeneFinder and GenScan), the multiple initial ORFs are first determined in a uniform way according to each
10 prediction. In particular, the reading frame for predicting the first amino acid in the peptide sequence always starts with the first base of any codon and ends with the last base of non-termination codon. Next, for each strand of the exon, initial ORFs are merged into one or more final ORFs
15 in an exhaustive process based on the following criteria: 1) the merging ORFs must be overlapping, and 2) the merging ORFs must be in the same frame.

The Sequence Listing, which is a superset of all of the data presented in Table 4, further includes, for
20 each probe, the most similar hit, with accession number and BLAST E value, from the each of the three queried databases.

Table 4 further lists, for each probe, a portion of the descriptor for the top hit ("Top Hit Descriptor") as
25 provided in the sequence database. For those ORFs that are similar in sequence, but nonidentical to known sequences (e.g., those with BLAST E values between about $1e-05$ and $1e-100$), the descriptor reveals the likely function of the protein encoded by the probe's ORF.

30 Using BLAST E value cutoffs of $1e-05$ (i.e., 1×10^{-5}) and $1e-100$ (i.e., 1×10^{-100}) as evidence of similarity to sequences known to be expressed is of course arbitrary: in Example 2, *supra*, a BLAST E value of $1e-30$ was used as the boundary when only two classes were to be defined for
35 analysis (unknown, $>1e-30$; known $<1e-30$) (see also FIG. 8).

Furthermore, even when the "Most Similar (Top) Hit BLAST E Value" is low, e.g., less than about $1e-100$ – which is probative evidence that the query sequence has previously been shown to be expressed – the top hit is highly unlikely
5 exactly to match the probe sequence.

First, such expression entries typically will not have the intronic and/or intergenic sequence present within the single exon probes listed in the Table. Second, even the ORF itself is unlikely in such cases to be present
10 identically in the databases, since most of the EST and mRNA clones in existing databases include multiple exons, without any indication of the location of exon boundaries.

As noted, the data presented in Table 4 represent a proper subset of the data present within the attached
15 sequence listing. For each amplicon probe (SEQ ID NOs.: 1 - 9,290) and probe exon (SEQ ID NOs.: 9,291 - 18,392, respectively), the sequence listing further provides, through iterated annotation fields <220> and <223>:

(a) the accession number of the BAC from which
20 the sequence was derived ("MAP TO"), thus providing a link to the chromosomal map location and other information about the genomic milieu of the probe sequence;

(b) the most similar sequence provided by BLAST query of the EST database, with accession number and BLAST
25 E value for the "hit";

(c) the most similar sequence provided by BLAST query of the GenBank NR database, with accession number and BLAST E value for the "hit"; and

(d) the most similar sequence provided by BLASTX
30 query of the SWISSPROT database, with accession number and BLAST E value for the "hit".

EXAMPLE 5

35 Genome-Derived Single Exon Probes Useful For Measuring

Expression of Genes in Human HeLa cells

Table 4 (382 pages) presents expression, homology, and functional information for the genome-derived single exon probes that are expressed significantly in human HeLa cell line.

CLAIMS

1. A spatially-addressable set of single exon nucleic acid probes for measuring gene expression in a sample derived
5 from human HeLa cells or other human cervical epithelial cells comprising a plurality single exon nucleic probes, said probes comprising any one of the nucleotide sequences set out in SEQ ID NOS: 1 - 9,290 or a complementary sequence, or a portion of such a sequence.
- 10 2. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably amplifiable.
- 15 3. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably isolatable from said plurality.
- 20 4. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 3 wherein said probes comprise any one of the nucleotide sequences set out in SEQ ID NOS.: 9,291 - 18,392.
- 25 5. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 4, wherein each of said plurality of probes is amplifiable using at least one common primer.
- 30 6. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 5 wherein the set comprises between 50 - 20,000 single exon nucleic acid probes.
- 35 7. A spatially-addressable set of single exon nucleic acid

probes as claimed in any of claims 1 to 6, wherein the average length of the single exon nucleic acid probes is between 200 and 500 bp.

- 5 8. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 7, wherein at least 50% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.
- 10 9. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 8, wherein at least 50% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.
- 15 10. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 9 characterised in that said set of probes is addressably disposed upon a substrate.
- 20 11. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 10 wherein said substrate is selected from glass, amorphous silicon, crystalline silicon and plastic.
- 25 12. A microarray comprising a spatially addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 11.
- 30 13. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human HeLa cells or other human cervical epithelial cells comprising a nucleotide sequence as set out in any of SEQ ID NOS.: 1 - 9,290 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a
- 35 nucleic acid molecule expressed in the human HeLa cells or

other human cervical epithelial cells.

14. A single exon nucleic acid probe as claimed in claim 13 comprising a nucleotide sequence as set out in any of SEQ
5 ID NOs.: 9,291 - 18,392 or a complementary sequence or a fragment thereof.

15. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human HeLa cells
10 or other human cervical epithelial cells which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any of SEQ ID NOs.: 18,393 - 26,941, or a complementary sequence or a fragment thereof wherein said probe hybridizes at high
15 stringency to a nucleic acid expressed in the human HeLa cells or other human cervical epithelial cells.

16. A single exon nucleic acid probe as claimed in any one of claims 13 to 15 wherein said single exon nucleic acid
20 probe comprises between 15 and 25 contiguous nucleotides of said SEQ ID NO.

17. A single exon nucleic acid probe as claimed in any one of claims 13 to 15, wherein said probe is between 3 - 25 kb
25 in length.

18. A single exon nucleic acid probe as claimed in any one of claims 13 - 17, wherein said probe is DNA, RNA or PNA.

30 19. A single exon nucleic acid probe as claimed in any one of claims 13 - 18, wherein said probe is detectably labeled.

20. A single exon nucleic acid probe as claimed in any one
35 of claims 13 - 19, wherein said probe lacks prokaryotic and

bacteriophage vector sequence.

21. A single exon nucleic acid probe as claimed in any one
of claims 13 - 20, wherein said probe lacks homopolymeric
5 stretches of A or T.

22. A method of measuring gene expression in a sample
derived from human HeLa cells or other human cervical
epithelial cells, comprising:

10 contacting the microarray of claim 12, with a first
 collection of detectably labeled nucleic acids,
 said first collection of nucleic acids derived
 from mRNA of human HeLa cells or other human
 cervical epithelial cells; and then
15 measuring the label detectably bound to each probe of
 said microarray.

23. A method of identifying exons in a eukaryotic genome,
comprising:

20 algorithmically predicting at least one exon from
 genomic sequence of said eukaryote; and then
 detecting specific hybridization of detectably labeled
 nucleic acids to a single exon probe,
 wherein said detectably labeled nucleic acids are derived
25 from mRNA from the HeLa cells or other human cervical
 epithelial cells of said eukaryote, said probe is a single
 exon probe having a fragment identical in sequence to, or
 complementary in sequence to, said predicted exon, said
 probe is included within a microarray according to claim
30 12, and said fragment is selectively hybridizable at high
 stringency.

24. A method of assigning exons to a single gene,
comprising:

35 identifying a plurality of exons from genomic

sequence according to the method of claim 23; and
then

measuring the expression of each of said exons in a
plurality of tissues and/or cell types using
5 hybridization to single exon microarrays having a
probe with said exon,

wherein a common pattern of expression of said exons in
said plurality of tissues and/or cell types indicates that
the exons should be assigned to a single gene.

10

25. A nucleic acid sequence as set out in any of SEQ ID
Nos: 1 - 18,392 which encodes a peptide.

26. A peptide encoded by a sequence as set out in any of
15 SEQ ID Nos: 1 - 18,392.

27. A peptide comprising a sequence as set out in any of
SEQ ID Nos: 18,393 - 26,941.

20

Page 1 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Database Source	Top Hit Descriptor
456	9709	18846	5.87			
898	10134	19286	11.93			
1052	10278		2.08			
1308	10525	19885	19.17			
1593	10806	19982	2.78			
1613	10826	20001	12.21			
1700	10912	20069	1.72			
1721	10933	20116	1.1			
1727	10939	20122	9.25			
1856	11063	20254	1.76			
1947	11151	20353	2.13			
2131	11330	20549	1.94			
2244	11439	20663	2.03			
3149	12384	21517	3.28			
3426	12651	21781	1			
3489	12713	21849	8.63			
3535	12758		0.87			
3637	12858	21977	0.97			
3923	13139		1.02			
4178	13383	22484	1.57			
4248	13451	22542	7.61			
4266	13469	22561	0.84			
4266	13469	22562	0.84			
4330	13531		1.28			
4386	13587	22689	0.79			
4854	14043	23137	1.05			
4899	14087		0.89			
5070	14250	23333	5.18			
5404	14632		5.28			
5486	14714		6.43			
5525	14632		4.42			
5546	14770	24137	3.03			
5669	18062	24282	1.69			
5688	14908	24301	1.91			

Page 2 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6484	15681	25150	2.19				
6930	16123	25590	5.79				
7275	16494		2.73				
7422	18078	26126	1.85				
7596	16799		3.09				
7899	17115	26647	2.51				
7997	16432	25919	2.03				
7997	16432	25920	2.03				
8034	17170		2.59				
8748	17691		1.72				
9085	17892	23898	1.79				
9279	18041		1.22				
5689	14909	24302	15.7	9.9E+00	AJ239028.1	NT	Homo sapiens LSS gene, partial, exons 15, 16, 17 and 18
6466	15663	25134	2.2	9.8E+00	U32716.1	NT	Haemophilus influenzae Rd section 31 of 163 of the complete genome
2874	12112	21240	3.14	9.4E+00	AB043785.1	NT	Mus musculus A73 gene for anthraxin, complete cds
6766	15961	25417	3.22	9.3E+00	P11210	SWISSPROT	IMMEDIATE-EARLY PROTEIN 1 (IE1) (IMMEDIATE-EARLY PHOSPHOPROTEIN PP89)
5326	14558	23629	2.48	9.1E+00	AF095609.1	NT	Leuciscus cephalus orientalis cytochrome b (cyt b) gene, partial cds; mitochondrial gene for mitochondrial product
5326	14558	23630	2.48	9.1E+00	AF095609.1	NT	Leuciscus cephalus orientalis cytochrome b (cyt b) gene, partial cds; mitochondrial gene for mitochondrial product
5676	14896	24288	5.52	8.9E+00	BE971806.1	EST HUMAN	601651038R1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:3934592 3'
5824	15041	24444	2.15	8.7E+00	AB019788.1	NT	Cynops pyrrhogaster CpTbx3 premature mRNA, partial cds
5824	15041	24445	2.15	8.7E+00	AB019788.1	NT	Cynops pyrrhogaster CpTbx3 premature mRNA, partial cds
446	9700	18836	1.88	8.4E+00	5031804	NT	Homo sapiens insulin receptor substrate 1 (IRS1) mRNA
6896	15602	25008	2.76	8.1E+00	AJ131719.1	NT	Zea mays mRNA for legumain-like protease (sec2a)
7728	16926		2.49	8.0E+00	P41820	SWISSPROT	BREFELDIN A RESISTANCE PROTEIN
6229	15410		1.77	7.5E+00	AL445065.1	NT	Thermoplasma acidophilum complete genome; segment 3/5
5572	14798	24170	4.33	7.4E+00	BF700517.1	EST_HUMAN	602128876F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285508 5'
6703	15898	25359	2.97	7.4E+00	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
6703	15898	25360	2.97	7.4E+00	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
2834	12172	21305	3.8	7.2E+00	L12051.1	NT	Lycopodium esculentum Mill. GTPase (SAR2) mRNA, complete cds
2834	12172	21306	3.8	7.2E+00	L12051.1	NT	Lycopodium esculentum Mill. GTPase (SAR2) mRNA, complete cds
6960	16138		11.08	7.1E+00	AL161595.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 91
7824	17137	26668	4.08	7.1E+00	P05850	SWISSPROT	HYPOTHETICAL 17.3 KDA PROTEIN IN MRDA-PHPB INTERGENIC REGION

Page 3 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7088	16245	25720	3.28	7.0E+00	P48610	SWISSPROT	ARGININE KINASE (AK)
7802	16995	26509	1.94	7.0E+00	O22469	SWISSPROT	WD-40 REPEAT PROTEIN MS13
6563	15749	25210	5.33	6.9E+00	P35679	SWISSPROT	60S RIBOSOMAL PROTEIN L4 (L2)
7137	16314	25795	4.45	6.8E+00	Q03570	SWISSPROT	HYPOTHETICAL 157.0 KDA PROTEIN C38C10.5 IN CHROMOSOME III
7097	16274	25752	2.93	6.8E+00	Q9ZE07	SWISSPROT	URIDYLATE KINASE (UK) (URIDINE MONOPHOSPHATE KINASE) (UMP KINASE)
7097	16274	25753	2.93	6.6E+00	Q9ZE07	SWISSPROT	URIDYLATE KINASE (UK) (URIDINE MONOPHOSPHATE KINASE) (UMP KINASE)
7689	16887		2.54	6.6E+00	Q10309	SWISSPROT	PROBABLE CATION-TRANSPORTING ATPASE C8C3.05C
6824	16018	25483	6.58	6.5E+00	P03374	SWISSPROT	ENV POLYPROTEIN [CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36]
5885	15102	24513	6.98	5.9E+00	AF155142.1	NT	Mus musculus mixed lineage kinase 3 (Mlk3) and two pore domain K+ channel subunit (Kcnk6) genes, complete cds
3497	12721		0.84	5.8E+00	7661557	NT	Homo sapiens DESO1 protein (DESO1), mRNA
8011	18446	25936	2.42	5.6E+00	Q55278	SWISSPROT	LYCOPENE BETA CYCLASE
7360	16576		1.76	5.5E+00	AF175425.1	NT	Mus musculus DNA methyltransferase (Dnmt1) gene, exons 30, 31, and 32
8010	18445	25935	3.03	5.5E+00	P11990	SWISSPROT	PNEUMOLYSIN (THIOL-ACTIVATED CYTOLYSIN)
8222	17352		1.85	5.5E+00	AL161571.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 67
4795	13984	23089	1.28	5.3E+00	L43126.1	NT	Bovine immunodeficiency-like virus surface envelope gene, 5' end of cds
6492	15689		3.71	5.3E+00	P54098	SWISSPROT	DNA POLYMERASE GAMMA (MITOCHONDRIAL DNA POLYMERASE CATALYTIC SUBUNIT)
8147	17279	26824	1.66	5.3E+00	Q27905	SWISSPROT	PROBABLE ANTIBACTERIAL PEPTIDE POLYPROTEIN PRECURSOR
7749	16945		2.12	5.2E+00	Q10136	SWISSPROT	HYPOTHETICAL 61.1 KD PROTEIN C23E2.03C IN CHROMOSOME I
7189	16366	25846	4.81	5.0E+00	Z63660.1	NT	Canis familiaris skeletal muscle chloride channel CIC-1 (CLCN1) mRNA, complete cds
7838	17030	26546	12.07	5.0E+00	AF162445.2	NT	Mycobacterium tuberculosis H37Rv complete genome; segment 103/162
4038	13248		12.98	4.8E+00	AF185255.1	NT	Eunice australis histone H3 (H3) gene, partial cds
6636	15831		4.93	4.8E+00	AF1750067.1	EST_HUMAN	PMO-BT0547-310100-002-b04 BT0547 Homo sapiens cDNA
284	9568		2.43	4.7E+00	BF240552.1	EST_HUMAN	601875654F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4099716 5'
295	9568	18700	2	4.7E+00	BF240552.1	EST_HUMAN	601875654F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4099716 5'
3241	12475	21606	1.02	4.7E+00	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
8131	17265	26809	1.9	4.5E+00	AE001044.1	NT	Archaeoglobus fulgidus section 63 of 172 of the complete genome
8235	17264	26902	1.67	4.5E+00	BF668841.1	EST_HUMAN	602123238F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4280216 5'
3005	12241	21371	0.96	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215284 5'
3005	12241	21372	0.96	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215284 5'
6268	15448	24887	2.48	4.3E+00	Y13402.1	NT	Plasmodium falciparum R28R+var1 gene, exon 1
7438	16647	26140	8.75	4.3E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds

Page 4 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5448	14874		3.45	4.2E+00	P16444	SWISSPROT	MICROSOMAL DIPEPTIDASE PRECURSOR (MDP) (DEHYDROPEPTIDASE-I) (RENAL DIPEPTIDASE) (RDP)
5988	15270	24697	1.82	4.2E+00	P13983	SWISSPROT	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)
5988	15270	24698	1.82	4.2E+00	P13983	SWISSPROT	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)
6757	15952	25410	8.13	4.2E+00	AB09013.1	EST_HUMAN	wf67g03.x1 Soares_NFL_T_08C_S1 Homo sapiens cDNA clone IMAGE:2360692 3'
6363	15543	24998	7.72	4.1E+00	O23810	SWISSPROT	YY1 PROTEIN PRECURSOR
6409	15590	25050	3.79	4.1E+00	P28984	SWISSPROT	GENE 68 PROTEIN
6409	15590	25051	3.79	4.1E+00	P28984	SWISSPROT	GENE 68 PROTEIN
6430	15827	25092	4.55	4.1E+00	U57503.1	NT	Pan troglodytes novel repetitive solo LTR element in the RNU2 locus
7482	16670		2.98	4.1E+00	P08716	SWISSPROT	HYPOTHETICAL PROTEIN HVL1
7543	16748		15.02	4.1E+00	BE885880.1	EST_HUMAN	601507510F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909051 5'
3520	12744		0.89	4.0E+00	P38228	SWISSPROT	GLC7-INTERACTING PROTEIN 1
8009	16444	25834	1.69	4.0E+00	P14546	SWISSPROT	CYTOCHROME C OXIDASE POLYPEPTIDE III
8092	17217	28751	4.02	4.0E+00	P07584	SWISSPROT	GENOME POLYPEPTIDE [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE GLYCOPROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS2C, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)]
8092	17217	28752	4.02	4.0E+00	P07584	SWISSPROT	GENOME POLYPEPTIDE [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE GLYCOPROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS2C, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)]
3477	12701	21837	4.32	3.8E+00	X64518.1	NT	N. tabacum chitinase gene 50 for class I chitinase C
4312	13513		0.93	3.9E+00	AF055486.1	NT	Mus musculus seminal vesicle secretory protein 99 (MSVSP99) gene, promoter region
5515	14740	24105	2.78	3.9E+00	BE814357.1	EST_HUMAN	MR0-BN0070-300500-028-h05 BN0070 Homo sapiens cDNA
5515	14740	24106	2.78	3.9E+00	BE814357.1	EST_HUMAN	MR0-BN0070-300500-028-h05 BN0070 Homo sapiens cDNA
6026	15237	24660	4.25	3.9E+00	P39299	SWISSPROT	HYPOTHETICAL TRANSCRIPTIONAL REGULATOR IN AIDB-RPSF INTERGENIC REGION
6238	15419	24859	3.77	3.8E+00	M23907.1	NT	Human MHC class II lymphocyte antigen (DPw4-beta-1) gene, exon 2
6568	15762	25225	2.27	3.9E+00	X65865.1	NT	X. laevis mRNA for M4 muscarinic receptor
7926	16405	25989	3.21	3.9E+00	Y18000.1	NT	Homo sapiens NF2 gene
2593	11779		1.77	3.8E+00	AE001562.1	NT	Helicobacter pylori, strain J99 section 123 of 132 of the complete genome
3998	13209	22314	12.82	3.7E+00	AL161539.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 39
7969	17148	26683	2.5	3.7E+00	BF669278.1	EST_HUMAN	602120551F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4277748 5'
7969	17148	26684	2.5	3.7E+00	BF669278.1	EST_HUMAN	602120551F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4277748 5'
8390	17471		1.73	3.7E+00	AB013746.3	NT	Gallus gallus mRNA for hypoxia-inducible factor-1 alpha, complete cds

Page 5 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
600	9847	18965	3.46	3.6E+00	AV761055.1	EST_HUMAN	AV761055 MDS Homo sapiens cDNA clone MDSBUE10 5'
4812	14001		0.96	3.6E+00	AL161472.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2
6687	15882	25321	4.86	3.6E+00	AE004447.1	NT	Pseudomonas aeruginosa PA01, section 8 of 529 of the complete genome
6687	15882	25322	4.86	3.6E+00	AE004447.1	NT	Pseudomonas aeruginosa PA01, section 8 of 529 of the complete genome
							Escherichia coli glycerophosphate dehydrogenase (gldD) gene, partial cds; and the translation start site has been verified (gldE), the translation start site has been verified (gldG), and repressor protein (gldR) genes, complete cds
7430	16640		4.12	3.6E+00	M96795.1	NT	Cryptosporidium felis heat shock protein 70 (HSP70) gene, partial cds
3214	12448	21580	1.13	3.5E+00	AF221538.1	NT	Brassica napus RPBSd mRNA, complete cds
1501	10714	19886	2.55	3.4E+00	AF254577.1	NT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT
6237	15418	24858	2.38	3.4E+00	P04052	SWISSPROT	Saccharomyces cerevisiae MSS1 gene, complete cds
7155	16332	25815	3.86	3.4E+00	AF013167.1	NT	Homo sapiens DGeorge syndrome critical region, centromeric end
8063	17198	26736	2.13	3.4E+00	L77570.1	NT	D. rerio zp-50 POU gene
507	9759	18986	1.73	3.2E+00	X08422.1	NT	D. rerio zp-50 POU gene
4004	9759	18986	0.95	3.2E+00	X08422.1	NT	Homo sapiens carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein) (CEACAM1), mRNA
4739	13930	23034	1.09	3.2E+00	4502404	NT	PHOSPHOGLYCERATE KINASE, CYTOSOLIC
5491	14717	24074	2.88	3.2E+00	P12783	SWISSPROT	PHOSPHOGLYCERATE KINASE, CYTOSOLIC
5491	14717	24075	2.88	3.2E+00	P12783	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
5790	15007	24410	1.78	3.2E+00	P18931	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
5790	15007	24411	1.78	3.2E+00	P18931	SWISSPROT	Chlamydomonas reinhardtii chloroplast DNA for rps9, ycf4, ycf3, rps18 genes
6405	15586	25044	2.53	3.2E+00	Y13655.1	NT	Chlamydomonas reinhardtii chloroplast DNA for rps9, ycf4, ycf3, rps18 genes
6405	15586	25045	2.53	3.2E+00	Y13655.1	NT	PERIPLASMIC [NIFE] HYDROGENASE SMALL SUBUNIT (NIFE HYDROGENLYASE SMALL CHAIN)
6773	15968		9.1	3.2E+00	P13081	SWISSPROT	Oryzias latipes OIGC8 gene for guanylyl cyclase C, complete cds
7122	16299	25781	3.21	3.2E+00	AB016081.2	NT	Rickettsia prowazekii strain Madrid E, complete genome; segment 1/4
7650	16850	26348	1.75	3.2E+00	AJ235270.1	NT	Sus scrofa choline acetyltransferase gene, promoter region
8350	17444		1.93	3.2E+00	L39836.1	NT	HYPOTHETICAL 142.5 KD PROTEIN C23E2.02 IN CHROMOSOME 1
5602	14826	24202	2.1	3.1E+00	Q10135	SWISSPROT	TYPE I IODOTHYRONINE DEIODINASE (TYPE-I 5DEIODINASE) (DIOI) (TYPE 1 DI) (SDI)
6656	15851	25308	4.85	3.1E+00	P49894	SWISSPROT	TYPE I IODOTHYRONINE DEIODINASE (TYPE-I 5DEIODINASE) (DIOI) (TYPE 1 DI) (SDI)
6656	15851	25310	4.85	3.1E+00	P49894	SWISSPROT	GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 3 PRECURSOR (N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2C) (NR2C) (NMDAR2C)
6842	16047		3.67	3.1E+00	Q14957	SWISSPROT	DEOXYHYPUSINE SYNTHASE (DHS)
7178	16355	25833	7.65	3.1E+00	P49365	SWISSPROT	

Page 6 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7999	16434		2.92	3.1E+00	P33515	SWISSPROT	GENOME POLYPROTEIN [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)] retinoid acid nuclear receptor isoform beta 2 [mice, embryonal carcinoma cell line, PCC7-MZ1, mRNA, 2971 nt]
8016	17155		3.7	3.1E+00	S56860.1	NT	
6144	15328		12.2	3.0E+00	P18408	SWISSPROT	CYR61 PROTEIN PRECURSOR (3CH81)
7241	16461	25950	1.7	3.0E+00	Q16181	SWISSPROT	CDC10 PROTEIN HOMOLOG
7579	16784	26277	6.87	3.0E+00	P51842	SWISSPROT	RETINAL GUANYLYL CYCLASE 2 PRECURSOR (GUANYLYL CYCLASE 2F, RETINAL) (RETGC-2) (ROD OUTER SEGMENT MEMBRANE GUANYLYL CYCLASE 2) (ROS-GC2) (GUANYLYL CYCLASE F) (GC-F)
7579	16784	26278	6.87	3.0E+00	P51842	SWISSPROT	RETINAL GUANYLYL CYCLASE 2 PRECURSOR (GUANYLYL CYCLASE 2F, RETINAL) (RETGC-2) (ROD OUTER SEGMENT MEMBRANE GUANYLYL CYCLASE 2) (ROS-GC2) (GUANYLYL CYCLASE F) (GC-F)
1979	11183	20391	2.21	2.9E+00	AE002225.2	NT	Chlamydomonas reinhardtii AR39, section 53 of 94 of the complete genome
6048	15214	24634	1.71	2.9E+00	Z38870.1	NT	F. pringlei gdcSP gene for P-protein of the glycine cleavage system
6170	15352	24799	4.54	2.9E+00	Q14514	SWISSPROT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 1 PRECURSOR
6170	15352	24790	4.54	2.9E+00	Q14514	SWISSPROT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 1 PRECURSOR
6279	15459	24900	5.32	2.9E+00	P46589	SWISSPROT	ADHERENCE FACTOR (ADHESION AND AGGREGATION MEDIATING SURFACE ANTIGEN)
1456	10669	19842	4.19	2.8E+00	AF186398.1	NT	Buxus harlandii metrinase K (matK) gene, partial cds; chloroplast product
1610	10823		2.03	2.8E+00	AL161552.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 52
6210	15391	24835	4.9	2.8E+00	8393724	NT	Mus musculus endomucin (LOC53423), mRNA
236	9515	18643	13.15	2.7E+00	6679306	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
236	9515	18644	13.15	2.7E+00	6679306	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
5467	14893	24046	1.64	2.7E+00	L14005.1	NT	Homo sapiens apoA polymorphism Kringle IV gene, exons 1 and 2
4677	13871	22970	5.06	2.6E+00	AF068749.1	NT	Mus musculus sphingosine kinase (SPHK1b) mRNA, complete cds
5465	14691	24043	2.01	2.6E+00	6755601	NT	Mus musculus SRY-box containing gene 13 (Sox13), mRNA
5465	14691	24044	2.01	2.6E+00	6755601	NT	Mus musculus SRY-box containing gene 13 (Sox13), mRNA
5582	14806		2.36	2.6E+00	Y17062.1	NT	Mycobacterium fortuitum furA II gene
6376	15558		5.52	2.6E+00	AF235502.1	NT	Mus musculus SH2-containing inositol 5-phosphatase (Ship) gene, exons 18 through 27, and complete cds
6980	16158	25630	2.9	2.6E+00	AL161540.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 40
7597	16900	26292	1.74	2.6E+00	AF143675.1	NT	Hantavirus Z10 segment M G1/G2 glycoprotein (Z10) gene, complete cds
9012	18264		2.97	2.6E+00	11419220	NT	Homo sapiens ATP-binding cassette, sub-family B (MDR/TAP), member 4 (ABCB4), mRNA
1460	10673	19845	2.95	2.6E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1460	10673	19846	2.95	2.5E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4
5578	14802	24174	2.14	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
5578	14802	24175	2.14	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
8347	17442		2.33	2.5E+00	AF289685.1	NT	Mus musculus EIF4H gene, partial cds; LIMK1 gene, complete cds; and ELN gene, partial cds
2876	12212	21350	1.58	2.4E+00	M24282.1	NT	Chicken alpha-3 collagen type VI mRNA, 3' end
4928	14116	23212	7.8	2.4E+00	4503352	NT	Homo sapiens double C2-like domains, alpha (DOC2A) mRNA
5660	14883	24271	4.18	2.4E+00	P02843	SWISSPROT	VITELLOGENIN I PRECURSOR (YOLK PROTEIN 1)
6532	15728		2.7	2.4E+00	AE001496.1	NT	Helicobacter pylori, strain J99 section 47 of 132 of the complete genome
6728	15923	25382	12.95	2.4E+00	P24091	SWISSPROT	ENDOCHITINASE B PRECURSOR (CHN-B)
7149	16326		6.73	2.4E+00	P09099	SWISSPROT	XYLULOSE KINASE (XYLUKINASE)
7175	16352	25829	2.32	2.4E+00	BE326702.1	EST_HUMAN	h63706.x1 NCI CGAP K111 Homo sapiens cDNA clone IMAGE:3133187 3'
7175	16352	25830	2.32	2.4E+00	BE326702.1	EST_HUMAN	h63706.x1 NCI CGAP K111 Homo sapiens cDNA clone IMAGE:3133187 3'
7645	16945	26343	1.91	2.4E+00	Y14079.1	NT	Bacillus subtilis chromosomal DNA, region 75 degrees: glpPKD operon and downstream
7898	17114	26846	2.65	2.4E+00	AF158852.2	NT	Fragaria x ananassa cytosolic ascorbate peroxidase (ApxSC) gene, ApxSC-c allele, complete cds
1260	10475	19637	10.92	2.3E+00	Z46724.1	NT	G. domesticus artificial single chain antibody gene (L3)
4101	13308		1.51	2.3E+00	AJ401081.1	NT	Bos taurus partial cytb gene for cytochrome b
5264	14437	23511	2.28	2.3E+00	U12024.1	NT	Asplenax medicens green opsin gene (g101) gene, complete cds
6277	15457	24896	2.33	2.3E+00	6978554	NT	Rattus norvegicus ATPase, Ca++ transporting, ubiquitous (Atp2a3), mRNA
6330	18388		3.14	2.3E+00	P07199	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
7380	16598	26083	1.72	2.3E+00	Q07076	SWISSPROT	ANNEXIN VII (SYNEXIN)
8247	17376	26910	2.87	2.3E+00	BF541987.1	EST_HUMAN	602069121F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4068173 5'
8247	17376	26911	2.87	2.3E+00	BF541987.1	EST_HUMAN	602069121F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4068173 5'
8579	17594	24002	4.79	2.3E+00	BE895237.1	EST_HUMAN	601433673F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918643 5'
3993	13207	22313	0.95	2.2E+00	AF020528.1	NT	Magnaporthe grisea Class IV chitin synthase (chs4) gene, complete cds
4302	13503	22599	3.87	2.2E+00	D67071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
4302	13503	22600	3.87	2.2E+00	D67071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
							SORTILIN-RELATED RECEPTOR PRECURSOR (SORTING PROTEIN-RELATED RECEPTOR CONTAINING LDLR CLASS A REPEATS) (MSORLA) (SORLA-1) (LOW-DENSITY LIPOPROTEIN RECEPTOR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LDLR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LR11)(>
5360	14590	23667	10.24	2.2E+00	O88307	SWISSPROT	

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
							SORTLIN-RELATED RECEPTOR PRECURSOR (SORTING PROTEIN-RELATED RECEPTOR CONTAINING LDLR CLASS A REPEATS) (MSORLA) (SORLA-1) (LOW-DENSITY LIPOPROTEIN RECEPTOR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LDLR RELATIVE WITH 11 LIGAND- BINDING REPEATS) (LR11) (>
5380	14590	23668	10.24	2.2E+00	Q88307	SWISSPROT	600943401T1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2959777 3'
5695	14915	24309	9.16	2.2E+00	BE250383.1	EST_HUMAN	MINOR VIRION STRUCTURAL PROTEIN MU-2
5815	15032	24433	4.17	2.2E+00	Q00335	SWISSPROT	INSULIN-LIKE GROWTH FACTOR II PRECURSOR (IGF-II) (SOMATOMEDIN A)
5832	15148	24558	2.98	2.2E+00	P51459	SWISSPROT	in95602.s1 NCL_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1058379 3'
6067	14514		3.74	2.2E+00	AA594574.1	EST_HUMAN	z005g10.t1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:785634 5'
6338	15518	24966	18.61	2.2E+00	AA449012.1	EST_HUMAN	601594733F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948581 5'
6864	16054		19.58	2.2E+00	BE741678.1	EST_HUMAN	TRANSPOSON TY1 PROTEIN A
6946	18075		2.79	2.2E+00	Q04706	SWISSPROT	qm69603.x1 Soares_placenta_8to9weeks_2NbHP8to9w Homo sapiens cDNA clone IMAGE:1893865 3'
7090	16287	25743	2.51	2.2E+00	AL290373.1	EST_HUMAN	similar to gb:Y00433 GLUTATHIONE PEROXIDASE (HUMAN);
7090	16287	25744	2.51	2.2E+00	AL290373.1	EST_HUMAN	qm69603.x1 Soares_placenta_8to9weeks_2NbHP8to9w Homo sapiens cDNA clone IMAGE:1893865 3'
7109	16286	25767	2.44	2.2E+00	BF246782.1	EST_HUMAN	similar to gb:Y00433 GLUTATHIONE PEROXIDASE (HUMAN);
7200	16377	25858	3.22	2.2E+00	AF183416.1	NT	601855591F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075391 5'
7977	16412	25898	4.63	2.2E+00	P07811	SWISSPROT	Homo sapiens ovarian granulosa cell 13.0 kDa protein hGR74 homolog mRNA, complete cds
8138	17271	26816	4.81	2.2E+00	P10407	SWISSPROT	UROMODULIN PRECURSOR (TAMM-HORSFALL URINARY GLYCOPROTEIN) (THP)
576	11971	18945	8.07	2.1E+00	AF132612.2	NT	EARLY E1A 28 KD PROTEIN
2878	12215	21351	1.86	2.1E+00	AF208532.1	NT	Mus musculus pre-T cell receptor alpha gene, enhancer region and upstream region
3565	12788		1.24	2.1E+00	AW449388.1	EST_HUMAN	Homo sapiens fatty acid omega-hydroxylase CYP4A11 (CYP4A11) gene, complete cds
6000	15282	24715	3.28	2.1E+00	O70169	SWISSPROT	UI-H-BIG-ald-e-08-0-UJ.s1 NCL_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734550 3'
6103	15197	24815	5.28	2.1E+00	N29575.1	EST_HUMAN	ALPHA-2-HS-GLYCOPROTEIN PRECURSOR (FETUIN-A)
1204	10423	19578	1.81	2.0E+00	AF180527.1	NT	y08a10.s1 Soares_melanocyte_2NbHM Homo sapiens cDNA clone IMAGE:270818 3' similar to gb:M56664
1204	10423	19579	1.81	2.0E+00	AF180527.1	NT	TRANSCRIPTION INITIATION FACTOR TFIIID (HUMAN);
1343	10557	19723	0.84	2.0E+00	AF204927.1	NT	Homo sapiens p22Dokdel (DOKDEL) mRNA, complete cds
1554	10768		2.32	2.0E+00	P25582	SWISSPROT	Homo sapiens p22Dokdel (DOKDEL) mRNA, complete cds
2117	11316	20533	6.95	2.0E+00	Z78279.1	NT	Oryctolagus cuniculus Na+ K+-ATPase beta 1 subunit mRNA, complete cds
2117	11316	20534	6.95	2.0E+00	Z78279.1	NT	PUTATIVE RRNA METHYLTRANSFERASE SPB1
4078	13288	22366	1.88	2.0E+00	AW664496.1	EST_HUMAN	R.norvegicus mRNA for collagen alpha1 type I
							R.norvegicus mRNA for collagen alpha1 type I
							hi13c05.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01677
							GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ. ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4078	13288	22387	1.88	2.0E+00	AW684496.1	EST_HUMAN	h113c05.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01677
6472	15669	25138	6.44	2.0E+00	AB0008676.1	NT	GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);
6472	15669	25139	6.44	2.0E+00	AB0008676.1	NT	Escherichia coli 0157 DNA, map position at 46 min., complete cds
6472	15669	25140	6.44	2.0E+00	AB0008676.1	NT	Escherichia coli 0157 DNA, map position at 46 min., complete cds
6752	15947	25405	5.02	2.0E+00	F31500.1	EST_HUMAN	Escherichia coli 0157 DNA, map position at 46 min., complete cds
8924	18222	23694	6.36	2.0E+00	5834843	NT	HSPD22703 HM3 Homo sapiens cDNA clone s4000117B08
5489	14715	24071	4.76	1.9E+00	6764389	NT	Gallus gallus mitochondrion, complete genome
5489	14715	24072	4.76	1.9E+00	6764389	NT	Mus musculus inositol 1,4,6-triphosphate receptor 1 (lbp1), mRNA
5979	15193	25271	2.35	1.8E+00	Q63627	SWISSPROT	Mus musculus inositol 1,4,5-triphosphate receptor 1 (lbp1), mRNA
6817	15813	25271	2.91	1.8E+00	P02467	SWISSPROT	CTD-BINDING SR-LIKE PROTEIN RA4
6817	15813	25272	2.91	1.8E+00	P02467	SWISSPROT	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
6872	15887		2.61	1.9E+00	BF360208.1	EST_HUMAN	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
3058	12294	21419	2.04	1.8E+00	P21004	SWISSPROT	CM3-MT0114-010900-323-H12 MT0114 Homo sapiens cDNA
3084	12320	21441	2.25	1.8E+00	U04356.1	NT	PROTEIN B8 PRECURSOR
3084	12320	21442	2.25	1.8E+00	U04356.1	NT	Synechococcus sp. PCC7942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
5599	14823		1.79	1.8E+00	P18502	SWISSPROT	Synechococcus sp. PCC7942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
5709	14928	24323	1.93	1.8E+00	BF311998.1	EST_HUMAN	HEDGEHOG RECEPTOR (PATCHED PROTEIN)
6733	15928	25387	3.27	1.8E+00	Q43281	SWISSPROT	601897854F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127384 5'
7163	16340		2.67	1.8E+00	AF111849.1	NT	EMBRYONAL FYN-ASSOCIATED SUBSTRATE (HEFS)
8709	18195		5.06	1.8E+00	AF314254.1	NT	Homo sapiens PRO0530 mRNA, complete cds
8792	17719		3.48	1.8E+00	9508404	NT	Chlamydomonas reinhardtii alternative oxidase 1 (AOX1) gene, nuclear gene encoding mitochondrial protein
9100	18095	23803	1.32	1.8E+00	BF212412.1	EST_HUMAN	Rattus norvegicus Actin-related protein complex 1b (Arpc1b), mRNA
9285	18043		1.45	1.8E+00	BF316805.1	EST_HUMAN	601813714F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4048251 5'
1116	10340	19490	2.08	1.7E+00	Q60114	SWISSPROT	601903309F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135588 5'
2298	11431	20658	2.49	1.7E+00	AL163280.2	NT	LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE)(SUCROSE 6-FRUCTOSYL TRANSFERASE)
2340	11533	20756	2.43	1.7E+00	A1141087.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
5695	14897	24277	3.48	1.7E+00	Q91TR8	SWISSPROT	oz43h05.x1 Soares_NhlMPu_S1 Homo sapiens cDNA clone IMAGE:1678137 3'
6817	18074	25476	3.98	1.7E+00	O60479	SWISSPROT	COUP TRANSCRIPTION FACTOR 1 (COUP-TF1)(COUP-TF1)
6817	18074	25477	3.98	1.7E+00	O60479	SWISSPROT	HOMEBOX PROTEIN DLX-3
6817	18074	25477	3.98	1.7E+00	O60479	SWISSPROT	HOMEBOX PROTEIN DLX-3

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8124	17258	28800	2.25	1.7E+00	W22424.1	EST_HUMAN	67B7 Human retina cDNA Tsp509I-cleaved sublibrary Homo sapiens cDNA not directional
8660	17637	23975	1.61	1.7E+00	AI678443.1	EST_HUMAN	tu82407.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2257549 3' similar to contains MSR1.11 MSR1 repetitive element;
9176	17969	23857	2.33	1.7E+00	AI198573.1	EST_HUMAN	q150b01.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1753417 3' similar to contains L1.11 L1 repetitive element;
2002	11205	20416	14.44	1.6E+00	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
2010	11213	20422	3.58	1.0E+00	AF077374.1	NT	Homo sapiens small proline-rich protein (SPRR3) gene, exons 1, 2, and 3 and complete cds
2016	11218	20427	1.35	1.8E+00	Y11344.1	NT	Mus musculus ST6GalNAcIII gene, exon 2
2248	11443		1.07	1.8E+00	X98373.1	NT	B.napus gene encoding endo-polygalacturonase
2915	12153	21288	1.34	1.8E+00	W58426.1	EST_HUMAN	zd25f01.r1 Soares_fetal_heart_NBHH19W Homo sapiens cDNA clone IMAGE:341689 5' similar to gb:D29895 N-ACETYLACTOSAMINE SYNTHASE (HUMAN);
4009	13221		6.38	1.8E+00	BF570077.1	EST_HUMAN	602186095T1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310591 3'
4345	13547	22638	1.87	1.0E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA6) mRNA, complete cds
4345	13547	22639	1.87	1.8E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA6) mRNA, complete cds
5027	14212	23295	0.63	1.8E+00	AF075394.1	NT	Urotauthis chinensis cytochrome c oxidase subunit I (COI) gene, mitochondrial gene encoding mitochondrial protein, partial cds
5027	14212	23296	0.63	1.8E+00	AF075394.1	NT	Urotauthis chinensis cytochrome c oxidase subunit I (COI) gene, mitochondrial gene encoding mitochondrial protein, partial cds
5113	14293	23380	1.98	1.8E+00	Y11344.1	NT	Mus musculus ST6GalNAcIII gene, exon 2
5113	14293	23381	1.98	1.8E+00	Y11344.1	NT	Mus musculus ST6GalNAcIII gene, exon 2
5583	14807	24180	2.43	1.8E+00	LD4808.1	NT	Brachydanio rerio MHC class II DA-beta-2*01 gene, 3' end
6182	15364	24804	2.64	1.8E+00	BE697287.1	EST_HUMAN	RC0-CT0415-200700-032-c10 CT0415 Homo sapiens cDNA
6590	15786	25245	3.63	1.8E+00	AJ297131.1	NT	Mus musculus SIL, MAP_17, CYP_a, SCL & CYP_b genes
7420	14946	24227	6.93	1.8E+00	AF005631.1	NT	Homo sapiens transglutaminase type I (Tgase1) gene, promoter region
8197	17329	26871	3.2	1.8E+00	AF104313.1	NT	Homo sapiens unknown mRNA
9221	18000		1.43	1.8E+00	AF764043.1	EST_HUMAN	AV764043 MDS Homo sapiens cDNA clone MDSDAH08 5'
34	9330	18435	5.46	1.5E+00	U53449.1	NT	Rattus norvegicus jun dimerization protein 2 (jdp-2) mRNA, complete cds
237	9516	18845	2.45	1.5E+00	AE002201.2	NT	Chlamydomonas reinhardtii section 32 of 94 of the complete genome
627	9872		1.95	1.5E+00	6752961	NT	Mus musculus a disintegrin and metalloproteinase domain (ADAM) 15 (metargidin) (Adam15), mRNA
1882	11089	20280	3.71	1.5E+00	AF275285.1	NT	Mus musculus receptor protein tyrosine phosphatase-rho (Ptptr) gene, exons 10 and 11 and partial cds
2373	11566	20787	2.06	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
2481	11671	20899	1.63	1.5E+00	6678350	NT	Mus musculus T-cell lymphoma invasion and metastasis 1 (Tiam1), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3103	11566	20787	1.87	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
3353	12581	21721	0.82	1.5E+00	AE001845.1	NT	Deinococcus radiodurans R1 section 82 of 229 of the complete chromosome 1
5829	15048	24450	2.78	1.5E+00	R17879.1	EST_HUMAN	y910e02.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31693 5'
6148	15332	24788	18.56	1.5E+00	P47179	SWISSPROT	HYPOTHETICAL 118.4 KD PROTEIN IN BAT2-DAL5 INTERGENIC REGION PRECURSOR
6148	15332	24769	18.56	1.5E+00	P47179	SWISSPROT	HYPOTHETICAL 118.4 KD PROTEIN IN BAT2-DAL5 INTERGENIC REGION PRECURSOR
7026	16203	25680	11.13	1.5E+00	BF378754.1	EST_HUMAN	RCO-TN0078-150900-034-g05 TN0078 Homo sapiens cDNA
7132	16309	25790	3.83	1.5E+00	AA017689.1	EST_HUMAN	z838g06.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:361306 5'
7132	16309	25791	3.83	1.5E+00	AA017689.1	EST_HUMAN	z838g06.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:361306 5'
7937	17077	26605	4.16	1.5E+00	AL134197.1	EST_HUMAN	DKFZp547P243 : s1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547P243 3'
8074	17209		8.7	1.5E+00	X07380.1	NT	Malze mitochondrial tRNA-Ser gene and tRNA-Phe pseudogene
8494	17537		1.33	1.5E+00	8753287	NT	Mus musculus caspase 8 associated protein 2 (Casp8ap2), mRNA
8653	18290	23687	1.24	1.5E+00	D63480.1	NT	Human mRNA for KIAA0146 gene, partial cds
8885	17780		3.71	1.5E+00	AL445065.1	NT	Thermoplasma acidophilum complete genome, segment 3/5
8888	17852		1.25	1.5E+00	8978492	NT	Rattus norvegicus 5 - Lipoxigenase (Alox5), mRNA
31	8327	18431	1.22	1.4E+00	7661885	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
31	9327	18432	1.22	1.4E+00	7661885	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1711	10923	20108	1.26	1.4E+00	H19859.1	EST_HUMAN	y9157a03.r1 Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:172540 5'
2242	11437		1.38	1.4E+00	AF053357.1	NT	Helicobacter pylori glutamine synthetase (glnA) gene, complete cds
2302	11496		9.69	1.4E+00	U67922.1	NT	Ovis aries prion protein gene, complete cds
2629	11812	21030	1.38	1.4E+00	X74463.1	NT	Human papillomavirus type 7 genomic DNA
2728	11908	21122	2.38	1.4E+00	AF084564.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
2729	11908	21123	2.38	1.4E+00	AF084564.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
4243	13446	22536	1.72	1.4E+00	AW900455.1	EST_HUMAN	CMO-NN1005-140300-286-h06 NN1005 Homo sapiens cDNA
4243	13446	22537	1.72	1.4E+00	AW900455.1	EST_HUMAN	CMO-NN1005-140300-286-h06 NN1005 Homo sapiens cDNA
4557	12273	21401	1.2	1.4E+00	AE002324.2	NT	Chlamydia muridarum, section 55 of 85 of the complete genome
4557	12273	21402	1.2	1.4E+00	AE002324.2	NT	Chlamydia muridarum, section 55 of 85 of the complete genome
4584	13778		1.41	1.4E+00	BF681547.1	EST_HUMAN	802156887F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4297556 5'
5455	14881		5.68	1.4E+00	AB032983.1	NT	Homo sapiens mRNA for KIAA1157 protein, partial cds
5780	14988	24400	2.74	1.4E+00	Q13472	SWISSPROT	DNA TOPOISOMERASE III ALPHA
5784	18397		4.59	1.4E+00	AB020712.1	NT	Homo sapiens mRNA for KIAA0805 protein, complete cds
5832	15049	24454	2.62	1.4E+00	Q82777	SWISSPROT	SYNAPSIN II
5832	15049	24455	2.62	1.4E+00	Q82777	SWISSPROT	SYNAPSIN II

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6203	15384	24828	2.21	1.4E+00	AJ133269.1	NT	Homo sapiens caveolin-1/2 locus, Contig1, D7S522, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)
6715	15910		8.09	1.4E+00	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
6827	16021	25487	5.92	1.4E+00	BE064687.1	EST_HUMAN	RC1-BT0313-301299-012-005 BT0313 Homo sapiens cDNA
7637	16837	26333	2.22	1.4E+00	AA195528.1	EST_HUMAN	z36a09.r1 Soares NIHMFu_S1 Homo sapiens cDNA clone IMAGE:665512 5' similar to contains element MER22 repetitive element
7778	16973	26486	6.19	1.4E+00	AB006882.1	NT	Homo sapiens APECE2 mRNA for AIRE-1, complete cds
7943	17083	26611	3.76	1.4E+00	BE962107.2	EST_HUMAN	601655184R1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:3845805 3'
7943	17083	26612	3.76	1.4E+00	BE962107.2	EST_HUMAN	601655184R1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:3845805 3'
7965	17144	26677	2.89	1.4E+00	U30780.1	NT	Pneumocystis carinii f. sp. ratti guanine nucleotide binding protein alpha subunit (pcg1) gene, complete cds
7965	17144	26678	2.89	1.4E+00	U30780.1	NT	Pneumocystis carinii f. sp. ratti guanine nucleotide binding protein alpha subunit (pcg1) gene, complete cds
8481	18214		1.9	1.4E+00	AL161500.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 12
8899	18382		1.27	1.4E+00	11545836	NT	Homo sapiens cutaneous T-cell lymphoma tumor antigen se70-2 (SE70-2), mRNA
9287	18033		1.22	1.4E+00	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
577	9828		1.79	1.3E+00	Z73640.1	NT	M.mucedo gene encoding 4-Dihydromethyl-trisporate dehydrogenase
912	10147	19308	2.87	1.3E+00	AJ271192.1	NT	Cantharellus sp. partial 26S rRNA gene, isolate Tibet
1137	10360		17.3	1.3E+00	Y19213.1	NT	Homo sapiens putative psilHbA pseudogene for hair keratin, exons 2 to 7
1304	10520	19679	11.83	1.3E+00	4507968	NT	Homo sapiens zinc finger protein 157 (HZF22) (ZNF157) mRNA
1304	10520	19680	11.83	1.3E+00	4507968	NT	Homo sapiens zinc finger protein 157 (HZF22) (ZNF157) mRNA
1364	10579		0.84	1.3E+00	U61730.2	NT	Cdx lacryma-jobi dihydrodipicolinate synthase (dapa) gene, complete cds
1589	10802		1.91	1.3E+00	AE002338.2	NT	Chlamydia muridarum, section 68 of 85 of the complete genome
2515	11704		1.76	1.3E+00	BE968735.2	EST_HUMAN	601661233R1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3915945 3'
2890	12127	21260	0.62	1.3E+00	6755621	NT	Mus musculus alpha-spectrin 1, erythrocyte (Spn1), mRNA
3575	12798	21924	0.65	1.3E+00	AF016494.1	NT	Fugu rubripes gamma-aminobutyric acid receptor beta subunit gene, partial cds; 55kd erythrocyte membrane protein (P55), synaptic vesicle-associated integral membrane protein (VAMP-1), procollagen C-proteinase enhancer protein (PCOLCE) genes, complete c
5668	14888	24278	9.72	1.3E+00	AW362834.1	EST_HUMAN	PM0-CT0289-291199-004-008 CT0289 Homo sapiens cDNA
5668	14888	24279	9.72	1.3E+00	AW362834.1	EST_HUMAN	PM0-CT0289-291199-004-008 CT0289 Homo sapiens cDNA
6550	15755	25218	2.2	1.3E+00	AJ009912.1	NT	Sus scrofa plp gene
6919	16112		3.29	1.3E+00	AF042084.1	NT	Homo sapiens heparan glucosaminyl N-deacetylase/N-sulfotransferase-2 gene, complete cds
6924	16117	25582	2.21	1.3E+00	X72019.1	NT	S.alba pht-1 mRNA for photolyase

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6924	16117	25583	2.21	1.3E+00	X72019.1	NT	S.alba phi-1 mRNA for photolyase
6982	16180	25631	2.37	1.3E+00	O00754	SWISSPROT	LYSOSOMAL ALPHA-MANNOSIDASE PRECURSOR (MANNOSIDASE, ALPHA B) (LYSOSOMAL ACID ALPHA-MANNOSIDASE) (LAMAN)
7028	16205	25682	5.79	1.3E+00	BE963379.2	EST_HUMAN	601657145R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866195 3'
7284	16503		4.82	1.3E+00	Q14117	SWISSPROT	DIHYDROPYRIMIDINASE (DHPASE) (HYDANTOINASE) (DHP)
7480	16888	26170	2.44	1.3E+00	P25299	SWISSPROT	MRNA 3-5' END PROCESSING PROTEIN RNA15
7501	16708	26185	2.26	1.3E+00	Z18892.2	NT	Mus musculus desmin gene
8072	17207	26740	3.07	1.3E+00	D42042.1	NT	Human mRNA for KIAA0085 gene, partial cds
8144	17276	26820	2.83	1.3E+00	Z8682.1	NT	Bacillus subtilis genomic DNA 23.9kB fragment
8639	17627		2.58	1.3E+00	AF187873.1	NT	Cavia porcellus inwardly-rectifying potassium channel Kir2.2 (KCNJ12) gene, complete cds
8821	17738	23930	4.23	1.3E+00	BF348043.1	EST_HUMAN	602023185F1 NCI_CGAP_Brn87 Homo sapiens cDNA clone IMAGE:4158452 5'
8833	18106		2.07	1.3E+00	P33484	SWISSPROT	E1 GLYCOPROTEIN PRECURSOR (MATRIX GLYCOPROTEIN) (MEMBRANE GLYCOPROTEIN)
8932	17814		1.4	1.3E+00	AF187035.1	NT	Stimula illium cytochrome b gene, complete cds; mitochondrial gene for mitochondrial product
896	9902	19028	8.36	1.2E+00	AA676248.1	EST_HUMAN	212208.s1 Soares fetal liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431535 3'
833	10071	19226	1.12	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PHRP-III)
833	10071	19227	1.12	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PHRP-III)
833	10071	19228	1.12	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PHRP-III)
888	10123		1.52	1.2E+00	8924234	NT	Homo sapiens hypothetical protein PRO3077 (PRO3077), mRNA
1169	10390	19542	3.71	1.2E+00	AF080245.2	NT	Eleis oleifera sesquiterpene synthase mRNA, complete cds
1213	10431	19587	1.74	1.2E+00	AJ252242.1	NT	pea seed-borne mosaic virus complete genome
1213	10431	19588	1.74	1.2E+00	AJ252242.1	NT	pea seed-borne mosaic virus complete genome
1978	11182	20390	1	1.2E+00	AF140631.1	NT	Homo sapiens G-protein coupled receptor 14 (GPR14) gene, complete cds
3074	12310	21431	1.07	1.2E+00	AB020681.1	NT	Homo sapiens mRNA for KIAA0874 protein, partial cds
3129	12384	21494	6.74	1.2E+00	AL161563.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
3129	12384	21495	6.74	1.2E+00	AL161563.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
3254	12487		2.72	1.2E+00	P54910	SWISSPROT	CONJUGAL TRANSFER PROTEIN TRBE PRECURSOR
3331	12560	21698	0.86	1.2E+00	AF188740.1	NT	Homo sapiens LHX3 gene, intron 2
3653	12913	22031	7.58	1.2E+00	U75902.1	NT	Mus musculus subtilisin-like serine protease LPC (PC7) gene, exons 1 to 9, partial cds
3934	13179	22282	2.14	1.2E+00	BF373570.1	EST_HUMAN	MRO-FT0175-050900-203-g06_1 FT0175 Homo sapiens cDNA
4286	12560	21698	1.04	1.2E+00	AF188740.1	NT	Homo sapiens LHX3 gene, intron 2
4487	13685		2.05	1.2E+00	M87060.1	NT	Rattus rattus cardiac AE3 gene, exons 1-23
4559	13753	22851	1.8	1.2E+00	AF159495.1	NT	Homo sapiens post-synaptic density 95 (DLG4) gene, complete cds
4587	13781		6.87	1.2E+00	Y08200.1	NT	T.pinnatum chloroplast rbcL gene, partial
5468	14695	24048	2.08	1.2E+00	AW813278.1	EST_HUMAN	MR3-ST0191-140200-013-c05 ST0191 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5734	14953	24351	2.6	1.2E+00	X74885.1	NT	D.hydyl ey1 repeat cluster DNA, fragment D
5758	14977	24378	4.03	1.2E+00	BE003113.1	EST_HUMAN	QV4-BN0080-270400-190-a03 BN0080 Homo sapiens cDNA
5804	15021	24422	37.27	1.2E+00	AA759254.1	EST_HUMAN	ah84g12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1322374 3'
5877	15084	24508	2.08	1.2E+00	AW813278.1	EST_HUMAN	MR3-ST0191-140200-013-c05 ST0191 Homo sapiens cDNA
6055	15223	24642	2.84	1.2E+00	AJ002141.1	NT	Mus musculus DSPP gene
6356	15536	24990	2.81	1.2E+00	X74207.1	NT	L.lactis pyrD and pyrF genes
6844	15839	25299	5.07	1.2E+00	AB033030.1	NT	Homo sapiens mRNA for KIAA1204 protein, partial cds
6772	15967	25425	2.49	1.2E+00	AW377210.1	EST_HUMAN	MR2-CT0222-201098-001-e07 CT0222 Homo sapiens cDNA
6876	16067	25536	2.56	1.2E+00	Z32850.1	NT	R.communis gene for pyrophosphate-dependent phosphofructokinase beta subunit
6985	16143	25812	2.48	1.2E+00	D11745.1	EST_HUMAN	HUMHM01A01 Liver HepG2 cell line. Homo sapiens cDNA clone hm01a01
7048	16225	25700	4.49	1.2E+00	X56832.1	NT	H.sapiens ENO3 gene for muscle specific endase
7886	17102	26633	2.36	1.2E+00	AW817817.1	EST_HUMAN	PMO-ST0264-161198-001-001 ST0264 Homo sapiens cDNA
7923	17136		5.4	1.2E+00	BE160761.1	EST_HUMAN	PM1-HT0422-160200-007-g10 HT0422 Homo sapiens cDNA
7992	18427	25914	3.52	1.2E+00	U50147.1	NT	Rattus norvegicus synapse-associated protein 102 mRNA, complete cds
8605	18185	23757	20.83	1.2E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
8625	17618		2.04	1.2E+00	AP001515.1	NT	Bacillus halodurans genomic DNA, section 9/14
470	9723	18954	1.47	1.1E+00	D86980.1	NT	Human mRNA for KIAA0227 gene, partial cds
1733	10945	20128	2.18	1.1E+00	AW985393.1	EST_HUMAN	QV0-BN0042-170300-163-g12 BN0042 Homo sapiens cDNA
3303	12534	21866	8.21	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3303	12534	21667	8.21	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3461	12686	21822	0.85	1.1E+00	8922841	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
							wf54h11.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2359481 3' similar to
3555	12778	21907	1.18	1.1E+00	A1808360.1	EST_HUMAN	SW:P531_HUMAN Q12888 P53-BINDING PROTEIN 53BP1 ;
3699	12919	22036	1.52	1.1E+00	AE003986.1	NT	Xylella fastidiosa, section 32 of 229 of the complete genome
3699	12919	22037	1.52	1.1E+00	AE003986.1	NT	Xylella fastidiosa, section 32 of 229 of the complete genome
3807	13025		0.75	1.1E+00	X85374.1	NT	H.parahaemolyticus hphIM(A), hphIM(C), hphIR and menB genes
3919	13135	22252	1.03	1.1E+00	8922841	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
3997	13210	22315	0.89	1.1E+00	8755205	NT	Mus musculus proteasome (prosome, macropain) subunit, beta type 7 (PsmB7), mRNA
4198	13402		7.67	1.1E+00	5835331	NT	R.unicornis complete mitochondrial genome
4688	13880		1.08	1.1E+00	U34992.1	NT	Carcharias plumbeus Ig lambda light chain gene, complete cds
5016	14203	23290	3.61	1.1E+00	U18466.1	NT	African swine fever virus, complete genome
5102	14282	23367	1.13	1.1E+00	X78425.1	NT	E.faecalis pbp5 gene
5251	14424	23501	0.62	1.1E+00	P25096	SWISSPROT	TELLURITE RESISTANCE PROTEIN TEHA
5335	14566	23640	1.89	1.1E+00	6978530	NT	Rattus norvegicus Aquaporin 4 (Aqp4), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5497	14723	24081	22.14	1.1E+00	BE90184.1	EST_HUMAN	601852776R1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3825835 3'
6286	15487	24908	2.16	1.1E+00	Z72338.1	NT	Herpes simplex virus type 1 (strain KOS) UL41 gene
6286	15487	24909	2.16	1.1E+00	Z72338.1	NT	Herpes simplex virus type 1 (strain KOS) UL41 gene
6294	15475	24917	7.18	1.1E+00	AL161588.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
6503	15700	25168	4.86	1.1E+00	BF693998.1	EST_HUMAN	602082582F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4246626 5'
7052	16229	25705	7.08	1.1E+00	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
7073	16250	25723	22.71	1.1E+00	6754021	NT	Mus musculus guanine nucleotide binding protein (G protein), gamma 3 subunit (Gng3), mRNA
7244	16464	25954	2.63	1.1E+00	11067364	NT	Homo sapiens KIAA0628 gene product (KIAA0628), mRNA
7296	16515		4.08	1.1E+00	AF068942.1	NT	Klebsiellidium fluitans cytochrome c oxidase subunit 2 (cox2) gene, mitochondrial gene encoding mitochondrial protein, partial cds
7684	14493		5.98	1.1E+00	8922873	NT	Homo sapiens hypothetical protein FLJ11280 (FLJ11280), mRNA
7669	16868	26370	3.89	1.1E+00	AF012862.1	NT	Petroselinum crispum cytosolic glucose-6-phosphate dehydrogenase 1 (cG6PDH1) mRNA, complete cds
7669	16868	26371	3.89	1.1E+00	AF012862.1	NT	Petroselinum crispum cytosolic glucose-6-phosphate dehydrogenase 1 (cG6PDH1) mRNA, complete cds
7895	17111	26842	5.2	1.1E+00	AI809699.1	EST_HUMAN	wf76e11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2381548 3'
8103	17237	26774	1.83	1.1E+00	D89501.1	NT	Human PBI gene, complete cds
8103	17237	26775	1.83	1.1E+00	D89501.1	NT	Human PBI gene, complete cds
8575	17591		2.98	1.1E+00	P07866	SWISSPROT	LOW TEMPERATURE ESSENTIAL PROTEIN
8682	17652	23979	2.49	1.1E+00	AF216696.1	NT	Teaenia solium immunogenic protein Ts76 mRNA, partial cds
8811	18182		1.81	1.1E+00	AF234169.1	NT	Dictyostelium discoideum isopentenyl pyrophosphate isomerase (Dipi) mRNA, complete cds
99	9392		2.09	1.0E+00	U23808.1	NT	Xenopus laevis rhodopsin gene, complete cds
113	9401	18530	1.22	1.0E+00	D88425.1	NT	Cavia cobaya mRNA for serine/threonine kinase, complete cds
424	9677		2.34	1.0E+00	AB021694.1	NT	Marchantia polymorpha genes for 26S rRNA, 5S rRNA, 18S rRNA, 5.8S rRNA and 26S rRNA
583	9832	18950	1.38	1.0E+00	AL251690.1	NT	Girardia tigrina mRNA for homeodomain transcription factor (so gene)
693	9826	19057	6.39	1.0E+00	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
685	9828		0.94	1.0E+00	AF125984.1	NT	Aedes aegypti mucin-like protein MUC1 mRNA, complete cds
1392	11983		1.65	1.0E+00	X80416.1	NT	V. carteri Algal-CAM mRNA
1728	10940	20123	1.15	1.0E+00	AB006531.1	NT	Plautia stali intestine virus RNA for nonstructural polyprotein, capsid protein precursor, complete cds
2643	11828	21041	0.95	1.0E+00	AF131205.1	NT	Mus musculus Serf1 protein (Serf1), survival of motor neuron protein (Smn), neuronal apoptosis inhibitory protein-rs6 (Naip-rs6), and neuronal apoptosis inhibitory protein-rs3 (Naip-rs3) genes, complete cds

Page 16 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2828	12068	21189	4.6	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2829	12068	21190	4.6	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2822	12160		1.25	1.0E+00	O14228	SWISSPROT	HYPOTHETICAL 67.9 KD PROTEIN C8F12.08C IN CHROMOSOME 1
3163	12398	21533	1.17	1.0E+00	AA628453.1	EST_HUMAN	af26g08.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1032830 3' similar to WP:C42D8.3 CE04204 ;contains element MER22 MER22 repetitive element ;
3577	9392		1.17	1.0E+00	U23808.1	NT	Xenopus laevis rhodopsin gene, complete cds
3661	12882	22003	1.81	1.0E+00	AJ223816.1	NT	Agaricus bisporus mRNA for tyrosinase
4048	13256	22357	0.84	1.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
5185	14361		0.87	1.0E+00	AF200817.1	NT	Pilot whale morbillivirus phosphoprotein (P) gene, partial cds
5278	14450		0.6	1.0E+00	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
5315	14547	23616	2.5	1.0E+00	Z97022.1	NT	Hordeum vulgare gene encoding cysteine proteinase
5592	14816	24190	4.53	1.0E+00	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
5592	14816	24191	4.53	1.0E+00	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
5715	14933	24329	4.66	1.0E+00	P04501	SWISSPROT	FIBER PROTEIN
5716	14934	24330	1.62	1.0E+00	AW452782.1	EST_HUMAN	U1H-B13-alk-d-09-Q-U1.s1 NCJ CGAP Sub5 Homo sapiens cDNA clone IMAGE:3068969 3'
5870	15088	24501	1.87	1.0E+00	U75902.1	NT	Mus musculus subtilisin-like serine protease LPC (PC7) gene, exons 1 to 9, partial cds
6284	15485		8.44	1.0E+00	P20273	SWISSPROT	B-CELL RECEPTOR CD22 PRECURSOR (LEU-14) (B-LYMPHOCYTE CELL ADHESION MOLECULE) (BL-CAM)
6387	15567	25024	8.14	1.0E+00	AA75191.1	EST_HUMAN	ac79b08.s1 Stralagene lung (#837210) Homo sapiens cDNA clone IMAGE:868791 3'
6505	14499		2.37	1.0E+00	D10852.1	NT	Rattus norvegicus mRNA for N-acetylglucosaminyltransferase III, complete cds
6580	15776	25235	3.41	1.0E+00	Q02207	SWISSPROT	PEROXISOMAL HYDRATASE-DEHYDROGENASE-EPIMERASE (HDE) (MULTIFUNCTIONAL BETA-OXIDATION PROTEIN) (MFP) [INCLUDES: 2-ENOYL-COA HYDRATASE ; D-3-HYDROXYACYL COA DEHYDROGENASE]
6580	15776	25236	3.41	1.0E+00	Q02207	SWISSPROT	PEROXISOMAL HYDRATASE-DEHYDROGENASE-EPIMERASE (HDE) (MULTIFUNCTIONAL BETA-OXIDATION PROTEIN) (MFP) [INCLUDES: 2-ENOYL-COA HYDRATASE ; D-3-HYDROXYACYL COA DEHYDROGENASE]
6634	18073		2.74	1.0E+00	BE147331.1	EST_HUMAN	RC1-H10229-181099-011-e08 HT0229 Homo sapiens cDNA
6969	16147	25618	2.2	1.0E+00	AV689554.1	EST_HUMAN	AV689554 GK0 Homo sapiens cDNA clone GKCCYA11 5'
7209	16366	25667	32.49	1.0E+00	AA004982.1	EST_HUMAN	zh94a02.1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428906 5'

Page 17 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7209	16368	25868	32.49	1.0E+00	AA004982.1	EST_HUMAN	zfp94a02.1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:428908 5'
7545	16750	26244	1.94	1.0E+00	S80825.1	NT	PBR1=proline-rich protein [intron 3] [human, Genomic, 898 nt]
8086	17201		1.66	1.0E+00	L47613.1	NT	Picea glauca EMB13 mRNA
8457	17514		3.4	1.0E+00	P15306	SWISSPROT	THROMBOMODULIN PRECURSOR (FETOMODULIN) (TM)
8801	17726		2.13	1.0E+00	AW976184.1	EST_HUMAN	EST388293 MAGE resequences, MAGN Homo sapiens cDNA
2601	11785	21005	1	9.9E-01	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
3583	12805		1.14	9.9E-01	AF174585.1	NT	Apple mosaic virus RNA 2 putative polymerase gene, complete cds
5505	14730	24092	8.2	9.9E-01	P49657	SWISSPROT	SERINE/THREONINE PROTEIN KINASE MINIBRAIN
6936	16082		3.4	9.9E-01	Q28642	SWISSPROT	B2 BRADYKININ RECEPTOR (BK-2 RECEPTOR)
529	9780	18903	2.91	9.9E-01	P22567	SWISSPROT	AMINO-ACID ACETYLTRANSFERASE (N-ACETYLGLUTAMATE SYNTHASE) (AGS) (NAGS)
2259	11454		1.63	9.8E-01	AJ003108.1	NT	Callithrix jacchus UBE1 gene derived retroposon on the Y chromosome
3787	13005	22120	0.63	9.8E-01	BE957439.2	EST_HUMAN	601653583R2 NIH_MGC 55 Homo sapiens cDNA clone IMAGE:3838461 3'
3787	13005	22121	0.63	9.8E-01	BE957439.2	EST_HUMAN	601653583R2 NIH_MGC 55 Homo sapiens cDNA clone IMAGE:3838461 3'
6164	15347	24764	4.67	9.8E-01	AJ302158.1	NT	Enterobacteriaceae sp. JM983 partial groES gene for GroES-like protein and partial groEL gene for GroEL-like protein, isolate JM983
6164	15347	24765	4.67	9.8E-01	AJ302158.1	NT	Enterobacteriaceae sp. JM983 partial groES gene for GroES-like protein and partial groEL gene for GroEL-like protein, isolate JM983
7566	16771	26262	4.32	9.8E-01	BE258705.1	EST_HUMAN	601110258F1 NIH_MGC 16 Homo sapiens cDNA clone IMAGE:3350750 5'
7566	16771	26263	4.32	9.8E-01	BE258705.1	EST_HUMAN	601110258F1 NIH_MGC 16 Homo sapiens cDNA clone IMAGE:3350750 5'
8688	17657		1.26	9.8E-01	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
6147	15331	24767	3.07	9.7E-01	U26718.1	NT	Drosophila melanogaster sodium channel protein (para) gene, exons 9,10,11,12 and optional segments b, c, d and e, partial cds
7729	16927		4.82	9.7E-01	BF511209.1	EST_HUMAN	UI-H-B14-ecf-e-07-0-J1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085140 3'
9272	18035		1.38	9.7E-01	AL114281.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
9289	18047	23827	5.82	9.7E-01	AL181549.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 49
4430	13630	22724	1	9.6E-01	AF197925.1	NT	Bromus inermis putative cytosolic phosphoglucomutase (pgm1) mRNA, complete cds
4430	13630	22725	1	9.6E-01	AF197925.1	NT	Bromus inermis putative cytosolic phosphoglucomutase (pgm1) mRNA, complete cds
4452	13651	22746	1.53	9.6E-01	AW786674.1	EST_HUMAN	PM2-JM0053-240300-005-f12 UM0053 Homo sapiens cDNA
5552	14776	24143	3.47	9.6E-01	Z70556.1	NT	Parvovirus B19 DNA, patient C, genome position 2448-2894
5552	14776	24144	3.47	9.6E-01	Z70556.1	NT	Parvovirus B19 DNA, patient C, genome position 2448-2894
6596	15792		2.23	9.6E-01	X95275.1	NT	P. falciparum complete gene map of plastid-like DNA (IR-A)
7654	16854	26353	1.69	9.6E-01	AF041427.1	NT	Homo sapiens ribosomal protein s4 Y isoform gene, complete cds

Page 18 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8051	17187	26726	4.97	9.6E-01	AV752605.1	EST_HUMAN	AV752605 NP2 Homo sapiens cDNA clone NPDBAG06 5'
8051	17187	26727	4.97	9.6E-01	AV752605.1	EST_HUMAN	AV752605 NP2 Homo sapiens cDNA clone NPDBAG06 5'
8356	17449		1.59	9.6E-01	11421722	NT	Homo sapiens centrosomal protein 2 (CEP2), mRNA
9010	18260	23680	2.28	9.6E-01	U91423.1	NT	Sphyrna tiburo NADH dehydrogenase subunit 2 (NADH2) gene, mitochondrial gene encoding mitochondrial protein, partial cds
2438	11628	20850	1.21	9.5E-01	7705591	NT	Homo sapiens GGI-125 protein (LOC51003), mRNA
3765	12983	22097	2.06	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
3765	12983	22098	2.06	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
7788	16989	26504	1.76	9.5E-01	BF218771.1	EST_HUMAN	601885163F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4103630 5'
7987	16422	25909	1.85	9.5E-01	AW263799.1	EST_HUMAN	U1-H-B12-ahp-1-03-0-U1.s1 NCI CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727677 3'
3165	12400		3.64	9.4E-01	AF165990.1	NT	Barionella clarridgeae RNA polymerase beta subunit (rpoB) gene, partial cds
3184	12419		2.15	9.4E-01	AF080593.1	NT	Pimpinella brachycarpa zinc finger protein (ZFP1) mRNA, complete cds
8630	17622		1.85	9.4E-01	BE781251.1	EST_HUMAN	601466703F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3869929 5'
9009	18176		1.61	9.4E-01	11419857	NT	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR), mRNA
1705	10917		1.15	9.3E-01	AF242382.1	NT	Homo sapiens phytyl-CoA hydroxylase (PHYH) gene, exon 5
2598	11783	21003	1.61	9.3E-01	BE071172.1	EST_HUMAN	RCS-BT0503-271199-011-B01 BT0503 Homo sapiens cDNA
4013	13225	22325	0.76	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
4013	13225	22326	0.76	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
5524	14749	24116	4.02	9.3E-01	L36189.1	NT	Spodoptera frugiperda methylenetetrahydrofolate dehydrogenase mRNA, complete cds
9126	17839	23879	1.56	9.3E-01	11440288	NT	Homo sapiens inositol 1,4,5-trisphosphate receptor, type 2 (ITPR2), mRNA
9135	17944		2.19	9.3E-01	AF271207.1	NT	Aedes triseriatus putative large subunit ribosomal protein rPL34 mRNA, complete cds
3205	12439	21574	3.6	9.2E-01	BE822702.1	EST_HUMAN	601441338T1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916184 3'
4894	14082		0.79	9.2E-01	BF129973.1	EST_HUMAN	601817814F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4041383 5'
5849	14872	24259	4.49	9.2E-01	BF037586.1	EST_HUMAN	601461153F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3864661 5'
7156	16333	25816	5.03	9.2E-01	11430963	NT	Homo sapiens lysosomal apyrase-like protein 1 (LALP1), mRNA
7240	16460	25849	1.89	9.2E-01	BE663811.1	EST_HUMAN	601334943F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3688714 5'
8213	17344	26883	2.06	9.2E-01	BF132402.1	EST_HUMAN	601820312F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4052018 5'
1802	10816	19992	1.14	9.1E-01	T96875.1	EST_HUMAN	ye5201.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121369 3' similar to contains Alu repetitive element
2094	11294		1.18	9.1E-01	8623056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
3170	12405	21538	1.28	9.1E-01	T26418.1	EST_HUMAN	AB200G8R Infant brain, LLNL array of Dr. M. Soares 1NIB Homo sapiens cDNA clone LLAB200G8 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3170	12405	21539	1.28	9.1E-01	T26418.1	EST_HUMAN	AB200GBR Infant brain, LNL array of Dr. M. Soares 1N1B Homo sapiens cDNA clone LLAB200G8 5'
5878	15095	24508	2.86	9.1E-01	Q61704	SWISSPROT	INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H3 PRECURSOR (ITI HEAVY CHAIN H3)
6325	15508	24952	17.66	9.1E-01	AA806623.1	EST_HUMAN	cb71g08.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336882 3'
6383	15573	25028	2.35	9.1E-01	U72895.1	NT	Rattus norvegicus Rab3 GDP/GTP exchange protein mRNA, complete cds
8726	18254		15.31	9.1E-01	AF050113.1	NT	Homo sapiens uncoupling protein-3 (UCP3) gene, complete cds
3172	12407	21542	0.8	9.0E-01	7681625	NT	Homo sapiens DKFZP564M2423 protein (DKFZP564M2423), mRNA
4373	13575	22671	2	9.0E-01	AF099810.1	NT	Homo sapiens neuroxin III-alpha gene, partial cds
5268	14441	23514	0.61	9.0E-01	A086302.1	EST_HUMAN	ox10b05.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1655889 3' similar to contains Alu repetitive element;
5534	14758	24125	2.39	8.9E-01	AF026198.1	NT	Fugu rubripes neural cell adhesion molecule L1 homolog (L1-CAM) gene, complete cds; putative protein 1 (PUT1) gene, partial cds; mitosis-specific chromosome segregation protein SMC1 homolog (SMC1) gene, complete cds; and calcium channel alpha-1 subunit
8251	17379	26913	2.66	8.9E-01	AE003944.1	NT	Xylella fastidiosa, section 90 of 229 of the complete genome
8557	17579		4.11	8.9E-01	AE002186.2	NT	Chlamydomonas reinhardtii AR39, section 21 of 94 of the complete genome
4539	13734	22832	1.91	8.8E-01	O28350	SWISSPROT	PUTATIVE F420-DEPENDENT NADP REDUCTASE
5205	14380	23486	3.86	8.8E-01	AW856840.1	EST_HUMAN	RC2-CT0298-150200-015-b01 CT0298 Homo sapiens cDNA
7647	16947	26345	3.08	8.8E-01	Z28337.1	NT	M.aeruginosa (HUB 5-2-4) DNA from plasmid PMA1
8372	18344		2.12	8.8E-01	D90911.1	NT	Synechocystis sp. PCC6803 complete genome, 13/27, 1576593-1719643
471	9724	18855	1.29	8.7E-01	AF106953.2	NT	Homo sapiens SOS1 (SOS1) gene, partial cds
2827	12068	21187	5.87	8.7E-01	AA595863.1	EST_HUMAN	nm05111.s1 NCI_CGAP_P4.1 Homo sapiens cDNA clone IMAGE:1076877
5031	14216						Pseudomonas aeruginosa topoisomerase (top), putative transcriptional regulatory protein OhbR (ohbR), ortho-halobenzoate 1,2-dioxygenase beta-ISP protein OhbA (ohbA), OhbC (ohbC), ortho-halobenzoate 1,2-dioxygenase alpha-ISP protein OhbB (ohbB), and put
7408	16920	26112	2.76	8.7E-01	AF121970.1	NT	QV0-NN1021-100800-337-c03 NN1021 Homo sapiens cDNA
8226	17356	26894	6.23	8.7E-01	BF363970.1	EST_HUMAN	601823684R1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4043564 3'
8226	17356	26895	3.87	8.7E-01	BF107694.1	EST_HUMAN	601823684R1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4043564 3'
8775	18144		3.87	8.7E-01	BF107694.1	EST_HUMAN	AV661898 GLC Homo sapiens cDNA clone GLCGYG07 3'
481	9733		2.27	8.7E-01	AV661898.1	EST_HUMAN	Rat IGFI gene for insulin-like growth factor II
868	10104	19267	1.49	8.6E-01	X17012.1	NT	zid44603.r1 Soares_fetal_heart_NIH-19W Homo sapiens cDNA clone IMAGE:343516 5'
2235	11430	20655	7.46	8.6E-01	W69089.1	EST_HUMAN	Homo sapiens cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomolysis), polypeptide 1 (CYP27A1b) mRNA
3599	12820	21941	0.95	8.6E-01	4503210	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
3784	13002	22117	1.09	8.6E-01	AL161565.2	NT	Drosophila melanogaster merlin (Dimerlin) mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5614	14837	24214	7.93	8.9E-01	X60547.1	NT	Chicken lipoprotein lipase gene
5614	14837	24215	7.93	8.9E-01	X60547.1	NT	Chicken lipoprotein lipase gene
5969	15184	24600	1.77	8.9E-01	AF143732.1	NT	Grus canadensis recombination activating protein 1 (RAG-1) gene, partial cds
5969	15184	24601	1.77	8.9E-01	AF143732.1	NT	Grus canadensis recombination activating protein 1 (RAG-1) gene, partial cds
8962	18092		1.56	8.9E-01	AL112162.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
4491	13689	22781	0.85	8.3E-01	AI701029.1	EST_HUMAN	we09h02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340627 3'
6301	15482	24926	2.42	8.3E-01	BE542612.1	EST_HUMAN	601067107F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453505 5'
7180	16357	25835	2.22	8.3E-01	AB006799.1	NT	Cyanidium caldarium gene for SigC, complete cds
7180	16357	25836	2.22	8.3E-01	AB006799.1	NT	Cyanidium caldarium gene for SigC, complete cds
8711	18256		2.74	8.3E-01	11418543	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
8717	17672		4	8.3E-01	9507008	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
5440	18055	23820	2.81	8.4E-01	L78726.1	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
5440	18055	23821	2.81	8.4E-01	L78726.1	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
7057	16234		4.37	8.4E-01	AJ248287.1	NT	Pyrococcus abyssi complete genome; segment 5/6
749	9990	19133	2.78	8.3E-01	M93437.1	NT	Thermus thermophilus cytochrome c-552 (cycA) and CycB (cycB) genes, complete cds
3060	12296	21420	3.24	8.3E-01	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
3798	13016	22129	0.71	8.3E-01	AB010879.1	NT	Nicotiana tabacum mRNA for chloroplast ribosomal protein L10, complete cds
3988	13202	22310	3.75	8.3E-01	Y19177.1	NT	Streptomyces antibioticus polyketide biosynthetic gene cluster
5309	14540	23545	2.38	8.3E-01	AL161540.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 40
7140	16317	25799	4.76	8.3E-01	AF108133.1	NT	Mus musculus neuro-d4 gene, exons 3 through 12 and partial cds
7288	16485	25977	2.68	8.3E-01	AE000903.1	NT	Methanobacterium thermoautotrophicum from bases 1270510 to 1283409 (section 109 of 148) of the complete genome
7282	16501		2.2	8.3E-01	7212472	NT	Phytophthora infestans mitochondrion, complete genome
7851	17041	26556	2.88	8.3E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
2018	11220	20428	2.47	8.2E-01	AB000489.1	NT	Rattus norvegicus mRNA for RPHO-1, complete cds
2059	11260		1.69	8.2E-01	AF145589.1	NT	Mus musculus trophoblast (Tnn) gene, complete cds
2639	11822		1.02	8.2E-01	AW376980.1	EST_HUMAN	IL3-CT0219-161199-031-C08 CT0219 Homo sapiens cDNA
3879	13095	22212	0.61	8.2E-01	AB014574.1	NT	Homo sapiens mRNA for KIAA0674 protein, partial cds
4111	13318	22417	0.99	8.2E-01	Z72584.1	NT	S.cerevisiae chromosome VII reading frame ORF YGL062w
4111	13318	22418	0.99	8.2E-01	Z72584.1	NT	S.cerevisiae chromosome VII reading frame ORF YGL062w
6040	15248	24670	3.49	8.2E-01	AW379433.1	EST_HUMAN	GM4-HT0243-081199-037-e01 HT0243 Homo sapiens cDNA
6196	18072	24818	4.4	8.2E-01	Z12126.1	NT	S.cerevisiae MET, LEU4, and POL1 genes encoding MET14 protein, alpha-isopropylmalate (alpha-IPM) synthetase (partial), and DNA polymerase alpha (partial)

Page 21 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7094	16271	25748	2.43	8.2E-01	AF052859.1	NT	Homo sapiens thioredoxin-related protein mRNA, complete cds
7184	16361	25840	3.29	8.2E-01	Q9J170	SWISSPROT	MCKUSICK-KAUFMAN/BARDET-BIEDL SYNDROMES PUTATIVE CHAPERONIN
7184	16361	25841	3.29	8.2E-01	Q9J170	SWISSPROT	MCKUSICK-KAUFMAN/BARDET-BIEDL SYNDROMES PUTATIVE CHAPERONIN
8155	17287	26831	3.09	8.2E-01	L10127.1	NT	Molluscum contagiosum virus type 1 ORF1 and ORF2 DNA
8221	17351	26889	7.78	8.2E-01	P10383	SWISSPROT	OVARIAN TUMOR LOCUS PROTEIN
8227	17357	26896	6.68	8.2E-01	H87398.1	EST_HUMAN	yw14d02.r1 Soares_placenta_8to9weeks_2N6HP8b9W Homo sapiens cDNA clone IMAGE:252105 5'
8734	17680	23952	1.91	8.2E-01	AJ001281.1	NT	similar to gb:M36072.60S RIBOSOMAL PROTEIN L7A (HUMAN);
2714	11893	21791	1.1	8.1E-01	AF191839.1	NT	Mus musculus mRNA for NIPSNAP2 protein
3435	12660	21791	3.11	8.1E-01	AF055086.1	NT	Mus musculus TANK binding kinase TBK1 (Tbk1) mRNA, complete cds
3435	12660	21792	3.11	8.1E-01	AF055086.1	NT	Homo sapiens MHC class 1 region
4941	14128	24571	0.62	8.1E-01	AF202834.1	NT	Homo sapiens MHC class 1 region
5943	15159	24571	2.59	8.1E-01	Q13491	SWISSPROT	Drosophila melanogaster NaK-ATPase beta subunit isoform 4 (JYbeta2) mRNA, complete cds
5943	15159	24572	2.59	8.1E-01	Q13491	SWISSPROT	NEURONAL MEMBRANE GLYCOPROTEIN M6-B
8017	17156	26891	3.58	8.1E-01	BE938558.1	EST_HUMAN	NEURONAL MEMBRANE GLYCOPROTEIN M6-B
8017	17156	26892	3.58	8.1E-01	BE938558.1	EST_HUMAN	RC0-TN0080-220800-025-d10 TN0080 Homo sapiens cDNA
8430	17498	24013	1.63	8.1E-01	AE001711.1	NT	RC0-TN0080-220800-025-d10 TN0080 Homo sapiens cDNA
180	9460	18699	2.95	8.0E-01	AJ271510.1	NT	Thermotoga maritima section 23 of 138 of the complete genome
283	9567	18699	9.28	8.0E-01	AJ132772.1	NT	Staphylococcus aureus partial pla gene for phosphate acetyltransferase allele 15
2003	11206	21646	1.53	8.0E-01	BF530982.1	EST_HUMAN	Bos taurus furin and trf genes
3284	12515	21646	1.71	8.0E-01	AB006193.1	NT	602072473F1 NCI CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215091 5'
4530	13726	22823	5.64	8.0E-01	X83739.2	NT	Mus musculus gene for oviductal glycoprotein, complete cds
5001	14188	23278	1.29	8.0E-01	7657352	NT	G gallus mRNA for nicotinic acetylcholine receptor (nAChR) beta 3 subunit
6029	15825	25287	2.21	8.0E-01	Y11095.1	NT	Mus musculus myosin IXb (Myo9b), mRNA
460	9713	18848	1.61	7.9E-01	D11476.1	NT	Rice stripe virus RNA 3
722	9964	22899	1.09	7.9E-01	AE002130.1	NT	Lymnaea dispar nuclear polyhedrosis virus gene for DNA polymerase, complete cds
1584	10787	22899	25.24	7.9E-01	AB040885.1	NT	Ureaplasma urealyticum section 31 of 59 of the complete genome
1831	10845	20650	1	7.9E-01	U32739.1	NT	Homo sapiens mRNA for KIAA1452 protein, partial cds
2228	11424	20650	6.52	7.9E-01	AB004816.1	NT	Haemophilus influenzae Rd section 64 of 163 of the complete genome
2228	11425	20651	2.33	7.9E-01	AF130459.1	NT	Oryctolagus cuniculus mRNA for mitsugumin28, complete cds
3490	12714	21850	2.71	7.9E-01	AF226684.1	NT	Danio rerio Trp4-associated protein Tap1A (tap1A) mRNA, complete cds
4287	13489	22899	0.71	7.9E-01	BE263612.1	EST_HUMAN	Gallus gallus SOX8 transcription factor (SOX8) mRNA, complete cds
4613	13807	22899	1.03	7.9E-01	6753745	NT	601182033F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535785 5'
4613	13807	22900	1.03	7.9E-01	6753745	NT	Mus musculus embigin (Emb), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6497	15694	25158	4.39	7.9E-01	X00996.1	NT	P. sativum GR gene
6934	16126	25594	4.56	7.9E-01	U01912.1	NT	Giardia lamblia variant-specific surface protein G3M-B (vspG3M-B) mRNA, partial cds
7089	16266	25742	2.99	7.9E-01	P19719	SWISSPROT	SMALL HYDROPHOBIC PROTEIN
7577	16782		2.29	7.9E-01	7662471	NT	Homo sapiens KIAA1072 protein (KIAA1072), mRNA
7784	16950	26470	3	7.9E-01	P19022	SWISSPROT	NEURAL-CADHERIN PRECURSOR (N-CADHERIN)
886	10121		2.22	7.8E-01	Z43785.1	EST_HUMAN	HSC1KH041 normalized infant brain cDNA Homo sapiens cDNA clone c-1kh04
2240	11435	20659	4.11	7.8E-01	AW959587.1	EST_HUMAN	EST371637 MAGE resequences, MAGF Homo sapiens cDNA
4712	13903	23003	0.74	7.8E-01	U87305.1	NT	Rattus norvegicus transmembrane receptor Unc5H1 mRNA, complete cds
5082	14242		1.12	7.8E-01	AW753353.1	EST_HUMAN	RC3-CT0254-130100-023-c02 CT0254 Homo sapiens cDNA
5227	14401		1.33	7.8E-01	Z43785.1	EST_HUMAN	HSC1KH041 normalized infant brain cDNA Homo sapiens cDNA clone c-1kh04
5697	14917	24311	2.41	7.8E-01	AF115858.1	NT	Sphenodon punctatus alpha endlease mRNA, partial cds
8705	18234		1.54	7.8E-01	L29280.1	NT	Arabidopsis thaliana 1-aminol-1-cyclopropanecarboxylate synthase (ACSS5) gene, complete cds
141	9423	18558	5.87	7.7E-01	AF184345.1	NT	Lycopodium hirsutum ADP-glucose pyrophosphorylase large subunit (AGP-L1) mRNA, complete cds
733	9974		2.1	7.7E-01	AF050157.1	NT	Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (IaIpha) and major histocompatibility protein class II beta chain (IbIbeta) genes, complete cds; butyrophilin-like (NG9), butyrophilin-like
2872	11854	21070	1.39	7.7E-01	O33915	SWISSPROT	CITRATE SYNTHASE
3578	12800	21926	4.2	7.7E-01	AF118085.1	NT	Homo sapiens PRO1975 mRNA, complete cds
4390	13591	22893	3.15	7.7E-01	AF199488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds
4390	13591	22894	3.15	7.7E-01	AF199488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds
5263	14436		1.46	7.7E-01	L78833.1	NT	Human BRCA1, Rho7 and vail genes, complete cds, and ipf35 gene, partial cds
8479	9423	18558	1.35	7.7E-01	AF184345.1	NT	Lycopodium hirsutum ADP-glucose pyrophosphorylase large subunit (AGP-L1) mRNA, complete cds
8586	17596		5.33	7.7E-01	11497621	NT	Archaeoglobus fulgidus, complete genome
5707	14928	24320	4.05	7.6E-01	AF059510.1	NT	Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase non-biotinylated subunit (MCCB) mRNA, complete cds
5707	14928	24321	4.05	7.6E-01	AF059510.1	NT	Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase non-biotinylated subunit (MCCB) mRNA, complete cds
6501	15698	25163	2.5	7.6E-01	6857752	NT	Mus musculus actin (Actin-pending), mRNA
6501	15698	25164	2.5	7.6E-01	6857752	NT	Mus musculus actin (Actin-pending), mRNA
6849	16038	25502	7.49	7.6E-01	P30372	SWISSPROT	MUSCARINIC ACETYLCHOLINE RECEPTOR M2
6849	16038	25503	7.49	7.6E-01	P30372	SWISSPROT	MUSCARINIC ACETYLCHOLINE RECEPTOR M2
7897	17113	26844	2.88	7.6E-01	X88347.1	NT	H. aspersa mRNA for neurofilament NF70

Page 23 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7897	17113	26845	2.88	7.8E-01	X86347.1	NT	H. aspersa mRNA for neurofilament NF70
8201	17333		6.71	7.6E-01	AL161592.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 88
8334	17432		3.62	7.6E-01	AB020702.1	NT	Homo sapiens mRNA for KIAA0895 protein, partial cds
519	9770		1.25	7.5E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
591	9839	18958	1.51	7.5E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
7768	16964	26477	1.71	7.5E-01	AB047819.1	NT	Homo sapiens GCMA/GCM1 gene for chorion-specific transcription factor GCMA, complete cds
8658	17635		4.34	7.5E-01	AF163151.2	NT	Homo sapiens dentin sialophosphoprotein precursor (DSPP) gene, complete cds
9204	17989	23863	1.8	7.5E-01	AE000823.1	NT	Methanobacterium thermoautotrophicum from bases 317350 to 328782 (section 28 of 148) of the complete genome
1138	10361	19510	1.26	7.4E-01	AI598146.1	EST_HUMAN	bt14809.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167577 3' similar to contains Alu repetitive element; contains element MIR repetitive element;
2311	11505	20726	0.93	7.4E-01	AB011106.1	NT	Homo sapiens mRNA for KIAA0534 protein, partial cds
3707	12927	22045	0.59	7.4E-01	AF112538.1	NT	Malva pusilla actin (Act1) mRNA, complete cds
4299	13500	22596	6.84	7.4E-01	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
6804	15999	25458	9.91	7.4E-01	BE747503.1	EST_HUMAN	601573028F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3834174 5'
8168	17300	20843	1.64	7.4E-01	AB021490.2	NT	Oryzias latipes gene for membrane guanylyl cyclase OIGC1, complete cds
8168	17300	26844	1.64	7.4E-01	AB021490.2	NT	Oryzias latipes gene for membrane guanylyl cyclase OIGC1, complete cds
8302	17410		2.98	7.4E-01	6753217	NT	Mus musculus complement component 1 inhibitor (C1inh), mRNA
8415	17488		1.42	7.4E-01	AI472841.1	EST_HUMAN	bt13801.x1 NCI_CGAP_Lym5 Homo sapiens cDNA clone IMAGE:2043985 3'
3952	13167		0.66	7.3E-01	AF000062.1	NT	Aeropyrum pernix genomic DNA, section 5/7
4818	13812	22902	0.67	7.3E-01	AE001166.1	NT	Borrelia burgdorferi (section 52 of 70) of the complete genome
4711	13902	23002	5.65	7.3E-01	AF225421.1	NT	Homo sapiens HT017 mRNA, complete cds
5130	14308	23399	0.81	7.3E-01	O43103	SWISSPROT	FERRICHRONE SIDEROPHORE PEPTIDE SYNTHETASE
5936	15152	24562	6.03	7.3E-01	L35772.1	NT	Mus musculus antigen (CD72) gene
5936	15152	24563	6.03	7.3E-01	L35772.1	NT	Mus musculus antigen (CD72) gene
6310	15491	24935	8.23	7.3E-01	M26511.1	NT	V. alginolyticus sucrose (scrB) gene, complete cds
6310	15491	24936	8.23	7.3E-01	M26511.1	NT	V. alginolyticus sucrose (scrB) gene, complete cds
7968	17147	26681	3.69	7.3E-01	AA678019.1	EST_HUMAN	z125b08.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431799 3'
7968	17147	26682	3.69	7.3E-01	AA678019.1	EST_HUMAN	z125b08.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431799 3'
841	10078		2.68	7.2E-01	L28281.1	NT	Rattus norvegicus initiation factor-2 kinase (eIF-2a) mRNA, complete cds
1927	11131	20326	4.35	7.2E-01	X79140.1	NT	N. tabacum NeIF-4A13 mRNA
2424	11615	20937	2.18	7.2E-01	AB009605.1	NT	Gallus gallus gene for melanocortin 2-receptor, complete cds
3031	12267	21394	1.35	7.2E-01	AF198100.1	NT	Fowlpox virus, complete genome

Page 24 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3430	12855	21785	3.04	7.2E-01	AF065606.1	NT	Giardia intestinalis variant-specific surface protein (vsp417-6) gene, vsp417-8(A-1 allele), complete cds
3592	12813	21834	1.13	7.2E-01	AB002307.1	NT	Human mRNA for KIAA0309 gene, partial cds
4039	13249		0.81	7.2E-01	AF108093.1	NT	Homo sapiens IA-2 gene, intron 18
4780	13989	23071	3.68	7.2E-01	D90314.1	NT	L. mesenteroides gene for sucrose phosphorylase (EC 2.4.1.7)
6335	15515		6.78	7.2E-01	9628875	NT	Human herpesvirus 3, complete genome
7325	16541	28030	6.88	7.2E-01	U82623.1	NT	Rattus norvegicus cytochrome mRNA, complete cds
7715	16914	28423	1.7	7.2E-01	S76838.1	NT	Dbs-Dbi guanine nucleotide exchange factor homolog [mice, 32D murine hemopoietic cell line, mRNA, 3923 nt]
8857	17760		4.26	7.2E-01	AF000063.1	NT	Aeropyrum pernix genomic DNA, section 617
699	9941	18075	12.1	7.1E-01	D21070.1	NT	Rana catesbeiana mRNA for bullfrog skeletal muscle calcium release channel (ryanodine receptor) alpha isoform(RyR1), complete cds
3027	12263	21391	15.87	7.1E-01	AJ270777.1	NT	Homo sapiens partial TCF-4 gene for T-cell transcription factor-4, exons 15-16
4190	13394	22493	3.47	7.1E-01	7305360	NT	Mus musculus otogelin (Otog), mRNA
4190	13394	22494	3.47	7.1E-01	7305360	NT	Mus musculus otogelin (Otog), mRNA
6063	15253	24677	7.74	7.1E-01	U36232.1	NT	Drosophila melanogaster 6-pyruvoyltetrahydropterin synthase (pr) gene, complete cds
8840	18160		1.97	7.1E-01	AA421492.1	EST_HUMAN	zu08h11.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:731109 3'
1236	10453	19811	2.68	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds
1236	10453	19812	2.68	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds
2412	11604	20825	1.49	7.0E-01	N82412.1	EST_HUMAN	yz73e07.s1 Soares_multiple_sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:288708 3' similar to contains Alu repetitive element;
2412	11604	20828	1.49	7.0E-01	N82412.1	EST_HUMAN	yz73e07.s1 Soares_multiple_sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:288708 3' similar to contains Alu repetitive element;
5088	14268		2.07	7.0E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
5207	14382	23468	0.61	7.0E-01	AE003921.1	NT	Xylella fastidiosa, section 67 of 229 of the complete genome
5253	14426	23502	8.3	7.0E-01	T88328.1	EST_HUMAN	yc41h03.s1 Stratagene liver (#937224) Homo sapiens cDNA clone IMAGE:83285 3' similar to gb:K03020 PHENYLALANINE-4-HYDROXYLASE (HUMAN);
6589	15785		9.8	7.0E-01	AE000253.1	NT	Escherichia coli K-12 MG1655 section 143 of 400 of the complete genome
7680	16879	26385	2.01	7.0E-01	AV763942.1	EST_HUMAN	AV763842 MDS Homo sapiens cDNA clone MDSCH04 5'
7680	16879	26386	2.01	7.0E-01	AV763942.1	EST_HUMAN	AV763842 MDS Homo sapiens cDNA clone MDSCH04 5'
977	10209	19364	11.39	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds
977	10209	19365	11.39	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds

Page 25 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1317	10533	19695	2.41	6.9E-01	AA593530.1	EST_HUMAN	nm28a09.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1085176 3'
3185	12420	21553	1.68	6.9E-01	AE002271.2	NT	Chlamydia muridarum, section 3 of 85 of the complete genome
5248	14419	23498	0.62	6.9E-01	BE782751.1	EST_HUMAN	601465594F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3888943 5'
6455	15652	25120	3.94	6.9E-01	AL161573.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 69
6455	15652	25121	3.94	6.9E-01	AL161573.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 69
7810	17003	28518	2.35	6.9E-01	D89013.1	NT	Homo sapiens DAN gene, complete cds
7810	17003	26517	2.35	6.9E-01	D89013.1	NT	Homo sapiens DAN gene, complete cds
8278	18154		3.81	6.9E-01	Q99958	SWISSPROT	FORKHEAD BOX PROTEIN C2 (FORKHEAD-RELATED PROTEIN FKHL14) (MESENCHYME FORK
964	10197	18352	0.82	6.8E-01	AF017784.1	NT	HEAD PROTEIN 1) (MFH-1 PROTEIN) (TRANSCRIPTION FACTOR FKHL-14)
2634	11817		1.32	6.8E-01	D90917.1	NT	Giardia intestinalis carbamate Kinase gene, complete cds
2781	10607	19983	1.28	6.8E-01	AA854475.1	EST_HUMAN	Synechocystis sp. PCC6803 complete genome, 27/27, 3418852-3573470
4589	13763	22859	1.35	6.8E-01	J00762.1	NT	gb:V56411_rna1 ALCOHOL DEHYDROGENASE CLASS II PI CHAIN (HUMAN);
6976	16154	25625	3.23	6.8E-01	AB037768.1	NT	Rat(hooded) prolactin gene : exon III and flanks
7653	16853	26351	2.57	6.8E-01	AJ276675.1	NT	Homo sapiens mRNA for KIAA1345 protein, partial cds
7653	16853	26352	2.57	6.8E-01	AJ276675.1	NT	Stagonospora avenae bgl1 gene for beta-glucosidase, exons 1-4
7675	16874	26379	2.41	6.8E-01	AF038939.1	NT	Stagonospora avenae bgl1 gene for beta-glucosidase, exons 1-4
7675	16874	26380	2.41	6.8E-01	AF038939.1	NT	Mus musculus zinc finger protein (Pag3) mRNA, complete cds
7848	17037	26553	1.85	6.8E-01	AF164151.1	NT	Mus musculus zinc finger protein (Pag3) mRNA, complete cds
303	9576	18709	27.9	6.7E-01	AF213884.1	NT	Anopheles gambiae strain M2 translation initiation factor 4C (1A) (eIF-4C) mRNA, complete cds
344	9812	18739	21.23	6.7E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
1876	11083		1.07	6.7E-01	M12132.1	NT	Quail fast skeletal muscle troponin I gene, complete cds
2115	11314	20530	1.38	6.7E-01	AA451884.1	EST_HUMAN	zx12g12.s1 Soares_total_fetus_NB2H-F8_5w Homo sapiens cDNA clone IMAGE:786310 3' similar to contains element TAR1 repetitive element :
2132	12011	20550	3.18	6.7E-01	AF186073.1	NT	Drosophila melanogaster Mst85C gene, complete cds; NMDMC isoform (Nmdmc) gene, complete cds, alternatively spliced; and transcription factor (Relish) gene, complete cds, alternatively spliced
2953	12191	21325	4.16	6.7E-01	6878580	NT	Mus musculus Wiskott-Aldrich syndrome protein (Wasp), mRNA
4447	13648	22742	0.8	6.7E-01	X74421.1	NT	S. tuberosum mRNA for glucose-6-phosphate dehydrogenase
4985	14172	23262	1.04	6.7E-01	AW079110.1	EST_HUMAN	xa85g12.x1 NCI_CGAP_Cot17 Homo sapiens cDNA clone IMAGE:2574598 3'
6215	15398		4.48	6.7E-01	AE004606.1	NT	Pseudomonas aeruginosa PA01, section 167 of 628 of the complete genome

Page 26 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7527	18732	28222	2.59	6.7E-01	BF354849.1	EST_HUMAN	CM3-HT0769-010600-197-c03 HT0769 Homo sapiens cDNA
7994	16429	25916	3.48	6.7E-01	O14357	SWISSPROT	N-ACETYLGLUCOSAMINYL-PHOSPHATIDYLINOSITOL BIOSYNTHETIC PROTEIN GPI1
2465	11656	20877	0.91	6.0E-01	AF075240.1	NT	Homo sapiens SLT1 protein (SLIL2) mRNA, partial cds
2661	11842	21056	1.09	6.8E-01	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
3484	12689	21825	1.22	6.0E-01	4500880	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A) mRNA
3638	12859	21978	3.96	6.8E-01	Y07669.1	NT	C. albicans random DNA marker, 282bp
4087	13296		1.19	6.8E-01	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
5803	15020	24421	4.35	6.8E-01	6680577	NT	Mus musculus kinesin light chain 2 (Klc2), mRNA
6369	15549	25005	3.49	6.8E-01	AV680506.1	EST_HUMAN	AV680506 GLC Homo sapiens cDNA clone GLC0104 3'
629	9874	18995	2.11	6.8E-01	M75140.1	NT	H. vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
629	9874	18996	2.11	6.8E-01	M75140.1	NT	H. vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
3411	12637	21768	5.25	6.5E-01	AB041225.1	NT	Mus musculus gene for Tob2, complete cds
4287	13470	22563	4.63	6.5E-01	AL272265.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-8
4301	13502	22568	0.97	6.5E-01	AL161539.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 39
5095	14275	23358	1.84	6.5E-01	U28921.1	NT	Phaseolus vulgaris ATPase gamma subunit mRNA, nuclear gene encoding mitochondrial protein, partial cds
5413	18054	23773	2.08	6.5E-01	P18480	SWISSPROT	TRANSCRIPTION REGULATORY PROTEIN SNF5 (SWI/SNF COMPLEX COMPONENT SNF5)
7177	16354	25832	3.78	6.5E-01	AF119676.1	NT	Mus musculus small GTP-binding protein RAB25 (Rab25) gene, complete cds
7228	16449	25938	3.68	6.5E-01	H87583.1	EST_HUMAN	yw1708.r1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:252515 5'
7278	16497	25939	4.84	6.5E-01	AA601287.1	EST_HUMAN	nc15c07.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100748 3'
7371	16587		4.71	6.5E-01	AU138078.1	EST_HUMAN	AU138078 PLACE1 Homo sapiens cDNA clone PLACE1007810 5'
8127	17261	26804	2.85	6.5E-01	AF014115.1	NT	Plasmodium berghei cytochrome c oxidase subunit III, cytochrome c oxidase subunit I, and cytochrome b genes, mitochondrial genes encoding mitochondrial proteins, complete cds
8700	17666		3.08	6.5E-01	BE465050.1	EST_HUMAN	hw74a10.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3179130 3'
8948	18098		1.75	6.5E-01	Z74145.1	NT	S. cerevisiae chromosome IV reading frame ORF YDL097c
256	9532	18663	8.75	6.4E-01	U48848.1	NT	Drosophila melanogaster 8kd dynein light chain mRNA, complete cds
3433	12658	21789	2.87	6.4E-01	U48854.2	NT	Mus musculus dystroglycan 1 (DAG1) gene, exons 1 and 2 and complete cds
4490	13688	22779	0.73	6.4E-01	Y12488.1	NT	M. musculus whn gene
4490	13688	22780	0.73	6.4E-01	Y12488.1	NT	M. musculus whn gene

Page 27 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7105	16282	25762	9.92	6.4E-01	U82828.1	NT	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds
8816	17734		7.45	6.4E-01	AV756212.1	EST_HUMAN	AV756212 MDS Homo sapiens cDNA clone MDSCG09 5'
440	9694	18833	4.65	6.3E-01	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
541	9792	18915	2.33	6.3E-01	U32689.1	NT	Haemophilus influenzae Rd section 4 of 163 of the complete genome
2128	11327	20545	2.37	6.3E-01	U81136.1	NT	Shigella flexneri multi-antibiotic resistance locus
2542	11730	20948	2.44	6.3E-01	U75331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
2542	11730	20949	2.44	6.3E-01	U75331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
2679	12216		0.69	6.3E-01	Y17275.1	NT	Lycopodium obscurum p89a gene, complete CDS
6886	16077	25545	4.49	6.3E-01	9627521	NT	Varicella virus, complete genome
6886	16077	25546	4.49	6.3E-01	9627521	NT	Varicella virus, complete genome
7627	16829	26326	1.96	6.3E-01	AA877715.1	EST_HUMAN	nr081068.1 NCI_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1161371 3' similar to TR:002816 O02816
7679	17067	26592	14.1	6.3E-01	AI804160.1	EST_HUMAN	HLARK ;
7683	17142	26675	2.07	6.3E-01	P47003	SWISSPROT	GM-BT043-090289-046 BT043 Homo sapiens cDNA
8116	17250	26790	1.95	6.3E-01	P36073	SWISSPROT	HYPOTHETICAL 13.7 KD PROTEIN IN NO1-IDS2 INTERGENIC REGION
8392	18320	23596	8.86	6.3E-01	9810283	NT	HYPOTHETICAL 15.3 KD PROTEIN IN VMA12-APN1 INTERGENIC REGION
8490	17534		1.48	6.3E-01	AF105227.1	NT	Mus musculus keratin complex 2, gene 6g (Krt2-6g), mRNA
8716	18230		2.12	6.3E-01	X83528.1	NT	Homo sapiens 3'-phosphoadenosine 5'-phosphosulfate synthetase (PAPSS) mRNA, complete cds
5600	14824	24200	1.94	6.2E-01	Q10135	SWISSPROT	C. limicola pscD gene
6288	15469		2.95	6.2E-01	AF022253.1	NT	HYPOTHETICAL 142.5 KD PROTEIN C23E2.02 IN CHROMOSOME 1
6561	15757	25220	6.38	6.2E-01	H72255.1	EST_HUMAN	Mus musculus calcium-sensing receptor related protein 4 (Casr-rs4) mRNA, partial cds
6915	16103		3.47	6.2E-01	M24481.1	NT	ys01e08.s1 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:213542 3'
7100	16277	25757	10.3	6.2E-01	AL161511.2	NT	Human pulmonary surfactant-associated protein SP-B (SFTPB) mRNA, complete cds
						NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 23
7215	16392	25874	5.08	6.2E-01	P27410	SWISSPROT	NON-STRUCTURAL POLYPEPTIDE [CONTAINS: RNA-DIRECTED RNA POLYMERASE ; THIOL PROTEASE P3C ; HELICASE (2C LIKE PROTEIN); COAT PROTEIN]
7215	16392	25875	5.08	6.2E-01	P27410	SWISSPROT	NON-STRUCTURAL POLYPEPTIDE [CONTAINS: RNA-DIRECTED RNA POLYMERASE ; THIOL PROTEASE P3C ; HELICASE (2C LIKE PROTEIN); COAT PROTEIN]
2358	11551		6.54	6.1E-01	6878076	NT	Mus musculus secreted acidic cysteine rich glycoprotein (Spac), mRNA
6026	15233	24654	3.91	6.1E-01	M84733.1	NT	Rat TRPM-2 gene, complete cds
6025	15233	24655	3.81	6.1E-01	M84733.1	NT	Rat TRPM-2 gene, complete cds
6537	15733	25197	4.99	6.1E-01	AF033535.1	NT	Arabidopsis thaliana putative zinc transporter (ZIP1) mRNA, complete cds
6885	16076	25543	26.49	6.1E-01	AF236117.1	NT	Homo sapiens G-protein coupled receptor EDG-7 mRNA, complete cds
6885	16076	25544	26.49	6.1E-01	AF236117.1	NT	Homo sapiens G-protein coupled receptor EDG-7 mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8225	17355	26892	2.27	6.1E-01	S83182.1	NT	hyaluronan-binding protein=hepatocyte growth factor activator homolog [human, plasma, mRNA, 2408 nt]
8225	17355	26893	2.27	6.1E-01	S83182.1	NT	hyaluronan-binding protein=hepatocyte growth factor activator homolog [human, plasma, 2408 nt]
8486	18118	23810	1.39	6.1E-01	AB041350.1	NT	Mus musculus Col4a5 mRNA for type IV collagen alpha 5 chain, complete cds
9150	17953		1.38	6.1E-01	X95287.1	NT	M.mazei orfA, orfB, and orfC of archaeal ABC-transporter system
501	9753	18881	0.83	6.0E-01	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
588	9818		2.86	6.0E-01	5802999	NT	Homo sapiens adaptor-related protein complex 3, mu 2 subunit (CLA20), mRNA
1370	10584	19751	1.71	6.0E-01	AF065253.1	NT	Human respiratory syncytial virus strain CH193-53b attachment protein (G) gene, complete cds
3804	13022	22133	0.92	6.0E-01	AJ233386.1	NT	Viral hemorrhagic septicaemia virus N, P, M, G, Nv, L genes, French strain 07-71
4011	13223	22324	1.39	6.0E-01	X18842.1	NT	Xenopus mRNA for desmin
4170	13374		1.31	6.0E-01	AF058895.1	NT	Homo sapiens Notch3 (NOTCH3) gene, exons 26, 27, and 28
5314	14546	23815	1.92	6.0E-01	P20288	SWISSPROT	D(2) DOPAMINE RECEPTOR
5412	14641	23772	2.63	6.0E-01	AW139713.1	EST_HUMAN	U1-H-B11-aab-e-10-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718619 3'
5897	15114	24525	2.64	6.0E-01	U39813.1	NT	Musca domestica insecticide-susceptible strain voltage-sensitive sodium channel mRNA, complete cds
6232	15413	24854	6.27	6.0E-01	AJ277961.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
6500	15697	25161	5.08	6.0E-01	P02835	SWISSPROT	SEGMENTATION PROTEIN FUSHI TARAZU
6500	15697	25162	5.08	6.0E-01	P02835	SWISSPROT	SEGMENTATION PROTEIN FUSHI TARAZU
7019	16198	25872	2.66	6.0E-01	AB008193.1	NT	Homo sapiens genes for leukotriene B4 receptor BLT2, leukotriene B4 receptor BLT1, complete cds
7159	16336		2.39	6.0E-01	Q01497	SWISSPROT	PEROXISOMAL MEMBRANE PROTEIN PER9 (PEROXIN-3)
7624	16826	26323	1.98	6.0E-01	AJ131892.1	NT	Gallus gallus mRNA for Hyperion protein, 419 kD isoform
7624	16826	26324	1.98	6.0E-01	AJ131892.1	NT	Gallus gallus mRNA for Hyperion protein, 419 kD isoform
8085	17220	26756	2.66	6.0E-01	A1420623.1	EST_HUMAN	ff08f07.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2085621 3'
8788	17715	23980	1.73	6.0E-01	11421663	NT	Homo sapiens nuclear factor (erythroid-derived 2)-like 3 (NFE2L3), mRNA
8896	17790		1.55	6.0E-01	AA706087.1	EST_HUMAN	z98g05.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:462776 3'
9052	18161		2.62	6.0E-01	5803136	NT	Homo sapiens RNA binding motif protein 3 (RBM3), mRNA
9093	18165	23755	1.67	6.0E-01	9055303	NT	Mus musculus cGMP-inhibited phosphodiesterase (Pde3a), mRNA
9121	18080		2.38	6.0E-01	BE157617.1	EST_HUMAN	RC1-IT0375-030500-015-c83 HT0375 Homo sapiens cDNA
1008	10239	19391	2.5	5.9E-01	U32701.1	NT	Haemophilus influenzae Rd section 16 of 163 of the complete genome
3237	12471	21602	5.43	5.9E-01	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C087
3237	12471	21603	5.43	5.9E-01	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C087
4205	13408		3.92	5.9E-01	AF162796.1	NT	Rattus norvegicus catenatin 2 mRNA, partial cds

Page 29 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5854	15072	24483	5.05	5.9E-01	AF065440.2	NT	Homo sapiens low density lipoprotein receptor-related protein II (LRP2) gene, exon 1 and partial cds
6195	15377	24817	1.64	5.9E-01	AB023486.1	NT	Homo sapiens gene for histamine H2 receptor, promoter region and complete cds
7130	16307	26787	2.2	5.9E-01	P55284	SWISSPROT	VASCULAR ENDOTHELIAL-CADHERIN PRECURSOR (VE-CADHERIN) (CADHERIN-5)
7264	16483	25976	3.21	5.9E-01	Q9X013	SWISSPROT	THYMIDYLATE KINASE (DTMP KINASE)
7269	16488	25978	1.75	5.9E-01	AF197844.1	NT	Xenopus laevis receptor protein tyrosine phosphatase delta (XPTP-D) mRNA, complete cds
7532	16737	26227	2.97	5.9E-01	AW937175.1	EST_HUMAN	PM1-DT0041-180100-002-h03 DT0041 Homo sapiens cDNA
7748	16944	26456	2.23	5.9E-01	AF084626.1	NT	Mus spretus strain SPRET/Ei CD48 antigen (Cd48) gene, partial cds
8429	17495	24012	1.67	5.9E-01	L42320.1	NT	Oryctolagus cuniculus alpha 1 anti-trypsin (alpha 1 AT) gene, promoter region
8684	17653		1.53	5.9E-01	AB017705.1	NT	Aspergillus oryzae pyrG gene for orotidine-5-phosphate decarboxylase, complete cds
8910	17799		6.21	5.9E-01	P34928	SWISSPROT	MICROTUBULE-ASSOCIATED PROTEIN 1A [CONTAINS: MAP1 LIGHT CHAIN LC2]
1873	11080	20270	0.93	5.8E-01	P40472	SWISSPROT	SIM1 PROTEIN
3962	13177	22290	0.95	5.8E-01	BF695738.1	EST_HUMAN	601852474F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076131 5'
4515	13711	22804	2.77	5.8E-01	AB009077.1	NT	Vigna radiata mRNA for proton pyrophosphatase, complete cds
4808	13997		1.44	5.8E-01	AF110846.1	NT	Megascalia scalensis sex-lethal homolog (Mgsxl) gene, partial cds, alternatively spliced products
6003	15285		2.43	5.8E-01	S65091.1	NT	cyclic AMP-regulated phosphoprotein [rats, mRNA, 1030 nt]
6525	15721	25185	2.9	5.8E-01	P14328	SWISSPROT	SPORE COAT PROTEIN SP98
6525	15721	25186	2.9	5.8E-01	P14328	SWISSPROT	SPORE COAT PROTEIN SP98
6741	15938	25397	12.15	5.8E-01	AJ270774.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
7581	16766	26257	9.84	5.8E-01	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
7608	16809		3.72	5.8E-01	BF700092.1	EST_HUMAN	602127577F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4284403 5'
7701	16900		2.14	5.8E-01	BF700092.1	EST_HUMAN	602127577F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4284403 5'
3008	12244		0.68	5.7E-01	6755253	NT	Mus musculus plasmacytoma variant translocation 1 (Pvt1), mRNA
3189	12424	21557	1.5	5.7E-01	Q8WTJ2	SWISSPROT	PUTATIVE TRANSCRIPTION FACTOR OVO-LIKE 1 (OVO1)(MOVO1A)
3478	12702		3.08	5.7E-01	AB033503.1	NT	Populus euramericana peacs-2 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
3881	13097	22214	1.81	5.7E-01	AF011581.1	NT	Homo sapiens T cell receptor beta chain (BV5S72-BJ1S1) mRNA, partial cds
5816	15033	24434	4.41	5.7E-01	BF035413.1	EST_HUMAN	601454982F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3858590 5'
6400	15591	25036	2.26	5.7E-01	P00373	SWISSPROT	PYRROLINE-5-CARBOXYLATE REDUCTASE (PSOR) (P5C REDUCTASE)
8388	17487		1.31	5.7E-01	BE715051.1	EST_HUMAN	MR3-HT0738-180700-003-002 HT0738 Homo sapiens cDNA
3340	12569	21707	1.22	5.6E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
3340	12569	21708	1.22	5.6E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
6718	15913	25372	4.84	5.6E-01	AV684703.1	EST_HUMAN	AV684703 GKc Homo sapiens cDNA clone GKCF5F05 5'
6718	15913	25373	4.84	5.6E-01	AV684703.1	EST_HUMAN	AV684703 GKc Homo sapiens cDNA clone GKCF5F05 5'

Page 30 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8284	17400		2.94	5.0E-01	BE888280.1	EST_HUMAN	601514007F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3916457 5'
8401	17479	28595	1.58	5.0E-01	AA493535.1	EST_HUMAN	ng75g10.s1 NCI_CGAP_P16 Homo sapiens cDNA clone IMAGE:940674 similar to contains element P TR7 repetitive element:
8788	14494	23583	1.7	5.0E-01	AL181501.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 13
8812	17732		2.41	5.0E-01	P50505	SWISSPROT	HIGH AFFINITY POTASSIUM TRANSPORTER
9238	18010		4.08	5.0E-01	BF573829.1	EST_HUMAN	602132029F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271334 5'
1219	10437	19593	1.49	5.5E-01	8383912	NT	Rattus norvegicus Propionyl Coenzyme A carboxylase, beta polypeptide (Pccb), mRNA
2682	11843	21057	2.75	5.5E-01	P03341	SWISSPROT	GAG POLYPROTEIN [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2682	11843	21058	2.75	5.5E-01	P03341	SWISSPROT	GAG POLYPROTEIN [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2869	12107	21236	1	5.5E-01	5902085	NT	Homo sapiens superkiller virulicidic activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
3030	12266		1.75	5.5E-01	H46219.1	EST_HUMAN	yo18a10.s1 Soares adult brain N285HB35Y Homo sapiens cDNA clone IMAGE:178268 3'
3200	12435	21570	3.18	5.5E-01	AF227240.1	NT	Rabbit oral papillomavirus, complete genome
3671	12892	22013	1.23	5.5E-01	P48755	SWISSPROT	FOS-RELATED ANTIGEN-1
5171	14350		1.05	5.5E-01	AF063886.1	NT	Melanoplus sanguinalipes entomopoxvirus, complete genome
142	9424	18557	10.17	5.4E-01	7657268	NT	Homo sapiens KIAA0929 protein Mox2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
142	9424	18558	10.17	5.4E-01	7657268	NT	Homo sapiens KIAA0929 protein Mox2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
592	9840	18959	1.64	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and GsA (gsA) genes, complete cds; and unknown genes
592	9840	18960	1.64	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and GsA (gsA) genes, complete cds; and unknown genes
1278	10493	19652	3.59	5.4E-01	AW896087.1	EST_HUMAN	QV4-NN0040-070400-180-c04 NN0040 Homo sapiens cDNA
2078	11278		2.48	5.4E-01	AE002247.2	NT	Chlamydomonas reinhardtii AR39, section 74 of 94 of the complete genome
2219	11416	20841	2.25	5.4E-01	AJ276882.1	NT	Drosophila melanogaster mRNA for 15.15' beta carotene dioxygenase (beta-diox gene)
5260	14433		1.89	5.4E-01	X85973.1	NT	A. thaliana mRNA for phosphatidyl-specific phospholipase C
5514	14739	24104	1.87	5.4E-01	AW942327.1	EST_HUMAN	PM2-CN0030-030200-003-c10 CN0030 Homo sapiens cDNA
7070	16247		2.44	5.4E-01	BF572536.1	EST_HUMAN	602076545F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:4243690 5'
7644	16844	26342	3.44	5.4E-01	P38858	SWISSPROT	NITRATE REDUCTASE [NADPH] (NR)
8141	17273	26817	6.26	5.4E-01	Q06875	SWISSPROT	LAMININ ALPHA-2 CHAIN PRECURSOR (LAMININ M CHAIN) (MEROSIN HEAVY CHAIN)
8141	17273	26818	6.26	5.4E-01	Q06875	SWISSPROT	LAMININ ALPHA-2 CHAIN PRECURSOR (LAMININ M CHAIN) (MEROSIN HEAVY CHAIN)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8348	17443		2.44	5.4E-01	A1858398.1	EST_HUMAN	w137g04.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2427126 3' similar to gb:M13452 LAMIN A (HUMAN);
522	9773	18898	1.4	5.3E-01	AF018413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B (BF), and complement component C2 (C2) genes, >
2737	11916	21129	7.07	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
2737	11918	21130	7.07	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
3209	12443	21575	3.37	5.3E-01	AF087658.1	NT	Homo sapiens secreted C-type lectin precursor (LSCCL) gene, complete cds
4194	13398		1.38	5.3E-01	U39087.1	NT	Mycoplasma genitalium section 9 of 51 of the complete genome
5423	14650	23785	1.82	5.3E-01	A1820921.1	EST_HUMAN	zu42h12.y5 Soares ovary tumor NIHOT Homo sapiens cDNA clone IMAGE:740711 5'
5423	14650	23786	1.82	5.3E-01	A1820921.1	EST_HUMAN	zu42h12.y5 Soares ovary tumor NIHOT Homo sapiens cDNA clone IMAGE:740711 5'
5510	14735	24097	2.05	5.3E-01	BE845620.1	EST_HUMAN	7e73c12.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:3288118 3' similar to gb:J02783 PROTEIN DISULFIDE ISOMERASE PRECURSOR (HUMAN);
5510	14735	24098	2.05	5.3E-01	BE845620.1	EST_HUMAN	7e73c12.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:3288118 3' similar to gb:J02783 PROTEIN DISULFIDE ISOMERASE PRECURSOR (HUMAN);
6745	15940		2.53	5.3E-01	L01950.2	NT	Roridula gorgonias ribulose 1,5-bisphosphate carboxylase (rbcL) gene, partial cds; chloroplast gene for chloroplast product
8095	17229	26767	6.25	5.3E-01	BE566291.1	EST_HUMAN	601339867F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3682168 5'
8277	18162		3.58	5.3E-01	AA916053.1	EST_HUMAN	ag30e05.s1 NCI_CGAP_Br7 Homo sapiens cDNA clone IMAGE:1441376 3' similar to gb:J02811 APOLIPOPROTEIN D PRECURSOR (HUMAN);
828	10064	19216	10.97	5.2E-01	L20770.1	NT	Drosophila melanogaster helix-loop-helix mRNA, complete cds
1172	10393	19545	11.35	5.2E-01	Q8WV30	SWISSPROT	NUCLEAR FACTOR OF ACTIVATED T CELLS 5 (T CELL TRANSCRIPTION FACTOR NFAT5) (NF-AT5) (REL DOMAIN-CONTAINING TRANSCRIPTION FACTOR NFAT5)
1189	10419	19572	2.73	5.2E-01	AF224492.1	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
1851	11058		3.64	5.2E-01	AL163265.2	NT	Homo sapiens chromosome 21 segment HS21C085
2114	11313	20528	2.33	5.2E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
2461	11652	20873	10.39	5.2E-01	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
2461	11652	20874	10.39	5.2E-01	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
3083	12319	21440	1.91	5.2E-01	U65942.1	NT	Chlamydomonas abortus strain S28/3 POMF91A and POMF90A precursor, genes, complete cds
3203	12438		0.77	5.2E-01	D73443.1	NT	Azotobacter vinelandii lcd gene for isocitrate dehydrogenase, complete cds
3383	12610		1.54	5.2E-01	AL116780.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
3421	12646	21776	2.28	5.2E-01	AA984185.1	EST_HUMAN	em77g05.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1616504 3'
3610	12831		0.6	5.2E-01	AF020289.1	NT	Medicago sativa chloroplast malate dehydrogenase precursor (p1mdh) mRNA, nuclear gene encoding chloroplast protein, complete cds

Page 32 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4482	13680		1.07	5.2E-01	AF083796.1	NT	Avian infectious bronchitis virus isolate variant 2 S1 spike glycoprotein gene, partial cds
4608	13802	22892	0.7	5.2E-01	6752947	NT	Mus musculus acetylcholine receptor beta (Acrb), mRNA
9206	17991		4.88	5.2E-01	P18516	SWISSPROT	RETINOIC ACID RECEPTOR GAMMA (RAR-GAMMA) (RETINOIC ACID RECEPTOR DELTA) (RAR-DELTA)
623	9868	18990	1.62	5.1E-01	M58509.1	NT	Human adrenodoxin reductase gene, exons 3 to 12
654	9900	19025	4.65	5.1E-01	AJ233944.1	NT	Polyomavirus vitellinum (strain PI vt1) 16S rRNA gene
654	9900	19026	4.65	5.1E-01	AJ233944.1	NT	Polyomavirus vitellinum (strain PI vt1) 16S rRNA gene
1892	11195		1.2	5.1E-01	BF683095.1	EST_HUMAN	602139319F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4288117 5'
4054	13264	22367	4.8	5.1E-01	A1858495.1	EST_HUMAN	W39b12.x1 NCI_CGAP_UH Homo sapiens cDNA clone IMAGE:2427283 3'
4168	13372	22471	3.35	5.1E-01	P96380	SWISSPROT	TRANSCRIPTION-REPAIR COUPLING FACTOR (TRCF)
6049	15217	24637	1.74	5.1E-01	R80873.1	EST_HUMAN	y94e09.s1 Soares placenta NB2HP Homo sapiens cDNA clone IMAGE:146872 3'
6986	16164	25636	6.52	5.1E-01	J05412.1	NT	Human regenerating protein (reg) gene, complete cds
6987	16165	25637	4.7	5.1E-01	W22302.1	EST_HUMAN	6551 Human retina cDNA Tsp5091-cleaved sublibrary Homo sapiens cDNA not directional
8501	18084		3.24	5.1E-01	BF030207.1	EST_HUMAN	601558683F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3826767 5'
8759	17700		2.09	5.1E-01	BF439982.1	EST_HUMAN	nec51f10.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:3406218 3' similar to contains element TAR1 repetitive element;
2104	11304	20517	1.06	5.0E-01	4885552	NT	Homo sapiens postmitotic segregation increased 2-like 9 (PMS2L9), mRNA
2104	11304	20518	1.06	5.0E-01	4885552	NT	Homo sapiens postmitotic segregation increased 2-like 9 (PMS2L9), mRNA
2112	11311	20525	1.53	5.0E-01	AF008210.1	NT	Buchnera aphidicola genomic fragment containing (chaperone Hsp60) groEL, DNA biosynthesis initiating protein (dnaA), ATP operon (atpCDGAHFEB), and putative chromosome replication protein (gidA) genes, complete cds; and termination factor Rho (rho) gene>
2112	11311	20526	1.53	5.0E-01	AF008210.1	NT	Buchnera aphidicola genomic fragment containing (chaperone Hsp60) groEL, DNA biosynthesis initiating protein (dnaA), ATP operon (atpCDGAHFEB), and putative chromosome replication protein (gidA) genes, complete cds; and termination factor Rho (rho) gene>
3729	12948	22096	0.64	5.0E-01	U55574.1	NT	Mus musculus anti-DNA immunoglobulin light chain IgM mRNA, antibody 363p.138, partial cds
3854	13070	22184	3.27	5.0E-01	AB033010.1	NT	Homo sapiens mRNA for KIAA1184 protein, partial cds
6898	15604	25066	4.28	5.0E-01	BF317212.1	EST_HUMAN	601903871F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4136832 5'
8434	17500		1.92	5.0E-01	AF029215.1	NT	Mus musculus MRC OX-2 antigen homolog gene, exons 2-5, and complete cds
9174	17967		2.88	5.0E-01	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
9185	17978		3.84	5.0E-01	OT3961	SWISSPROT	NUCLEAR ENVELOPE PROTEIN CUT11
799	10038	19189	2.7	4.9E-01	BF571482.1	EST_HUMAN	602076849F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:4243860 5'
1635	10849	20027	2.86	4.9E-01	AJ243955.1	NT	Xenopus laevis mRNA for c-Jun protein, 1978 BP
1870	11077	20287	1.33	4.9E-01	U40869.1	NT	Cavia porcellus pulmonary surfactant protein A (SP-a) mRNA, complete cds
5677	14897	24289	3.1	4.9E-01	AF020931.1	NT	Homo sapiens diacylglycerol kinase 3 (DAGK3) gene, exon 10

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5677	14897	24290	3.1	4.9E-01	AF020931.1	NT	Homo sapiens diacylglycerol kinase 3 (DAGK3) gene, exon 10
6275	15455	24898	1.68	4.9E-01	AB040051.1	NT	Oryza sativa subsp. japonica mEF-G mRNA for mitochondrial elongation factor G, complete cds
6853	18389		2.73	4.9E-01	10948863	NT	Mus musculus unc13 homolog (C. elegans) 1 (Unc13h1), mRNA
8328	17429		1.61	4.8E-01	AF176912.1	NT	Homo sapiens neurotrophin-1/ β -cell stimulating factor-3 gene, complete cds
9167	18354		4.8	4.9E-01	AA613562.1	EST_HUMAN	nc22e11.s1 NCL CGAP_Co10 Homo sapiens cDNA clone IMAGE:1144652 3'
9249	18019		1.47	4.9E-01	11431438	NT	Homo sapiens eukaryotic translation initiation factor 4 gamma, 1 (EIF4G1), mRNA
3512	12736		0.98	4.8E-01	AA912842.1	EST_HUMAN	d32a09.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1525144 3'
4324	13525		0.69	4.8E-01	4504850	NT	Homo sapiens potassium channel, subfamily K, member 5 (TASK-2) (KCNK5) mRNA, and translated products
4678	13525		0.68	4.8E-01	4504850	NT	Homo sapiens potassium channel, subfamily K, member 5 (TASK-2) (KCNK5) mRNA, and translated products
5443	14669	23828	9.14	4.8E-01	J02987.1	NT	Saccharomyces cerevisiae sporulation protein (SPO11) gene required for meiotic recombination, complete cds
5961	15176		3.79	4.8E-01	AA659878.1	EST_HUMAN	nu85f09.s1 NCL CGAP_Alv1 Homo sapiens cDNA clone IMAGE:1217513
6216	15397		2.3	4.8E-01	5031850	NT	Homo sapiens reproduction 8 (D8S2288E) mRNA
6399	15580	25036	3.91	4.8E-01	AL181492.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 4
6399	15580	25037	3.81	4.8E-01	AL181492.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 4
7316	16534		2.05	4.8E-01	X83502.1	NT	S.cerevisiae ORFs from chromosome X
8408	17483		1.26	4.8E-01	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
8645	18122		3.04	4.8E-01	AF227565.1	NT	Trypanosoma cruzi transposon VIP II SIRE repeat region
3039	12276		0.79	4.7E-01	AF192387.1	NT	Felis catus feline leukemia virus subgroup C receptor (FLVCR1) mRNA, complete cds
5882	15099	24510	8.23	4.7E-01	BF217173.1	EST_HUMAN	601883880F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4096387 5'
7424	16634		6.26	4.7E-01	AF102673.1	NT	Influenza A virus isolate Hk51697 hemagglutinin (HA) gene, partial cds
7651	16851	26349	2.42	4.7E-01	U41089.1	NT	Human collagen alpha2(XI) (COL11A2) gene, exons 8 through 16, and partial cds
7915	17130	26660	2.09	4.7E-01	AW889448.1	EST_HUMAN	RC6-NT0029-240400-011-E08 NT0029 Homo sapiens cDNA
8667	17843		1.41	4.7E-01	AW341561.1	EST_HUMAN	hd11c08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2909188 3'
3724	12944	22061	1.84	4.6E-01	BF693300.1	EST_HUMAN	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
3724	12944	22062	1.84	4.6E-01	BF693300.1	EST_HUMAN	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
5428	14655	23782	3.65	4.6E-01	Q90843	SWISSPROT	INTERFERON REGULATORY FACTOR 3 (IRF-3)
5428	14655	23783	3.65	4.6E-01	Q90843	SWISSPROT	INTERFERON REGULATORY FACTOR 3 (IRF-3)
5464	14690	24042	1.86	4.6E-01	BE734781.1	EST_HUMAN	601568755F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843637 5'
							qh50h02.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849011 3' similar to
5473	14699	24052	1.88	4.6E-01	AI247678.1	EST_HUMAN	TR:O15338 O15338 BUTYROPHILIN.;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5473	14699	24053	1.88	4.8E-01	A1247679.1	EST_HUMAN	q159h02.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1949011 3' similar to TR:O15338 O15338 BUTYROPHILIN ;
5985	15267	24892	1.64	4.6E-01	U62332.1	NT	Emricella nidulans NEMPA (nempA) gene, mitochondrial gene encoding putative mitochondrial protein, complete cds
5985	15287	24893	1.64	4.6E-01	U62332.1	NT	Emricella nidulans NEMPA (nempA) gene, mitochondrial gene encoding putative mitochondrial protein, complete cds
6388	15568	25026	2.25	4.8E-01	AA493577.1	EST_HUMAN	nt04h05.s1 NCL_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943353 similar to contains Alu repetitive element; contains element L1 repetitive element ;
6588	15764	25228	21.67	4.9E-01	BF697399.1	EST_HUMAN	602130953F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4287828 5'
7063	16240	25713	3.37	4.6E-01	A1915634.1	EST_HUMAN	wg73e12.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2370768 3'
7063	16240	25714	3.37	4.6E-01	A1915634.1	EST_HUMAN	wg73e12.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2370768 3'
7563	16768		3.16	4.6E-01	P98163	SWISSPROT	PUTATIVE VITELLOGENIN RECEPTOR PRECURSOR (YL)
7571	16776	26268	3.63	4.6E-01	BE185449.1	EST_HUMAN	IL5-HT0730-100500-075-g05 HT0730 Homo sapiens cDNA
7571	16776	26269	3.63	4.6E-01	BE185449.1	EST_HUMAN	IL5-HT0730-100500-075-g05 HT0730 Homo sapiens cDNA
8007	16442	25930	5.97	4.6E-01	AF019369.1	NT	Human thiopurine methyltransferase (TPMT) gene, exon 10 and complete cds
8007	16442	25931	5.97	4.6E-01	AF019369.1	NT	Human thiopurine methyltransferase (TPMT) gene, exon 10 and complete cds
8588	17597		1.24	4.6E-01	D53316.1	EST_HUMAN	HUM105F03B Clontech human fetal brain polyA+ mRNA (#8535) Homo sapiens cDNA clone GEN-105F03 5'
1875	11082	20272	1.17	4.5E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1
1875	11082	20273	1.17	4.5E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1
2822	12061	21184	5.61	4.5E-01	AA677086.1	EST_HUMAN	z455d02.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:454179 3'
3289	12520	21651	4.15	4.5E-01	Q05793	SWISSPROT	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN
3356	12584	21723	1.2	4.5E-01	AF126378.1	NT	PRECURSOR (HSPG)(PERLECAN)(PLC)
4006	13218		1.27	4.5E-01	Q28247	SWISSPROT	Mus musculus DNA polymerase epsilon catalytic subunit (Pole) gene, exons 2 through 12
4052	13262	22365	0.66	4.5E-01	A1708808.1	EST_HUMAN	COLLAGEN ALPHA 5(IV) CHAIN
4157	14479		5.3	4.5E-01	AW873495.1	EST_HUMAN	ss98609.x1 Barstead aorta HPLRB8 Homo sapiens cDNA clone IMAGE:2353480 3'
4982	14149	23241	1.17	4.5E-01	BE963445.2	EST_HUMAN	hc60g02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3041810 3'
6340	15520	24967	2.51	4.5E-01	A185849.1	EST_HUMAN	601657225R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868023 3'
6602	15798	25255	4.3	4.5E-01	A1848596.1	EST_HUMAN	w132e02.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2426618 3' similar to TR:Q92923 Q92923 SWI/SNF COMPLEX 170 KDA SUBUNIT ;
6710	15905		2.22	4.5E-01	11444786	NT	tz56g11.x1 NCL_CGAP_Ov35 Homo sapiens cDNA clone IMAGE:2282844 3'
7212	16389	25871	16.01	4.5E-01	M86008.1	EST_HUMAN	Homo sapiens hypothetical protein DKFZp547G183 (DKFZp547G183), mRNA
7212	16389	25872	16.01	4.5E-01	M86008.1	EST_HUMAN	EST02531 Fetal brain, Strategene (cat#938206) Homo sapiens cDNA clone HFBCY17
7212	16389	25872	16.01	4.5E-01	M86008.1	EST_HUMAN	EST02531 Fetal brain, Strategene (cat#938206) Homo sapiens cDNA clone HFBCY17

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7440	16848	26141	3.36	4.5E-01	AW591271.1	EST_HUMAN	xc14H01.x1 NCI_CGAP_U03 Homo sapiens cDNA clone IMAGE:2703985 3' similar to SW:INT6_MOUSE Q64252 VIRAL INTEGRATION SITE PROTEIN INT-6. [1];
7804	16997		1.8	4.5E-01	AV719382.1	EST_HUMAN	AV719382 GLC Homo sapiens cDNA clone GLCCED12 5'
8036	17172	26711	2.23	4.5E-01	BE066472.1	EST_HUMAN	RC3-BT0333-160300-016-e03 BT0333 Homo sapiens cDNA
8266	18346		3.39	4.5E-01	BE871461.1	EST_HUMAN	801449201F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852961 5'
8993	17854		1.42	4.5E-01	BF337531.1	EST_HUMAN	602035275F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4183280 5'
9067	17894		3.3	4.5E-01	11422098	NT	Homo sapiens testis-specific kinase 2 (TESK2), mRNA
2004	11207		1.99	4.4E-01	6680503	NT	Mus musculus integral membrane-associated protein 1 (Imap1), mRNA
2352	11545	20767	3.37	4.4E-01	P49765	SWISSPROT	VASCULAR ENDOTHELIAL GROWTH FACTOR B PRECURSOR (VEGF-B) (VEGF RELATED FACTOR)
3287	12518	21649	1.37	4.4E-01	AF058790.1	NT	Rattus norvegicus Syngap-5 mRNA, complete cds
3287	12518	21650	1.37	4.4E-01	AF058790.1	NT	Rattus norvegicus Syngap-5 mRNA, complete cds
3291	12522	21653	2.03	4.4E-01	BF056726.1	EST_HUMAN	7f91d02.y1 NCI_CGAP_Br16 Homo sapiens cDNA clone IMAGE:3393795 5'
4219	13422		1.4	4.4E-01	BE378707.1	EST_HUMAN	801237139F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3809393 5'
5242	14416		4.05	4.4E-01	Q11082	SWISSPROT	PROBABLE G PROTEIN-COUPLED RECEPTOR B0563.6
5770	14988	24389	1.93	4.4E-01	AW080795.1	EST_HUMAN	xc27e08.x1 NCI_CGAP_Co19 Homo sapiens cDNA clone IMAGE:2585510 3' similar to TR:O95154 O95154
6411	15608		19.36	4.4E-01	Z11679.1	NT	AFLATOXIN B1-ALDEHYDE REDUCTASE. ;
7058	16235		2.74	4.4E-01	P28922	SWISSPROT	S.tuberosum mRNA for induced stolon tip protein (partial)
7110	16287	25768	4.94	4.4E-01	P35580	SWISSPROT	GLYCOPROTEIN B PRECURSOR (GLYCOPROTEIN 14)
8570	17588	23998	3.41	4.4E-01	6877874	NT	TYROSINE-PROTEIN KINASE RECEPTOR TIE-1 PRECURSOR
8581	18279		4.39	4.4E-01	AL163282.2	NT	Mus musculus sodium channel, type X, alpha polypeptide (Scn10a), mRNA
9035	17879	23893	3.59	4.4E-01	8627742	NT	Homo sapiens chromosome 21 segment HS21C082
9137	17945		1.88	4.4E-01	P54725	SWISSPROT	Autographa californica nucleopolyhedrovirus, complete genome
417	9670	18810	2.15	4.3E-01	AF155218.1	NT	UV EXCISION REPAIR PROTEIN PROTEIN RAD23 HOMOLOG A (HHR23A)
417	9670	18811	2.15	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
1583	10796	19973	0.92	4.3E-01	AW866550.1	EST_HUMAN	Callithrix jacchus MW/LW opsin gene, upstream flanking region
2824	12063		1.01	4.3E-01	AW835269.1	EST_HUMAN	QV4-SN0024-200400-183-b01 SN0024 Homo sapiens cDNA
3025	12261	21389	0.87	4.3E-01	AW999477.1	EST_HUMAN	CM2-DT0003-010200-077-g01 DT0003 Homo sapiens cDNA
4133	13339	22438	1.3	4.3E-01	J00306.1	NT	MRO-BN0070-270300-008-g04 BN0070 Homo sapiens cDNA
4400	9670	18810	0.99	4.3E-01	AF155218.1	NT	Human somatostatin 1 gene and flanks
4400	9670	18811	0.99	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
5618	14841	24219	2.04	4.3E-01	AF179825.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
5968	15183	24599	4.89	4.3E-01	AJ001678.1	NT	Salmir sciureus olfactory receptor (SSC186) gene, partial cds
							Coturnix coturnix japonica ifnG gene

Page 36 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6283	15444		1.94	4.3E-01	BF348001.1	EST_HUMAN	602023134F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4158286 5'
6609	15805		3.13	4.3E-01	U97040.1	NT	Methanococcus voltae flagella-related protein C-1 (IlaC-fla) genes, complete cds
7505	15275	24705	2.78	4.3E-01	AF075628.1	NT	Equus caballus microsatellite LEX027
7757	16953	28460	1.8	4.3E-01	AW983658.1	EST_HUMAN	RC3-BN0034-290200-013-c12 BN0034 Homo sapiens cDNA
7757	16953	28461	1.8	4.3E-01	AW983658.1	EST_HUMAN	RC3-BN0034-290200-013-c12 BN0034 Homo sapiens cDNA
9236	18009		2.07	4.3E-01	AJ003022.1	NT	Streptomyces coelicolor whiH gene
1366	11992	19747	1.62	4.2E-01	Q39102	SWISSPROT	CELL DIVISION PROTEIN FTSH HOMOLOG PRECURSOR
1917	11122		0.89	4.2E-01	AA781653.1	EST_HUMAN	m224e09.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1288698 3'
3587	12808	21930	5.31	4.2E-01	AE003947.1	NT	Xylella fastidiosa, section 93 of 228 of the complete genome
3616	12837	21958	1.03	4.2E-01	AI280338.1	EST_HUMAN	q194b01.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1879945 3'
3692	14478		0.9	4.2E-01	N81203.1	EST_HUMAN	788IE1 fetal brain cDNA Homo sapiens cDNA clone 788IE1-K similar to R07879, Z40498
3960	13175	22289	1.16	4.2E-01	Q04888	SWISSPROT	SOX-8 PROTEIN
4707	13898	22987	7.2	4.2E-01	AA534083.1	EST_HUMAN	n169n01.s1 NCL_CGAP_P10 Homo sapiens cDNA clone IMAGE:997777 similar to gb:M33600 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN (HUMAN);
4790	13979	23083	4.06	4.2E-01	R13487.1	EST_HUMAN	Y77601.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28278 5'
6064	15254	24678	8.96	4.2E-01	AU158472.1	EST_HUMAN	AU158472 PLACE2 Homo sapiens cDNA clone PLACE2000470 3'
6064	15254	24679	9.06	4.2E-01	AU158472.1	EST_HUMAN	AU158472 PLACE2 Homo sapiens cDNA clone PLACE2000470 3'
6093	18071	24728	1.98	4.2E-01	S82504.1	NT	Brcal-b breast cancer gene [rats, WF, spleen, Genomic, 419 nt, segment 2 of 2]
6122	15306	24739	5.87	4.2E-01	AL161547.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 47
6461	15658	25129	5.45	4.2E-01	AW957448.1	EST_HUMAN	EST368413 MAGe resequences, MAGe Homo sapiens cDNA
6461	15658	25130	5.45	4.2E-01	AW957448.1	EST_HUMAN	EST368413 MAGe resequences, MAGe Homo sapiens cDNA
7612	18815	26311	2.08	4.2E-01	AB023489.1	NT	Oryzias latipes OIGC7 mRNA for membrane quanylyl cyclase, complete cds
7833	17073	26800	2.55	4.2E-01	BE968485.2	EST_HUMAN	601660352R1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3906085 3'
9179	17971		1.28	4.2E-01	AV731815.1	EST_HUMAN	AV731815 HTF Homo sapiens cDNA clone HTFBHH05 5'
1102	10326	19476	1.44	4.1E-01	AI905481.1	EST_HUMAN	RC-BT081-210189-142 BT081 Homo sapiens cDNA
1111	10335	19485	0.85	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
1111	10335	19486	0.85	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
2871	11852	21068	1.14	4.1E-01	T705283	NT	Homo sapiens anaphase-promoting complex subunit 7 (APC7), mRNA
2891	12128	21261	2.32	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 38
2891	12128	21262	2.32	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 38
3272	12505	21636	0.6	4.1E-01	AA806344.1	EST_HUMAN	q194b08.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1505943 3'
3753	12872	22087	0.74	4.1E-01	AW861292.1	EST_HUMAN	EST1373364 MAGe resequences, MAGG Homo sapiens cDNA
3753	12872	22088	0.74	4.1E-01	AW861292.1	EST_HUMAN	EST1373364 MAGe resequences, MAGG Homo sapiens cDNA
4260	13463	22555	2.88	4.1E-01	AJ249207.1	NT	Rhodococcus sp. AD45 isoG, isoH, isoI, isoJ, isoK, isoL, isoM, isoN, isoO, isoP, isoQ, isoR, isoS, isoT, isoU, isoV, isoW, isoX, isoY, isoZ, isoAA, isoAB, isoAC, isoAD, isoAE, isoAF, isoAG, isoAH, isoAI, isoAJ, isoAK, isoAL, isoAM, isoAN, isoAO, isoAP, isoAQ, isoAR, isoAS, isoAT, isoAU, isoAV, isoAW, isoAX, isoAY, isoAZ, isoBA, isoBB, isoBC, isoBD, isoBE, isoBF, isoBG, isoBH, isoBI, isoBJ, isoBK, isoBL, isoBM, isoBN, isoBO, isoBP, isoBQ, isoBR, isoBS, isoBT, isoBU, isoBV, isoBW, isoBX, isoBY, isoBZ, isoCA, isoCB, isoCC, isoCD, isoCE, isoCF, isoCG, isoCH, isoCI, isoCJ, isoCK, isoCL, isoCM, isoCN, isoCO, isoCP, isoCQ, isoCR, isoCS, isoCT, isoCU, isoCV, isoCW, isoCX, isoCY, isoCZ, isoDA, isoDB, isoDC, isoDD, isoDE, isoDF, isoDG, isoDH, isoDI, isoDJ, isoDK, isoDL, isoDM, isoDN, isoDO, isoDP, isoDQ, isoDR, isoDS, isoDT, isoDU, isoDV, isoDW, isoDX, isoDY, isoDZ, isoEA, isoEB, isoEC, isoED, isoEE, isoEF, isoEG, isoEH, isoEI, isoEJ, isoEK, isoEL, isoEM, isoEN, isoEO, isoEP, isoEQ, isoER, isoES, isoET, isoEU, isoEV, isoEW, isoEX, isoEY, isoEZ, isoFA, isoFB, isoFC, isoFD, isoFE, isoFF, isoFG, isoFH, isoFI, isoFJ, isoFK, isoFL, isoFM, isoFN, isoFO, isoFP, isoFQ, isoFR, isoFS, isoFT, isoFU, isoFV, isoFW, isoFX, isoFY, isoFZ, isoGA, isoGB, isoGC, isoGD, isoGE, isoGF, isoGG, isoGH, isoGI, isoGJ, isoGK, isoGL, isoGM, isoGN, isoGO, isoGP, isoGQ, isoGR, isoGS, isoGT, isoGU, isoGV, isoGW, isoGX, isoGY, isoGZ, isoHA, isoHB, isoHC, isoHD, isoHE, isoHF, isoHG, isoHH, isoHI, isoHJ, isoHK, isoHL, isoHM, isoHN, isoHO, isoHP, isoHQ, isoHR, isoHS, isoHT, isoHU, isoHV, isoHW, isoHX, isoHY, isoHZ, isoIA, isoIB, isoIC, isoID, isoIE, isoIF, isoIG, isoIH, isoII, isoIJ, isoIK, isoIL, isoIM, isoIN, isoIO, isoIP, isoIQ, isoIR, isoIS, isoIT, isoIU, isoIV, isoIW, isoIX, isoIY, isoIZ, isoJA, isoJB, isoJC, isoJD, isoJE, isoJF, isoJG, isoJH, isoJI, isoJJ, isoJK, isoJL, isoJM, isoJN, isoJO, isoJP, isoJQ, isoJR, isoJS, isoJT, isoJU, isoJV, isoJW, isoJX, isoJY, isoJZ, isoKA, isoKB, isoKC, isoKD, isoKE, isoKF, isoKG, isoKH, isoKI, isoKJ, isoKK, isoKL, isoKM, isoKN, isoKO, isoKP, isoKQ, isoKR, isoKS, isoKT, isoKU, isoKV, isoKW, isoKX, isoKY, isoKZ, isoLA, isoLB, isoLC, isoLD, isoLE, isoLF, isoLG, isoLH, isoLI, isoLJ, isoLK, isoLL, isoLM, isoLN, isoLO, isoLP, isoLQ, isoLR, isoLS, isoLT, isoLU, isoLV, isoLW, isoLX, isoLY, isoLZ, isoMA, isoMB, isoMC, isoMD, isoME, isoMF, isoMG, isoMH, isoMI, isoMJ, isoMK, isoML, isoMM, isoMN, isoMO, isoMP, isoMQ, isoMR, isoMS, isoMT, isoMU, isoMV, isoMW, isoMX, isoMY, isoMZ, isoNA, isoNB, isoNC, isoND, isoNE, isoNF, isoNG, isoNH, isoNI, isoNJ, isoNK, isoNL, isoNM, isoNO, isoNP, isoNQ, isoNR, isoNS, isoNT, isoNU, isoNV, isoNW, isoNX, isoNY, isoNZ, isoOA, isoOB, isoOC, isoOD, isoOE, isoOF, isoOG, isoOH, isoOI, isoOJ, isoOK, isoOL, isoOM, isoON, isoOO, isoOP, isoOQ, isoOR, isoOS, isoOT, isoOU, isoOV, isoOW, isoOX, isoOY, isoOZ, isoPA, isoPB, isoPC, isoPD, isoPE, isoPF, isoPG, isoPH, isoPI, isoPJ, isoPK, isoPL, isoPM, isoPN, isoPO, isoPP, isoPQ, isoPR, isoPS, isoPT, isoPU, isoPV, isoPW, isoPX, isoPY, isoPZ, isoQA, isoQB, isoQC, isoQD, isoQE, isoQF, isoQG, isoQH, isoQI, isoQJ, isoQK, isoQL, isoQM, isoQN, isoQO, isoQP, isoQQ, isoQR, isoQS, isoQT, isoQU, isoQV, isoQW, isoQX, isoQY, isoQZ, isoRA, isoRB, isoRC, isoRD, isoRE, isoRF, isoRG, isoRH, isoRI, isoRJ, isoRK, isoRL, isoRM, isoRN, isoRO, isoRP, isoRQ, isoRR, isoRS, isoRT, isoRU, isoRV, isoRW, isoRX, isoRY, isoRZ, isoSA, isoSB, isoSC, isoSD, isoSE, isoSF, isoSG, isoSH, isoSI, isoSJ, isoSK, isoSL, isoSM, isoSN, isoSO, isoSP, isoSQ, isoSR, isoSS, isoST, isoSU, isoSV, isoSW, isoSX, isoSY, isoSZ, isoTA, isoTB, isoTC, isoTD, isoTE, isoTF, isoTG, isoTH, isoTI, isoTJ, isoTK, isoTL, isoTM, isoTN, isoTO, isoTP, isoTQ, isoTR, isoTS, isoTT, isoTU, isoTV, isoTW, isoTX, isoTY, isoTZ, isoUA, isoUB, isoUC, isoUD, isoUE, isoUF, isoUG, isoUH, isoUI, isoUJ, isoUK, isoUL, isoUM, isoUN, isoUO, isoUP, isoUQ, isoUR, isoUS, isoUT, isoUU, isoUV, isoUW, isoUX, isoUY, isoUZ, isoVA, isoVB, isoVC, isoVD, isoVE, isoVF, isoVG, isoVH, isoVI, isoVJ, isoVK, isoVL, isoVM, isoVN, isoVO, isoVP, isoVQ, isoVR, isoVS, isoVT, isoVU, isoVV, isoVW, isoVX, isoVY, isoVZ, isoWA, isoWB, isoWC, isoWD, isoWE, isoWF, isoWG, isoWH, isoWI, isoWJ, isoWK, isoWL, isoWM, isoWN, isoWO, isoWP, isoWQ, isoWR, isoWS, isoWT, isoWU, isoWV, isoWW, isoWX, isoWY, isoWZ, isoXA, isoXB, isoXC, isoXD, isoXE, isoXF, isoXG, isoXH, isoXI, isoXJ, isoXK, isoXL, isoXM, isoXN, isoXO, isoXP, isoXQ, isoXR, isoXS, isoXT, isoXU, isoXV, isoXW, isoXX, isoXY, isoXZ, isoYA, isoYB, isoYC, isoYD, isoYE, isoYF, isoYG, isoYH, isoYI, isoYJ, isoYK, isoYL, isoYM, isoYN, isoYO, isoYP, isoYQ, isoYR, isoYS, isoYT, isoYU, isoYV, isoYW, isoYX, isoYY, isoYZ, isoZA, isoZB, isoZC, isoZD, isoZE, isoZF, isoZG, isoZH, isoZI, isoZJ, isoZK, isoZL, isoZM, isoZN, isoZO, isoZP, isoZQ, isoZR, isoZS, isoZT, isoZU, isoZV, isoZW, isoZX, isoZY, isoZZ

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4292	13494		0.78	4.1E-01	AA090257.1	EST_HUMAN	on33d02.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1542819 3'
4670	13864	22865	1.28	4.1E-01	AV747880.1	EST_HUMAN	AV747880 NPC Homo sapiens cDNA clone NPCBDF10 5'
5257	14430		0.85	4.1E-01	BF345483.1	EST_HUMAN	602019232F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4155102 5'
5650	14873	24260	4.51	4.1E-01	BF681393.1	EST_HUMAN	602156590F1 NIH_MGC_B3 Homo sapiens cDNA clone IMAGE:4287319 5'
6265	15446	24885	2.7	4.1E-01	U67535.1	NT	Methanococcus jannaschii section 77 of 150 of the complete genome
7416	16028	26120	50.16	4.1E-01	X58700.1	NT	Zea mays ZMPM52 gene for 19 kDa zein protein
7930	16408	25890	2.89	4.1E-01	Q09470	SWISSPROT	VOLTAGE-GATED POTASSIUM CHANNEL PROTEIN KV1.1 (HUK1) (HBK1)
8918	18325		1.75	4.1E-01	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
138	11960		3.52	4.0E-01	AW847123.1	EST_HUMAN	RC2-CT0201-290899-012-d10 CT0201 Homo sapiens cDNA
1046	10271	19422	1.08	4.0E-01	8404856	NT	Laqueus rubellus mitochondrion, complete genome
1347	10562	19727	1.04	4.0E-01	AF203478.1	NT	Drosophila melanogaster Dalmatian (dml) mRNA, complete cds
1478	10691		3.71	4.0E-01	6679258	NT	Mus musculus platelet derived growth factor receptor, beta polypeptide (Pdgfrb), mRNA
1974	12007	20384	1.86	4.0E-01	Z96933.1	NT	Ascarobolus immersus masc2 gene
1974	12007	20385	1.86	4.0E-01	Z96933.1	NT	Ascarobolus immersus masc2 gene
2757	9421	18555	2.61	4.0E-01	6678490	NT	Mus musculus ubiquitin-protein ligase e3 component n-recogin (Ubr1), mRNA
2923	12161	21295	1.49	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2923	12161	21296	1.49	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
							Streptococcus pneumoniae Y1C (Y1C), penicillin-binding protein 2x (pbp2x), and undecaprenyl-phosphate-UDP-MurNAc-pentapeptide phospho-MurNAc-pentapeptide transferase (mraY) genes, complete cds
3673	12894	22018	2.17	4.0E-01	AF088903.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3817	13035	22146	3.33	4.0E-01	AJ277511.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3817	13035	22147	3.33	4.0E-01	AJ277511.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
4832	14021		9.93	4.0E-01	Q31849	SWISSPROT	NADH-PLASTOQUINONE OXIDOREDUCTASE CHAIN 5, CHLOROPLAST
8212	17343		3.53	4.0E-01	L76080.1	NT	Synechocystis sp. PCC 9413 transposase gene, complete cds
8587	18178		2.26	4.0E-01	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
9138	17946		1.4	4.0E-01	P36049	SWISSPROT	HYPOTHETICAL 49.7 KD PROTEIN IN GIN2-STE3 INTERGENIC REGION
1384	10588	19765	1.52	3.9E-01	AF206818.1	NT	Gorilla gorilla carboxyl-ester lipase (CEL) gene, complete cds
2605	11789	21009	3.23	3.9E-01	AB033019.1	NT	Homo sapiens mRNA for KIAA1193 protein, partial cds
2668	11847	21081	4.39	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
2668	11847	21082	4.39	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
3062	12298	21422	4.8	3.9E-01	AJ225898.1	NT	Sinorhizobium meliloti egl, syb2, cya3 genes and orf3
4055	13265	22368	1.53	3.9E-01	BF592811.1	EST_HUMAN	7161001.x1 NCI_CGAP_Br16 Homo sapiens cDNA clone IMAGE:3339169 3'
5014	14201	23288	2.1	3.9E-01	BE728687.1	EST_HUMAN	601563948F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3833699 5'
5630	14854	24237	4.01	3.9E-01	BF208036.1	EST_HUMAN	601862362F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4082055 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7032	16209	25886	3.45	3.9E-01	M19879.1	NT	Human cibrin 27 gene, exons 10 and 11, and L1 and Alu repeats
7397	16610		1.84	3.9E-01	AV695974.1	EST_HUMAN	AV695974 GKC Homo sapiens cDNA clone GKCBCQC11 5'
8352	18255		4.15	3.9E-01	AF304354.1	NT	Homo sapiens proteoglycan 3 (PRG3) gene, complete cds
8475	17528		2.15	3.9E-01	Q61670	SWISSPROT	HOMEBOX PROTEIN HLX1
8561	17582	23987	1.37	3.9E-01	AE001811.1	NT	Thermotoga maritima section 123 of 136 of the complete genome
9011	17885		1.31	3.9E-01	11433335	NT	Homo sapiens hypothetical protein FLJ10583 (FLJ10583), mRNA
183	9445		16.12	3.8E-01	7019488	NT	Homo sapiens protein kinase PKNbeta (pknbeta), mRNA
512	9763		6.59	3.8E-01	AB029291.1	NT	Mus musculus pcm-1 mRNA for pericentriolar material-1, complete cds
1836	11044		1.28	3.8E-01	AE003870.1	NT	Xylella fastidiosa, section 16 of 229 of the complete genome
2535	11723	20940	3.41	3.8E-01	AF214117.1	NT	Arabidopsis thaliana putative c-myc-like transcription factor (MYB3R-3) mRNA, complete cds
2596	12021	21000	4.04	3.8E-01	6678002	NT	Mus musculus solute carrier family 1, member 6 (Slc1a6), mRNA
2961	12199		0.92	3.8E-01	AJ251057.1	NT	Human immunodeficiency virus type 1 complete genome (isolate 98SE-MP1213)
3013	12249	21380	2.35	3.8E-01	AF043383.1	NT	Plasmodium americanus aminopeptidase N (ampN) gene, partial cds
3458	12683	21817	9.08	3.8E-01	AL161518.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 30
3513	12737		0.75	3.8E-01	AB07219.1	EST_HUMAN	wf38b12.x1 Soares NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2357855 3'
3528	12737		0.66	3.8E-01	AB07219.1	EST_HUMAN	wf38b12.x1 Soares NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2357855 3'
3556	12770	21908	6.84	3.8E-01	AF109372.1	NT	Danio rerio blue-sensitive opsin (bluops) mRNA, complete cds
3556	12779	21909	6.84	3.8E-01	AF109372.1	NT	Danio rerio blue-sensitive opsin (bluops) mRNA, complete cds
3739	12959	22074	1.09	3.8E-01	BE154080.1	EST_HUMAN	PMO-HT0339-200400-010-G01 HT0339 Homo sapiens cDNA
3894	13110	22228	0.69	3.8E-01	6754095	NT	Mus musculus general transcription factor II I (Gtf2i), mRNA
5079	14259	23344	1.14	3.8E-01	AF038633.1	NT	Homo sapiens Mpv17 protein (MPV17) gene, partial cds; and urocorin gene, complete cds
5221	14395	23480	4.31	3.8E-01	AF158035.1	NT	Triticum ventricosum V6 (V6) gene, partial cds
5945	15161	24574	5.59	3.8E-01	BE072399.1	EST_HUMAN	QV3-BT0537-271299-049-602 BT0537 Homo sapiens cDNA
5984	15288	24891	4.88	3.8E-01	A1374601.1	EST_HUMAN	ba54f11.x1 Soares total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:2047917 3' similar to contains Alu repetitive element
6297	15478		4.51	3.8E-01	X61597.1	NT	Mus musculus gene for kallikrein-binding protein
6841	15836	26297	3.65	3.8E-01	AB048851.1	NT	Homo sapiens mRNA for KIAA1631 protein, partial cds
6944	16088		7.37	3.8E-01	T95413.1	EST_HUMAN	ye43h05.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:120539 5' similar to contains Alu repetitive element; contains PTR5 repetitive element
8065	17200		3.41	3.8E-01	BE179219.1	EST_HUMAN	RCO-HT0841-040800-032-b12 HT0841 Homo sapiens cDNA
8190	17322	26865	3.07	3.8E-01	R42550.1	EST_HUMAN	y62ht11.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:30289 3'
8190	17322	26866	3.07	3.8E-01	R42550.1	EST_HUMAN	y62ht11.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:30289 3'
8571	17589		2.97	3.8E-01	AE001124.1	NT	Borrelia burgdorferi (section 10 of 70) of the complete genome
8703	18276		1.58	3.8E-01	U94786.1	NT	Human p53 (TP53) gene, complete cds

Page 39 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8818	17736		1.91	3.8E-01	BE828256.1	EST_HUMAN	QV3-ET0063-190700-271-e05 ET0063 Homo sapiens cDNA
9237	18251		1.26	3.8E-01	AF291493.1	NT	Mus musculus vomeronasal receptor V1RA4 (V1ra4) gene, complete cds
9255	18023	23852	1.24	3.8E-01	AF194972.1	NT	Mus musculus developmental control protein mRNA, partial cds
2443	11634	20854	8.52	3.7E-01	AB037831.1	NT	Homo sapiens mRNA for KIAA1410 protein, partial cds
3437	12862	21794	10.32	3.7E-01	AF056336.1	NT	Danilo retio bone morphogenetic protein 4 precursor (BMP4) gene, complete cds
3852	13068	22183	1	3.7E-01	AA319492.1	EST_HUMAN	EST21715 Adrenal gland tumor Homo sapiens cDNA 5' end
4214	13417	22513	8.6	3.7E-01	A1218707.1	EST_HUMAN	ok39c07.x1 Soares NSF F8 gW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1510188 3'
4311	13512	22606	1.22	3.7E-01	AW878037.1	EST_HUMAN	MR3-OT0007-080300-104-b02 OT0007 Homo sapiens cDNA
4384	13585	22687	2.78	3.7E-01	AE002408.1	NT	Neisseria meningitidis serogroup B strain MC58 section 50 of 208 of the complete genome
5272	14474	23516	7.85	3.7E-01	BE868837.1	EST_HUMAN	601678239F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3961136 5'
8135	15319	24753	3.37	3.7E-01	11525843	NT	Homo sapiens tumor endothelial marker 7 precursor (TEM7), mRNA
8571	15767	25229	3.35	3.7E-01	11436739	NT	Homo sapiens chromosome 12 open reading frame 4 (C12ORF4), mRNA
8571	15767	25230	3.35	3.7E-01	11436739	NT	Homo sapiens chromosome 12 open reading frame 4 (C12ORF4), mRNA
7138	18315	25706	3.64	3.7E-01	A1336411.1	EST_HUMAN	qt46b07.x1 Soares fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1950897 3'
7599	18902	26295	2.8	3.7E-01	AJ297357.1	NT	Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
7599	18902	26296	2.8	3.7E-01	AJ297357.1	NT	Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
7604	18807	26304	2.52	3.7E-01	AF149768.1	NT	Erythrocyte pefas isolate #8289 decay-accelerating factor (CD55) gene, partial cds
8002	18437	25924	4.81	3.7E-01	X04122.1	NT	Bovine mRNA for terminal deoxynucleotidyltransferase (TdT) (EG 2.7.7.31)
8239	17368		3.16	3.7E-01	6677678	NT	Mus musculus retinoblastoma 1 (Rb1), mRNA
8268	17916		1.53	3.7E-01	J04982.1	NT	Human heart/skeletal muscle ATP/ADP translocator (ANT1) gene, complete cds
8441	17504		3.72	3.7E-01	AJ243525.1	NT	Chlamydia psittaci partial omp1 gene for outer membrane protein 1
8542	17567		2.37	3.7E-01	D86976.1	NT	Human mRNA for KIAA0223 gene, partial cds
8831	17813		1.89	3.7E-01	AL121154.1	EST_HUMAN	DKFZp762K075_r1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762K075 5'
9000	17860	23888	2.55	3.7E-01	Y18000.1	NT	Homo sapiens NF2 gene
9232	18210		1.23	3.7E-01	X91192.1	NT	H. sapiens PLC beta 3 gene (exon 1) and SOM172 gene (exon 1)
265	9540	18670	1.16	3.6E-01	AJ006809.1	NT	Brassica napus mRNA for MAP4k alpha2 protein
1003	10234		7.24	3.6E-01	U89241.1	NT	Human mlbp gene, partial cds
1321	10536	19700	2.68	3.6E-01	T80255.1	EST_HUMAN	yc03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1321	10536	19701	2.68	3.6E-01	T80255.1	EST_HUMAN	yc03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1881	11088	20278	6.2	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2847419 3'
1881	11088	20279	6.2	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2847419 3'
1922	11126	20322	5.46	3.6E-01	AF216207.1	NT	Mus musculus ribosomal protein S19 (Rps19) gene, complete cds
2234	11429		1.19	3.6E-01	AB002321.1	NT	Human mRNA for KIAA0323 gene, partial cds
2353	11546		1.98	3.6E-01	X76725.1	NT	P. irregularis (P3804) gene for actin

Page 40 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2450	11841	20862	1.18	3.6E-01	AW812033.1	EST_HUMAN	RC5-ST0171-181089-011-g07 ST0171 Homo sapiens cDNA
2594	11780	20998	1.3	3.6E-01	P24208	SWISSPROT	PROTEIN-L-ISOASPARTATE O-METHYLTRANSFERASE (PROTEIN-BETA-ASPARTATE METHYLTRANSFERASE) (PMT) (PROTEIN L-ISOASPARTYL METHYLTRANSFERASE) (L-ISOASPARTYL PROTEIN CARBOXYL METHYLTRANSFERASE)
2851	14476	21805	9.22	3.6E-01	AF199485.1	NT	Drosophila melanogaster sugar transporter 3 (sul3) mRNA, complete cds
3446	12671	21805	2.88	3.6E-01	X76758.1	NT	H. sapiens serotonlin transporter gene, exons 9 and 10
3446	12671	21806	2.88	3.6E-01	X76758.1	NT	H. sapiens serotonlin transporter gene, exons 9 and 10
4402	13602	22702	1.01	3.6E-01	BE707883.1	EST_HUMAN	RC1-HT0545-150600-014-b12 HT0545 Homo sapiens cDNA
4700	13891	22691	0.94	3.6E-01	AJ009609.1	NT	Brassica napus mRNA for MAPK4 alpha2 protein
4730	13921	23024	0.97	3.6E-01	AF071938.1	NT	Mus musculus protein tyrosine kinase Tec (Tec) gene, alternative exons 4 and 4a, exons 5 through 7 and Tec isoform, complete cds
4730	13921	23025	0.97	3.6E-01	AF071938.1	NT	Mus musculus protein tyrosine kinase Tec (Tec) gene, alternative exons 4 and 4a, exons 5 through 7 and Tec isoform, complete cds
4765	13954	23055	0.71	3.6E-01	Y11528.1	NT	Z. mays mRNA for casein kinase II alpha subunit
4802	13991	23099	5.79	3.6E-01	AJ228237.1	NT	Bacteria from anoxic bulk soil 16S rRNA gene (strain XB45)
5033	14218	23303	2.56	3.6E-01	AW339393.1	EST_HUMAN	ha02g04.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:2872566 3'
5131	14309	23400	0.76	3.6E-01	BE067699.1	EST_HUMAN	MR4-BT0358-270300-005-c10 BT0358 Homo sapiens cDNA
5882	15080	24492	1.66	3.6E-01	Y10186.1	NT	Homo sapiens PHEX gene
6138	15322		4.03	3.6E-01	R64090.1	EST_HUMAN	y174608.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:275987 5'
6202	15383	24825	1.81	3.6E-01	AW027174.1	EST_HUMAN	w172c10.x1 Soares thymus_NH5Th Homo sapiens cDNA clone IMAGE:2513010 3' similar to TR-O15117
6552	15748	25209	21.1	3.6E-01	AL181583.2	NT	O15117 FYN BINDING PROTEIN, [1];
6765	15960	25415	5.02	3.6E-01	4504956	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 79
6765	15960	25415	5.02	3.6E-01	4504956	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), transcript variant LAMP2A, mRNA
6765	15960	25416	5.02	3.6E-01	4504956	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), transcript variant LAMP2A, mRNA
7027	16204	25681	24.7	3.6E-01	Q53194	SWISSPROT	PROBABLE PEPTIDE ABC TRANSPORTER ATP-BINDING PROTEIN Y4TS
7518	16723	26213	2.34	3.6E-01	BE902390.1	EST_HUMAN	601678418F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3958997 5'
7672	16871	26374	3.94	3.6E-01	AB004293.1	NT	Arabidopsis thaliana mRNA for SigB, complete cds
7980	16415	25902	3.79	3.6E-01	AE000858.1	NT	Methanobacterium thermoautotrophicum from bases 702375 to 714311 (section 82 of 148) of the complete genome
8305	18383		2.02	3.6E-01	Y19210.1	NT	Homo sapiens hHb5 gene for hair keratin, exons 1 to 9
8391	17472		5.38	3.6E-01	AE000335.1	NT	Escherichia coli K-12 MG1655 section 225 of 400 of the complete genome
8553	17575		3.66	3.6E-01	U66888.1	NT	Mus musculus Emr1 mRNA, complete cds

Page 41 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8937	17817		1.52	3.6E-01	11432598	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q24) (Drosophila) homolog); translocated to, 10 (AF10), mRNA
9208	18327		2.18	3.6E-01	AW190229.1	EST_HUMAN	X60611.1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2678118 3' similar to gb:K00558 TUBULIN
9259	18027		1.86	3.6E-01	L27208.1	NT	ALPHA-1 CHAIN (HUMAN);
115	9403	18532	0.79	3.5E-01	AL181536.2	NT	Oryza sativa root-specific RCc3 mRNA, complete cds
214	9494	18626	2.07	3.5E-01	6678933	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 36
684	9927	19058	1.16	3.5E-01	AL181581.2	NT	Mus musculus mannose receptor, C type 2 (Mrc2), mRNA
732	8973	19112	1.36	3.5E-01	7708136	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 77
732	9973	19113	1.36	3.5E-01	7708136	NT	Homo sapiens GAP-like protein (LOC51305), mRNA
789	10029	19178	3.99	3.5E-01	BF129786.1	EST_HUMAN	Homo sapiens GAP-like protein (LOC51305), mRNA
1617	10830	20005	1.84	3.5E-01	U35776.1	NT	601811060R1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053951 3'
2247	11442	20668	0.93	3.5E-01	P06798	SWISSPROT	Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds
2567	12020	20972	2.03	3.5E-01	AA223252.1	EST_HUMAN	HOMEBOX PROTEIN HOX-A4 (HOX-1.4) (MH-3)
2957	12195	21329	0.76	3.5E-01	AA057891.1	EST_HUMAN	z08a09.s1 Stratagene NT2 neuronal precursor 837230 Homo sapiens cDNA clone IMAGE:650872 3'
3793	13011		1.23	3.5E-01	AA842138.1	EST_HUMAN	z04f03.r1 Stratagene corneal stroma (8637222) Homo sapiens cDNA clone IMAGE:512285 5'
4249	13452	22543	2.33	3.5E-01	AF071253.1	NT	nr60d03.s1 NCI_CGAP_Lym3 Homo sapiens cDNA clone IMAGE:1172367 3'
4953	14140	23234	4.58	3.5E-01	M18349.1	NT	Danio rerio homeobox protein (hoxb5b) gene, complete cds
5147	14326		3.22	3.5E-01	AA825140.1	EST_HUMAN	Rat leukocyte common antigen (L-CA) gene, exons 1 through 5
5356	14586	23662	1.81	3.5E-01	Q86887	SWISSPROT	oe62b07.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1418181 3'
5356	14586	23663	1.81	3.5E-01	Q86887	SWISSPROT	EARLY E2A DNA-BINDING PROTEIN
5107	15201		3.68	3.5E-01	X98505.1	NT	EARLY E2A DNA-BINDING PROTEIN
6489	15686		3.28	3.5E-01	11448042	NT	S.scrofa mRNA for CD31 protein (PECAM-1)
7320	16537	26025	3.47	3.5E-01	X61084.1	NT	Homo sapiens tumor protein p53-binding protein, 2 (TP53BP2), mRNA
7592	16798	26289	2.15	3.5E-01	AJ243178.1	NT	C.griseus rhodopsin gene for opsin protein
7592	16798	26290	2.15	3.5E-01	AJ243178.1	NT	Gallus gallus SPARC gene for osteonectin, promoter and exon 1
8119	17253	26794	2.04	3.5E-01	N77997.1	EST_HUMAN	Gallus gallus SPARC gene for osteonectin, promoter and exon 1
8181	17313	26855	1.67	3.5E-01	L05145.1	NT	y280112.r1 Soares_multiple_sclerosis_2NbrMSP Homo sapiens cDNA clone IMAGE:280375 5'
8472	17525		2.16	3.5E-01	X64565.1	NT	Human glucokinase (GCK) gene, repeat polymorphism
8643	17628		1.55	3.5E-01	AE001774.1	NT	B.taurus atpA1 gene for F(0)F(1) ATP synthase alpha-subunit
9263	18227	23697	2.45	3.5E-01	H80814.1	EST_HUMAN	Thermoboga maritima section 86 of 136 of the complete genome
9263	18227	23698	2.45	3.5E-01	H80814.1	EST_HUMAN	y54111.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:219597 5'
							y54111.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:219597 5'

Page 42 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
714	9956			1.67	AJ242956.1	NT	Homo sapiens partial N-myc (exon 3), HPV45 L2, HPV45 L1, HPV45 E6, HPV45 E7 and HPV45 E1 genes isolated from IC4 cervical carcinoma cell line
983	10214	19370	5.03	3.4E-01	Y08798.2	NT	Pseudomonas fluorescens colR, colS genes, orf222 and partial inaA gene
1334	10549	19713	1.61	3.4E-01	Y00554.1	NT	Azotobacter vinelandii nifA gene for NifA protein (positive regulatory element)
2366	11559	20781	2.41	3.4E-01	D90909.1	NT	Synechocystis sp. PCC6803 complete genome, 11/27, 1311235-1430418
2959	12197	21331	0.97	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2959	12197	21332	0.97	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3125	12360	21489	6.49	3.4E-01	U83905.1	NT	Carls familiaris rod photoreceptor cGMP-gated channel alpha-subunit (CNGC1) mRNA, complete cds
3317	12547	21880	0.94	3.4E-01	AF034962.1	NT	Homo sapiens pulmonary surfactant protein D, promoter region and exon 1
3505	12729	21866	4.93	3.4E-01	AF106835.1	NT	Methylovorus sp. strain SS1 putative GrpE (grpE), DnaK (dnaK) and putative DnaJ (dnaJ) genes, complete cds
3772	12990		1.4	3.4E-01	BF449010.1	EST_HUMAN	7n94d01.x1 NCI_CGAP_Ovrl8 Homo sapiens cDNA clone IMAGE:3572232 3' similar to TR:Q9UJ15
4029	13238		1.43	3.4E-01	AA584196.1	EST_HUMAN	Q9UJ15 DJ18C8.1
4496	13694	22768	0.68	3.4E-01	AF168341.1	NT	not1b10.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100347 3'
4645	13839	22928	2.14	3.4E-01	BE069912.1	EST_HUMAN	Homo sapiens integrin alpha 6 (ITGA6) gene, exons 12 through 23
4971	14158		4.38	3.4E-01	A1240973.1	EST_HUMAN	MR4-BT0403-230200-202-c01 BT0403 Homo sapiens cDNA
5529	14753	24120	3.01	3.4E-01	AL161594.2	NT	q95c05.x1 NCI_CGAP_Ki63 Homo sapiens cDNA clone IMAGE:1867208 3' similar to contains Alu repetitive element
5577	14801		5.91	3.4E-01	AA085313.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 90
5657	14880		1.94	3.4E-01	L02971.1	NT	zn12d11.s1 Strategene HNT neuron (#837233) Homo sapiens cDNA clone IMAGE:547221 3'
5711	14930	24324	1.99	3.4E-01	AW204505.1	EST_HUMAN	Echovirus 22 1AB, 1C, 1D, 2A, 2B, 2C, 3A, 3B, 3C, 3D proteins RNA, complete mature peptides and cds
5768	14987	24387	1.88	3.4E-01	AL120544.1	EST_HUMAN	UI-H-B11-est-e-12-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2719582 3'
6831	16025	25490	5.51	3.4E-01	P28013	SWISSPROT	DKFZ761A249_1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A249 5'
6831	16025	25491	5.51	3.4E-01	P28013	SWISSPROT	INTEGRIN BETA-8 PRECURSOR
6892	15598	25083	8.46	3.4E-01	U19492.1	NT	INTEGRIN BETA-8 PRECURSOR
6892	15598	25084	8.46	3.4E-01	U19492.1	NT	Saccharomyces cerevisiae Mar1p (MAF1) gene, complete cds
7037	16214	25691	3.24	3.4E-01	AJ225084.1	NT	Saccharomyces cerevisiae Mar1p (MAF1) gene, complete cds
7586	16791		4.26	3.4E-01	AE000881.1	NT	Homo sapiens FAA gene, exon 16, 17 and 18
7621	16824	26320	2.64	3.4E-01	P06925	SWISSPROT	Methanobacterium thermoautotrophicum from bases 1019444 to 1029212 (section 87 of 148) of the complete genome
							PROBABLE E4 PROTEIN

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7657	16857	26358	2.78	3.4E-01	AF045981.1	NT	Rutillus arcasii cytochrome b (cyb) gene, mitochondrial gene encoding mitochondrial protein, partial cds
7632	17024	26539	1.89	3.4E-01	M25856.1	NT	Human von Willebrand factor gene, exons 36 and 37
7832	17024	26540	1.89	3.4E-01	M25856.1	NT	Human von Willebrand factor gene, exons 36 and 37
8032	17189	26708	1.9	3.4E-01	AB035507.1	NT	Rattus norvegicus mRNA for s-glycerin/MUC18, complete cds
8058	17193	26731	4.69	3.4E-01	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
8250	17378	26912	1.85	3.4E-01	BF061948.1	EST_HUMAN	7k69d12.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3480648 3'
8282	17398		1.9	3.4E-01	U93604.1	NT	Citrus variegation virus putative replicase gene, partial cds
8394	17473		1.37	3.4E-01	Z21621.1	NT	S. cerevisiae RIB5 gene encoding Riboflavin synthase
8500	18118		1.58	3.4E-01	AF254351.1	NT	Schizosaccharomyces pombe Cw8p (cwi8) gene, complete cds
8623	17617		6.12	3.4E-01	L26339.1	NT	Human autoantigen mRNA, complete cds
8655	18149		2.88	3.4E-01	BE218652.1	EST_HUMAN	hw42h08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176127 3' similar to contains PTR5.13
8713	18252		1.9	3.4E-01	9838361	NT	PTR5 repetitive element;
8825	17739	23831	1.98	3.4E-01	AJ297131.1	NT	Beta vulgaris mitochondrion, complete genome
9142	17948		2.16	3.4E-01	AF019413.1	NT	Mus musculus SIL, MAP_17, CYP_a, SCL & CYP_b genes
14	9310	18412	14.06	3.3E-01	X07890.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-
105	9310	18412	5.73	3.3E-01	X07890.1	NT	hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B
454	9707	18845	0.77	3.3E-01	AL161546.2	NT	(Bf), and complement component C2 (C2) genes;
639	9885	19010	1.85	3.3E-01	7662485	NT	Rhizobium leguminosarum sym plasmid pRL5J1 nodX gene
1208	10427	19584	3.17	3.3E-01	Q12446	SWISSPROT	Rhizobium leguminosarum sym plasmid pRL5J1 nodX gene
1314	10530	19692	3.14	3.3E-01	BF668880.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 45
1585	10798	19974	1.04	3.3E-01	6753685	NT	Homo sapiens KIAA1100 protein (KIAA1100), mRNA
1710	10922		1.41	3.3E-01	AA332734.1	EST_HUMAN	PROLINE-RICH PROTEIN LAS17
2369	11562		4.41	3.3E-01	4507834	NT	602184016T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300251 3'
2901	12139	21276	2.03	3.3E-01	AJ251805.1	NT	Mus musculus disintegrin 5 (Dign5), mRNA
2977	12214		0.67	3.3E-01	O02743	SWISSPROT	EST:36722 Embryo, 8 week 1 Homo sapiens cDNA 5' end
3020	12256	21385	1.04	3.3E-01	AJ007832.2	NT	Homo sapiens uridine monophosphate synthetase (uridine phosphorylase and orotidine-5'-
3470	12695	21831	0.97	3.3E-01	AB012922.1	NT	decarboxylase) (UMPS) mRNA
3783	13001	22116	0.6	3.3E-01	D14015.1	NT	Bacteriophage phi-YeO3-12 complete genome
							INTERLEUKIN-12 ALPHA CHAIN PRECURSOR (IL-12A) (CYTOTOXIC LYMPHOCYTE MATURATION
							FACTOR 35 KD SUBUNIT) (CLMF P35)
							Streptomyces argillaceus rifamycin biosynthetic genes
							Homo sapiens MTA1-L1 gene, complete cds
							Rat mRNA for cyclin E, complete cds

Page 44 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3797	13015	22128	2.2	3.3E-01	084645	SWISSPROT	EXOXYRIBONUCLEASE V BETA CHAIN
3808	13028	22136	1	3.3E-01	P22802	SWISSPROT	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN (P1); HELPER COMPONENT PROTEINASE (HC-PRO); PROTEIN P3)
3942	13158	22275	1.97	3.3E-01	AL161498.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
3978	13192	22300	2.17	3.3E-01	AF200446.1	NT	Hypoxylon fragiforme chitin synthase gene, partial cds
4361	13563		2.43	3.3E-01	D31662.1	NT	Rattus norvegicus DNA for regucalcin, partial cds
4696	13887		1.58	3.3E-01	AI539114.1	EST_HUMAN	tp78b12.x1 NCI_CGAP_UJ3 Homo sapiens cDNA clone IMAGE:2205407 3' similar to gb:X57522 ANTIGEN
4858	14044	23138	1.36	3.3E-01	D64003.1	NT	PEPTIDE TRANSPORTER 1 (HUMAN);
5222	14398	23481	1.51	3.3E-01	AW884409.1	EST_HUMAN	Synechocystis sp. PCC6803 complete genome, 22/27, 2755703-2868766
5348	14578	23654	2.48	3.3E-01	X89819.1	NT	QV3-OT0065-230300-137-q11 OT0065 Homo sapiens cDNA
5348	14578	23655	2.48	3.3E-01	X89819.1	NT	R. norvegicus mRNA for 3'UTR of ubiquitin-like protein
5636	14860	24244	1.76	3.3E-01	BE619650.1	EST_HUMAN	R. norvegicus mRNA for 3'UTR of ubiquitin-like protein
5636	14860	24245	1.76	3.3E-01	BE619650.1	EST_HUMAN	601472768T1 NIH_MGC 68 Homo sapiens cDNA clone IMAGE:3875753 3'
5678	14898	24291	6.34	3.3E-01	P05691	SWISSPROT	601472768T1 NIH_MGC 68 Homo sapiens cDNA clone IMAGE:3875753 3'
6035	15243	24684	4.81	3.3E-01	AI628131.1	EST_HUMAN	CIRCUMSPOROZOITE PROTEIN (CS)
6035	15243	24685	4.61	3.3E-01	AI628131.1	EST_HUMAN	ty64h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2285809 3' similar to contains Alu repetitive element; contains element L1 repetitive element ;
6408	15589	25049	1.8	3.3E-01	N85146.1	EST_HUMAN	ty64h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2285809 3' similar to contains Alu repetitive element; contains element L1 repetitive element ;
6842	15837	25298	14.61	3.3E-01	BF683954.1	EST_HUMAN	J2498F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2498 5' similar to TEGT
6916	16104	25570	3.78	3.3E-01	N58986.1	EST_HUMAN	802140372F1 NIH_MGC 48 Homo sapiens cDNA clone IMAGE:4301800 5'
6935	16079	25549	3.25	3.3E-01	BF378746.1	EST_HUMAN	2a67h01.s1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:297849 3'
7309	16527	26017	2.71	3.3E-01	X63953.1	NT	RC4-TN0077-250800-011-g04 TN0077 Homo sapiens cDNA
7309	16527	26018	2.71	3.3E-01	X63953.1	NT	D.mauritiana Adh gene
7595	16798		1.89	3.3E-01	BF528499.1	EST_HUMAN	D.mauritiana Adh gene
7783	16878	26491	11.77	3.3E-01	BE219351.1	EST_HUMAN	602070802F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4213585 5'
							h61g02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176978 3'
							GALECTIN-3 (GALACTOSE-SPECIFIC LECTIN 3) (MAC-2 ANTIGEN) (IGE-BINDING PROTEIN) (35 KD LECTIN) (CARBOHYDRATE BINDING PROTEIN 35) (CBP 35) (LAMININ-BINDING PROTEIN) (LECTIN L-29) (CBP30)
7885	17101	26832	4.85	3.3E-01	P47953	SWISSPROT	cb71g02.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336850 3'
8209	17340		4.68	3.3E-01	AA806821.1	EST_HUMAN	Rhizobium leguminosarum sym plasmid pRL5J1 nodX gene
8228	8310	18412	2.53	3.3E-01	X07890.1	NT	Homo sapiens aldehyde oxidase 1 (AOX1), mRNA
8381	17465	28590	1.58	3.3E-01	6598319	NT	

Page 45 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9131	17941		12.3	3.3E-01	AP000002.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 287001-54400 nt position (2/7)
463	9716		2.22	3.2E-01	AF018261.1	NT	Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds
725	9967		0.92	3.2E-01	AL181561.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 61
1170	10391	19543	18.32	3.2E-01	AF047013.1	NT	Fusarium poae virus 1 RNA2 putative RNA dependent RNA polymerase gene, complete cds
1289	10504	19665	1.74	3.2E-01	Z50202.1	NT	P. vulgaris arc5-1 gene
1394	10608	19772	6.8	3.2E-01	Q48624	SWISSPROT	LACTOSE PERMEASE (LACTOSE-PROTON SYMPORT) (LACTOSE TRANSPORT PROTEIN)
1744	10958	20139	1.28	3.2E-01	Z36041.1	NT	S. cerevisiae chromosome II reading frame ORF YBR172c
1754	10966	20151	5.41	3.2E-01	AW957194.1	EST_HUMAN	EST369284 MAGE resequences, MAGD Homo sapiens cDNA
1754	10968	20152	5.41	3.2E-01	AW957194.1	EST_HUMAN	EST369284 MAGE resequences, MAGD Homo sapiens cDNA
1810	11019	20211	1.34	3.2E-01	AL111655.1	NT	Botrytis chereza strain T4 cDNA library under conditions of nitrogen deprivation
2126	11325	20543	2.6	3.2E-01	BF203817.1	EST_HUMAN	601868804F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111512 5'
2508	11694		2.24	3.2E-01	7710079	NT	Mus musculus Pbx/knotted 1 homeobox (Pknx1), mRNA
2670	11851	21067	1.35	3.2E-01	AF050368.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
3586	12807		0.67	3.2E-01	D10872.1	NT	Human h NAT allele 3-2 gene for arylamine N-acetyltransferase
4387	13588	22690	1.44	3.2E-01	M18818.1	NT	Rabbit beta-like globin gene cluster encoding the epsilon, gamma, delta (pseudogene) and beta globin polypeptides, complete cds
4501	13699	22763	1.34	3.2E-01	Q10288	SWISSPROT	HYPOTHETICAL 81.7 KD PROTEIN C13G7.04C IN CHROMOSOME 1 PRECURSOR
4749	13940		7.91	3.2E-01	BF693617.1	EST_HUMAN	602081972F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4249505 5'
4901	14089	23182	0.69	3.2E-01	Q57081	SWISSPROT	CYTADHERENCE HIGH MOLECULAR WEIGHT PROTEIN 3 (CYTADHERENCE ACCESSORY PROTEIN 3) (ACCESSORY ADHESIN PROTEIN 3) (P69)
5310	14541	23610	3.05	3.2E-01	BE173964.1	EST_HUMAN	CM0-HT0569-060300-269-f10 HT0569 Homo sapiens cDNA
6516	15712	25177	2.43	3.2E-01	M60266.1	NT	Rat ISO-atrial natriuretic factor gene, complete cds
6585	15781	25241	13.9	3.2E-01	X02508.1	NT	H. sapiens gene fragment for acetylcholine receptor (AChR) alpha subunit exons 8, 9 and 3' flanking region
6587	15783	25244	22.45	3.2E-01	BF311635.1	EST_HUMAN	601897107F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126833 5'
6645	15840	25300	2.84	3.2E-01	AE002015.1	NT	Deinococcus radiodurans R1 section 152 of 228 of the complete chromosome 1
6706	15891		2.59	3.2E-01	M86511.1	NT	Human monocyte antigen CD14 (CD14) mRNA, complete cds
7071	16248	25721	2.71	3.2E-01	U44914.1	NT	Borrelia burgdorferi plasmid cp32-2, erpC and erpD genes, complete cds; and unknown genes
7170	16347		2.78	3.2E-01	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
7261	18480	25972	3.47	3.2E-01	T08813.1	EST_HUMAN	EST04702 Fetal brain, Stratagene (cat#836206) Homo sapiens cDNA clone HFBDD21
8417	18278		2.4	3.2E-01	L07288.1	NT	Drosophila melanogaster laminin A (Lam-A) mRNA, complete cds
8968	17838		2.92	3.2E-01	O83217	SWISSPROT	ELONGATION FACTOR TU (EF-TU)
9111	17928		1.43	3.2E-01	L39874.1	NT	Homo sapiens deoxycytidylate deaminase gene, complete cds
9171	18319	23595	1.92	3.2E-01	BE385778.1	EST_HUMAN	601275480F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3616746 5'

Page 46 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2631	11814	21033	3.26	3.1E-01	R18051.1	EST_HUMAN	yes0h06.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:125051 5' similar to gb:M84241 QM PROTEIN (HUMAN);
2658	11955	21052	3.57	3.1E-01	7661871	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2658	11955	21053	3.57	3.1E-01	7661871	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2810	12050		1.15	3.1E-01	AW628036.1	EST_HUMAN	hi46h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975391 3'
3138	12373		3.8	3.1E-01	AB029069.1	NT	Mus musculus gene for Ser/Thr kinase KIAI4MRE, exon 6
3885	13101	22218	1	3.1E-01	AJ251596.1	NT	Daucus carota mRNA for transcription factor E2F (E2F gene)
4983	14170	23260	0.89	3.1E-01	AE003984.1	NT	Xylella fastidiosa, section 130 of 229 of the complete genome
5430	14657	23795	9.75	3.1E-01	AF176111.1	NT	Homo sapiens hepatocyte nuclear factor-3 alpha (HNF3A) gene, exon 1
5581	14784	24154	2.13	3.1E-01	AF184122.1	NT	Homo sapiens filamin 2 (FLN2) gene, exons 10 through 22
6073	18048	23562	2.71	3.1E-01	BE737392.1	EST_HUMAN	601306121F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3640420 5'
7119	16296	25778	2.92	3.1E-01	A1244001.1	EST_HUMAN	q151e11.x1 NCI_CGAP_K1d3 Homo sapiens cDNA clone IMAGE:1863980 3' similar to gb:S55700 HYDROXYMETHYLGLUTARYL-COA LYASE PRECURSOR (HUMAN);
7414	16628	26119	1.86	3.1E-01	BF216117.1	EST_HUMAN	601883592F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4085814 5'
8069	17204	26737	2.43	3.1E-01	7662291	NT	Homo sapiens KIAA0764 gene product (KIAA0764), mRNA
8551	17574		1.55	3.1E-01	AF294308.1	NT	Anolis opalinus isolate QS NADH dehydrogenase subunit 2 (ND2) gene, complete cds; mitochondrial gene for mitochondrial product
8590	17599		1.62	3.1E-01	AF304162.1	NT	Stizostedion vitreum 40S ribosomal protein S11 mRNA, partial cds
8740	17696		2.6	3.1E-01	AF195953.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
9116	17934		3.2	3.1E-01	AF196779.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
9155	18314		1.52	3.1E-01	10946623	NT	Mus musculus peptidoglycan recognition protein-like (Pglyrp-pending), mRNA
72	11935	18494	1.46	3.0E-01	6755083	NT	Mus musculus protein kinase C, epsilon (Pkc), mRNA
258	9534	18665	8.66	3.0E-01	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
1231	10449	19605	2.2	3.0E-01	AW300400.1	EST_HUMAN	xs63f08.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2774343 3'
1497	10710	19883	5.25	3.0E-01	AJ006755.1	NT	Balanoptera physalus gene encoding atrial natriuretic peptide
3169	12404		0.94	3.0E-01	X83615.1	NT	S.pombe plc1 gene
3178	12413		1.29	3.0E-01	AB030481.1	NT	Corynebacterium sp. ALY-1 alvPG gene for polyglutamate lyase, complete cds
3372	12800	21736	0.82	3.0E-01	P23825	SWISSPROT	GATA BINDING FACTOR-3 (TRANSCRIPTION FACTOR NF-E1C) (GATA-3)
3846	13063	22177	1.88	3.0E-01	AW817785.1	EST_HUMAN	PM1-ST0262-261199-001-g01 ST0262 Homo sapiens cDNA
3951	13166	22280	1.08	3.0E-01	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
4514	13710	22803	1.88	3.0E-01	AJ006755.1	NT	Balanoptera physalus gene encoding atrial natriuretic peptide
5180	12600	21736	0.63	3.0E-01	P23825	SWISSPROT	GATA BINDING FACTOR-3 (TRANSCRIPTION FACTOR NF-E1C) (GATA-3)

Page 47 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5366	14596	23673	5.64	3.0E-01	BE741628.1	EST_HUMAN	601594860F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948734 5'
5441	14667	23822	3.77	3.0E-01	BE693575.1	EST_HUMAN	RC3-BT0333-180700-111-e03 BT0333 Homo sapiens cDNA
5441	14667	23823	3.77	3.0E-01	BE693575.1	EST_HUMAN	RC3-BT0333-180700-111-e03 BT0333 Homo sapiens cDNA
5462	14688	24039	4.58	3.0E-01	U01247.1	NT	Mus musculus 129/sv Clara cell 10 kd protein (mCC10) gene, complete cds
6011	15261	24685	2.98	3.0E-01	D16313.1	NT	Mouse cyokeratin 15 gene, complete cds
6221	15402	24843	3.34	3.0E-01	10947007	NT	Mus musculus mldnrlin (Mldn-pandling), mRNA
6290	15471	24912	1.75	3.0E-01	AF071810.1	NT	Streptococcus pneumoniae strain DBL5 PspA (pspA) gene, partial cds
6588	15784		4.89	3.0E-01	9910161	NT	Mus musculus C-type (calcium dependent, carbohydrate recognition domain) lectin, superfamily member 9 (Clec5f9), mRNA
6620	15816	25275	2.36	3.0E-01	BE568083.1	EST_HUMAN	601339079F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3681594 5'
7186	16363	25843	2.78	3.0E-01	AB030231.1	NT	Aspergillus oryzae btpA gene for ER chaperone BiP, complete cds
8240	17369	26904	3.04	3.0E-01	H51029.1	EST_HUMAN	yp84b10.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:194107 5'
8240	17369	26905	3.04	3.0E-01	H51029.1	EST_HUMAN	yp84b10.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:194107 5'
8852	18261		1.88	3.0E-01	AJ287631.1	NT	Rattus norvegicus mRNA for glyceraldehyde-3-phosphate dehydrogenase type 2 (gapdh-2 gene)
9149	18311		3.57	3.0E-01	6677766	NT	Mus musculus ribose 5-phosphate isomerase A (Rpie), mRNA
1706	10918		1.72	2.9E-01	AJ249895.1	NT	Mus musculus mas proto-oncogene and Igf2r gene for Insulin-like growth factor type 2 and L41ps and Au76 pseudogenes
1993	11196	20405	1.33	2.9E-01	AE000736.1	NT	Aquifex aeolicus section 68 of 109 of the complete genome
3217	12451	21583	1.76	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0326-171299-001-f12 CT0326 Homo sapiens cDNA
3217	12451	21584	1.76	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0326-171299-001-f12 CT0326 Homo sapiens cDNA
4048	13258	22360	0.88	2.9E-01	AB016426.1	NT	Cavia porcellus mRNA for glutathione s-transferase, complete cds
4061	13272		0.88	2.9E-01	AW002902.1	EST_HUMAN	w02f10.x1 NCI_CGAP_GCB8 Homo sapiens cDNA clone IMAGE:2480395 3'
4483	13681	22770	1.18	2.9E-01	AA284468.1	EST_HUMAN	zs57d12.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701591 5' similar to contains Alu repetitive element
4852	14041	23134	4.7	2.9E-01	AB018029.1	NT	Mus musculus gene, complete cds, similar to EXLM1
5144	14323		1.21	2.9E-01	AI670898.1	EST_HUMAN	w06f03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2297309 3' similar to contains L1.12 L1 repetitive element
5557	14781	24149	5.09	2.9E-01	X56098.1	NT	B. subtilis levanase operon levD, levE, levF, levG and sacC (partial) genes for fructose phosphotransferase system polypeptides P16,18,28,30 and levanase
5557	14781	24150	5.09	2.9E-01	X56098.1	NT	B. subtilis levanase operon levD, levE, levF, levG and sacC (partial) genes for fructose phosphotransferase system polypeptides P16,18,28,30 and levanase
5563	14787	24158	6.3	2.9E-01	5870662	NT	Mus musculus Eph receptor A8 (EphA8), mRNA
5799	15016	24419	2.5	2.9E-01	U03420.1	NT	Bos taurus myosin I mRNA, complete cds
6123	15307	24740	3.4	2.9E-01	Q04399	SWISSPROT	PUTATIVE MULTICOPPER OXIDASE YDR506C

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7470	16878	26160	2.13	2.9E-01	AF128843.1	NT	Trypanosoma cruzi stage-specific surface glycoprotein gp82 (gp82) mRNA, partial cds
7721	16920	26427	2.67	2.9E-01	V01394.1	NT	Torpedo californica mRNA encoding acetylcholine receptor gamma subunit
7721	16920	26428	2.67	2.9E-01	V01394.1	NT	Torpedo californica mRNA encoding acetylcholine receptor gamma subunit
8111	17245	26785	2.54	2.9E-01	AA935373.1	EST_HUMAN	my55h02.s1 NCL_CGAP_P12 Homo sapiens cDNA clone IMAGE:1273779 similar to contains LTR8.2 LTR8
8114	17248	26788	4.72	2.9E-01	AL136078.2	NT	repetitive element
8802	17727	23929	1.34	2.9E-01	AW005671.1	EST_HUMAN	Campylobacter jejuni NCTC11188 complete genome; segment 5/6
8893	17787	23920	3.11	2.9E-01	AF092453.1	NT	wz88f05.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2565921 3' similar to contains element
8202	17987	23860	1.57	2.9E-01	Y08937.1	NT	MER29 repetitive element
8202	17987	23861	1.57	2.9E-01	Y08937.1	NT	Homo sapiens TNF- α -inducible RNA binding protein (TIRP) gene, complete cds
575	9825		1.73	2.8E-01	U67136.1	NT	Chlamydomonas reinhardtii mRNA for nitrite reductase structural locus
580	9829		0.78	2.8E-01	Z8145.1	NT	Chlamydomonas reinhardtii mRNA for nitrite reductase structural locus
1091	10315	19469	3.05	2.8E-01	AF168050.1	NT	Rattus norvegicus A-kinase anchoring protein AKAP150 mRNA, complete cds
1284	10499	19659	1.07	2.8E-01	BE313442.1	EST_HUMAN	Prune dwarf virus movement protein, complete cds; coat protein, complete cds
1284	10499	19660	1.07	2.8E-01	BE313442.1	EST_HUMAN	Guinea guinea oocyte maturation factor Mos (c-mos) gene, partial cds
1298	10513	19671	0.98	2.8E-01	D86550.1	NT	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1702	10914	20102	1.41	2.8E-01	AW860020.1	EST_HUMAN	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1980	11184	20392	1.49	2.8E-01	AL047620.1	EST_HUMAN	Human mRNA for serine/threonine protein kinase, complete cds
2101	11301	20515	1.13	2.8E-01	AW511196.1	EST_HUMAN	QV1-CT0384-120200-085-b05 CT0384 Homo sapiens cDNA
2435	11626	20848	2.08	2.8E-01	AE000494.1	NT	DKFZp586i2321.t1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp586i2321
2435	11626	20849	2.08	2.8E-01	AE000494.1	NT	hd44b03.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2912333 3'
2512	11701		1.46	2.8E-01	AL161565.2	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2925	12163		1.56	2.8E-01	AF179480.1	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2928	12164	21298	1.96	2.8E-01	Z14037.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
2928	12164	21299	1.96	2.8E-01	Z14037.1	NT	Toxoplasma gondii 90kDa heat-shock protein (HSP90) mRNA, partial cds
3357	12585	21724	1.07	2.8E-01	AF000004.1	NT	B. laurus microsatellite (ETH121)
3973	13187	22285	2.91	2.8E-01	AE001180.1	NT	B. laurus microsatellite (ETH121)
4104	13311		0.75	2.8E-01	AE004450.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 777001-994000 nt. position (477)
4180	13384		2.28	2.8E-01	A090808.1	EST_HUMAN	Borrelia burgdorferi (section 68 of 70) of the complete genome
4454	13652	22747	2.77	2.8E-01	P13615	SWISSPROT	Pseudomonas aeruginosa PA01, section 11 of 529 of the complete genome
4792	13981	23085	1.17	2.8E-01	D15050.1	NT	ova44g10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640226 3' similar to contains Alu repetitive element; contains element MER22 repetitive element
4792	13981	23086	1.17	2.8E-01	D15050.1	NT	RNA POLYMERASE BETA SUBUNIT (LARGE STRUCTURAL PROTEIN) (L PROTEIN)
							Human mRNA for transcription factor AREB6, complete cds
							Human mRNA for transcription factor AREB6, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4839	14028	23120	0.95	2.8E-01	AF075238.1	NT	Hepatitis G virus isolate 60 (SZNAE12) polyprotein precursor, gene, partial cds
4846	14035	23128	2.96	2.8E-01	AF030154.1	NT	Bovine adenovirus 3 complete genome
4877	14085	23160	1.52	2.8E-01	BF528188.1	EST_HUMAN	602042801F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4180129 5'
4906	14094	23187	2.89	2.8E-01	AI272698.1	EST_HUMAN	ql59c11.x1 Soares NIHMPu_S1 Homo sapiens cDNA clone IMAGE:1878828 3' similar to contains Alu repetitive element; contains element LTR5 repetitive element;
5208	14384	23469	1.85	2.8E-01	AW806625.1	EST_HUMAN	MR1-ST0111-111195-010-g07 ST0111 Homo sapiens cDNA
5240	14414	23484	0.79	2.8E-01	U65949.1	NT	Mus musculus hepatocyte growth factor-like protein receptor (Ron) gene, complete cds
5291	14462	23530	0.68	2.8E-01	6878616	NT	Mus musculus Yamaguchi sarcoma viral (v-yes) oncogene homolog (Yes), mRNA
5338	18051	23843	22.74	2.8E-01	AA349997.1	EST_HUMAN	Mus musculus OCTN2 gene, complete cds
5494	14720	24077	2.89	2.8E-01	AB016625.1	NT	EST57072 Infant brain Homo sapiens cDNA 5' end
5976	15180	24607	7.37	2.8E-01	BF511215.1	EST_HUMAN	UI-H-B14-adi-f-04-0-UI.s1 NCL_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085182 3'
6531	15727	25182	3.85	2.8E-01	U51688.1	NT	Homo sapiens lancaster 14-alpha demethylase cytochrome P450 (CYP51) gene, exon 5
6651	15848	25182	8.12	2.8E-01	BF347847.1	EST_HUMAN	602022897F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4158525 5'
7095	16272	25749	4.31	2.8E-01	7708163	NT	Homo sapiens hypothetical protein (LOC51319), mRNA
7329	16545	26034	2.35	2.8E-01	BF241062.1	EST_HUMAN	601880794F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4109350 5'
7329	16545	26035	2.35	2.8E-01	BF241062.1	EST_HUMAN	601880794F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4109350 5'
7354	16570	26061	3.21	2.8E-01	BF685970.1	EST_HUMAN	601852148F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076028 5'
7457	16865	26154	2.95	2.8E-01	AF051662.1	NT	Drosophila heteronema fruitless (fru) gene, alternative splice products, 5' flanking region, exons 1 through 7 and complete cds
7827	17019		4.12	2.8E-01	BF674023.1	EST_HUMAN	602137418F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4273853 5'
8840	17749		7.9	2.8E-01	D83329.1	NT	Mus musculus DNA for prostaglandin D2 synthase, complete cds
8952	17826	23905	4.34	2.8E-01	BE178698.1	EST_HUMAN	PM4-HT0806-030400-001-a07 HT0806 Homo sapiens cDNA
8980	17847	23915	1.23	2.8E-01	BE900116.1	EST_HUMAN	601673020F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3955996 5'
9139	18268		2.15	2.8E-01	11433628	NT	Homo sapiens CDC42-binding protein kinase beta (DMPK-like) (CDC42BPB), mRNA
483	9735	18868	3.37	2.7E-01	Y17324.1	NT	Rattus norvegicus CDK104 mRNA
619	9864	18984	3.09	2.7E-01	AA450061.1	EST_HUMAN	z339b10.s1 Soares total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:788827 3' similar to contains Alu repetitive element;
1268	10483	19842	1.39	2.7E-01	AB004906.1	NT	Ipomoea purpurea transposable element Tip100 gene for transposase, complete cds
1598	10812		1.78	2.7E-01	X79815.1	NT	G. lamblia SR2 gene
1704	10916	20103	3.76	2.7E-01	W58067.1	EST_HUMAN	z322h10.t1 Soares fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:341443 5'
1746	10958	20141	1.35	2.7E-01	P03341	SWISSPROT	GAG POLYPROTEIN [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2105	12010		2.25	2.7E-01	AF047575.1	NT	Rattus norvegicus vesicular monocamine transporter type 2, promoter region and exon 1
2335	11528	20749	7.56	2.7E-01	Y13688.1	NT	Feline immunodeficiency virus env gene, isolate ITT0088PIU (M88), partial

Page 50 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2418	11609	20831	3.29	2.7E-01	A130858.1	EST_HUMAN	ta43c11.x2 NCI_CGAP_Lu26 Homo sapiens cDNA clone IMAGE:2048836 3' similar to contains element L1 repetitive element ;
2941	12179		0.66	2.7E-01	BF088284.1	EST_HUMAN	CM1-HT0875-060800-385-905 HT0875 Homo sapiens cDNA
3987	13201	22309	1.66	2.7E-01	A1928015.1	EST_HUMAN	wc82a11.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462828 3'
4001	13214	22318	0.77	2.7E-01	AF216214.1	NT	Drosophila buzzatii alpha-esterase 6 (ae6) gene, partial cds
4001	13214	22319	0.77	2.7E-01	AF216214.1	NT	Drosophila buzzatii alpha-esterase 6 (ae6) gene, partial cds
4007	13219	22322	2.21	2.7E-01	L77569.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
4914	14102	23185	1.12	2.7E-01	L27516.1	NT	Triticum aestivum (Wc686) gene, complete cds
5066	14246		2.97	2.7E-01	AW856131.1	EST_HUMAN	RC1-CT0286-230200-016-903 CT0286 Homo sapiens cDNA
5308	14539	23544	2.45	2.7E-01	P17277	SWISSPROT	HOMEBOX PROTEIN HOX-A4 (CHOX-1.4)
5991	15273	24702	2.12	2.7E-01	Q81554	SWISSPROT	FIBRILLIN 1 PRECURSOR
6234	15415	24856	1.66	2.7E-01	Q11079	SWISSPROT	HYPOTHETICAL 20.9 KD PROTEIN B0563.3 IN CHROMOSOME X
6371	15551	25007	1.99	2.7E-01	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
6371	15551	25008	1.99	2.7E-01	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
6862	16052	25519	3.3	2.7E-01	O83809	SWISSPROT	THREONYL-TRNA SYNTHETASE (THREONINE-TRNA LIGASE) (THRRS)
6862	16052	25520	3.3	2.7E-01	O83809	SWISSPROT	THREONYL-TRNA SYNTHETASE (THREONINE-TRNA LIGASE) (THRRS)
7117	16294	25776	3.68	2.7E-01	AF087434.1	NT	Mus musculus transcription factor NF-ATc1 isoform a (NF-ATc1) mRNA, complete cds
7389	16603	26091	2.21	2.7E-01	AV705043.1	EST_HUMAN	AV705043 ADB Homo sapiens cDNA clone ADBCOD05 5'
7389	16603	26092	2.21	2.7E-01	AV705043.1	EST_HUMAN	AV705043 ADB Homo sapiens cDNA clone ADBCOD05 5'
7389	16612	26102	4.34	2.7E-01	AJ133269.1	NT	Homo sapiens cavedin-1/2 locus, Contig1, D7S522, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)
8661	17638		1.41	2.7E-01	AJ012482.1	NT	Rattus norvegicus mRNA for phosphatidylinositol 3-kinase, catalytic subunit, beta isoform
9023	17874		1.5	2.7E-01	Q63627	SWISSPROT	GTD-BINDING SR-LIKE PROTEIN RA4
9122	17837		2.34	2.7E-01	AF217481.1	NT	Homo sapiens fragile 16D oxidoreductase (FOR) gene, exon 6
478	11988	18861	1.68	2.6E-01	P78411	SWISSPROT	IROQUOIS-CLASS HOMEODOMAIN PROTEIN IRX-2
487	9740		0.93	2.6E-01	D18459.1	NT	Bos taurus mRNA for mb-1, complete cds
1397	10811	19775	1.44	2.6E-01	BE85087.1	EST_HUMAN	601510338F1 NIH_MGC.71 Homo sapiens cDNA clone IMAGE:3912345 5'
1438	10652	19825	0.97	2.6E-01	AB013280.1	NT	Glycine max pseudogene for Bc 30K
1861	11088	20258	6.36	2.6E-01	AL161472.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2
1861	11088	20259	6.36	2.6E-01	AL161472.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2

Page 51 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2062	11263		10.1	2.6E-01	AW733152.1	EST_HUMAN	b604d10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2958451 3' similar to gb:M56072.50S RIBOSOMAL PROTEIN L7A (HUMAN); gb:M14689_cds1 Mouse surfeit locus surfeit 3 protein gene (MOUSE);
2121	11320	20538	1.03	2.6E-01	M11844.1	NT	Human prealbumin gene, complete cds
2436	11827		1.48	2.6E-01	Y12896.1	NT	B. maritimus rbcL gene
2511	11700		9.82	2.6E-01	BE27240.1	EST_HUMAN	601126016F.1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2990043 5'
3057	12283		1.03	2.6E-01	AW974531.1	EST_HUMAN	EST366835 MAGE resequences, MAGM Homo sapiens cDNA
3557	12780	21910	1.04	2.6E-01	M22342.1	NT	Bacteriophage T2 DNA (adenine-N6)methyltransferase (dam) gene, complete cds
3622	12843	21963	1.94	2.6E-01	AF229118.1	NT	Homo sapiens acetylcholinesterase collagen-like tail subunit (COLQ) gene, exons 1A, 2, 3, 4, and 5
3834	13150	22265	0.98	2.6E-01	AJ012174.2	NT	Chlamydomonas reinhardtii partial mpb gene for RNase P RNA subunit
3834	13150	22266	0.98	2.6E-01	AJ012174.2	NT	Chlamydomonas reinhardtii partial mpb gene for RNase P RNA subunit
4077	13287	22385	0.8	2.6E-01	AW658510.1	EST_HUMAN	EST371580 MAGE resequences, MAGF Homo sapiens cDNA
4136	13342	22443	17.81	2.6E-01	BE080598.1	EST_HUMAN	QV1-BT0630-040400-132-603 BT0630 Homo sapiens cDNA
4350	13552	22647	1.15	2.6E-01	AF175283.1	NT	Enterococcus faecium strain N97-330 vanD glycopeptide resistance gene cluster, complete cds; and unknown gene
4494	13692	22785	0.83	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4494	13692	22786	0.83	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4545	13740	22840	1.51	2.6E-01	AA457617.1	EST_HUMAN	aa89d07.r1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838477 5'
4848	13842	22832	1.45	2.6E-01	U01103.1	NT	Arabidopsis thaliana PSI type III chlorophyll a/b-binding protein (Lhca3-1) mRNA, complete cds
4726	13917	23018	1.39	2.6E-01	AF142703.1	NT	Ophiostoma radicola maturase-like protein (matK) gene, complete cds; chloroplast gene for chloroplast product
4991	14178	23289	4.02	2.6E-01	H04858.1	EST_HUMAN	y51e05.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:152288 5'
5088	14248		0.59	2.6E-01	AA884825.1	EST_HUMAN	am33b11.at Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1468605 3'
5203	14378	23465	1.24	2.6E-01	AA885392.1	EST_HUMAN	am81g11.s1 Stratagene schizos brain S11 Homo sapiens cDNA clone IMAGE:1629572 3' similar to contains L1.12 L1 repetitive element;
5699	18386		2.32	2.6E-01	AE001811.1	NT	Thermotoga maritima section 123 of 136 of the complete genome
5764	14973	24371	2.17	2.6E-01	AI582557.1	EST_HUMAN	ts02e12.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2227438 3' similar to SW:NDP1_RAT Q84289 NEUROGENIC DIFFERENTIATION FACTOR 1; contains element LTR1 repetitive element;
5764	14973	24372	2.17	2.6E-01	AI582557.1	EST_HUMAN	ts02e12.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2227438 3' similar to SW:NDP1_RAT Q84289 NEUROGENIC DIFFERENTIATION FACTOR 1; contains element LTR1 repetitive element;
6575	15771	25233	2.72	2.6E-01	BF343588.1	EST_HUMAN	602014422F1 NCI_CGAP_Brm84 Homo sapiens cDNA clone IMAGE:4150386 5'

Page 52 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6670	15874	25332	2.87	2.6E-01	BE830339.1	EST_HUMAN	RC5-ET0082-310500-021-F10 ET0082 Homo sapiens cDNA
6678	15874	25333	2.87	2.6E-01	BE830339.1	EST_HUMAN	RC5-ET0082-310500-021-F10 ET0082 Homo sapiens cDNA
7960	17099	26828	1.99	2.6E-01	P48280	SWISSPROT	CELL DIVISION PROTEIN FTSW HOMOLOG
8056	17191		25.68	2.6E-01	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
8400	17478		2.5	2.6E-01	10190655	NT	Mus musculus jerky (Jrk), mRNA
8603	18269		2.25	2.6E-01	BE803491.1	EST_HUMAN	601511032F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912612 5'
8672	17647	23978	2.93	2.6E-01	AF316898.1	NT	Homo sapiens Na/K-ATPase gamma subunit (FXYD2) gene, complete cds, alternatively spliced
9017	17869		1.39	2.6E-01	D88425.1	NT	Cavia cobaya mRNA for serine/threonine kinase, complete cds
9145	17950		1.29	2.6E-01	AF141325.2	NT	Homo sapiens inositol polyphosphate 1-phosphatase (INPP1) gene, complete cds
9184	17975		1.27	2.6E-01	P47285	SWISSPROT	HYPOTHETICAL PROTEIN MG039
245	9523	18653	2.05	2.5E-01	4502296	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
248	9523	18653	2.52	2.5E-01	4502296	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
259	9535		7.15	2.5E-01	M26501.1	NT	Starfish (P ochraceus) cytoplasmic actin gene, complete cds
842	10079	19237	1.27	2.5E-01	U09964.1	NT	Mus musculus ICR/Swiss glyoxaldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds
1067	10293		0.95	2.5E-01	AE002156.1	NT	Ureaplasma urealyticum section 57 of 59 of the complete genome
1129	10353	19505	9.34	2.5E-01	T89837.1	EST_HUMAN	ye11907.r1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:117488 5'
1385	10599		2.16	2.5E-01	AB025343.1	NT	Olea europaea OEW mRNA for lupeol synthase, complete cds
1703	10915		5.2	2.5E-01	4885406	NT	Homo sapiens hyperpolarization activated cyclic nucleotide-gated potassium channel 4 (HCN4) mRNA
1848	12004	20246	1	2.5E-01	BE696604.1	EST_HUMAN	PM4-CT0400-310700-005-d08 CT0400 Homo sapiens cDNA
1848	12004	20247	1	2.5E-01	BE696604.1	EST_HUMAN	PM4-CT0400-310700-005-d08 CT0400 Homo sapiens cDNA
2371	11564		5.84	2.5E-01	AE000675.1	NT	Aquifex aeolicus section 7 of 108 of the complete genome
2459	11850		1.02	2.5E-01	AA251987.1	EST_HUMAN	zst11a12.1 NCI CGAP GCBI Homo sapiens cDNA clone IMAGE:684862 5'
3390	12617		4.31	2.5E-01	AA973471.1	EST_HUMAN	EST385464 MAGe resources, MAGM Homo sapiens cDNA
3508	12732	21870	0.77	2.5E-01	AF233875.1	NT	Danio rerio peptide YY precursor gene, complete cds
3524	12748	21879	8.77	2.5E-01	AL161517.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 29
4045	13255		0.9	2.5E-01	P32323	SWISSPROT	A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR
4309	13510		0.85	2.5E-01	Q03314	SWISSPROT	RHIB PROTEIN
4761	13952		1.18	2.5E-01	Q27225	SWISSPROT	MOLT-INHIBITING HORMONE PRECURSOR (MIH)
4767	13956	23057	4.65	2.5E-01	AF007798.1	NT	Charistoneura fumiferana diapause associated protein 2 (DAP2) mRNA, complete cds
4781	13980	23084	2.54	2.5E-01	AE004416.1	NT	Vibrio cholerae chromosome II, section 73 of 93 of the complete chromosome

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4816	14005		3.4	2.5E-01	AJ230113.1	NT	Mus musculus ennedin V gene, intron 4 segment containing 5' LTR and gag portion of MuERV-L (murine endogenous retrovirus) element
5074	14254	23337	0.61	2.5E-01	AW873588.1	EST_HUMAN	h062f11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3041997 3' similar to WP:Y71F9A_294.D CE22858 ;
5349	14579	23656	12.94	2.5E-01	S83390.1	NT	T3 receptor-associated cofactor-1 [human, fetal liver, mRNA, 2930 nt]
6349	15529	24979	4.91	2.5E-01	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
6536	15732	25196	3.18	2.5E-01	BF038595.1	EST_HUMAN	601459238F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862809 5'
6668	15881	25320	4.29	2.5E-01	H53236.1	EST_HUMAN	y04407.11 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:202501 5'
6920	16113	25578	29.94	2.5E-01	U89651.2	NT	Homo sapiens matrix metalloproteinase MMP Resi-1 gene, promoter region
6920	16113	25579	28.84	2.5E-01	U89651.2	NT	Homo sapiens matrix metalloproteinase MMP Resi-1 gene, promoter region
7111	16288	25769	2.7	2.5E-01	AW581997.1	EST_HUMAN	RC3-ST0186-130100-015-e07 ST0186 Homo sapiens cDNA
7217	16394	25878	2.22	2.5E-01	X58491.1	NT	Mouse L1Md LINE DNA
7643	16843	26341	3.62	2.5E-01	D50914.1	NT	Human mRNA for KIAA0124 gene, partial cds
8335	17433	26938	4.13	2.5E-01	AF200528.1	NT	Zea mays cellulose synthase-4 (Cesa-4) mRNA, complete cds
8364	18350		6.92	2.5E-01	AL161641.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 41
8848	18192	23761	1.28	2.5E-01	AF170072.1	NT	Spodoptera frugiperda CALNLC mRNA, complete cds
8892	18113		1.37	2.5E-01	AV692543.1	EST_HUMAN	AV692543 GK Homo sapiens cDNA clone GKGGZF10 5'
560	9810	18933	1.07	2.4E-01	AA636316.1	EST_HUMAN	on70d04.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1562023 3'
858	10094	19257	2.17	2.4E-01	BF576124.1	EST_HUMAN	602132442F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271578 5'
1311	10527	19687	11.61	2.4E-01	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
1311	10527	19688	11.61	2.4E-01	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
1818	11026		21.38	2.4E-01	AF267753.1	NT	Mesembryanthemum crystallinum putative potassium channel protein Mkt1p mRNA, complete cds
1864	11071	20262	1.38	2.4E-01	AF251708.1	NT	Zaocys dhumnades fructose-1,6-bisphosphatase mRNA, complete cds
2107	11306	20520	1.03	2.4E-01	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
2134	11332		1.04	2.4E-01	P45384	SWISSPROT	IMMUNOGLOBULIN A1 PROTEASE PRECURSOR (IGA1 PROTEASE)
2227	11423	20649	1.67	2.4E-01	AE000680.1	NT	Aquilex scolicus section 12 of 109 of the complete genome
2349	11542	20765	1.01	2.4E-01	BF002171.1	EST_HUMAN	7h23d04.x1 NCL_CGAP_Co16 Homo sapiens cDNA clone IMAGE:3316807 3' similar to SW:FRSB_XENLA
2502	11691	20911	1.59	2.4E-01	Z36534.1	NT	O42586 26S PROTEASE REGULATORY SUBUNIT 6A ;
2717	11898	21113	5.18	2.4E-01	X71783.1	NT	D discoideum (Ax3-K) ponA gene
2739	11818	21132	4.61	2.4E-01	AF030154.1	NT	S pombe swi6 gene
						NT	Bovine adenovirus 3 complete genome
3097	12333		3.32	2.4E-01	U72726.1	NT	Onyza longistaminata receptor kinase-like protein, family member D, and retroflit (gag/pol) genes, complete cds
3643	12864	21982	1	2.4E-01	AF169793.1	NT	Podopsora anserina HET-C protein (Het-c) gene, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3743	12963	22078	0.89	2.4E-01	AE000312.1	NT	Escherichia coli K-12 MG1655 section 202 of 400 of the complete genome
4008	13220		0.9	2.4E-01	D29960.1	NT	Rattus norvegicus mRNA for alphaB crystallin-related protein, complete cds
5512	14737	24101	8.26	2.4E-01	AF091216.1	NT	Mus musculus Wm protein (Wm) gene, complete cds
5512	14737	24102	9.26	2.4E-01	AF091216.1	NT	Mus musculus Wm protein (Wm) gene, complete cds
							7154d04.x1 NCI_CGAP_Br16 Homo sapiens cDNA clone IMAGE:3338503 3' similar to SW:SFR4_HUMAN
							Q08170 SPLICING FACTOR, ARGININE/SERINE-RICH 4 ; contains element TAR1 TAR1 repetitive element
5612	14836	24211	2.4	2.4E-01	BF592336.1	EST_HUMAN	Drosophila melanogaster p38a MAP kinase gene, complete cds
5648	14871	24258	2.63	2.4E-01	AF035546.1	NT	Homo sapiens HSPC142 protein (HSPC142), mRNA
5703	14922	24315	2.49	2.4E-01	7661801	NT	w62c11.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2323220 3' similar to gb:J03464
5894	15111	24523	1.92	2.4E-01	AI698989.1	EST_HUMAN	PROCOLLAGEN ALPHA 2(I) CHAIN PRECURSOR (HUMAN);
6228	15409	24851	8.53	2.4E-01	L43001.1	NT	Bos taurus guanylyl cyclase-activating protein 2 (guca2) mRNA, complete cds
6945	16089	25556	6.01	2.4E-01	AI693515.1	EST_HUMAN	wd43602.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2330906 3' similar to contains
7191	16368	25847	2.4	2.4E-01	Q03692	SWISSPROT	MER22.b1 TAR1 repetitive element;
7351	16567	26057	3.3	2.4E-01	AL161494.2	NT	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR
7412	16624	26118	2.68	2.4E-01	AF030199.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 6
7754	16950		2.26	2.4E-01	Z21647.1	NT	Mus musculus type 1 sigma receptor gene, complete cds
8291	17404	26931	1.22	2.4E-01	AF217491.1	NT	P.asiatica mosaic virus genomic RNA
8426	18136		1.93	2.4E-01	AF004213.1	NT	Homo sapiens fragile 18D oxidoreductase (FOR) gene, exon 6
8492	17535		2.37	2.4E-01	AF004213.1	NT	Arabidopsis thaliana ethylene-insensitive3-like1 (EIL1) mRNA, complete cds
8720	18120		2.21	2.4E-01	V01507.1	NT	Mus musculus mRNA for putative mc7 protein (mc7 gene)
9180	17972		3.78	2.4E-01	AL163281.2	NT	Gallus gallus gene coding for e-actin
9222	18001		2.34	2.4E-01	L20422.1	NT	Homo sapiens chromosome 21 segment HS21C081
394	9649	18784	1.02	2.3E-01	S75898.1	NT	Human 14-3-3n protein mRNA, complete cds
643	9889		3.82	2.3E-01	U39713.1	NT	aromatase [Poephila guttata-zabara finches, ovary, mRNA, 3188 nt]
673	9918	19047	23.98	2.3E-01	U67596.1	NT	Mycoplasma genitalium section 35 of 51 of the complete genome
942	10175	19328	4.61	2.3E-01	BE311893.1	EST_HUMAN	Methanococcus jannaschii section 138 of 150 of the complete genome
1499	10712	19894	0.92	2.3E-01	6877880	NT	601142073F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3505818 5'
1609	10822	19898	3.69	2.3E-01	Y10887.2	NT	Mus musculus vacuolar protein sorting 4b (yeast) (Vps4b), mRNA
2012	11214		1.15	2.3E-01	AJ235353.1	NT	Mus musculus cdh5 gene, exon 1, partial
2409	11601	20821	1.57	2.3E-01	BE297718.1	EST_HUMAN	Homo sapiens partial intron 3 of the wild type AF-4/FEL gene
2776	10608	19770	2	2.3E-01	AB015033.1	NT	601175562F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531015 5'
							Martiliablia agarivorans gyrB gene for DNA gyrase subunit B, partial cds, strain:IFO 14957

Page 55 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2918	12156	21291	0.96	2.3E-01	AA601379.1	EST_HUMAN	nc16d06.s1 NCI_CGAP_Phet1 Homo sapiens cDNA clone IMAGE:1100843 3' similar to contains Alu repetitive element; contains element THR repetitive element;
3049	12285		7	2.3E-01	R21732.1	EST_HUMAN	y121b07.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:130357 3'
3349	12577	21718	1.24	2.3E-01	H69838.1	EST_HUMAN	y97h10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:213283 5'
3908	13125		5.19	2.3E-01	7682133	NT	Homo sapiens KIAA0450 gene product (KIAA0450), mRNA
4343	13545	22636	1.08	2.3E-01	R82252.1	EST_HUMAN	y17f01.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:149017 5'
4394	13595		1.97	2.3E-01	L78789.1	NT	Mus musculus renin (Ren-1c) gene, promoter region
4445	13644	22739	1.16	2.3E-01	D90899.1	NT	Synechocystis sp. PCC8803 complete genome, 1/27, 1-133859
4485	13683	22773	2.23	2.3E-01	AF092535.1	NT	Homo sapiens mitogen-activated protein kinase p38delta (PRKM13) mRNA, complete cds
4551	13746	22846	5.67	2.3E-01	5031884	NT	Homo sapiens nuclear transport factor 2 (placental protein 15) (PP15) mRNA
5075	14255	23338	0.64	2.3E-01	AB032400.1	NT	Mus musculus tulip 1 mRNA, complete cds
5252	14425		1.06	2.3E-01	AF090322.1	NT	Bos taurus NAD(+)-isocitrate dehydrogenase subunit 1 IDH1-B precursor (IDH) mRNA, nuclear gene encoding mitochondrial protein, complete cds
5332	14583	23637	2.38	2.3E-01	AB040945.1	NT	Homo sapiens mRNA for KIAA1512 protein, partial cds
5407	14635	23763	2.13	2.3E-01	BF058381.1	EST_HUMAN	7k30b06.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3476699 3' similar to SW:GAG SMSAV P03330 GAG POLYPROTEIN [CONTAINS: CORE PROTEIN P15; INNER COAT PROTEIN P12; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10];
5456	14862	24032	4.76	2.3E-01	X96587.1	NT	C.familliaris rom1 gene
5633	14857	24239	2.26	2.3E-01	A1708840.1	EST_HUMAN	as27e12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2318446 3' similar to gb:X13238 CYTOCHROME C OXIDASE POLYPEPTIDE VIC PRECURSOR (HUMAN);
5633	14857	24240	2.26	2.3E-01	A1708840.1	EST_HUMAN	as27e12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2318446 3' similar to gb:X13238 CYTOCHROME C OXIDASE POLYPEPTIDE VIC PRECURSOR (HUMAN);
6032	15240	24662	4.01	2.3E-01	A1718148.1	EST_HUMAN	as42f12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2319887 3' similar to contains Alu repetitive element;
6257	15438	24878	2.77	2.3E-01	AF176389.1	NT	Glycine max resistance protein LM17 precursor RNA, partial cds
6339	15519		3.64	2.3E-01	6754779	NT	Mus musculus myosin XV (Myo15), mRNA
6398	15579		2.64	2.3E-01	NB0983.1	EST_HUMAN	2a12e08.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:282358 5'
6462	15659	25131	2.45	2.3E-01	M68831.1	NT	Oxytricha nova macronuclear telomere-binding protein alpha subunit (tel-alpha alanine version) gene, complete cds
7049	16226	25701	3.31	2.3E-01	BE173060.1	EST_HUMAN	MRO-H-T0559-240400-014-g11 HT0559 Homo sapiens cDNA
7199	16376		5.86	2.3E-01	BF133577.1	EST_HUMAN	601846155R2 NIH_MGC_59 Homo sapiens cDNA clone IMAGE:4102092 3'
7744	16940	28450	1.81	2.3E-01	AJ250189.1	NT	Mus musculus partial mRNA for muscle protein 534 (mg534 gene)
7744	16940	28451	1.81	2.3E-01	AJ250189.1	NT	Mus musculus partial mRNA for muscle protein 534 (mg534 gene)
7801	17107	26637	2.22	2.3E-01	AE002167.2	NT	Chlamydomonas reinhardtii AR39, section 4 of 94 of the complete genome

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8410	17485		3.16	2.3E-01	U45428.1	NT	Borrelia burgdorferi 2.9-8 locus, ORF-A-D genes, complete cds and REP+ gene, partial cds
8503	17542		25.49	2.3E-01	T27231.1	EST_HUMAN	HCOEST44 HT29M6 Homo sapiens cDNA clone HCOE44 5'
8527	18083		1.36	2.3E-01	AA089819.1	EST_HUMAN	chm1424.seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
8536	17561		1.46	2.3E-01	AW863940.1	EST_HUMAN	PM4-SN0012-030400-001-008 SN0012 Homo sapiens cDNA
8599	18281	23681	3.26	2.3E-01	AW303623.1	EST_HUMAN	xx21d07.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2813773 3' similar to TR:Q9Z175
8635	18331	23603	6.25	2.3E-01	BE882464.1	EST_HUMAN	Q9Z175 LYSYL OXIDASE-RELATED PROTEIN 2; contains PTR5.b2 TAR1 repetitive element;
8687	17656		1.79	2.3E-01	BF665319.1	EST_HUMAN	601507202F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908689 5'
8739	17685		2.68	2.3E-01	AJ006518.1	NT	602144459F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4297719 5'
8834	17744		1.32	2.3E-01	U49645.1	NT	Rattus norvegicus mRNA for acid gated ion channel
9102	17925		3.77	2.3E-01	BF475611.1	EST_HUMAN	Pleurodeles waltl distal-less like protein PwDlk-3 (PwDlk-3) mRNA, complete cds
9261	18242	23708	1.28	2.3E-01	M60675.1	NT	nac39h12.x1 Lupski_sciatic_nerve Homo sapiens cDNA clone IMAGE:3395950 3' similar to contains element MER38 repetitive element;
89	9382	18512	0.82	2.2E-01	AI052190.1	EST_HUMAN	Human von Willebrand factor gene, exons 23 through 34
1547	10761	19935	2.55	2.2E-01	AF187850.1	NT	cz14e10.x1 Soares_fetal_liver spleen_NFLS_S1 Homo sapiens cDNA clone IMAGE:1675290 3' similar to
1986	11189	20474	0.99	2.2E-01	AF171901.1	NT	TR:Q13040 Q13040 ATP-BINDING CASSETTE PROTEIN;
2056	11259	20474	2.57	2.2E-01	M34840.1	NT	Homo sapiens PPAR delta gene, promoter region
2367	11560	20782	5.34	2.2E-01	BF877538.1	EST_HUMAN	Trimeresurus malabaricus cyb gene, partial cds; mitochondrial gene for mitochondrial product
2548	11736	20953	1.67	2.2E-01	BE618258.1	EST_HUMAN	Fresh-water sponge Emf1 alpha collagen (COLF1) gene
2548	11736	20954	1.67	2.2E-01	BE618258.1	EST_HUMAN	602085608F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249969 5'
2835	12074	21196	5.33	2.2E-01	BE155625.1	EST_HUMAN	601462628F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866190 5'
2835	12074	21197	5.33	2.2E-01	BE155625.1	EST_HUMAN	601462628F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866190 5'
2871	12109		1.67	2.2E-01	AF020503.1	NT	PM2-HT0353-281299-003-a12 HT0353 Homo sapiens cDNA
3369	12597		2.58	2.2E-01	AL161562.2	NT	PM2-HT0353-281299-003-a12 HT0353 Homo sapiens cDNA
3735	12955	22071	0.61	2.2E-01	AL163285.2	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
3803	13021		1.59	2.2E-01	AF155728.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 62
4073	13283	22382	0.59	2.2E-01	AF213391.1	NT	Homo sapiens chromosome 21 segment HS21C085
4108	13313		0.61	2.2E-01	U68174.1	NT	Xiphophorus maculatus truncated Rex1 retrotransposon reverse transcriptase (RT) pseudogene
4185	13399		1.05	2.2E-01	AF119102.1	NT	Mus musculus ATP-binding cassette protein (Abcb8) mRNA, partial cds
4203	13406	22501	6.45	2.2E-01	AF155142.1	NT	Mus musculus breast/ovarian cancer susceptibility protein (BRCA1) mRNA, complete cds
							Drosophila melanogaster UNC-119 (unc-119) gene, complete cds
							Mus musculus mixed lineage kinase 3 (Mlk3) and two pore domain K+ channel subunit (Kcnk6) genes, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4250	13453	22544	2.81	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase kinase 1 (Mekk1) mRNA, complete cds
4250	13453	22545	2.81	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase kinase 1 (Mekk1) mRNA, complete cds
4349	13551	22845	1.25	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4349	13551	22846	1.25	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4842	14031		1.18	2.2E-01	D50804.1	NT	Human beta-cytoplasmic actin (ACTBP9) pseudogene
4848	14037	23130	2.94	2.2E-01	AA211216.1	EST_HUMAN	zq87c05.r1 Strategene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:848988 5'
5069	14249		1.22	2.2E-01	L13288.1	NT	Mus musculus vinculin gene, exon 3
5549	14773	24141	1.96	2.2E-01	5803002	NT	Homo sapiens diaphanous (Drosophila, homolog) 2 (DIAPH2), transcript variant 156, mRNA
5553	14777		4.03	2.2E-01	D64000.1	NT	Synechocystis sp. PCC6803 complete genome, 19/27, 2392729-2538999
6097	15297	24729	9.28	2.2E-01	AV756238.1	EST_HUMAN	AV756238 BM Homo sapiens cDNA clone BMFAHC08 5'
6204	15385	24827	1.82	2.2E-01	M24136.1	NT	Human glycophorin B gene, exon 4
6204	15385	24828	1.82	2.2E-01	M24136.1	NT	Human glycophorin B gene, exon 4
8470	15667		2.99	2.2E-01	AF155143.1	NT	Human glycophorin B gene, exon 4
8742	15637	25398	2.32	2.2E-01	AE001713.1	NT	Mus musculus nm23-M1 gene, promoter region
6771	15966		2.88	2.2E-01	AW85039.1	EST_HUMAN	Thermotoga maritima section 25 of 136 of the complete genome
6811	16006	25467	2.22	2.2E-01	8393247	NT	PM3-CT0263-241289-008-b07 CT0263 Homo sapiens cDNA
6828	16022	25488	3.05	2.2E-01	BF376354.1	EST_HUMAN	Mus musculus deformed epidermal autoregulatory factor 1 (Drosophila) (Dear1), mRNA
6857	16109	25575	22.93	2.2E-01	P48834	SWISSPROT	MIR1-TN0045-110900-008-c02 TN0045 Homo sapiens cDNA
							LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
							Funaria hygrometrica chloroplast-localized small heat shock protein (CP-sHSP21) mRNA, complete cds;
							nuclear gene for chloroplast product
7016	16193	25687	3.82	2.2E-01	AF197941.1	NT	601889724F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4100189 5'
7056	16232	25707	2.87	2.2E-01	BF208507.1	EST_HUMAN	Drosophila 68C glue gene cluster
7859	17098	26628	5.39	2.2E-01	X01918.1	NT	Homo sapiens H-2K binding factor-2 (LOC51580), mRNA
7996	16431	25918	2.96	2.2E-01	7708215	NT	601446957F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850670 5'
8338	17436		2.96	2.2E-01	BE870959.1	EST_HUMAN	Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12 (MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), calreticulin (CALT), NAD(P)H dehydrogenase-like protein (NSDHL), and LIP
							Vitis vinifera cultivar Pinot Noir plasma membrane aquaporin (PIP1a) mRNA, complete cds
8447	18342		3.58	2.2E-01	U82671.2	NT	RC1-CT0249-141199-021-g04 CT0249 Homo sapiens cDNA
8539	17584		2.37	2.2E-01	AF188843.1	EST_HUMAN	AV094801 GKC Homo sapiens cDNA clone GKCAHB02 5'
8856	14496	23584	3.17	2.2E-01	AW361098.1	EST_HUMAN	601876482F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4104996 5'
9192	18336		2.87	2.2E-01	AV694801.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 74
9273	18036	23843	1.35	2.2E-01	BF243095.1	EST_HUMAN	nm31e11.s1 NCL_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:1061804
9284	18283	23882	1.57	2.2E-01	AL161578.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
978	10210	19368	1.69	2.1E-01	AA569289.1	EST_HUMAN	
981	10212	19368	1.98	2.1E-01	AL161504.2	NT	

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1132	10355		3.44	2.1E-01	AE002314.2	NT	Chlamydia muridarum, section 45 of 85 of the complete genome
1208	10425	19580	1.31	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Ifnar2), mRNA
1208	10425	19581	1.31	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Ifnar2), mRNA
1878	11085	20275	1.91	2.1E-01	AA906824.1	EST_HUMAN	ok73e02.s1 NC1_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1619810 3' similar to gb:K02765
2124	11323	20541	4.13	2.1E-01	BF695073.1	EST_HUMAN	COMPLEMENT C3 PRECURSOR (HUMAN); 602083123F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4247503 5'
2875	12113	21241	2.07	2.1E-01	6912445	NT	Homo sapiens potassium voltage-gated channel, subfamily H (eag-related), member 4 (KCNH4), mRNA
2877	12155	21290	1.12	2.1E-01	U72145.1	NT	Cryptosporidium parvum 3-hydroxy-3-methylglutaryl coenzyme A reductase (hmrg3) mRNA, complete cds
3794	13012	22345	6.61	2.1E-01	9838361	NT	Beta vulgaris mitochondrion, complete genome
4031	13241	22345	1.17	2.1E-01	P11675	SWISSPROT	IMMEDIATE-EARLY PROTEIN IE180
4031	13241	22346	1.17	2.1E-01	P11675	SWISSPROT	IMMEDIATE-EARLY PROTEIN IE180
4238	13439		2.87	2.1E-01	AF124526.1	NT	Orchestia cavimana calcium-binding protein BP23 precursor (BP23) gene, complete cds
4370	13572		1.53	2.1E-01	AB033041.1	NT	Homo sapiens pshsp47 gene, complete cds
4574	13768	22863	1.99	2.1E-01	AB010273.1	NT	Homo sapiens pshsp47 gene, complete cds
5290	14461	23528	1.2	2.1E-01	AE001173.1	NT	Borrelia burgdorferi (section 59 of 70) of the complete genome
5329	14561	23633	6	2.1E-01	BF672695.1	EST_HUMAN	602152001F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4283001 5'
6258	15439		2.04	2.1E-01	AE000972.1	NT	Archaeoglobus fulgidus section 135 of 172 of the complete genome
6378	15558	25014	1.82	2.1E-01	AF000949.1	NT	Canis familiaris keratin (KRT9) gene, complete cds
6776	15971	25427	5.83	2.1E-01	Z35786.1	NT	S. cerevisiae chromosome II reading frame ORF YBL025w
6918	16111	25577	4.67	2.1E-01	X97378.1	NT	A. thaliana mRNA for AtRanBP1b protein
7182	16359	25838	2.49	2.1E-01	P52824	SWISSPROT	DIACYLGLYCEROL KINASE, DELTA (DIGLYCERIDE KINASE) (DGK-DELTA) (DAG KINASE DELTA)
8098	17232		2.2	2.1E-01	11038647	NT	(80 KD DIACYLGLYCEROL KINASE)
8109	17243	26784	2.2	2.1E-01	BE180422.1	EST_HUMAN	Homo sapiens pancreatic polypeptide 2 (PPY2), mRNA
8810	17731		1.54	2.1E-01	AF217490.1	NT	RC3-H10622-040500-013-b11 HT0622 Homo sapiens cDNA
9034	18247		1.26	2.1E-01	L32588.1	NT	Homo sapiens fragile 16D acid reductase (FOR) gene, exons 8, 9, and partial cds
9228	18004	23848	1.66	2.1E-01	BE672330.1	EST_HUMAN	Homo sapiens fragile 16D acid reductase (FOR) gene, exons 8, 9, and partial cds
205	9485	18619	4.22	2.0E-01	AB017437.1	NT	Human granulosa gene
540	9781		2.28	2.0E-01	7705601	NT	Gallus gallus mRNA for avian, complete cds
708	9948	19084	0.93	2.0E-01	M77085.1	NT	Homo sapiens CGI-18 protein (LOC51008), mRNA
820	10058	19211	1.86	2.0E-01	AF027885.1	NT	O. cuniculus germline IgH heavy chain V-H pseudogene, allotype VH2
1019	10247	18398	0.76	2.0E-01	D80905.1	NT	Mus musculus Major Histocompatibility Locus class II region
							Synechocystis sp. PCC6803 complete genome, 7127, 781449-920915

Page 59 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1133	10356	19507	3.48	2.0E-01	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
1281	10478	19638	1.65	2.0E-01	AJ132895.5	NT	Homo sapiens rac1 gene
1315	10531	19693	1.37	2.0E-01	AW384837.1	EST_HUMAN	PM1-HT0422-291299-002-c06 HT0422 Homo sapiens cDNA
1480	10693	19868	12.02	2.0E-01	4503408	NT	Homo sapiens dystrobrevin, alpha (DTNA), mRNA
1537	10750	19923	4.33	2.0E-01	AB007974.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0505
1542	10755	19929	1.25	2.0E-01	AF260700.1	NT	Homo sapiens sodium/folate symporter mRNA, partial cds
1672	10885	20069	2.02	2.0E-01	U22346.1	NT	Human bradykinin B1 receptor (bradyb1) gene, complete cds
1692	10904		2.15	2.0E-01	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1729	10941		3.16	2.0E-01	U67525.1	NT	Methanococcus jannaschii section 67 of 150 of the complete genome
1855	11062	20252	4.96	2.0E-01	BE871330.1	EST_HUMAN	601449441F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3853330 5'
1855	11062	20253	4.96	2.0E-01	BE871330.1	EST_HUMAN	601449441F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3853330 5'
2316	11510		1.67	2.0E-01	X82877.1	NT	H. sapiens Na+-D-glucose cotransport regulator gene
							HOMEBOX PROTEIN GLABRA2 (HOMEBOX-LEUCINE ZIPPER PROTEIN ATHB-10) (HD-ZIP
3462	12687	21823	1.8	2.0E-01	P46807	SWISSPROT	PROTEIN ATHB-10)
3544	12767		0.7	2.0E-01	AW238005.1	EST_HUMAN	xp15b02.x1 NCI_CGAP_HN9 Homo sapiens cDNA clone IMAGE:2740395 3' similar to contains element
3686	12907	22027	0.99	2.0E-01	P34841	SWISSPROT	MER21 repetitive element ;
3691	12912		0.65	2.0E-01	6680797	NT	GED-11 PROTEIN
3631	13147	22264	0.71	2.0E-01	Z46906.1	NT	Mus musculus bone morphogenetic protein 6 (Bmp6), mRNA
							Sus scrofa
4423	13623	22718	0.6	2.0E-01	AF242431.1	NT	Mus musculus neuronal apoptosis inhibitory protein 6 (Naip6) gene, complete cds; and Naip3 gene, exons 2-9 and 11-16
4563	13757		9.02	2.0E-01	BE828165.1	EST_HUMAN	QV4-EN0032-190500-223-603 EN0032 Homo sapiens cDNA
5065	14245	23332	5.68	2.0E-01	8922080	NT	Homo sapiens hypothetical protein ASH1 (ASH1), mRNA
5135	14313	23405	1.02	2.0E-01	Y19216.1	NT	Homo sapiens putative psih-HbD pseudogene for hair keratin, exons 1 to 9
5232	14408	23489	1.4	2.0E-01	M58257.1	NT	Human carcinoembryonic antigen (CEA) gene, exon 4
5415	14643	23775	2.42	2.0E-01	X56600.1	NT	Rat SOD-2 gene for manganese-containing superoxide dismutase
5547	14771	24138	2.26	2.0E-01	11432540	NT	Homo sapiens dual oxidase-like domain 2 (DUOX2), mRNA
5693	14913	24407	5.85	2.0E-01	U15300.1	NT	Saccharomyces cerevisiae Hal5p (HAL5) mRNA, complete cds
5842	15059	24467	3.26	2.0E-01	X61033.1	NT	M. auratus mu class glutathione transferase gene
5891	15108	24519	4.07	2.0E-01	AW360885.1	EST_HUMAN	PM1-CT0247-141099-001-g06 CT0247 Homo sapiens cDNA
6443	15640		8.48	2.0E-01	AF028028.1	NT	Andes Virus strain O123133 glycoprotein G1 and G2 precursor, gene, partial cds
6529	15725	25190	4.35	2.0E-01	X61151.1	NT	M. musculus scp2 gene exon 14
6839	16083		4.41	2.0E-01	AE001278.1	NT	Chlamydia trachomatis section 5 of 87 of the complete genome
7038	16215		2.78	2.0E-01	AF146892.1	NT	Homo sapiens filamin 2 (FLN2) mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7417	16829	26121	2.97	2.0E-01	D88088.1	NT	Salvelinus pluvius mRNA for transferrin, complete cds
7417	16829	26122	2.97	2.0E-01	D88088.1	NT	Salvelinus pluvius mRNA for transferrin, complete cds
9051	17923	23874	2.36	2.0E-01	A023592.1	EST_HUMAN	ov80a10.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1643610 3'
9074	17900		7.52	2.0E-01	AF078164.2	NT	Homo sapiens Ku70-binding protein (KUB3) mRNA, partial cds
9218	17987	23868	1.9	2.0E-01	11528495	NT	Mus musculus fructosebimane 3 kinase (Fn3k), mRNA
110	8398		8.7	1.9E-01	7549743	NT	Rattus norvegicus Aryl hydrocarbon receptor nuclear translocator 1 (Ahr1), mRNA
357	9625	18755	7.17	1.9E-01	AF004353.1	NT	Mus musculus pale ear (ep) gene, wild type allele, 3' region, partial cds
682	9908	18038	1.12	1.9E-01	U32581.2	NT	Homo sapiens lambda/tda protein kinase C-interacting protein mRNA, complete cds
682	9908	19037	1.12	1.9E-01	U32581.2	NT	Homo sapiens lambda/tda protein kinase C-interacting protein mRNA, complete cds
683	9915	19044	5.78	1.9E-01	BE070801.1	EST_HUMAN	RC3-BT0502-251199-011-d01 BT0502 Homo sapiens cDNA
670	9915	19044	6.13	1.9E-01	BE070801.1	EST_HUMAN	RC3-BT0502-251199-011-d01 BT0502 Homo sapiens cDNA
993	10224		1.39	1.9E-01	7305180	NT	Mus musculus interleukin 2 receptor, gamma chain (Il2rg), mRNA
1112	10336	19487	13.08	1.9E-01	AA358913.1	EST_HUMAN	EST07784 Fetal lung II Homo sapiens cDNA 5' end
1378	10592	19758	2.31	1.9E-01	AF001282.1	NT	Sorghum bicolor 22 kDa kafirin cluster
1437	10851		3.35	1.9E-01	AF184823.1	NT	Plasmodium vivax reticulocyte binding protein-2 (rbp-2) gene, complete cds
2348	11541	20794	5.01	1.9E-01	8922533	NT	Homo sapiens hypothetical protein FL110581 (FL110581), mRNA
2873	12111	21239	4.08	1.9E-01	U68068.1	NT	Sigmodon hispidus p53 gene, partial cds
2889	12126		8.97	1.9E-01	J00922.1	NT	Gallus gallus ovalbumin (Y) gene, complete cds
2960	12198	21333	1.11	1.9E-01	U25148.1	NT	Rattus norvegicus brush border myosin-1 (BBM1) mRNA, partial cds
3373	12801	21737	4.46	1.9E-01	D13197.1	NT	Mouse gene for immunoglobulin diversity region D1
3455	12880	21815	5.59	1.9E-01	R16467.1	EST_HUMAN	Y42F10.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:128547 5'
3792	13010	22125	0.72	1.9E-01	AF264017.1	NT	Rattus norvegicus arylacetamide deacetylase gene, complete cds
3970	13185	22294	3.62	1.9E-01	AB006784.1	NT	Schizosaccharomyces pombe DNA for cytoplasmic dynein heavy chain, complete cds
4058	13270	22372	1.83	1.9E-01	AW754108.1	EST_HUMAN	CM3-CT0315-271199-045-b11 GT0315 Homo sapiens cDNA
4216	13419	22514	1.02	1.9E-01	BE834943.1	EST_HUMAN	MR1-FN0010-290700-007-404 FN0010 Homo sapiens cDNA
4465	13683	22756	0.59	1.9E-01	AL161493.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 5
4783	13972	23075	0.78	1.9E-01	Z83780.1	NT	Fugu rubripes genes encoding carbamoyl phosphate synthetase III, myosin light chain, MAP2
5035	14220		1.08	1.9E-01	AF223642.1	NT	Rattus norvegicus chemokine receptor CXCR3 mRNA, complete cds
5243	14480		3.78	1.9E-01	AE004594.1	NT	Pseudomonas aeruginosa PA01, section 155 of 528 of the complete genome
5492	14718		4.47	1.9E-01	AW130148.1	EST_HUMAN	Xf28a07.x1 NCI_CGAP_L111 Homo sapiens cDNA clone IMAGE:2619444 3' similar to gb:M73779 RETINOIC ACID RECEPTOR ALPHA-1 (HUMAN);
5509	14734	24098	7.78	1.9E-01	AF127937.1	NT	Homo sapiens DNA polymerase epsilon catalytic subunit protein (POLE1) gene, exon 1a
5607	14831		2.29	1.9E-01	AU133118.1	EST_HUMAN	AU133118 NT2RP4 Homo sapiens cDNA clone NT2RP401328 5'
6308	15487	24932	2.74	1.9E-01	AF072724.1	NT	Zea mays starch branching enzyme I (sbe1) gene, complete cds

Page 61 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6675	15870	25329	15.9	1.8E-01	AB033024.1	NT	Homo sapiens mRNA for KIAA1198 protein, partial cds
7237	18458	25946	1.88	1.8E-01	AL161503.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 15
7237	18458	25947	1.88	1.8E-01	AL161503.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 15
7340	16556	26044	2.08	1.8E-01	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8215	17346	26886	2.81	1.8E-01	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
9239	18175		1.52	1.8E-01	7524759	NT	Chlorella vulgaris chloroplast, complete genome
33	9329	18434	3.28	1.8E-01	U73200.1	NT	Mus musculus p116Rip mRNA, complete cds
284	11884	18669	2.47	1.8E-01	AB022090.1	NT	Mus musculus Ccig gene for chaperonin containing TCP-1 gamma subunit, partial cds
375	9841	18776	1.41	1.8E-01	4502532	NT	Homo sapiens calcium channel, voltage-dependent, beta 2 subunit (CACNB2) mRNA, and translated products
754	9895	19140	0.76	1.8E-01	AB021490.2	NT	Oryza latipes gene for membrane guanylyl cyclase OIGC1, complete cds
989	10220	19374	0.88	1.8E-01	A1912212.1	EST_HUMAN	wt71f02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2337051 3'
1099	10322	19473	3.09	1.8E-01	AF000580.1	NT	Dictyostelium discoideum plasmid Ddp5, complete genome
1295	10510	19670	8.42	1.8E-01	AL117189.1	NT	Yersinia pestis plasmid pCD1
1814	11022		1.71	1.8E-01	4505036	NT	Homo sapiens latent transforming growth factor beta binding protein 4 (LTBP4) mRNA
1832	11040		1.82	1.8E-01	A1793708.1	EST_HUMAN	qg22d10.x5 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1761811 3' similar to TR:O75936 O75936 GAMMA BUTYROBETAINE HYDROXYLASE
1880	11087	20277	1.52	1.8E-01	AB051897.1	NT	Mus musculus Scya6, Scya9, Scya16-ps, Scya5 genes for small inducible cytokine A6 precursor, small inducible cytokine A9 precursor, Scya16 pseudogene, small inducible cytokine A5 precursor, complete cds
2852	11835		2.24	1.8E-01	AW935728.1	EST_HUMAN	QV3-DT0018-081299-036-g04 DT0018 Homo sapiens cDNA
2850	12089		1.85	1.8E-01	AF184589.1	NT	Joropsidium acaule LEAFY protein (LEAFY2) gene, partial cds
2855	12093	21223	1.11	1.8E-01	AW182300.1	EST_HUMAN	x41a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2859758 3'
3088	12324	21446	1.86	1.8E-01	AW995178.1	EST_HUMAN	QV0-BN0041-070300-147-c04 BN0041 Homo sapiens cDNA
3344	12572	21711	0.8	1.8E-01	BF183582.1	EST_HUMAN	601B09723R1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040821 3'
3600	12821	21942	0.97	1.8E-01	H03369.1	EST_HUMAN	y45e01.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:161704 3' similar to contains Alu repetitive element
3600	12821	21943	0.97	1.8E-01	H03369.1	EST_HUMAN	y45e01.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:161704 3' similar to contains Alu repetitive element
4325	13526		1.2	1.8E-01	D37954.1	NT	Bovine NB25 mRNA for MHC class II (BoLA-DQB), complete cds
4553	13748	22847	5.71	1.8E-01	AL161556.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 56

Page 62 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4784	13973	23076	2.53	1.8E-01	AB051897.1	NT	Mus musculus Scya6, Scya6, Scya6-ps, Scya6 genes for small inducible cytokine A6 precursor, small inducible cytokine A6 precursor, Scya6 pseudogene, small inducible cytokine A5 precursor, complete cds
5072	14252	23335	2.38	1.8E-01	AW814270.1	EST_HUMAN	MR3-ST0203-131299-112-g06 ST0203 Homo sapiens cDNA
5091	14271	23355	4.94	1.8E-01	AI792382.1	EST_HUMAN	an28g07.y6 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:170028 5'
5128	14305	23395	7.48	1.8E-01	AF181258.1	NT	Mesocricetus auratus Na-taurocholate cotransporting polypeptide mRNA, partial cds
5143	14322	23414	1.28	1.8E-01	AI439881.1	EST_HUMAN	ii57a04.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2134560 3'
5254	14427	23503	11.75	1.8E-01	AW809402.1	EST_HUMAN	MR4-ST0121-041199-019-501 ST0121 Homo sapiens cDNA
5904	15121		2.11	1.8E-01	N94853.1	EST_HUMAN	y62h02.r1 Soares_multiple_sclerosis_2NblMSP Homo sapiens cDNA clone IMAGE:278163 5'
7231	16452	26942	2.63	1.8E-01	X77336.1	NT	A.thaliana mRNA for ribonucleotide reductase R2
7270	16489	25979	7.41	1.8E-01	U38908.1	NT	Bacteriophage r11 integrase, repressor protein (ro), dUTPase, holin and lysis genes, complete cds
7322	15289	24721	2.94	1.8E-01	AB018561.1	NT	Citullus lanatus mRNA for wus, complete cds
7322	15289	24722	2.94	1.8E-01	AB018561.1	NT	Citullus lanatus mRNA for wus, complete cds
7323	16539	26028	4.55	1.8E-01	AF019107.1	NT	Dicotyledon discoidium unknown (DG1041) gene, complete cds
7588	16792	26284	1.89	1.8E-01	M59257.1	NT	Human carcinoembryonic antigen (CEA) gene, exon 4
7998	16433	25921	4.57	1.8E-01	X57033.1	NT	B.taurus mRNA for potassium channel
8236	17365	26903	2.48	1.8E-01	8394421	NT	Rattus norvegicus Thromboxane receptor (Tbx2r), mRNA
8371	17458		1.24	1.8E-01	10086561	NT	Bovine ephemeral fever virus, complete genome
8433	17499	24014	1.38	1.8E-01	BF348623.1	EST_HUMAN	602019928F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4155318 5'
8919	17805		2.59	1.8E-01	Q96882	SWISSPROT	DNA TERMINAL PROTEIN (BELLETT PROTEIN) (PTP PROTEIN)
9042	17884		9.36	1.8E-01	R24494.1	EST_HUMAN	y48h10.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:133027 5'
9084	17908		1.96	1.8E-01	Y11114.1	NT	E.coli mRNA for hexokinase (hck1)
584	9833	18951	1.41	1.7E-01	BE385184.1	EST_HUMAN	601274604F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615768 5'
815	10053	19207	2.22	1.7E-01	X53330.1	NT	P.dumerilii histone gene cluster for core histones H2A, H2B, H3 and H4
988	10201		1.93	1.7E-01	P35616	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
1065	10281	19441	0.82	1.7E-01	AF081810.1	NT	Lymnaea dispar nucleopolydnavirus, complete genome
1065	10291	19442	0.82	1.7E-01	AF081810.1	NT	Lymnaea dispar nucleopolydnavirus, complete genome
1786	10896	20192	1.31	1.7E-01	AL161573.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 69
1950	11154		3.02	1.7E-01	AF255051.1	NT	Homo sapiens BNIP3H (BNIP3H) gene, complete cds, nuclear gene for mitochondrial product
2812	12052	21173	1.9	1.7E-01	AF000716.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL VIBCO gene, partial cds

Page 63 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2812	12052	21174	1.9	1.7E-01	AF000718.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL_VIBCO gene, partial cds
2877	12115	21244	1.75	1.7E-01	AA336909.1	EST_HUMAN	EST41651 Endometrial tumor Homo sapiens cDNA 5' end
2954	12192	21328	1.34	1.7E-01	AJ238736.1	NT	Naja naja atra cbr-1 gene, exons 1-3
2954	12192	21327	1.34	1.7E-01	AJ238736.1	NT	Naja naja atra cbr-1 gene, exons 1-3
3089	12305	21427	1.82	1.7E-01	AF081514.1	NT	Taxus canadensis geranylgeranyl diphosphate synthase mRNA, complete cds
3343	12571	21710	0.87	1.7E-01	N55763.1	EST_HUMAN	J2346F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2346 5'
3423	12848	21778	1.51	1.7E-01	AJ269505.1	NT	Anabaena sp. ORF4 (partial), ORF3, ORF2, ORF1, adpA gene, adpB gene, adpC gene, adpD gene, adpE gene and adpF gene
3605	12826		0.66	1.7E-01	5031886	NT	Homo sapiens LIM domain-containing preferred translocation partner in lipoma (LPP) mRNA
3912	13128	22245	5.85	1.7E-01	AJ235377.1	NT	Homo sapiens derivative 11 breakpoint fragment: partial intron 10 of the ALL-1/MLL/HRX gene fused to intron 5 of the AF-4/FEL gene
4453	12052	21173	3.09	1.7E-01	AF000718.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL_VIBCO gene, partial cds
4453	12052	21174	3.09	1.7E-01	AF000718.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL_VIBCO gene, partial cds
4558	13752		1.93	1.7E-01	X52936.1	NT	Schistosoma gregaria alpha repetitive DNA
4773	13962	23064	0.73	1.7E-01	AF217490.1	NT	Homo sapiens fragile 16D cDNA clone IMAGE:1948808 3' similar to
4857	14045	23139	1.13	1.7E-01	AJ247635.1	EST_HUMAN	contains ORF.b1 ORF repetitive element;
5154	14333		1.49	1.7E-01	AF072725.1	NT	Zea mays starch branching enzyme 1b (ae) gene, complete cds
5801	15018	24420	11.05	1.7E-01	H72118.1	EST_HUMAN	ys02g06.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:213658 3'
6033	15241		2.09	1.7E-01	AF028552.3	NT	Mesocricetus auratus oviductin precursor (OVI) gene, complete cds
6205	15388	24828	8.82	1.7E-01	BE734178.1	EST_HUMAN	601569022F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843964 5'
6551	15747	25207	5.8	1.7E-01	7706428	NT	Homo sapiens cleavage and polyadenylation specificity factor 3, 73kD subunit (CPSF3), mRNA
6551	15747	25208	5.8	1.7E-01	7706428	NT	Homo sapiens cleavage and polyadenylation specificity factor 3, 73kD subunit (CPSF3), mRNA
6889	15884	25344	3.97	1.7E-01	DO0384.1	NT	Rat (SHR strain) SX1 gene
6958	16134	25604	11.14	1.7E-01	AP001508.1	NT	Bacillus halodurans genomic DNA, section 2/14
6995	16173	25644	2.81	1.7E-01	U16288.1	NT	Human class IV alcohol dehydrogenase (ADH7) gene, exon 3
7143	16320		3.39	1.7E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
7272	18491	25982	9.77	1.7E-01	BE390835.1	EST_HUMAN	601286547F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3813258 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7384	16598	26088	3.22	1.7E-01	AA814817.1	EST_HUMAN	af43a03.a1 NCI_CGAP_CNS1 Homo sapiens cDNA clone IMAGE:1426924 3'
7673	16872	26375	8.77	1.7E-01	7106300	NT	Mus musculus adenomatosis polyposis coli binding protein Eb1 (Eb1), mRNA
7673	16872	26376	8.77	1.7E-01	7106300	NT	Mus musculus adenomatosis polyposis coli binding protein Eb1 (Eb1), mRNA
8202	17334		1.84	1.7E-01	P15272	SWISSPROT	AMP NUCLEOSIDASE
8270	17918		1.34	1.7E-01	AJ272584.1	NT	Bilobella aurantiaca mitochondrial partial COI gene for cytochrome c oxidase subunit II
8274	17395	26929	3.52	1.7E-01	11418157	NT	Homo sapiens chromosome 21 segment HS21C078
8404	18282		1.48	1.7E-01	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
8701	18124		1.59	1.7E-01	AI824404.1	EST_HUMAN	ACID RECEPTOR ALPHA-1 (HUMAN);
9005	17863	23889	9.13	1.7E-01	U01317.1	NT	Human beta globin region on chromosome 11
124	9409	18543	1.74	1.6E-01	AF217532.1	NT	Homo sapiens mevalonate kinase gene, exon 6 and 7
686	11941	19060	1.2	1.6E-01	R31497.1	EST_HUMAN	Y17512.1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:135599 5'
1509	10722	18894	3.18	1.6E-01	AF288117.1	NT	Homo sapiens homeobox protein OTX2 gene, complete cds
1892	11099	20280	1.84	1.6E-01	P22063	SWISSPROT	AXONIN-1 PRECURSOR (AXONAL GLYCOPROTEIN TAG-1)
1953	11157		1.12	1.6E-01	U10334.1	NT	Crassostrea gigas RNA polymerase II largest subunit mRNA, partial cds
2458	11647	20868	1.25	1.6E-01	AB037729.1	NT	Homo sapiens mRNA for KIAA1308 protein, partial cds
2844	12083	21209	11.43	1.6E-01	AF185589.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
2844	12083	21210	11.43	1.6E-01	AF185589.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
2968	12206	21342	1.77	1.6E-01	AE001862.1	NT	Deinococcus radiodurans R1 section 1 of 2 of the complete chromosome 2
3611	12832	21952	1.23	1.6E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3611	12832	21953	1.23	1.6E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3754	12973	22089	0.73	1.6E-01	AE000862.1	NT	Archaeoglobus fulgidus section 145 of 172 of the complete genome
3977	13181		2.81	1.6E-01	AE004413.1	NT	Vibrio cholerae chromosome II, section 70 of 93 of the complete chromosome
4320	13521	22616	11.43	1.6E-01	AF179680.1	NT	Homo sapiens epellin gene, complete cds
4450	13649		3.4	1.6E-01	AW968601.1	EST_HUMAN	EST380877 MAGI resequences, MAGI Homo sapiens cDNA
4459	13657		4.67	1.6E-01	6753319	NT	Mus musculus chaperonin subunit 3 (gamma) (Cp3), mRNA
4945	14132	23227	0.79	1.6E-01	P40831	SWISSPROT	MICRONUCLEAR LINKER HISTONE POLYPROTEIN (MIC LH) [CONTAINS: LINKER HISTONE PROTEINS ALPHA, BETA, DELTA AND GAMMA]
4984	14151	23242	1.37	1.6E-01	AA088343.1	EST_HUMAN	Z84409.a1 Strategene colon (#837204) Homo sapiens cDNA clone IMAGE:511361 3' similar to TR:E221855
4988	14175	23265	1.3	1.6E-01	AJ006356.1	NT	E221855 38,855 BP SEGMENT OF CHROMOSOME XIV ;
4988	14175	23266	1.3	1.6E-01	AJ006356.1	NT	Lycopodium esculentum Real fragment 2, satellite region
5451	14677	23836		1.6E-01	AW197496.1	EST_HUMAN	Lycopodium esculentum Real fragment 2, satellite region xm43f01.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2686969 3' similar to TR:O75984 O75984 HYPOTHETICAL 127.6 KD PROTEIN ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5451	14677	23837	3	1.6E-01	AW197496.1	EST_HUMAN	nm43101.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2685969 3' similar to TR:O75984 O75984 HYPOTHETICAL 127.6 KD PROTEIN ;
5459	14685	24035	2.4	1.6E-01	AF034716.1	NT	Rattus norvegicus CCAAT/enhancer binding protein epsilon (cebp) gene, complete cds
5841	15058	24465	2	1.6E-01	AL161588.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
5841	15058	24466	2	1.6E-01	AL161588.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
6069	14516	23558	4.34	1.6E-01	AW281215.1	EST_HUMAN	UI-H-B12-eg-b-06-Q-UJ.s1 NCL_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724418 3'
8417	15614	25078	2.81	1.6E-01	L49349.1	NT	Gorilla gorilla androgen receptor gene, partial exon
6979	16157	25629	3.08	1.6E-01	Z49501.1	NT	S.cerevisiae chromosome X reading frame ORF YJR001w
7250	16470	25962	3.11	1.6E-01	AW860853.1	EST_HUMAN	IL3-CT0220-111199-028-G01 CT0220 Homo sapiens cDNA
7676	16875		8.9	1.6E-01	AF106064.1	NT	Plasmodium falciparum calcium-dependent protein kinase-3 (cdpk3) gene, complete cds
7660	17089	26619	11.94	1.6E-01	6871552	NT	Mus musculus adaptor-related protein complex AP-1, beta 1 subunit (Ap1b1), mRNA
8266	18298		1.56	1.6E-01	6879456	NT	Mus musculus protein kinase, cGMP-dependent, type II (Prkg2), mRNA
8406	17482	26596	3.99	1.6E-01	AV719585.1	EST_HUMAN	AV719585 GLC Homo sapiens cDNA clone GLCEMF07 5'
8854	18100		8.77	1.6E-01	AB045310.1	NT	Gucumis sativus KS mRNA for ent-kaurene synthase, complete cds
9029	17877		3.64	1.6E-01	AK024486.1	NT	Homo sapiens mRNA for FLJ00104 protein, partial cds
							Fuchsia hybrid cultivar Qiu 94208 ribosomal protein S10 gene, partial cds; nuclear gene for mitochondrial product
9117	17935		2.51	1.6E-01	AF287344.1	NT	Rattus norvegicus chondroitin sulfate proteoglycan 5 (neuroglycan C) (Cspg5), mRNA
9141	17947	23882	1.7	1.6E-01	9506522	NT	IL3-HT0619-040700-197-E05 HT0619 Homo sapiens cDNA
252	9528	18656	1.25	1.5E-01	BE710087.1	EST_HUMAN	IL3-HT0619-040700-197-E05 HT0619 Homo sapiens cDNA
252	9528	18659	1.25	1.5E-01	BE710087.1	EST_HUMAN	AV711686 DCA Homo sapiens cDNA clone DCAADH06 5'
594	11940		1.58	1.5E-01	AV711696.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
792	10032	19181	1.17	1.5E-01	AL163284.2	NT	Cyprinus carpio mRNA for EGGS22 myosin heavy chain, 3'UTR
1100	10324	19475	0.79	1.5E-01	AJ009735.1	NT	Homo sapiens partial SLG2A2 gene for organic cation transporter (OCT2), exon 1
1105	10329	19479	2.27	1.5E-01	AJ251865.1	NT	Rattus norvegicus insulin-responsive glucose transporter (GLUT4) gene, 5' end
1121	10345		1.4	1.5E-01	L36125.1	NT	pn38d11.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2696085 3'
1224	10442	19597	0.77	1.5E-01	AW195516.1	EST_HUMAN	Human gene for dihydropyrimidine succinyltransferase, complete cds (exon 1-15)
1282	10497	19656	3.74	1.5E-01	D26535.1	NT	Human gene for dihydropyrimidine succinyltransferase, complete cds (exon 1-15)
1282	10497	19657	3.74	1.5E-01	D26535.1	NT	Mus musculus MAP kinase kinase kinase 1 (Mekk1) mRNA, complete cds
1475	10868	19865	1.29	1.5E-01	AF117340.1	NT	UI-H-B13-ek-b-09-Q-UJ.s1 NCL_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733641 3'
1872	11079	20269	1.34	1.5E-01	AW44451.1	EST_HUMAN	Murine hepatitis virus strain Penn 97-1, complete genome
2631	12169	21301	1.28	1.5E-01	AF208086.1	NT	Murine hepatitis virus strain Penn 97-1, complete genome
2631	12169	21302	1.28	1.5E-01	AF208086.1	NT	oc68d05.s1 NCL_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1671337 3' similar to gb:M11433 RETINOL-BINDING PROTEIN I, CELLULAR (HUMAN);
3326	12555	21692	4.94	1.5E-01	AA935049.1	EST_HUMAN	

Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3347	12575	21715	0.77	1.5E-01	Z23104.1	NT	L.stagnalis mRNA for G protein-coupled receptor
3347	12575	21716	0.77	1.5E-01	Z23104.1	NT	L.stagnalis mRNA for G protein-coupled receptor
3738	12958	22073	1.82	1.5E-01	U09984.1	NT	Mus musculus [OR/Swiss] glyceraldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds Homo sapiens pyruvate dehydrogenase kinase, isoenzyme 1 (PDK1), nuclear gene encoding mitochondrial protein, mRNA
3751	12970	22085	0.59	1.5E-01	7108358	NT	XYNA; Thermotoga bacterium; xyna; 4182 base-pairs
3784	12982	22096	0.63	1.5E-01	M97882.1	NT	h1006.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2981411 3'
3848	13065	22179	2.72	1.5E-01	AW665983.1	EST_HUMAN	RC2-HT0149-191099-012-c09 HT0149 Homo sapiens cDNA
4027	13238	22343	0.92	1.5E-01	AW366659.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
4184	13368	22487	10.65	1.5E-01	AL163284.2	NT	601583968F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938345 5'
4484	13682	22771	0.77	1.5E-01	BE791253.1	EST_HUMAN	601583968F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938345 5'
4484	13682	22772	0.77	1.5E-01	BE791253.1	EST_HUMAN	602067192F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4066223 5'
4737	13928	23032	1.55	1.5E-01	BF687665.1	EST_HUMAN	602067192F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4066223 5'
4762	11853	21069	2.25	1.5E-01	BF695381.1	EST_HUMAN	602067192F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4247637 5'
4800	13989	23098	0.97	1.5E-01	BE173786.1	EST_HUMAN	CMD-HT0565-280200-245-b10 HT0565 Homo sapiens cDNA
4800	13989	23097	0.97	1.5E-01	BE173786.1	EST_HUMAN	CMD-HT0565-280200-245-b10 HT0565 Homo sapiens cDNA
5023	14210	23283	1.25	1.5E-01	AL161560.2	NT	Arabidopsis thaliana DNA chromosome 4, centig fragment No. 60
5304	14536	23540	2.13	1.5E-01	P07998	SWISSPROT	THROMBOSPONDIN 1 PRECURSOR
5351	14581				P15196	SWISSPROT	SEX HORMONE-BINDING GLOBULIN PRECURSOR (SHBG) (SEX STEROID-BINDING PROTEIN)
5481	14687	24038	4.08	1.5E-01	AW850754.1	EST_HUMAN	(SBP) (TESTIS-SPECIFIC ANDROGEN-BINDING PROTEIN) (ABP)
5480	14707	24081	6.8	1.5E-01	U65016.1	NT	IL3-CT0219-160200-064-F10 CT0219 Homo sapiens cDNA
5480	14707	24062	6.8	1.5E-01	U65016.1	NT	Mus musculus transforming growth factor alpha (TGFA) mRNA, complete cds
5655	14878	24267	1.88	1.5E-01	6753659	NT	Mus musculus transforming growth factor alpha (TGFA) mRNA, complete cds
5655	14878	24268	1.88	1.5E-01	6753659	NT	Mus musculus DNA methyltransferase 2 (Dnmt2), mRNA
5683	14903	24296	2.11	1.5E-01	AJ278505.1	NT	Mus musculus DNA methyltransferase 2 (Dnmt2), mRNA
5752	14971	24368	27.85	1.5E-01	BE727658.1	EST_HUMAN	Mus musculus genomic fragment, 279 Kb, chromosome 7
5771	14980		1.88	1.5E-01	4506396	NT	601564322F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3833981 5'
5808	15025	24425	1.73	1.5E-01	AF134907.1	NT	Homo sapiens RAD54 (S.cerevisiae)-like (RAD54L) mRNA
5876	18065	24507	2.13	1.5E-01	AE001039.1	NT	Influenza B virus (B/Nanchang/480/94) NB protein gene, complete cds; and neuraminidase gene, partial cds
5892	15109	24520	5.01	1.5E-01	11417236	NT	Archaeoglobus fulgidus section 68 of 172 of the complete genome
5899	15116	24528	1.64	1.5E-01	P48508	SWISSPROT	Homo sapiens chromosome 5 open reading frame 3 (C5ORF3), mRNA GLUTAMATE-CYSTEINE LIGASE REGULATORY SUBUNIT (GAMMA-GLUTAMYL-CYSTEINE SYNTHETASE) (GAMMA-ECS) (GCS LIGHT CHAIN)

Page 67 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5926	15142	24553	2.25	1.5E-01	Q28462	SWISSPROT	AMELOGENIN
5970	15185	24602	1.71	1.5E-01	P30143	SWISSPROT	HYPOTHETICAL 51.7 KD PROTEIN IN THRC-TALB INTERGENIC REGION (ORF8)
6078	14524	23568	5.92	1.5E-01	AW070295.1	EST_HUMAN	EST382378 MAGE resequences, MAGK Homo sapiens cDNA
6172	15354		2.42	1.5E-01	AF210842.1	NT	Homo sapiens HARP (HARP) gene, exon 17 and complete cds
6252	15433	24872	1.72	1.5E-01	A1973157.1	EST_HUMAN	wf52c08.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2491310 3'
6332	15513	24959	1.92	1.5E-01	AW500611.1	EST_HUMAN	UI-HF-BNO-alk-d-05-Q-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077409 5'
6332	15513	24960	1.92	1.5E-01	AW500611.1	EST_HUMAN	UI-HF-BNO-alk-d-05-Q-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077409 5'
6800	15796		19.81	1.5E-01	C16800.1	EST_HUMAN	C16800 Clontech human aorta polyA+ mRNA (H6572) Homo sapiens cDNA clone GEN-529H09 5'
6808	16003	25463	2.46	1.5E-01	N74226.1	EST_HUMAN	za59e06.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:286866 3' similar to PIR:S44443 S44443 RAD23 protein homolog 2 - human ;
6829	16023		3.09	1.5E-01	AV754819.1	EST_HUMAN	AV754819 TP Homo sapiens cDNA clone TPAAHB12 5'
6895	15601	25067	7.62	1.5E-01	U00455.1	NT	Acipenser transmontano vitellogenin mRNA, partial cds
7044	16221	25688	6.88	1.5E-01	AF007570.1	NT	Aplysia californica carboxypeptidase D mRNA, complete cds
7044	16221	25697	6.88	1.5E-01	AF007570.1	NT	Aplysia californica carboxypeptidase D mRNA, complete cds
7135	16312	25783	4.58	1.5E-01	X98852.1	NT	P. leucisculus mRNA for integrin beta subunit
7169	16346	25828	4.07	1.5E-01	A1814046.1	EST_HUMAN	wk53h12.x1 NCL_CGAP_P122 Homo sapiens cDNA clone IMAGE:2419175 3' similar to gb:M27508 BETA
7169	16346	25827	4.07	1.5E-01	A1814046.1	EST_HUMAN	GALACTOSIDASE-RELATED PROTEIN PRECURSOR (HUMAN);
7401	16614	26103	6.47	1.5E-01	AL163280.2	NT	wk53h12.x1 NCL_CGAP_P122 Homo sapiens cDNA clone IMAGE:2419175 3' similar to gb:M27508 BETA
7401	16614	26104	6.47	1.5E-01	AL163280.2	NT	GALACTOSIDASE-RELATED PROTEIN PRECURSOR (HUMAN);
7548	16753		1.84	1.5E-01	AB042975.1	NT	Homo sapiens chromosome 21 segment HS21C080
7642	16842	26340	1.8	1.5E-01	AW841915.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
7725	15433	24872	2.9	1.5E-01	A1973157.1	EST_HUMAN	Sus scrofa CYP51 gene for lanosterol 14 alpha-demethylase, exon 1
8363	18157		31.79	1.5E-01	BF700582.1	EST_HUMAN	IL5-CN0024-030300-025-D04 CN0024 Homo sapiens cDNA
8785	17696		1.5	1.5E-01	AF030358.2	NT	wf52c08.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2491310 3'
8758	17699		1.22	1.5E-01	AJ238332.1	NT	602128753F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285549 5'
8819	18177		6.75	1.5E-01	R83077.1	EST_HUMAN	Rattus norvegicus chemokine CX3C mRNA, complete cds
8916	18200		2.3	1.5E-01	AV741272.1	EST_HUMAN	Mus musculus mRNA for death inducer-obliteror-1 (Dio-1)
9027	18103	23808	6.2	1.5E-01	AL139074.2	NT	yo87e04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:194430 5'
9251	18020	23851	3.72	1.5E-01	AJ276242.1	NT	AV741272 CB Homo sapiens cDNA clone CBADGD04 5'
304	9577		1.45	1.4E-01	AF009683.1	NT	Campylobacter jejuni NCTC11168 complete genome, segment 1/6
920	10155		3.95	1.4E-01	D78838.1	NT	Sus scrofa mRNA for sodium iodide symporter
1266	10481		2.73	1.4E-01	T91864.1	EST_HUMAN	Homo sapiens T cell receptor beta locus, TCRBV85SP to TCRBV21S2A2 region
							Xenopus laevis mRNA for DNA (cytosine-5)-methyltransferase, complete cds
							yo54c01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:112032 3'

Page 68 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E- Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1720	10932		1.43	1.4E-01	6879880	NT	Mus musculus growth differentiation factor 5 (Gdf5), mRNA
1723	10935	20118	1.65	1.4E-01	AE001710.1	NT	Thermotoga maritima section 22 of 136 of the complete genome
1869	11078		0.92	1.4E-01	AW135741.1	EST_HUMAN	U1-H-B11-ecf-a-09-Q-UI.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2714009 3'
1954	11158		10.51	1.4E-01	AA720615.1	EST_HUMAN	nv72d07.s1 NCL_CGAP_G0B1 Homo sapiens cDNA clone IMAGE:1283821 3'
2745	11924	21139	4.09	1.4E-01	AB933496.1	EST_HUMAN	nm77401.x1 NCL_CGAP_U12 Homo sapiens cDNA clone IMAGE:2441665 3'
4155	13361	22461	11.2	1.4E-01	AB990904.1	EST_HUMAN	bc66c02.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4155	13361	22462	11.2	1.4E-01	AB990904.1	EST_HUMAN	bc66c02.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4222	13426	22518	3.52	1.4E-01	AE001710.1	NT	Thermotoga maritima section 22 of 136 of the complete genome
4680	13873	22973	0.81	1.4E-01		NT	Homo sapiens phosphodiesterase 4A, cAMP-specific (dunce (Drosophila)-homolog phosphodiesterase E2) (PDE4A), mRNA
5334	14565	23639	4.95	1.4E-01	T90877.1	EST_HUMAN	yel15c11.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:117812 3'
5352	14582	23657	4.24	1.4E-01	AB004556.1	NT	Candida tropicalis DNA for mitochondrial NADP-linked isocitrate dehydrogenase, complete cds
5352	14582	23658	4.24	1.4E-01	AB004556.1	NT	Candida tropicalis DNA for mitochondrial NADP-linked isocitrate dehydrogenase, complete cds
5787	15004	24408	2.98	1.4E-01	BE328891.1	EST_HUMAN	hr67c02.x1 NCL_CGAP_Kk11 Homo sapiens cDNA clone IMAGE:3133538 3'
5865	15083	24498	4.8	1.4E-01	AU117147.1	EST_HUMAN	AU117147 HEMBA1 Homo sapiens cDNA clone HEMBA1000769 5'
5865	15083	24497	4.8	1.4E-01	AU117147.1	EST_HUMAN	AU117147 HEMBA1 Homo sapiens cDNA clone HEMBA1000769 5'
5911	15128	24537	3.7	1.4E-01	AW082786.1	EST_HUMAN	xb71d12.x1 Soares_NFL_T_GBC_ST Homo sapiens cDNA clone IMAGE:2581751 3'
5923	15140		1.65	1.4E-01	BE268536.1	EST_HUMAN	601193523F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537581 5'
5935	15151	24561	2.2	1.4E-01	BF378533.1	EST_HUMAN	QV1-JM0036-080300-103-409 UM0036 Homo sapiens cDNA
6250	15431		1.76	1.4E-01	AW015373.1	EST_HUMAN	U1-H-B10-aat-c-09-Q-UI.s1 NCL_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710289 3'
6749	15944	25404	7.58	1.4E-01	AA307073.1	EST_HUMAN	EST178192 Cdon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
6825	16019	25484	9.29	1.4E-01	BF310959.1	EST_HUMAN	601895465F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124824 5'
6867	16057	25524	2.65	1.4E-01	Y10196.1	NT	Homo sapiens PHIX gene
6867	16057	25525	2.65	1.4E-01	Y10196.1	NT	Homo sapiens PHIX gene
7297	16516		1.91	1.4E-01	AA811480.1	EST_HUMAN	ca98a03.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1320384 3'
7419	16631	26123	3.5	1.4E-01	R53400.1	EST_HUMAN	y70c05.r1 Soares_breast 2NBHst Homo sapiens cDNA clone IMAGE:154088 5'
7840	17032	26547	2.07	1.4E-01	X66092.1	NT	C.perfringens ORF for putative membrane transport protein
7874	15431		1.74	1.4E-01	AW015373.1	EST_HUMAN	U1-H-B10-aat-c-09-Q-UI.s1 NCL_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710289 3'
8005	16440	25928	2.41	1.4E-01	U28760.1	NT	Borrelia burgdorferi glyceraldehyde-3-phosphate dehydrogenase (GAPDH), phosphoglycerate kinase (PGK), triosephosphate isomerase (TPI) genes, complete cds
8057	17192		1.63	1.4E-01	X52102.1	NT	M.musculus p16k gene for 16 kDa protein
8642	18129	23814	1.29	1.4E-01	AB000690.1	NT	Ephydrate fluviatilis mRNA for aldolase, partial cds
8694	17662	23946	2.39	1.4E-01	X74773.1	NT	P.salina plectid gene secY
8708	17670		2.27	1.4E-01	11968117	NT	Rattus norvegicus desm1n (Des), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8753	18355		1.65	1.4E-01	BE513802.1	EST_HUMAN	601315638F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3634329 5'
8849	17759		3.74	1.4E-01	AF083221.1	NT	Fugu rubripes putative neurotransmitter receptors, YDR140w homolog, and glycineamide ribonucleotide
8891	17764		2.08	1.4E-01	D64004.1	NT	transformylase (GART) genes, complete cds
8943	18374		3.7	1.4E-01	P10447	SWISSPROT	Synechocystis sp. PCC6803 complete genome, 23/27, 2868767-3002865
9166	18178		3.76	1.4E-01	D82883.1	NT	TYROSINE-PROTEIN KINASE TRANSFORMING PROTEIN ABL
9245	18018		1.74	1.4E-01	AW377998.1	EST_HUMAN	Mus musculus mRNA for prolidase, complete cds
327	9598	18727	5.19	1.3E-01	4758467	NT	MRQ-HT0208-221289-204-c08 HT0208 Homo sapiens cDNA
327	9598	18728	6.19	1.3E-01	4758467	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
535	9786	18909	1.61	1.3E-01	AB013139.1	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
642	9888	19013	1.32	1.3E-01	AJ277608.1	NT	Homo sapiens gene for NBS1, complete cds
642	9888	19014	1.32	1.3E-01	AJ277608.1	NT	Human calicivirus HUNLV/Girlington/93/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/JUK
854	10090	19252	0.8	1.3E-01	X53330.1	NT	Human calicivirus HUNLV/Girlington/93/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/JUK
904	10139	19301	1.77	1.3E-01	AF139518.1	NT	P. dumerilii histone gene cluster for core histones H2A, H2B, H3 and H4
1034	10260	19410	1.42	1.3E-01	AL117078.1	NT	Rattus norvegicus A-kinase anchor protein mRNA, complete cds
1135	10358		2.11	1.3E-01	AL115285.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1223	10441	19596	1.48	1.3E-01	AV712487.1	EST_HUMAN	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1445	10658		0.93	1.3E-01	AF146277.1	NT	AV712487 DCA Homo sapiens cDNA clone DCAAFF05 5'
1825	11033	20228	7.72	1.3E-01	6680857	NT	Homo sapiens adapter protein CMS mRNA, complete cds
1929	11133	20328	2.16	1.3E-01	AL117078.1	NT	Mus musculus procollagen, type XI, alpha 1 (Col11a1), mRNA
2136	11334		0.97	1.3E-01	AJ243578.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
2254	11449		0.97	1.3E-01	AW812104.1	EST_HUMAN	Rhodospseudomonas acidophila pucB5, pucA5, pucB6, pucA7, pucB7, pucA8, pucA9 and pucC
2347	11540		2.84	1.3E-01	AE001016.1	NT	genes and ORF151
2547	11735	20952	2.11	1.3E-01	M88918.1	NT	RCA-ST0173-191099-032-412 ST0173 Homo sapiens cDNA
3034	12270	21397	0.59	1.3E-01	AL163207.2	NT	Archaeoglobus fulgidus section 91 of 172 of the complete genome
3332	12561	21699	0.63	1.3E-01	AF186779.1	NT	Carassius auratus keratin type I mRNA, complete cds
3428	12653	21763	1.07	1.3E-01	M21572.1	NT	Carassius auratus keratin type I mRNA, complete cds
3702	12922	22040	0.81	1.3E-01	AP000001.1	NT	Homo sapiens chromosome 21 segment HS21C007
3702	12922	22041	0.81	1.3E-01	AP000001.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel a2
							Bovine branched chain alpha-keto acid dihydrolipoyl transacylase mRNA, complete cds
							Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt. position (177)
							Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt. position (177)

Page 70 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3709	12929	22047	0.63	1.3E-01	AB032159.1	NT	Homo sapiens DD4 gene for dihydrolid dehydrogenase 4 [AKR1C4], exon 2
3763	12922	22040	0.66	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt. position (1/7)
3763	12922	22041	0.66	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt. position (1/7)
3789	13007	22122	0.89	1.3E-01	6978940	NT	Rattus norvegicus Fibrinogen, gamma polypeptide (Fgg), mRNA
3968	13181		1.52	1.3E-01	AL161581.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 77
4028	9888	19013	0.9	1.3E-01	AJ277606.1	NT	Human calicivirus HUNLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/UK
4028	9888	19014	0.9	1.3E-01	AJ277606.1	NT	Human calicivirus HUNLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/UK
4120	13326		1.03	1.3E-01	AF020713.1	NT	Bacteriophage SPBc2 complete genome
4140	13346		3.88	1.3E-01	AW364341.1	EST_HUMAN	QV3-DT0018-081289-036-a03 DT0018 Homo sapiens cDNA
4148	13354	22458	2.2	1.3E-01	AF026805.1	NT	Schistosoma mansoni fructose biphosphatase aldolase mRNA, complete cds
4167	13371	22470	21.57	1.3E-01	AW273741.1	EST_HUMAN	xv23f10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813995 3'
4275	13478	22575	0.94	1.3E-01	AV752279.1	EST_HUMAN	AV752279 NPD Homo sapiens cDNA clone NPDAZE02 5'
4275	13478	22578	0.94	1.3E-01	AV752279.1	EST_HUMAN	AV752279 NPD Homo sapiens cDNA clone NPDAZE02 5'
4304	13505		1.33	1.3E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4475	13673	22763	0.68	1.3E-01	M21572.1	NT	Bovine branched chain alpha-keto acid dihydrolipoyl transacylase mRNA, complete cds
4531	13727	22824	2.2	1.3E-01	BE272339.1	EST_HUMAN	601126096FT NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2990063 5'
5141	14320	23412	1.04	1.3E-01	AI432531.1	EST_HUMAN	h38c10.x1 NGL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2120562 3'
5281	14452		1.03	1.3E-01	D82918.1	NT	Gallus gallus domesticus mitochondrial DNA, D-loop region, strain: Ayam Kokok Balenggek
5375	14604	23713	1.94	1.3E-01	AW804417.1	EST_HUMAN	QVQ-UM0093-100400-189-a08 UM0093 Homo sapiens cDNA
5866	15084	24498	14.91	1.3E-01	AB031326.1	NT	Schizosaccharomyces pombe gene for Alp41, complete cds
5909	15126	24535	2.17	1.3E-01	X88891.1	NT	C.jacchus intron 4 of visual pigment gene (red allele)
6191	15373		1.64	1.3E-01	H48664.1	EST_HUMAN	y33402.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:207075 5'
6452	16049	25117	2.19	1.3E-01	11423284	NT	Homo sapiens PRO0611 protein (PRO0611), mRNA
6579	15775		4.64	1.3E-01	Z74102.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL054c
6594	15780		3.41	1.3E-01	8923919	NT	Homo sapiens core histone mecrh12A2.2 (MACROH2A2), mRNA
7227	16448		3.33	1.3E-01	BF330999.1	EST_HUMAN	MIR4-BT0358-130700-010-h08 BT0358 Homo sapiens cDNA
7442	16650	28142	1.64	1.3E-01	H01983.1	EST_HUMAN	y32409.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:150449 5'
7661	16861	26363	1.67	1.3E-01	AF119117.1	NT	Homo sapiens dopamine transporter (SLC6A3) gene, complete cds
7803	16996		6.14	1.3E-01	6671745	NT	Mus musculus coflin 2, muscle (Clf2), mRNA
8123	17257	26798	4.07	1.3E-01	BE276449.1	EST_HUMAN	601158052F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3504804 5'
8531	17557	23989	1.31	1.3E-01	BE618348.1	EST_HUMAN	601462741F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866003 5'
8678	17649		3.75	1.3E-01	AJ242790.1	NT	Gallus gallus scyc1 gene for lympholactin, exons 1-3

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9082	17891		2.08	1.3E-01	AB026829.1	NT	Ephratis fluvialis mRNA for eALK-6, complete cds
9090	17909		1.63	1.3E-01	AW001114.1	EST_HUMAN	wu24409.x1 Soares_Dieckgraefe_cdon_NHCD Homo sapiens cDNA clone IMAGE:2520977 3' similar to TR:O60287 O60287 KIAA0539 PROTEIN. ;
388	9882	18819	10.48	1.2E-01	AI421744.1	EST_HUMAN	rs9602.x1 NCI_CGAP_Brn23 Homo sapiens cDNA clone IMAGE:2088539 3' similar to gb:U05760_mna1 ANNEXIN V (HUMAN);
430	8296		1.32	1.2E-01	U66912.1	NT	Dictyostellium discoideum ORF DG1018 gene, partial cds
554	9804		2.81	1.2E-01	AF039442.1	NT	Homo sapiens colon cancer antigen NY-CO-45 mRNA, partial cds
1383	10597	19763	2.4	1.2E-01	AU149146.1	EST_HUMAN	AU149146 NT2RM4 Homo sapiens cDNA clone NT2RM4001891 3'
1393	10597	19764	2.4	1.2E-01	AU149146.1	EST_HUMAN	AU149146 NT2RM4 Homo sapiens cDNA clone NT2RM4001891 3'
1390	10604		3.4	1.2E-01	AV735249.1	EST_HUMAN	AV735249 cda Homo sapiens cDNA clone cdAAJB11 5'
1608	10821	18997	5.44	1.2E-01	Q14934	SWISSPROT	NUCLEAR FACTOR OF ACTIVATED T-CELLS, CYTOPLASMIC 4 (T CELL TRANSCRIPTION FACTOR NFAT3) (NF-ATC4) (NF-AT3)
1628	10841	20018	2.84	1.2E-01	AI285402.1	EST_HUMAN	q68908.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1860553 3'
1739	10951		20.58	1.2E-01	X68211.1	NT	H.sapiens DNA for endogenous retroviral like element
1886	11093		2.85	1.2E-01	AW449388.1	EST_HUMAN	U1-H-B13-aid-e-10-Q-UJ.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734554 3'
2148	11346	20563	2.5	1.2E-01	BF248460.1	EST_HUMAN	601821567F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4046224 5'
2551	11739	20959	1.17	1.2E-01	AW995556.1	EST_HUMAN	QV3-BN0046-220300-129-f10 BN0046 Homo sapiens cDNA
2795	12035	21159	1.4	1.2E-01	U18018.1	NT	Human E1A enhancer binding protein (E1A-F) mRNA, partial cds
2854	12092	21222	2.39	1.2E-01	AI720470.1	EST_HUMAN	as80c09.x1 Barstead cdon HPLRB7 Homo sapiens cDNA clone IMAGE:2335024 3' similar to gb:L05095 60S RIBOSOMAL PROTEIN L30 (HUMAN);
2885	12123	21256	3.54	1.2E-01	M16384.1	NT	Human creatine kinase-B mRNA, complete cds
2864	12202	21337	0.81	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3196	12431	21567	2.17	1.2E-01	AW370688.1	EST_HUMAN	QV1-BT0259-261099-021-d05 BT0259 Homo sapiens cDNA
3224	12458		1.01	1.2E-01	U87600.1	NT	Methanococcus jannaschii section 142 of 150 of the complete genome
3329	12558	21696	1.01	1.2E-01	AW503374.1	EST_HUMAN	U1-HF-BN0-akw-e-10-Q-UJ.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078427 5'
3454	12678		0.71	1.2E-01	Z99118.1	NT	Bacillus subtilis complete genome (section 15 of 21); from 2795131 to 3013540
3494	12718	21854	0.8	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3494	12718	21855	0.8	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3584	12679		0.76	1.2E-01	Z99118.1	NT	Bacillus subtilis complete genome (section 15 of 21); from 2795131 to 3013540
4163	13367	22465	2.35	1.2E-01	Z54255.1	NT	P.clarid mRNA; repeat region (ID 2MRT7)
4163	13367	22466	2.35	1.2E-01	Z54255.1	NT	P.clarid mRNA; repeat region (ID 2MRT7)
4300	13501	22597	0.81	1.2E-01	M15861.1	NT	Chicken neural cell-adhesion molecule (N-CAM) gene, exon 19
4943	14130	23225	15.91	1.2E-01	AF134904.1	NT	Schistosoma gregaria semaphorin 2a mRNA, complete cds
5078	14258	23342	2.21	1.2E-01	BE173168.1	EST_HUMAN	MRO-HT0559-240400-016-c08 HT0559 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5078	14258	23343	2.21	1.2E-01	BE173188.1	EST_HUMAN	MRQ-HT0559-240400-018-c08 HT0559 Homo sapiens cDNA
5284	14455	23524	0.73	1.2E-01	AW892592.1	EST_HUMAN	CM3-NN0004-100300-111-d08 NN0004 Homo sapiens cDNA
5337	14568	23642	2.63	1.2E-01	W33035.1	EST_HUMAN	z08d02.1 Soares parathyroid tumor NthHPA Homo sapiens cDNA clone IMAGE:321699 5'
5380	14609	23721	3.16	1.2E-01	Z98266.1	NT	Homo sapiens gene encoding plakophilin (exons 1-13)
5753	14972	24370	2.02	1.2E-01	BE620945.1	EST_HUMAN	601483518F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895613 5'
5788	15005	24409	2.3	1.2E-01	AW845275.1	EST_HUMAN	IL0-CT0031-221099-113-d04 CT0031 Homo sapiens cDNA
6446	15843	25110	4.78	1.2E-01	AI913753.1	EST_HUMAN	wc99g03.x1 NCI_CGAP_Cc3 Homo sapiens cDNA clone IMAGE:2326804 3' similar to SW:GST2_HUMAN
6599	15795		4.99	1.2E-01	AW083652.1	EST_HUMAN	Q99735 MICROSMAL GLUTATHIONE S-TRANSFERASE II; xc49d07.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:2587597 3' similar to gb:M13452 LAMIN A (HUMAN);
6606	15802		3.94	1.2E-01	AF053772.1	NT	Staphylococcus aureus plasmid pSK23 putative recombinase Sin (sin) gene, partial cds; and transcriptional regulator QacR (qacR) and multidrug efflux protein QacB (qacB) genes, complete cds
6677	15872		2.87	1.2E-01	U32714.1	NT	Haemophilus influenzae Rd section 29 of 163 of the complete genome
6948	16108	25573	4.01	1.2E-01	X77961.1	NT	S.cerevisiae HXT5 gene
7075	16252	25725	2.29	1.2E-01	AV710857.1	EST_HUMAN	AV710857 Cu Homo sapiens cDNA clone CuAAKE08 5'
7463	16671		3.61	1.2E-01	D26184.1	NT	Yeast MPT5 gene for suppressor protein, complete cds
7633	16834		3.64	1.2E-01	BE962324.2	EST_HUMAN	601655578R1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846283 3'
7707	16908		1.79	1.2E-01	BF314481.1	EST_HUMAN	601900763F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130103 5'
7807	17000	26512	2.62	1.2E-01	AF190493.1	NT	Homo sapiens dynein intermediate chain DNAI1 (DNAI1) gene, exon 17
8041	17177		1.98	1.2E-01	M65109.1	NT	Rabbit glycogen-associated protein phosphatase regulatory subunit (RG1) mRNA, complete cds
8293	17405		2.6	1.2E-01	AV658033.1	EST_HUMAN	AV658033 GLC Homo sapiens cDNA clone GLCFIB12 3'
8659	17636		2.38	1.2E-01	AJ271738.1	NT	Homo sapiens Xq pseudautosomal region: segment 2/2
8741	18317	23584	3.89	1.2E-01	Q04912	SWISSPROT	MACROPHAGE-STIMULATING PROTEIN RECEPTOR PRECURSOR (MSP RECEPTOR) (P185-RON) (CDW136) (CD136 ANTIGEN)
8853	17758		1.79	1.2E-01	AF188882.1	NT	Drosophila melanogaster strain Oregon R potential RNA-binding protein gene, complete cds; and syntactin gene, partial cds
8855	8804		8.49	1.2E-01	AF039442.1	NT	Homo sapiens colon cancer antigen NY-CO-45 mRNA, partial cds
8969	17839		2.13	1.2E-01	X53398.1	NT	R.novoglicus NF88 gene for 68kDa neurofilament
9043	18329	23601	1.55	1.2E-01	BE081418.1	EST_HUMAN	QV4-BT0234-11199-031-g10 BT0234 Homo sapiens cDNA
9066	17893	23900	8.08	1.2E-01	AI296903.1	EST_HUMAN	qn20g05.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1898840 3'
9088	17907		2.44	1.2E-01	L10187.1	NT	Xenopus laevis Integrin alpha 3 subunit mRNA, partial cds
9092	18249		5.45	1.2E-01	O96433	SWISSPROT	CYCLIN T
9120	17936	23878	1.47	1.2E-01	AE004428.1	NT	Vibrio cholerae chromosome II, section 85 of 93 of the complete chromosome

Page 73 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9274	18038		1.35	1.2E-01	BF314481.1	EST_HUMAN	601900763F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130103 5'
571	9821	18942	1.05	1.1E-01	AI561003.1	EST_HUMAN	tm18d08.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2167983 3'
621	9866	18987	2.28	1.1E-01	AA569006.1	EST_HUMAN	nm08g11.s1 NCI_CGAP_Cot10 Homo sapiens cDNA clone IMAGE:1059620 3' similar to gb:X06985_rna1 HEME OXYGENASE 1 (HUMAN);
1061	10287	19438	1.48	1.1E-01	BF697308.1	EST_HUMAN	602129847F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4288771 5'
1093	10317		1.63	1.1E-01	AL161560.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 60
1167	11987	19540	3.89	1.1E-01	AW672158.1	EST_HUMAN	EST384142 MAGE resequences, MAGL Homo sapiens cDNA
1256	10472	19635	3.8	1.1E-01	D84004.1	NT	Synedochystis sp. PCC6803 complete genome, 23/27, 2868767-3002985
1508	10721	19893	2.15	1.1E-01	AU140363.1	EST_HUMAN	AU140363 PLACE2 Homo sapiens cDNA clone PLACE2000403 5'
2280	11475		2.2	1.1E-01	6755215	NT	Mus musculus pre T-cell antigen receptor alpha (Ptcra), mRNA
2503	11953		1.9	1.1E-01	6978676	NT	Rattus norvegicus Procollagen II alpha 1 (Col2a1), mRNA
2807	12047	21168	1.04	1.1E-01	S82418.1	NT	Interleukin-12 p35 subunit [mouse, Genomic, 700 nt, segment 4 of 5]
2899	12235	21365	0.81	1.1E-01	F03265.1	EST_HUMAN	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone c-1rf02 3'
3315	12545		1.76	1.1E-01	6769231	NT	Mus musculus calcium channel, voltage-dependent, T type, alpha 1G subunit (Caena1g), mRNA
3399	12626	21757	2.26	1.1E-01	BE993186.1	EST_HUMAN	601308679F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3627088 5'
3429	12654	21784	1.56	1.1E-01	X62135.1	NT	C.reinhardtii nuclear gene on linkage group XIX
3468	12691	21828	0.7	1.1E-01	R96946.1	EST_HUMAN	yq62g08.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:200414 3' similar to contains Alu repetitive element;
3559	12782	21911	0.94	1.1E-01	Y07695.1	NT	A.immersus gene for transposase
3681	12902		0.76	1.1E-01	P97394	SWISSPROT	ANNEXIN XI (CALCYCLIN-ASSOCIATED ANNEXIN 50) (CAP-50)
3689	12910	22029	1.91	1.1E-01	X52708.1	NT	G.gallus gene encoding non-histone chromosomal protein HMG-14b, exons 4 and 5
4088	13297	22393	1.04	1.1E-01	AW819412.1	EST_HUMAN	MR3-ST0280-290100-025-g07 ST0290 Homo sapiens cDNA
4088	13297	22394	1.04	1.1E-01	AW819412.1	EST_HUMAN	MR3-ST0280-290100-025-g07 ST0290 Homo sapiens cDNA
4095	13303		0.88	1.1E-01	AF030001.1	NT	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophosphatidic acid acyl transferase-alpha, palmitoyl-protein thioesterase 2 (PPT2), CREB-RP, and tenascin X (TNX) genes, complex>
4240	13443		10.22	1.1E-01	AF157068.1	NT	Drosophila melanogaster klarsicht protein (klar) mRNA, complete cds
4272	13475	22572	0.63	1.1E-01	AW802056.1	EST_HUMAN	IL5-UM0070-020500-088-a08 UM0070 Homo sapiens cDNA
4641	13835	22924	1.09	1.1E-01	S44957.1	NT	Tapa-1=Integral membrane protein TAPA-1 (mice, B cell lymphoma line 38C13, Genomic, 1973 nt, segment 1 of 7)
4849	14038	23131	1.24	1.1E-01	Y07695.1	NT	A.immersus gene for transposase
5045	13303		0.87	1.1E-01	AF030001.1	NT	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophosphatidic acid acyl transferase-alpha, palmitoyl-protein thioesterase 2 (PPT2), CREB-RP, and tenascin X (TNX) genes, complex>

Page 74 of 382
Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5224	14398		0.62	1.1E-01	8923317	NT	Homo sapiens hypothetical protein FLJ20342 (FLJ20342), mRNA
5588	14810	24184	1.79	1.1E-01	X68851.1	NT	S.pombe ste8 gene encoding protein kinase
5601	14825	24201	4.71	1.1E-01	M88533.1	NT	Providencia rettgeri penicillin G amidase gene
5688	14906	24298	1.72	1.1E-01	BE769152.1	EST_HUMAN	PM3-FT0024-130800-004-f12 FT0024 Homo sapiens cDNA
5696	14916	24310	7.89	1.1E-01	AW853699.1	EST_HUMAN	RC3-CT0254-280999-011-e01 CT0254 Homo sapiens cDNA
5937	15153	24564	3.68	1.1E-01	O69635	SWISSPROT	ACETYL-COENZYME A SYNTHETASE (ACETATE-COA LIGASE) (ACYL-ACTIVATING ENZYME)
5968	15181		2.87	1.1E-01	AF032922.1	NT	Homo sapiens synaptobin 4 binding protein UNC-18c (UNC-18c) mRNA, complete cds
5995	15278	24708	2.49	1.1E-01	11432372	NT	Homo sapiens phosphatidylinositol glycan, class B (PIGB), mRNA
6305	15486	24930	7.85	1.1E-01	BF684628.1	EST_HUMAN	602140976F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302019 5'
6305	15486	24931	7.85	1.1E-01	BF684628.1	EST_HUMAN	602140976F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302019 5'
6361	15541	24998	1.77	1.1E-01	P41087	SWISSPROT	TRAB PROTEIN
6375	15555	25012	2.92	1.1E-01	AA788784.1	EST_HUMAN	ah31b06.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone 1240403 3' similar to gb:J03483
6581	15777	25237	3.04	1.1E-01	AL134349.1	EST_HUMAN	CHROMOGRANIN A PRECURSOR (HUMAN);
6780	15975	25432	3.04	1.1E-01	AA192153.1	EST_HUMAN	DKFZp547P194_r1 547 (synonym: hfb1) Homo sapiens cDNA clone DKFZp547P194 5'
6780	15975	25433	3.04	1.1E-01	AA192153.1	EST_HUMAN	zp93b12.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:627743 5'
6821	16015	25480	4.18	1.1E-01	TT2875.1	EST_HUMAN	zp93b12.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:627743 5'
6910	16088		3.01	1.1E-01	BF085149.1	EST_HUMAN	yt19h03.s1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:108725 3' similar to gb:M81181 SODIUMPOTASSIUM-TRANSPORTING ATPASE BETA-2 (HUMAN);
7383	12235	21385	2.34	1.1E-01	F03285.1	EST_HUMAN	MR2-GN0027-040900-005-a08 GN0027 Homo sapiens cDNA
7496	16703		3.49	1.1E-01	AF169032.1	NT	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone c-1rf02 3'
7614	16817	26313	3.37	1.1E-01	R23708.1	EST_HUMAN	Carassius auratus actin beta A precursor, mRNA, complete cds
7620	16823	26319	1.88	1.1E-01	6981351	NT	Yh35f12.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:131759 5' similar to contains Alu repetitive element/contains TAR1 repetitive element;
7638	14788	24157	1.96	1.1E-01	AL110385.1	NT	Rattus norvegicus Phosphofructokinase, liver, B-type (Pfk), mRNA
7738	16933	26441	1.93	1.1E-01	X70058.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
7760	16956	26464	3.14	1.1E-01	Z11910.1	NT	M.musculus cytokine gene
7760	16956	26465	3.14	1.1E-01	Z11910.1	NT	Z.mobilis lgt and lig genes encoding RNA guanine transglycosylase and DNA ligase
7854	17044	26561	3.45	1.1E-01	P17437	SWISSPROT	Z.mobilis lgt and lig genes encoding RNA guanine transglycosylase and DNA ligase
8511	17547		2.88	1.1E-01	BE767023.1	EST_HUMAN	SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN)
8772	18117		2.2	1.1E-01	BE974558.1	EST_HUMAN	RC2-NT0112-120800-014-f03 NT0112 Homo sapiens cDNA
9212	17883	23886	5.88	1.1E-01	BF239753.1	EST_HUMAN	601680551R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950604 3'
9283	18297		1.42	1.1E-01	Y08172.1	NT	601806350F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134085 5'
1209	10428		2.64	1.0E-01	O62855	SWISSPROT	R.norvegicus mRNA for 2-oxopropionyl-CoA epimerase
							DEOXYRIBONUCLEASE II PRECURSOR (DNASE II) (ACID DNASE) (LYSOSOMAL DNASE II)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1279	10484	19653	1.87	1.0E-01	AI985499.1	EST_HUMAN	ws08d01.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2496577 3' similar to contains MER7.13
1396	10610	19774	1.78	1.0E-01	AL181504.2	NT	MER7 repetitive element;
3487	12711	21847	1.08	1.0E-01	BF033981.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
3700	12920	22038	1.03	1.0E-01	BF239818.1	EST_HUMAN	601456301F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3859849 5'
3930	13146	22263	2.78	1.0E-01	BF366703.1	EST_HUMAN	601908489F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134071 5'
4401	13601	22701	1.96	1.0E-01	AE002265.2	NT	QV2-NT0048-180800-316-e05 NT0048 Homo sapiens cDNA
4552	13747		0.99	1.0E-01	AI792349.1	EST_HUMAN	Chlamydomonas reinhardtii AR39, section 91 of 94 of the complete genome
4723	13914	23015	1.51	1.0E-01	U50450.1	NT	an32c04.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1700368 5'
4942	14129	23224	2.15	1.0E-01	AW952344.1	EST_HUMAN	Drosophila melanogaster tyrosine kinase p45 isoform (fer) mRNA, complete cds
5181	14357	23443	0.86	1.0E-01	BE389100.1	EST_HUMAN	EST1364414 IMAGE resequencing, MAGB Homo sapiens cDNA
5265	14438		0.93	1.0E-01	AV763960.1	EST_HUMAN	601286969F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3813552 5'
5345	14575		9.19	1.0E-01	W86490.1	EST_HUMAN	AV763960 MDS Homo sapiens cDNA clone MDSBQB11 5'
5670	14891	24283	11.98	1.0E-01	AF274875.1	NT	zh62h04.s1 Soares fetal_liver_spleen_TNFS_S1 Homo sapiens cDNA clone IMAGE:416695 3'
6095	15295		1.97	1.0E-01	R23821.1	EST_HUMAN	Homo sapiens growth factor receptor-bound protein 7 (GRB7) gene, complete cds
6391	15571		2.51	1.0E-01	Y12488.1	NT	YK34h06.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:131675 5' similar to contains Abu repetitive element;
6913	16101		2.59	1.0E-01	M76729.1	NT	Mimusculus wln gene
7050	16227	25702	12.67	1.0E-01	AB046789.1	NT	Human pro-alpha-1(V) collagen mRNA, complete cds
7050	16227	25703	12.67	1.0E-01	AB046789.1	NT	Homo sapiens mRNA for KIAA1579 protein, partial cds
7251	16471		2.48	1.0E-01	AU159127.1	EST_HUMAN	Homo sapiens mRNA for KIAA1579 protein, partial cds
7600	16803	26297	3.47	1.0E-01	BF242946.1	EST_HUMAN	AU159127 THYR01 Homo sapiens cDNA clone THYR01000695 3'
7600	16803	26298	3.47	1.0E-01	BF242946.1	EST_HUMAN	601877703F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106089 5'
7938	17078	26606	4.68	1.0E-01	BE790543.1	EST_HUMAN	601877703F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106089 5'
8497	17897		3.22	1.0E-01	BE537719.1	EST_HUMAN	601582558F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936734 5'
8736	17882		2.74	1.0E-01	7662165	NT	601065554F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451833 5'
8752	17695		1.76	1.0E-01	X00854.1	NT	Homo sapiens KIAA0514 gene product (KIAA0514), mRNA
9039	18309		2.84	1.0E-01	U52691.1	NT	Drosophila melanogaster fcz gene
9070	17897		2.46	1.0E-01	BE537719.1	EST_HUMAN	Gonyaulax polyedra putative type-1 serine/threonine phosphatase (PP1) mRNA, complete cds
9132	18280		12.74	1.0E-01	U68834.1	NT	601065554F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451833 5'
9194	17981		8.43	1.0E-01	AP001507.1	NT	Saccharomyces cerevisiae suppressor of ABF1 (SAB2) gene, complete cds
2733	11912	21125	0.86	9.9E-02	AF274008.1	NT	Bacillus halodurans genomic DNA, section 1/14
2740	11919	21133	1.16	9.9E-02	BE545554.1	EST_HUMAN	Drosophila melanogaster cAMP-dependent protein kinase type II regulatory subunit (pka-RII) mRNA, complete cds
							601070219F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456365 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2740	11919	21134	1.16	9.9E-02	BE545594.1	EST_HUMAN	601070219F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456365 5'
3233	12467	21598	1.43	9.9E-02	AF099810.1	NT	Homo sapiens neuroxin II-alpha gene, partial cds
3928	13144	22261	0.79	9.9E-02	A1821637.1	EST_HUMAN	zu45c03.x5 Soares ovary tumor NIHOT Homo sapiens cDNA clone IMAGE:740932 3'
6074	14520	23563	8.08	9.9E-02	D63710.1	NT	Aspergillus terreus BSD mRNA for blastidin S deaminase, complete cds
6840	16045	25510	2.52	9.9E-02	6755111	NT	Mus musculus phospholipid transfer protein (Pltp), mRNA
570	9820		1.04	9.8E-02	X56338.1	NT	O. sativa RAmYGc gene for alpha-amylase
3110	12345	21472	3.7	9.8E-02	AF184274.1	NT	Daucus carota leucoanthocyanidin dioxygenase 2 (LDOX) mRNA, LDOX-2 allele, complete cds
4209	13412	22506	8.37	9.8E-02	AF257328.1	NT	Leptosphaeria maculans beta-tubulin mRNA, complete cds
4209	13412	22507	8.37	9.8E-02	AF257329.1	NT	Leptosphaeria maculans beta-tubulin mRNA, complete cds
7995	16430	25917	2.22	9.8E-02	BF037421.1	EST_HUMAN	601460783F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3864287 5'
8460	17516		1.34	9.8E-02	8393761	NT	Rattus norvegicus microtubule-associated protein tau (Mapt), mRNA
1358	10573	19739	1.29	9.7E-02	AB005808.1	NT	Aloe arborescens mRNA for NADP-malic enzyme, complete cds
1565	10778		3.75	9.7E-02	4503710	NT	Homo sapiens fibroblast growth factor receptor 3 (achondroplasia, thanatophoric dwarfism) (FGFR3) mRNA
2226	11422	20648	1.89	9.7E-02	BE168660.1	EST_HUMAN	QV1-HT0516-070300-095-a04 HT0516 Homo sapiens cDNA
3961	13176		4.12	9.7E-02	Q99795	SWISSPROT	CELL SURFACE A33 ANTIGEN PRECURSOR (GLYCOPROTEIN A33)
6206	15387	24830	2.95	9.7E-02	Z99119.1	NT	Bacillus subtilis complete genome (section 16 of 21): from 2897771 to 3213410
6732	15927	25386	2.42	9.7E-02	A1953984.1	EST_HUMAN	wx78b06.x1 NCI_CGAP_Ov38 Homo sapiens cDNA clone IMAGE:2549747 3' similar to gb:X52851_ma1
7751	16947		2.37	9.7E-02	U56337.1	NT	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A (HUMAN);
1983	11186	20395	3.52	9.6E-02	A1080721.1	EST_HUMAN	Mus musculus ligatin (Lgt) mRNA, partial cds
1983	11186	20396	3.52	9.6E-02	A1080721.1	EST_HUMAN	oz47d11.x1 Soares_NhlHMPu_ST Homo sapiens cDNA clone IMAGE:1678485 3'
4338	13539	22630	7.92	9.6E-02	Z32686.2	NT	oz47d11.x1 Soares_NhlHMPu_ST Homo sapiens cDNA clone IMAGE:1678485 3'
4695	13886	22987	0.96	9.6E-02	U37056.1	NT	Proteus mirabilis fibrinolytic operon, strain H14320
5025	14211	23294	0.99	9.6E-02	AW966230.1	EST_HUMAN	Clostridium celluloveran endo-1,4-beta glucanase EngF (engF) gene, complete cds
5710	14929		3.07	9.6E-02	BE310039.1	EST_HUMAN	EST378303 MAGE resequences, MAGI Homo sapiens cDNA
7153	16330	25813	4.32	9.6E-02	P08174	SWISSPROT	601498088F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3900165 5'
7328	16544	26033	7.1	9.6E-02	Z79702.1	NT	601498088F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3900165 5'
8210	17341	26980	1.89	9.6E-02	AA625766.1	EST_HUMAN	COMPLEMENT DECAY-ACCELERATING FACTOR PRECURSOR (CD55)
9109	17928		1.56	9.6E-02	H14599.1	EST_HUMAN	Mycobacterium tuberculosis H37Rv complete genome; segment 102/162
4079	13289	22388	2.85	9.5E-02	AW992395.1	EST_HUMAN	zu91g01.s1 Soares_testis NHT Homo sapiens cDNA clone IMAGE:745392 3'
6208	15389	24833	4.86	9.5E-02	AB003473.1	NT	ym19n03.a1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:48653 3'
6321	15503	24948	8.19	9.5E-02	AL161538.2	NT	CM2-BN0023-050200-087-112 BN0023 Homo sapiens cDNA
6420	15617	25080	4.43	9.5E-02	BF035861.1	EST_HUMAN	Trimeresurus flaviviridis DNA for phospholipase A2 inhibitor, complete cds
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 38
							601433042F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3857243 5'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6420	15617	25081	4.43	9.5E-02	BF035861.1	EST_HUMAN	601453842F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
7271	16490	25980	4.04	9.5E-02	BF035861.1	EST_HUMAN	601453842F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
7271	16490	25981	4.04	9.5E-02	BF035861.1	EST_HUMAN	601453842F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
1801	11010	20202	3.64	9.4E-02	BF671063.1	EST_HUMAN	602150882F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4291917 5'
3861	13077	22193	5.59	9.4E-02	Z33059.1	NT	M. capricolum DNA for CONTIG MC073
5081	14261	23346	0.7	9.4E-02	6753517	NT	Mus musculus coding region determinant-binding protein (Crdbp), mRNA
6655	15850		2.23	9.4E-02	Z46863.1	NT	Acinetobacter sp. cysD, cobQ, sodM, lysS, rubA, rubB, estB, oxyR, ppk, mtgA, ORF2 and ORF3 genes
7507	15511	24957	2.62	9.4E-02	L78833.1	NT	Human BRCA1, Rho7 and vail genes, complete cds, and pfs3 genes, partial cds
8345	18213		3.65	9.4E-02	U31815.1	NT	Rattus norvegicus calcium channel alpha-1C subunit (ROB2) mRNA, partial cds
2948	12184		2.07	9.3E-02	4809280	NT	Homo sapiens BAI1-associated protein 3 (BAIAP3) mRNA
2894	12231		8.36	9.3E-02	6912525	NT	Homo sapiens nasopharyngeal epithelium specific protein 1 (NESG1), mRNA
3223	12457	21591	1.85	9.3E-02	BF575511.1	EST_HUMAN	602133086F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4288269 5'
4134	13340	22439	4.02	9.3E-02	BE91943.1	EST_HUMAN	601286082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607653 5'
4134	13340	22440	4.02	9.3E-02	BE91943.1	EST_HUMAN	601286082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607653 5'
4746	13937		2.16	9.3E-02	AV732224.1	EST_HUMAN	AV732224 HTF Homo sapiens cDNA clone HTFAUA06 5'
5036	14221	23305	1	9.3E-02	AF115443.1	NT	HIV-1 isolate Br112 from Brazil gag protein (gag) gene, partial cds
5239	14413	23492	0.87	9.3E-02	D16583.1	NT	Human gene for L-histidine decarboxylase, complete cds
5239	14413	23493	0.67	9.3E-02	D16583.1	NT	Human gene for L-histidine decarboxylase, complete cds
7131	16308	25788	4.97	9.3E-02	Q15034	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0032
7131	16308	25789	4.97	9.3E-02	Q15034	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0032
7174	16351		4.06	9.3E-02	AW206117.1	EST_HUMAN	UI-H-B1-afk-h-05-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2723553 3'
8819	18137		2.93	9.3E-02	AJ249850.1	NT	Photobacterium damsela subsp. damsela partial gyrB gene for DNA gyrase B subunit
9003	18166		13.31	9.3E-02	AW468850.1	EST_HUMAN	hd28h12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910887 3'
8216	18212		1.48	9.3E-02	AF100958.1	NT	Mus musculus major histocompatibility locus class II region; Fas-binding protein Daxx (DAXX) gene, partial cds, Bing1 (BING1), tapasin (tapasin), RalGDS-like factor (RLF), KE2 (KE2), BING4 (BING4), beta1, 3-galactosyl transferase (beta1.3-galactosyl tr>
234	9513	18639	8.2	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
234	9513	18640	8.2	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
234	9513	18641	8.2	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
2184	11391		1.48	9.2E-02	R54156.1	EST_HUMAN	y99807.r1 Soares Infant brain INIB Homo sapiens cDNA clone IMAGE:41618 5'
3144	12379	21510	3.99	9.2E-02	Q28631	SWISSPROT	MAJOR EPIDIDYMYC-SPECIFIC PROTEIN E4 (EPIDIDYMAL PROTEIN BE-20)
3276	12509	21639	0.68	9.2E-02	AA534354.1	EST_HUMAN	nt79601.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:928136 3'
3563	12786		1.46	9.2E-02	6755215	NT	Mus musculus pre T-cell antigen receptor alpha (Ptra), mRNA

Page 78 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4223	13426		1.12	9.2E-02	U92048.1	NT	Human herpesvirus 1 strain KOS-63, latency-associated transcript, promoter region
4285	13496		0.74	9.2E-02	BE209722.1	EST_HUMAN	600944355F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2860176 5'
4640	13934	22923	1.21	9.2E-02	X96402.1	NT	G.gallus Mia-CK gene
8518	15714	25179	2.57	9.2E-02	X95256.1	NT	H. vulgare xylose isomerase gene
429	8284	18397	2.96	9.1E-02	X77665.1	NT	O. cuniculus K12 keratin gene
2378	11571	20791	1.02	9.1E-02	P78985	SWISSPROT	8-PHOSPHOFRUCTOKINASE (PHOSPHOFRUCTOKINASE) (PHOSPHOHEXOKINASE)
4481	13679	22769	1.85	9.1E-02	AL161554.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 54
6251	15432	24871	13.12	9.1E-02	AW160658.1	EST_HUMAN	zp38h12.s1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:2781968 5'
8526	18315		1.51	9.1E-02	AA179901.1	EST_HUMAN	SW:TRT3_HUMAN P45378 TROPONIN T, FAST SKELETAL MUSCLE, ISOFORM BETA ;
8607	17605		1.53	9.1E-02	AF052695.1	NT	Rattus norvegicus cell cycle protein p55CDC gene, complete cds
9091	18159		6.56	9.1E-02	AJ281390.1	NT	Homo sapiens partial MUC3B gene for MUC3B mucin, exons 1-11
752	8993	19137	3.57	9.0E-02	P15328	SWISSPROT	FOLATE RECEPTOR ALPHA PRECURSOR (FR-ALPHA) (FOLATE RECEPTOR 1) (FOLATE RECEPTOR, ADULT) (ADULT FOLATE-BINDING PROTEIN) (FBP) (OVARIAN TUMOR-ASSOCIATED ANTIGEN MOV18) (KB CELLS FBP)
1611	10824	18999	6.83	9.0E-02	BE220482.1	EST_HUMAN	hvg9g10.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175842 3' similar to contains Alu repetitive element;
2755	11934	21150	3.82	9.0E-02	AF138522.1	NT	HIV-1 p8c095-08 from USA envelope glycoprotein (env) gene, partial cds
2755	11934	21151	3.82	9.0E-02	AF138522.1	NT	HIV-1 p8c095-08 from USA envelope glycoprotein (env) gene, partial cds
3310	12540	21675	0.75	9.0E-02	AF279135.1	NT	Dictyostelium discoideum spore coat structural protein SP65 (cotE) gene, complete cds
4671	13865	22868	1.88	9.0E-02	X65740.2	NT	Plasmodium falciparum P-type ATPase 3 gene
5236	14410		0.98	9.0E-02	AJ132366.1	NT	Helicobacter pylori (strain P1) comB and pmilgaA (partial) genes, and partial ORF1 and ORF2
5652	14875	24262	12.37	9.0E-02	W56037.1	EST_HUMAN	za68a12.r1 Soares fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:297694 5' similar to PIR:SS2171 SS2171 small G protein - human ;
8929	17811		1.35	9.0E-02	AF022236.1	NT	Escherichia coli strain E2348/69 pathogenicity island, rOrf1 (rOrf1), rOrf2 (rOrf2), EscR (escR), EscS (escS), EscT (escT), EscU (escU), CesD (cesD), EscC (escC), EscJ (escJ), SepZ (sepZ), EscV (escV), EscN (escN), SepQ (sepQ), Tir (tir), OrfU (orfU), >
1439	10653	19826	1.23	8.9E-02	BF701593.1	EST_HUMAN	802128030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
1439	10653	19827	1.23	8.9E-02	BF701593.1	EST_HUMAN	802128030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
4181	13385		1.76	8.9E-02	AF28055.1	NT	Attrichum angustatum AtratinFib2 protein (AtratinFib2) gene, partial cds
5234	14408		0.95	8.9E-02	AB025922.1	NT	Mus musculus GII1 mRNA, complete cds
5593	14817	24192	2.61	8.9E-02	AW452122.1	EST_HUMAN	UIH-BI3-alc-f08-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3088294 3'
5593	14817	24193	2.61	8.9E-02	AW452122.1	EST_HUMAN	UIH-BI3-alc-f08-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3088294 3'
5598	14822	24199	3.12	8.9E-02	11433478	NT	Homo sapiens similar to endoglycan (H. sapiens) (LOC63107), mRNA

Page 79 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6316	15496		2	8.9E-02	Z78021.1	NT	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC9pA20F8
6654	15849	26308	7.54	8.9E-02	AA309319.1	EST_HUMAN	EST180187 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' end
8344	18184		1.33	8.9E-02	P19524	SWISSPROT	MYOSIN-2 ISOFORM
8499	17540		4.1	8.9E-02	BF696918.1	EST_HUMAN	60212682F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4286180 5'
1380	10594	19760	1.39	8.8E-02	Q27474	SWISSPROT	PROBABLE DNA LIGASE (POLYDEOXYRIBONUCLEOTIDE SYNTHASE (ATP))
							TRANSCRIPTION INITIATION FACTOR TFIIID 135 KDA SUBUNIT (TAFII135) (TAFII-130)
4012	13224		4.05	8.8E-02	O00288	SWISSPROT	(TAFII130)
4224	13427		1.03	8.8E-02	4502804	NT	Homo sapiens chromogranin A (parathyroid secretory protein 1) (CHGA) mRNA
4288	13490		0.85	8.8E-02	4580423	NT	Homo sapiens paired box gene 6 (aniridia, keratitis) (PAX6), isoform b, mRNA
7678	16877	26382	3.02	8.8E-02	BE264455.1	EST_HUMAN	601191770F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535648 5'
7678	16877	26383	3.02	8.8E-02	BE264455.1	EST_HUMAN	601191770F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535648 5'
7813	17008	26519	11.51	8.8E-02	AL040129.1	EST_HUMAN	DKFZp434D1313.1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434D1313 5'
8577	17593	24001	1.56	8.8E-02	Z71561.1	NT	S.cerevisiae chromosome XIV reading frame ORF YNL285w
1624	10837	20014	2.52	8.7E-02	AI187281.1	EST_HUMAN	cc65b01.s1 Soares_NhhHfPu_S1 Homo sapiens cDNA clone IMAGE:1661161 3'
3672	12683	22014	5.01	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
3672	12683	22015	5.01	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
4717	13908	23010	1.41	8.7E-02	AF178638.1	NT	Mus musculus JNK interacting protein-3a (Jip3) mRNA, complete cds
5341	14571	23846	5.63	8.7E-02	AA286875.1	EST_HUMAN	zs55g08.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701438 3'
5341	14571	23847	5.63	8.7E-02	AA286875.1	EST_HUMAN	zs55g08.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701438 3'
7300	16519		2.75	8.7E-02	L04758.1	NT	Oryctolagus cuniculus cytochrome P-450 (CYP4A4) gene, 5' end
7445	16653	26144	1.71	8.7E-02	AI823393.1	EST_HUMAN	wh53g07.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384484 3'
7858	17049	26568	2.23	8.7E-02	AJ007763.1	NT	Glucobacter oxidans tRNA-ile and tRNA-Ala genes
8566	17586		1.74	8.7E-02	X17116.1	NT	Human DNA for immunoglobulin alpha heavy chain from a case of alpha heavy chain disease
8771	17705		1.7	8.7E-02	6879057	NT	Mus musculus nidogen 2 (Nid2), mRNA
1259	10474	19636	5.5	8.6E-02	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
2208	11405	20628	2.12	8.6E-02	BE408687.1	EST_HUMAN	601304016F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638643 5'
3151	12386	21518	2.46	8.6E-02	L05468.1	NT	Trichomonas vaginalis beta-tubulin (btub1) gene, complete cds
3623	12844		3.32	8.6E-02	AF153362.1	NT	Dictyostellium discoideum adenyl cyclase (acaA) gene, complete cds
3762	12681		0.65	8.6E-02	U29187.1	NT	Mus musculus long incubation prion protein (Prnp) and prion-like protein (Prnd) genes, complete cds

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5269	14442		0.7	8.6E-02	BF570296.1	EST_HUMAN	602185716T1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310256 3'
5706	14925	24319	4.11	8.6E-02	Y10826.1	NT	Homo sapiens LCN1b gene
7519	16724	26214	1.93	8.6E-02	AF206551.1	NT	Lacerta media cytochrome c oxidase subunit 1 gene, partial cds; mitochondrial product
7519	16724	26215	1.93	8.6E-02	AF206551.1	NT	Lacerta media cytochrome c oxidase subunit 1 gene, partial cds; mitochondrial product
7801	16994	26507	3.96	8.6E-02	BF305608.1	EST_HUMAN	601893437F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139216 5'
7801	16994	26508	3.96	8.6E-02	BF305608.1	EST_HUMAN	601893437F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139216 5'
7976	16411	25897	6.33	8.6E-02	AE001073.1	NT	Archaeoglobus fulgidus section 34 of 172 of the complete genome
2361	11554	20776	2.26	8.6E-02	AE000852.1	NT	Helicobacter pylori 26695 section 130 of 134 of the complete genome
5540	14784		1.93	8.5E-02	P08089	SWISSPROT	M PROTEIN, SEROTYPE 6 PRECURSOR
5681	14884	24272	6.72	8.5E-02	AF233885.1	NT	Mus musculus phospholipase C-like protein mRNA, partial cds.
6657	15852	25311	3.4	8.5E-02	6754779	NT	Mus musculus myosin XV (Myo15), mRNA
7022	16169	25676	4.07	8.5E-02	BE833054.1	EST_HUMAN	RC4-OT0037-200700-014-e05 OT0037 Homo sapiens cDNA
7022	16169	25677	4.07	8.5E-02	BE833054.1	EST_HUMAN	RC4-OT0037-200700-014-e05 OT0037 Homo sapiens cDNA
7716	16915		12.86	8.5E-02	AF155510.1	NT	Homo sapiens heparanase precursor, mRNA, complete cds
7730	16928	26436	4.49	8.5E-02	AB001562.1	NT	Streptococcus mutans gene for glucose-1-phosphate uridylyltransferase, complete cds
8978	18094		2.18	8.5E-02	AJ005598.1	NT	Antirrhinum majus mRNA for MYB-related transcription factor
9156	17957		2.25	8.5E-02	AA382834.1	EST_HUMAN	EST172736 Ovary II Homo sapiens cDNA 5' end
2627	12022	21027	2.95	8.4E-02	W69330.1	EST_HUMAN	zid44e11.r1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:343532 5'
4347	13548	22641	1.01	8.4E-02	AF257213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
4347	13549	22642	1.01	8.4E-02	AF257213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
5218	14392	23477	1.41	8.4E-02	5453817	NT	Homo sapiens nucleobindin 1 (NUCB1), mRNA
5339	14586	23644	9.48	8.4E-02	BE267153.1	EST_HUMAN	601190436F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3534393 5'
5962	15177	24594	1.78	8.4E-02	AK024458.1	NT	Homo sapiens mRNA for FLJ00050 protein, partial cds
6474	15671	25142	2.87	8.4E-02	BE086074.1	EST_HUMAN	CM3-BT0790-260400-162-405 BT0790 Homo sapiens cDNA
8482	17551	24026	1.53	8.4E-02	R79408.1	EST_HUMAN	y83h12.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145895 5'
3570	12793	21920	6.45	8.3E-02	P75334	SWISSPROT	HYPOTHETICAL LIPOPROTEIN MG309 HOMOLOG PRECURSOR
3598	12819	21939	0.67	8.3E-02	AI436797.1	EST_HUMAN	th82g08.x1 Soares_NbHMPu_S1 Homo sapiens cDNA clone IMAGE:2125210 3'
4708	13899	22998	0.69	8.3E-02	AB038490.1	NT	th82g08.x1 Soares_NbHMPu_S1 Homo sapiens cDNA clone IMAGE:2125210 3'
5818	15035	24436	2.53	8.3E-02	AF052683.1	NT	Homo sapiens gene for fukutin, complete cds
6456	15653	25122	3.77	8.3E-02	AF195787.1	NT	Homo sapiens protocadherin 43 gene, exon 1
5882	18318		1.88	8.3E-02	BE958458.1	EST_HUMAN	Rattus norvegicus dystrophin-related protein 2 A-form splice variant (Dp2) mRNA, complete cds
							601644770F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3928993 5'

Page 81 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1386	10600		6.88	8.2E-02	Y08170.2	NT	Gallus gallus mRNA for OBCAM protein gamma isoform
1486	10699	19873	1.71	8.2E-02	AF167077.2	NT	Canis familiaris glutamate transporter (EAAT4) mRNA, complete cds
3038	12275		1.94	8.2E-02	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C006
3788	13006		1.65	8.2E-02	AL161488.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
3984	13198	22306	1.27	8.2E-02	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
4269	13472	22565	6.55	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4269	13472	22566	6.55	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4269	13472	22567	6.55	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
5111	14291	23378	3.05	8.2E-02	U76009.1	NT	Mus musculus zinc transporter (ZnT-3) gene, complete cds
6066	15296	24728	3.38	8.2E-02	AF309555.1	NT	Bos taurus connective tissue growth factor precursor (CTGF) gene, complete cds
6961	16139	25609	8.44	8.2E-02	X04197.1	NT	Beet necrotic yellow vein virus RNA-2
8589	17598	24005	4.79	8.2E-02	AE002246.2	NT	Chlamydia pneumoniae AR39, section 73 of 94 of the complete genome
9007	18086		2.57	8.2E-02	AF275366.1	NT	Mus musculus epidermal growth factor receptor (Egfr) gene, exons 5 through 28, and complete cds, alternatively spliced
5	11857	18405	5.12	8.0E-02	AW954653.1	EST_HUMAN	EST366723 MAGE resequences, MAGC Homo sapiens cDNA
944	10177	19331	0.81	8.0E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
1673	12000	20070	12.36	8.0E-02	D26535.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-16)
1673	12000	20071	12.36	8.0E-02	D26535.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-15)
1867	11074	20265	3.81	8.0E-02	BE087219.1	EST_HUMAN	PM3-BT0347-170200-001-508 BT0347 Homo sapiens cDNA
2433	11824		2.31	8.0E-02	BE248744.1	EST_HUMAN	601855548F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075619 5'
2772	10323	19474	2.25	8.0E-02	M23449.1	NT	Dictyosellum discoideum cyclic nucleotide phosphodiesterase gene, complete cds
2852	12090	21219	0.59	8.0E-02	AL445067.1	NT	Thermoplasma acidophilum complete genome, segment 5/5
3806	13024	22135	0.84	8.0E-02	AW086118.1	EST_HUMAN	EST378191 MAGE resequences, MAGI Homo sapiens cDNA
4826	14018		6.82	8.0E-02	X72794.1	NT	M. musculus gene for gelatinase B
5217	14391		1.38	8.0E-02	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
5277	10177	19331	0.75	8.0E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
5610	14834	24209	3.45	8.0E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
6156	14834	24209	1.69	8.0E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
6502	15699	25165	3.26	8.0E-02	AL114983.1	NT	Babylis chinea strain T4 cDNA library under conditions of nitrogen deprivation
7373	18589	26078	3.74	8.0E-02	AF217796.1	NT	Homo sapiens SCG10 like-protein, helicase-like protein NHL, M68, and ADP-ribosylation factor related protein 1 (ARFRP1) genes, complete cds
8620	17616	23970	3.35	8.0E-02	AJ005375.1	NT	Drosophila crenna hunchback region
9210	14495		1.7	8.0E-02	4503034	NT	Homo sapiens cAMP responsive element binding protein-like 2 (CREBL2) mRNA
2140	11338	20556	3.19	7.9E-02	BE250008.1	EST_HUMAN	600943191F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859510 5'

Page 82 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2636	12174	21308	13.43	7.9E-02	A1582029.1	EST_HUMAN	ar98c08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2173848 3' similar to gb:Z26876
3834	13051	22161	3.02	7.9E-02	6681044	NT	60S RIBOSOMAL PROTEIN L38 (HUMAN);
3834	13051	22162	3.02	7.9E-02	6681044	NT	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4826	14015		1.26	7.9E-02	AB008019.1	NT	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4930	14118	23213	1.12	7.9E-02	L24757.1	NT	Arabidopsis thaliana RXW24L mRNA, partial cds
6475	15872	25143	4.71	7.9E-02	U27632.1	NT	Human bone sialoprotein (BSP) gene, exons 2, 3 and 4
7083	16260	25736	7.66	7.9E-02	A1081644.1	EST_HUMAN	Saccharomyces cerevisiae suppressor of MIF2 Smt4p (SMT4) gene, complete cds
7083	16260	25737	7.66	7.9E-02	A1081644.1	EST_HUMAN	ou63b05.s1 NCI CGAP_B2 Homo sapiens cDNA clone IMAGE:1632485 3' similar to WP:C37A2.2
1218	10436	19591	1.27	7.8E-02	A1793275.1	EST_HUMAN	CE08611;
1218	10436	19592	1.27	7.8E-02	A1793275.1	EST_HUMAN	ou63b05.s1 NCI CGAP_B2 Homo sapiens cDNA clone IMAGE:1632485 3' similar to WP:C37A2.2
2360	11553	20774	1.02	7.8E-02	AF221942.1	NT	CE08611;
2360	11553	20775	1.02	7.8E-02	AF221942.1	NT	repetitive element;
4806	13995	23103	0.59	7.8E-02	BE836331.1	EST_HUMAN	ou63b05.s1 NCI CGAP_B2 Homo sapiens cDNA clone IMAGE:1570487 5' similar to contains L1.13 L1
5118	12950		2.33	7.8E-02	BE250048.1	EST_HUMAN	ou63b05.s1 NCI CGAP_B2 Homo sapiens cDNA clone IMAGE:1570487 5' similar to contains L1.13 L1
7257	16477	25968	2	7.9E-02	U32323.1	NT	repetitive element;
9219	17898		3.82	7.8E-02	AF096349.1	NT	Sus scrofa telomerase RNA pseudogene
1403	11994	19782	1.27	7.7E-02	AF181897.1	NT	Sus scrofa telomerase RNA pseudogene
3564	12787		2.81	7.7E-02	AJ238093.1	NT	PM3-FN0058-140700-005-f09 FN0058 Homo sapiens cDNA
5013	14200	23287	10.43	7.7E-02	AL161501.2	NT	600943055F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859693 5'
6428	15625	25090	3.91	7.7E-02	AA402949.1	EST_HUMAN	Human interleukin-11 receptor alpha chain gene, complete cds
7021	16198	25675	4.03	7.7E-02	P38080	SWISSPROT	HIV-1 strain 87USNG30 from USA, envelope glycoprotein (env) gene, partial cds
7581	16786	26280	6.03	7.7E-02		NT	Homo sapiens WRN (WRN) gene, complete cds
8623	18172		2.35	7.7E-02	11422757	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
3365	12593	21732	1.99	7.6E-02	BE514432.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 13
3386	12613	21746	1.09	7.6E-02	AA296447.1	EST_HUMAN	z153d11.1 Soares ovary tumor N6HOT Homo sapiens cDNA clone IMAGE:741717 5' similar to
3534	12757	21889	0.86	7.6E-02	AJ400877.1	NT	TR:G1173905 G1173905 SPLICEOSOME ASSOCIATED PROTEIN.;
7039	16216		2.98	7.6E-02	AL139078.2	NT	PROBABLE SERINE/THREONINE-PROTEIN KINASE YBR059C
							Homo sapiens KIAA0628 gene product (KIAA0628), mRNA
							Homo sapiens interferon regulatory factor 7 (IRF7), mRNA
							601318426F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3634903 5'
							EST112214 Cerebellum II Homo sapiens cDNA 5' end similar to similar to protocadherin 43
							Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
							Camptylodacter jejuni NCTC11168 complete genome; segment 5/6

Page 83 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8177	17309	26852	2.52	7.6E-02	AW968645.1	EST_HUMAN	QV3-BN0048-150400-151-04 BN0046 Homo sapiens cDNA
794	10034	19183	1.35	7.5E-02	5902093	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, glycine), member 9 (SLC8A9), mRNA
794	10034	19184	1.35	7.5E-02	5902093	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, glycine), member 9 (SLC8A9), mRNA
1887	11094	20284	1.13	7.5E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
4509	13705	22789	0.73	7.5E-02	AB015961.1	NT	Homo sapiens IL-18 gene for interleukin-18, intron 1 and exon 2
484	9736	18869	1.55	7.4E-02	AW838547.1	EST_HUMAN	RC5-L10054-260100-011-H09 LT0054 Homo sapiens cDNA
3572	12795	21921	0.77	7.4E-02	AB078865.1	EST_HUMAN	wf43h01.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2358385 3'
4715	13906	23007	1.83	7.4E-02	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4805	13994	23102	2.72	7.4E-02	6978442	NT	Rattus norvegicus Activin receptor like kinase 1 (Acvrl1), mRNA
4960	14147	23239	1.79	7.4E-02	6878492	NT	Mus musculus ubiquitin c-terminal hydrolase related polypeptide (Uchtrp), mRNA
5873	15091		1.94	7.4E-02	R17477.1	EST_HUMAN	yg14g06.r1 Soares infant brain N1B Homo sapiens cDNA clone IMAGE:32339 5'
8541	17568		1.41	7.4E-02	11528893	NT	Homo sapiens histone deacetylase 5 (NY-CO-9), mRNA
8815	18294		3.13	7.4E-02	AW378431.1	EST_HUMAN	CMA-L10243-081199-037-011 HT0243 Homo sapiens cDNA
8975	17844	23914	1.32	7.4E-02	BF035099.1	EST_HUMAN	601453813F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3857738 5'
9175	17968		1.77	7.4E-02	4828887	NT	Homo sapiens receptor tyrosine kinase-like orphan receptor 1 (ROR1), mRNA
475	9728	18859	1.45	7.3E-02	BE984961.2	EST_HUMAN	601658738R1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886209 3'
475	9728	18860	1.45	7.3E-02	BE984961.2	EST_HUMAN	601658738R1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886209 3'
691	9934	19064	5.5	7.3E-02	AE001789.1	NT	Thermoboga maritima section 101 of 138 of the complete genome
1474	11696	19864	2.54	7.3E-02	AW900281.1	EST_HUMAN	CMA-NN1004-130300-284-g08 NN1004 Homo sapiens cDNA
1812	12003		17.52	7.3E-02	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
5021	14208		1.28	7.3E-02	U12283.1	NT	Mus musculus transcription factor USF2 (USF2) gene, exons 8-10 and complete cds
6280	15460	24901	2.17	7.3E-02	P05143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
6280	15460	24902	2.17	7.3E-02	P05143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
7770	15067	24477	2.81	7.3E-02	AA779877.1	EST_HUMAN	q24a02.s1 Soares fetal liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:451178 3' similar to gb:102426 26S PROTEASE SUBUNIT 4 (HUMAN);
120	9406	18538	1.42	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1029155 to 1039934 (section 88 of 148) of the complete genome
120	9406	18539	1.42	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1029155 to 1039934 (section 88 of 148) of the complete genome
1470	10683	19857	2.33	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
1470	10683	19858	2.33	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101

Page 84 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2514	11703		2.79	7.2E-02	U14794.1	NT	Human immunodeficiency virus type 1 isolate 26 reverse transcriptase (pol) gene, internal fragment, partial cds
2832	12170	21303	1.39	7.2E-02	AF065133.1	NT	Drosophila melanogaster CLOCK (Clk) mRNA, complete cds
3664	13080	22196	0.69	7.2E-02	AW288322.1	EST_HUMAN	UIH-BW0-ejl-a-05-0-J1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732049 3'
4339	13540	22631	4.22	7.2E-02	BF572307.1	EST_HUMAN	602077757F1 NIH_MGC 62 Homo sapiens cDNA clone IMAGE:4251950 5'
4703	13894	22893	0.59	7.2E-02	11468563	NT	Rhodomonas salina mitochondrion, complete genome
5317	14549	23619	3	7.2E-02	U67531.1	NT	Methanococcus jannaschii section 73 of 150 of the complete genome
5318	14550	23620	8.39	7.2E-02	P11120	SWISSPROT	CALMODULIN
6970	16148	25619	2.59	7.2E-02	AV712452.1	EST_HUMAN	AV712452 DCA Homo sapiens cDNA clone DCAUAG01 5'
7074	16251	25724	2.4	7.2E-02	AW873187.1	EST_HUMAN	hq24f11.x1 NCI_CGAP_Adr1 Homo sapiens cDNA clone IMAGE:3120333 3' similar to TR:Q9Z340 Q9Z340 ATYPICAL PKC SPECIFIC BINDING PROTEIN.1
7181	16358	25837	2.63	7.2E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
7207	16384	25865	6.09	7.2E-02	BE565003.1	EST_HUMAN	601343926F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685951 5'
7213	16390		3.32	7.2E-02	BE539214.1	EST_HUMAN	601085194F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451559 5'
7487	16694	26178	4.78	7.2E-02	AF049874.1	NT	Rattus norvegicus bHLH transcription factor Mist1 (Mist1) gene, complete cds
8481	17530		2.86	7.2E-02	AJ230796.1	EST_HUMAN	AJ230796 Homo sapiens library (Seranski P) Homo sapiens cDNA clone PS13D5 3'
8543	17568		1.84	7.2E-02	AA584465.1	EST_HUMAN	nc05h08.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1099839 3'
8608	17606		2.42	7.2E-02	U82828.1	NT	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds
8622	18141		4.54	7.2E-02	AW900962.1	EST_HUMAN	GM4-NN1009-200300-116-c11 NN1009 Homo sapiens cDNA
9134	17943		1.42	7.2E-02	AA401779.1	EST_HUMAN	z657c12.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:726454 5'
1868	11075	20266	1.76	7.1E-02	L02280.1	NT	Human immunodeficiency virus type 1 (D9) proviral structural capsid protein (gag) gene, partial cds
2258	11451	20670	6.31	7.1E-02	BF208802.1	EST_HUMAN	601872281F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4092881 5'
8328	17427		6.31	7.1E-02	BE304784.1	EST_HUMAN	601143974F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051234 5'
534	9785	18908	0.74	7.0E-02	Q07082	SWISSPROT	COLLAGEN ALPHA 1(XVI) CHAIN PRECURSOR
1491	10704		1.12	7.0E-02	X96877.1	NT	M.artellia Mitcut-1 gene
1732	10944	20127	1.13	7.0E-02	AA056343.1	EST_HUMAN	z66704.s1 Stragene colon (8937204) Homo sapiens cDNA clone IMAGE:509599 3'
2995	12232	21363	2.07	7.0E-02	AW138152.1	EST_HUMAN	UIH-B11-acy-c-07-0-J1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2716020 3'
3875	13091	22207	0.97	7.0E-02	AA815438.1	EST_HUMAN	af65a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1375078 3' similar to gb:K03002 60S
4021	13233	22336	1.24	7.0E-02	BE070264.1	EST_HUMAN	RIBOSOMAL PROTEIN L32 (HUMAN);
4121	13327		1.01	7.0E-02	AW792962.1	EST_HUMAN	QV4-BT0407-280100-090-e10 BT0407 Homo sapiens cDNA
						EST_HUMAN	CMO-UM0001-060300-270-e12 UM0001 Homo sapiens cDNA

Page 85 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4197	13401	22499	11.13	7.0E-02	AF077821.1	NT	Canis familiaris inducible nitric oxide synthase mRNA, complete cds
4950	14137	23231	8.23	7.0E-02	BF381087.1	EST_HUMAN	601816291F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4050071 5'
6959	16137	25608	2.22	7.0E-02	K02801.1	NT	Rat Ig germline epsilon H-chain gene C-region, 3' end
7912	17127	26657	2.89	7.0E-02	AA724285.1	EST_HUMAN	ah99a05.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1327184 3' similar to gb:U14837
520	9771	18894	16.86	6.9E-02	AL163210.2	NT	TIGHT JUNCTION PROTEIN ZO-1 (HUMAN);
520	9771	18895	16.86	6.9E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1341	10555		1.3	6.9E-02	4507868	NT	Homo sapiens chromosome 21 segment HS21C010
3775	12993	22108	1.48	6.9E-02	Q06364	SWISSPROT	Homo sapiens regulator of Gz-selective protein signaling (ZGAP1) mRNA, and translated products
3775	12993	22109	1.48	6.9E-02	Q06364	SWISSPROT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)
5182	14359		0.91	6.9E-02	AF079906.1	NT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)
8474	17527		3.36	6.9E-02	X74315.1	NT	Rabies virus isolate b615 glycoprotein gene, partial cds
8662	17639		1.32	6.9E-02	P44621	SWISSPROT	X laevis XFD2 mRNA for fork head protein
8897	17782		2.42	6.9E-02	AF195953.1	NT	PROTEIN TRANSPORT PROTEIN HOFQ HOMOLOG
1847	11055	20244	1.09	6.8E-02	AA496759.1	EST_HUMAN	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
1847	11055	20245	1.09	6.8E-02	AA496759.1	EST_HUMAN	ae30f02.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897339 5' similar to gb:M22382
1871	11078	20268	3.81	6.8E-02	AF156673.1	NT	MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (HUMAN);
4550	13745		0.72	6.8E-02	BE141076.1	EST_HUMAN	MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (HUMAN);
6200	15381	24822	7.45	6.8E-02	AL163288.2	NT	MR0-HT0069-071099-001-c05 HT0069 Homo sapiens cDNA
6555	15751	25212	7.23	6.8E-02	AJ248287.1	NT	Homo sapiens chromosome 21 segment HS21C068
6555	15751	25213	7.23	6.8E-02	AJ248287.1	NT	Homo sapiens putative hepatic transcription factor (WBSCR14) gene, complete cds
8273	18341		1.75	6.8E-02	T03214.1	EST_HUMAN	Pyrococcus abyssi complete genome; segment 516
8405	17481		2.35	6.8E-02	AA758014.1	EST_HUMAN	Pyrococcus abyssi complete genome; segment 516
9004	17882		2.51	6.8E-02	AW975839.1	EST_HUMAN	Pyrococcus abyssi complete genome; segment 516
9069	17898		2.42	6.8E-02	9910585	NT	FB4A8 Fetal brain, Stratagene Homo sapiens cDNA clone FB4A8 3' end similar to LINE-1
9270	18287	23885	1.75	6.8E-02	8978885	NT	ah6705.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320705 3'
1514	10728		2.09	6.7E-02	AF115536.1	NT	EST387948 MAGE resequences, MAGN Homo sapiens cDNA
1858	11065	20256	1.82	6.7E-02	A120285.1	EST_HUMAN	Mus musculus latent TGF beta binding protein (Tgfb), mRNA
3698	12918	22035	5.07	6.7E-02	P12726	SWISSPROT	Rattus norvegicus Growth factor independent-1 (Gfi1), mRNA
1356	10571	19736	1.07	6.8E-02	A1735509.1	EST_HUMAN	Oncorhynchus mykiss TAP1 protein (OrmyTAP1) mRNA, OrmyTAP1*01 allele, complete cds
							qg78a04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1841406 3'
							HOMEOBOX PROTEIN HOXD4 (CHOX-A)
							af12a08.x1 Barsbyed acia HPLRB6 Homo sapiens cDNA clone IMAGE:2354920 3' similar to
							SW:LIN1_NYCCO P08548 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG. ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1377	10591	19757	1.01	6.6E-02	AF245118.1	NT	Drosophila melanogaster cec1n mRNA, complete cds
2147	11345	20562	11.31	6.6E-02	AJ289241.1	NT	Mus musculus Capn12 gene for calpain 12, exons 1-21, three alternative transcripts
3440	12665	21789	10.35	6.6E-02	R84306.1	EST_HUMAN	y18b10.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:139579 3'
3453	12678	21813	2.75	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
3453	12678	21814	2.75	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
4056	13266	22369	1.94	6.6E-02	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
4898	14185	23273	12.34	6.6E-02	Q61703	SWISSPROT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
4998	14185	23274	12.34	6.6E-02	Q61703	SWISSPROT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
5922	15139	24551	3.91	6.6E-02	X06411.1	NT	P. vulgaris mRNA for chalcone synthase
6441	15638	25105	2.34	6.6E-02	AF052572.1	NT	Homo sapiens chemokine receptor CXCR4 gene, promoter region and complete cds
7534	16739	26230	7.23	6.6E-02	BF374248.1	EST_HUMAN	MR1-SN0084-010600-006-s12 SN0084 Homo sapiens cDNA
8882	17777		2.4	6.6E-02	9937991	NT	Mus musculus DIPB gene (Dipb), mRNA
9201	17986		1.32	6.6E-02	AF167430.1	NT	Rattus norvegicus cytochrome P450 2E1 (CYP2E1) gene, 5' flanking region
589	9837	18956	1.66	6.6E-02	BF027639.1	EST_HUMAN	601671046F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954178 5'
994	10226	19382	2.86	6.6E-02	U47624.1	NT	Homo sapiens E2F-like protein (LOC51270), mRNA
1395	10609	19773	3.06	6.6E-02	U47624.1	NT	Xenopus laevis alpha(E)-catenin mRNA, complete cds
1708	10920	20105	1.9	6.6E-02	AE000704.1	NT	Aquifex aeolicus section 98 of 109 of the complete genome
4967	14154	23246	3.91	6.6E-02	7661863	NT	Homo sapiens KIAA00019 gene product (KIAA0019), mRNA
5472	14698	24051	1.87	6.6E-02	AA443891.1	EST_HUMAN	zy46h12.s1 Soares ovary tumor NihHOT Homo sapiens cDNA clone IMAGE:756743 3' similar to gb:M26038
7233	16454	25943	6.3	6.6E-02	AA195848.1	EST_HUMAN	HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-S BETA CHAIN (HUMAN);
8295	17406		3.32	6.6E-02	M21496.1	NT	z32g05.s1 Soares NIHMPU_S1 Homo sapiens cDNA clone IMAGE:665144 3'
8670	17845		4.71	6.6E-02	AF102893.1	NT	Rabbit microsomal epoxide hydrolase
582	9831	18949	2.37	6.6E-02	X04549.1	NT	Nectria haematococca kinesin related protein 2 (KRP2) gene, complete cds
5714	14932	24327	3.38	6.6E-02	AF052733.1	NT	A. carterae precursor of peridinin-chlorophyll-protein (PCP) gene
5714	14932	24328	3.38	6.6E-02	AF052733.1	NT	Heterodera glycines beta-1,4-endoglucanase-1 precursor (HG-eng-1) gene, complete cds
6005	15287	24719	4.78	6.6E-02	BE974448.1	EST_HUMAN	Heterodera glycines beta-1,4-endoglucanase-1 precursor (HG-eng-1) gene, complete cds
6576	15772		2.71	6.6E-02	6753323	NT	601880425R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950503 3'
6673	15898	25327	4.73	6.6E-02	AA068305.1	EST_HUMAN	Mus musculus chaperonin subunit 6a (Cct6a), mRNA
6957	16175	25646	2.29	6.6E-02	AB011126.1	NT	k1419.seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
						NT	Homo sapiens mRNA for KIAA0554 protein, partial cds
8198	17331	26873	2.12	6.6E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds

Page 87 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8199	17331	26874	2.12	6.4E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
8562	18248		3.94	6.4E-02	AF107890.1	NT	Homo sapiens mucin 5B (MUC5B) gene, partial cds
8613	17610	23985	2.47	6.4E-02	AJ277174.1	NT	Drosophila melanogaster mRNA for mod(mdg4)51.4 protein
1726	10638	20121	2.34	6.3E-02	AF109905.1	NT	Mus musculus major histocompatibility locus class III regiona Hsc70t gene, partial cds; smRNP, G7A, NG23, MuS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes
3592	12804		2.89	6.3E-02	P37082	SWISSPROT	HEAT SHOCK PROTEIN 70 HOMOLOG
7077	16254	25727	5.25	6.3E-02	AB010162.1	NT	Hepatitis G virus RNA for polyprotein (NS5A region), partial cds, strain: CMR-152
7303	14046	24343	3.42	6.3E-02	BF10736.1	EST_HUMAN	60187331BF1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4087499 5'
8649	17632		1.45	6.3E-02	P15276	SWISSPROT	TRANSCRIPTIONAL REGULATORY PROTEIN ALGP (ALGINATE REGULATORY PROTEIN ALGR3)
4237	13440	22532	3.53	6.2E-02	AL161572.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68
4331	13532		1.31	6.2E-02	AF271235.1	NT	Rattus norvegicus differentiation-associated Na-dependent inorganic phosphate cotransporter (DNPI) mRNA, complete cds
4581	13775		7.65	6.2E-02	Q82191	SWISSPROT	52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)) (RO52)
7888	17104	26634	1.97	6.2E-02	AJ242735.1	NT	Metarhizium anisopliae mRNA for Chymotrypsin (chyl gene)
8393	18372		6.97	6.2E-02	AE000750.1	NT	Aquifex aeolicus section 82 of 108 of the complete genome
8829	17741	23932	2.62	6.2E-02	BF112039.1	EST_HUMAN	TR:Q9Y4S8 Q9Y4S8 HYPOTHETICAL 30.3 KD PROTEIN. [1]:
260	9536	18896	5.6	6.1E-02	D16471.1	NT	Human mRNA, Xq terminal portion
3969	13184		2.44	6.1E-02	U73325.1	NT	Arabidopsis thaliana K ⁺ inward rectifying channel protein (AtKIC1) gene, complete cds
4657	13851	22948	0.95	6.1E-02	AF119413.1	NT	Lupinus albus 1-aminocyclopropane-1-carboxylate synthase 3 (ACCS3) gene, complete cds
4657	13851	22947	0.95	6.1E-02	AF119413.1	NT	Lupinus albus 1-aminocyclopropane-1-carboxylate synthase 3 (ACCS3) gene, complete cds
6549	15745	25205	4.27	6.1E-02	X99268.1	NT	H. sapiens mRNA for B-HLH DNA binding protein
7317	16355	26023	6.21	6.1E-02	BE179543.1	EST_HUMAN	IL3-HT0618-110500-136-C08 HT0618 Homo sapiens cDNA
8340	18288		7.82	6.1E-02	X70969.1	NT	S. japonicus mRNA for serine-enzyme
9089	17808		4.49	6.1E-02	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
1269	10484	19643	1.24	6.0E-02	AE001777.1	NT	Thermotoga maritima section 89 of 136 of the complete genome
2635	11818	21035	1.2	6.0E-02	AW968948.1	EST_HUMAN	EST380924 IMAGE:408924, MAGJ Homo sapiens cDNA
2728	11907		1.34	6.0E-02	AB031289.1	NT	Mesocricetus cotti mitochondrial DNA, NADH dehydrogenase subunit 4, tRNA-Gln, tRNA-Phe, tRNA-Met, ATPase subunit 6, and NADH dehydrogenase subunit 2
2887	9390	18519	0.97	6.0E-02	AA188730.1	EST_HUMAN	zpt8c04.r1 Strategene HeLa cell s3 897216 Homo sapiens cDNA clone IMAGE:626310 5'
2887	9390	18520	0.97	6.0E-02	AA188730.1	EST_HUMAN	zpt8c04.r1 Strategene HeLa cell s3 897216 Homo sapiens cDNA clone IMAGE:626310 5'

Page 88 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3195	12430	21595	1.53	6.0E-02	AA372376.1	EST_HUMAN	EST84268 Colon adenocarcinoma IV Homo sapiens cDNA 5' end similar to tissue-specific protein
3195	12430	21596	1.53	6.0E-02	AA372376.1	EST_HUMAN	EST84268 Colon adenocarcinoma IV Homo sapiens cDNA 5' end similar to tissue-specific protein
3613	12834		1.01	6.0E-02	BE984443.2	EST_HUMAN	601658150R1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3876060 3'
6083	14529	23553	2.93	6.0E-02	5174698	NT	Homo sapiens stimulated trans-acting factor (50 kDa) (STAF50) mRNA
6083	14529	23554	2.93	6.0E-02	5174698	NT	Homo sapiens stimulated trans-acting factor (50 kDa) (STAF50) mRNA
6160	15343	24780	2.16	6.0E-02	BF382349.1	EST_HUMAN	601815274F2 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4049226 5'
6368	15548	25004	1.79	6.0E-02	AJ204275.1	EST_HUMAN	qf58b08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1754199 3'
6878	16069	25538	3.1	6.0E-02	AJ245385.1	NT	Acipenser baeri partial IGLV gene for Immunoglobulin light chain variable region, exons 1-2
6878	16069	25539	3.1	6.0E-02	AJ245385.1	NT	Acipenser baeri partial IGLV gene for Immunoglobulin light chain variable region, exons 1-2
7878	17068		2.05	6.0E-02	AA128386.1	EST_HUMAN	zn87c08.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565166 5' similar to gb:X69181 60S RIBOSOMAL PROTEIN L31 (HUMAN);
8812	17609	23964	1.52	6.0E-02	11431702	NT	Homo sapiens DNA-dependent protein kinase catalytic subunit-interacting protein 2 (KIP2), mRNA
9018	17868		2.41	6.0E-02	A1809273.1	EST_HUMAN	wf68h03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360885 3' similar to TR:O60298
235	9514	18642	5.1	5.9E-02	AW634719.1	EST_HUMAN	O60298 KIAA0551 PROTEIN;
2940	12178	21313	2.36	5.9E-02	AF190269.1	NT	RC1-DT0001-290100-012-q10 DT0001 Homo sapiens cDNA
5249	14422	23498	0.87	5.9E-02	AW028748.1	EST_HUMAN	Mus musculus p53 tumor suppressor gene, exon 10 and 11, partial cds; alternatively spliced
5249	14422	23499	0.87	5.9E-02	AW028748.1	EST_HUMAN	w34e02.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:2531450 3' similar to TR:O65386
6860	15855	26314	2.7	5.9E-02	9055249	NT	O65386 F12F1.20 PROTEIN;
7366	16592		3.4	5.9E-02	6879670	NT	Mus musculus troglodytes related homeobox 5 (Drosophila) (lrx5), mRNA
7590	16784	26288	2.73	5.9E-02	11433356	NT	Mus musculus tollistatin-like (Fet), mRNA
8075	17210		1.66	5.9E-02	BF572539.1	EST_HUMAN	Homo sapiens ninein (LOC51199), mRNA
8089	17224		1.97	5.9E-02	AJ240733.1	NT	602076548F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4243834 5'
941	10174		6.49	5.8E-02	D80110.1	NT	Gallus gallus HKC9 telomere junction
3844	12865	21983	13.82	5.8E-02	AE001175.1	NT	Thiobacillus ferrooxidans merC, merA genes and URF-1
4348	13550	22643	5.33	5.8E-02	AW051927.1	EST_HUMAN	Thermoboga maritima section 87 of 138 of the complete genome
4348	13550	22844	5.33	5.8E-02	AW051927.1	EST_HUMAN	w34e02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2544578 3'
4544	13739	22838	5.2	5.8E-02	AJ247505.1	EST_HUMAN	w34e02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2544578 3'
4544	13739	22839	5.2	5.8E-02	AJ247505.1	EST_HUMAN	qf56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
4571	13765		2.44	5.8E-02	AF096264.1	NT	qf56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
							Gallus gallus tyrosine kinase JAK1 (JAK1) mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5151	14330	23421	0.6	5.8E-02	AF275366.1	NT	Mus musculus epidermal growth factor receptor (Egfr) gene, exons 5 through 28, and complete cds, alternatively spliced
5151	14330	23422	0.6	5.8E-02	AF275366.1	NT	Mus musculus epidermal growth factor receptor (Egfr) gene, exons 5 through 28, and complete cds, alternatively spliced
5233	14407		0.94	5.8E-02	L76979.1	NT	Schizosaccharomyces pombe HMG-CoA reductase (hmg1+) gene, complete cds
6367	15547	25002	2.53	5.8E-02	M69150.1	NT	Human polymorphic microsatellite DNA
6367	15547	25003	2.53	5.8E-02	M69150.1	NT	Human polymorphic microsatellite DNA
8498	17539		2.41	5.8E-02	AF220177.1	NT	Drosophila melanogaster male fruitless type-A (fru) mRNA, complete cds
8805	18359		6.22	5.8E-02	AA604289.1	EST_HUMAN	no75e11.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:1112894 3'
3022	12258	21386	1.34	5.7E-02	A1081644.1	EST_HUMAN	ou63b05.s1 NCI_CGAP_B12 Homo sapiens cDNA clone IMAGE:1832485 3' similar to WP:C37A2.2
3036	12272	21400	1.43	5.7E-02	AF119117.1	NT	CE098911
3687	12808		0.93	5.7E-02	AF001292.1	NT	Homo sapiens dopamine transporter (SLC6A3) gene, complete cds
3786	13004	22119	2.32	5.7E-02	AW966791.1	EST_HUMAN	Chironomus thummi thummi globin VIIA.1 (ctt-7A.1), globin 9.1 (ctt-9.1), globin II-beta (ctt-2beta), non-functional globin XIII (ctt-13RT), globin XII (ctt-12) and globin XI (ctt-11) genes, complete cds
4691	13882		1.01	5.7E-02	M95099.1	NT	EST378885 MAGI resequences, MAGI Homo sapiens cDNA
7743	16939	28448	4.13	5.7E-02	A1752685.1	EST_HUMAN	Bos taurus lysozyme gene (cow 3), complete cds
7743	16939	28449	4.13	5.7E-02	A1752685.1	EST_HUMAN	cn18b09.y1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn18b09 random
8718	18169		7	5.7E-02	D50320.1	NT	cn18b09.y1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn18b09 random
8959	18244		2.46	5.7E-02	AF217490.1	NT	Pig DNA for SPAL-2, complete cds
9105	18349		4.1	5.7E-02	AF261280.1	NT	Homo sapiens fragile 18D oxidoreductase (FOR) gene, exons 8, 9, and partial cds
4642	13836	22925	1.34	5.6E-02	AB013100.1	NT	Pan troglodytes apolipoprotein-E gene, complete cds
4706	13897	22996	1.32	5.6E-02	AA290599.1	EST_HUMAN	Lycopodium obscurum LE-ACS6 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
5958	15172	24587	4.45	5.6E-02	AW172708.1	EST_HUMAN	zs45c01.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:700416 3'
6140	15324	24759	3.23	5.6E-02	BE080001.1	EST_HUMAN	x02c10.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2656050 3' similar to TR:O84979 O84979
6717	15912	25370	3.92	5.6E-02	BE542663.1	EST_HUMAN	KIAA0905 PROTEIN.;
6717	15912	25371	3.92	5.6E-02	BE542663.1	EST_HUMAN	GVO-BN0147-290400-214-g07 BN0147 Homo sapiens cDNA
8089	17233		2.72	5.6E-02	AF260225.1	NT	601087158F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453279 5'
2616	11800	21016	5.48	5.5E-02	X97689.1	NT	601087158F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453279 5'
3181	12416	21551	3.96	5.5E-02	6756501	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
							H. sapiens gene encoding Le antigen
							Mus musculus SH3 domain protein 1B (SH3d1B), mRNA

Page 90 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4199	13403	22500	1.12	5.5E-02	L41581.1	NT	Gallid herpesvirus mRNA fragment
5158	14337		1.07	5.5E-02	U67518.1	NT	Methanococcus jannaschii section 60 of 150 of the complete genome
5516	14741	24107	3.4	5.5E-02	Q01174	SWISSPROT	TROPOMYOSIN ALPHA CHAIN, NON MUSCLE
5671	14741	24107	4.13	5.5E-02	Q01174	SWISSPROT	TROPOMYOSIN ALPHA CHAIN, NON MUSCLE
							Citrobacter freundii DSM 30040 cyclopropane fatty acid synthase (cfa) gene, partial cds, dihydroxyacetone kinase (dhak), glycerol dehydrogenase (dhaD), transcriptional activator (dhaR), 1,3-propanediol dehydrogenase (dhaT), glycerol dehydratase (dhaB)>
7589	18793	26285	14.31	5.5E-02	U09771.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1296	10511		0.6	5.4E-02	AF157623.1	NT	Onyza sativa rbb13-1 gene for putative Bowman Birk trypsin inhibitor
2984	12221		1.01	5.4E-02	AJ277488.1	NT	RC5-BT0569-140200-012-C03 BT0559 Homo sapiens cDNA
3400	14477		7.28	5.4E-02	BE073468.1	EST_HUMAN	Hirudo medicinalis SNAP-25 homolog mRNA, complete cds
3889	13105	22223	0.72	5.4E-02	U85806.1	NT	Neurospora crassa ubiquinol-cytochrome c oxidoreductase subunit VIII (QCR8) mRNA, complete cds
7289	16508	25999	2.88	5.4E-02	U20790.1	NT	Rena catesbeiana heat shock protein 30 (HSP30) mRNA, complete cds
8598	18163		1.71	5.4E-02	U44894.1	NT	QV0-ST0213-021299-062-e09 ST0213 Homo sapiens cDNA
1060	10288	19436	1.14	5.3E-02	AW391248.1	EST_HUMAN	QV0-ST0213-021299-062-e09 ST0213 Homo sapiens cDNA
1060	10288	19437	1.14	5.3E-02	AW391248.1	EST_HUMAN	ye37f112.1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:119951 5' similar to gb:K01508 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DP(1) ALPHA CHAIN (HUMAN);
1496	10709	19882	11.81	5.3E-02	T04759.1	EST_HUMAN	Pseudomonas putida tgsS gene
2460	11651	20872	2.39	5.3E-02	AJ276408.1	NT	Drosophila melanogaster laminin B2 gene, complete cds
2893	12131	21266	0.92	5.3E-02	M58417.1	NT	Drosophila melanogaster laminin B2 gene, complete cds
2893	12131	21267	0.92	5.3E-02	M58417.1	NT	Pseudomonas putida tgsS gene
3115	12350	21478	3.95	5.3E-02	AJ276408.1	NT	Mus musculus caudal type homeobox-1 (Cdx-1) gene, complete cds
5120	14299	23387	8.22	5.3E-02	M80463.1	NT	Helicobacter pylori 26695 section 5 of 134 of the complete genome
5343	14573	23849	1.95	5.3E-02	AE000527.1	NT	Helicobacter pylori 26695 section 5 of 134 of the complete genome
5343	14573	23850	1.95	5.3E-02	AE000527.1	NT	Lymphocystis disease virus 1, complete genome
6034	15242	24663	4.21	5.3E-02	8695413	NT	nuclear protein TIF1 isoform [hice, mRNA, 4053 nt]
6236	15417		2.31	5.3E-02	S78221.1	NT	Branchiostoma floridae homeodomain-containing protein Hox13 (Hox13) gene, exon 2 and partial cds
9242	18013	23850	1.36	5.3E-02	AF276815.1	NT	Homo sapiens mephrin A, alpha (PABA peptide hydrolase) (MEPIA) mRNA
2249	11444		91.98	5.2E-02	5031808	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3078	12314	21435	2.27	5.2E-02	AJ277661.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3078	12314	21436	2.27	5.2E-02	AJ277661.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3913	13129	22246	0.7	5.2E-02	AF236101.1	NT	Arabidopsis thaliana putative dicarboxylate diiron protein (Crd1) mRNA, complete cds
4283	13466	22557	2.88	5.2E-02	U07132.1	NT	Human steroid hormone receptor Nsr-1 mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5199	14375	23482	0.72	5.2E-02	AB035201.1	NT	Rattus norvegicus mRNA for thyroglobulin, complete cds
2332	11525		1.1	5.1E-02	AL134071.1	EST_HUMAN	DKFZp547D073_r1 547 (synonym: hfbt1) Homo sapiens cDNA clone DKFZp547D073 5'
4186	13390	22489	0.81	5.1E-02	AE001301.1	NT	Chlamydia trachomatis section 28 of 87 of the complete genome
5080	14260	23345	1.07	5.1E-02	BE957423.2	EST_HUMAN	60165336SR2 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3838381 3'
5235	14409	23490	0.71	5.1E-02	P01785	SWISSPROT	IG HEAVY CHAIN V REGION MOO
8021	14511	23569	1.77	5.1E-02	BF378825.1	EST_HUMAN	QV0-UM0051-250800-350-508 UM0051 Homo sapiens cDNA
7015	16192	25666	8.18	5.1E-02	AF012898.1	NT	Candida albicans protein phosphatase Ssd1 homolog (SSD1) gene, complete cds
7406	16618	26108	2.98	5.1E-02	AF083930.1	NT	Homo sapiens ES18 mRNA, partial cds
7406	16618	26109	2.88	5.1E-02	AF083930.1	NT	Homo sapiens ES18 mRNA, partial cds
8856	17759		1.7	5.1E-02	AF062467.1	NT	Cucumis melo polygalacturonase precursor (MPC3) mRNA, complete cds
489	9742	18372	1	5.0E-02	AF068004.1	NT	Mus musculus fatty acid amide hydrolase gene, exon 10
1212	10430	19586	10.56	5.0E-02	Z99104.1	NT	Bacillus subtilis complete genome (section 1 of 21): from 1 to 213080
1959	11163	20366	6.31	5.0E-02	P02810	SWISSPROT	SALIVARY ACIDIC PROLINE-RICH PHOSPHOPROTEIN 1/2 PRECURSOR (PRP-1/PRP-3) (PRP-2/PRP-4) (PIF-FPIF-S) (PROTEIN A/PROTEIN C) [CONTAINS: PEPTIDE P-C]
2770	10225	19381	1.08	5.0E-02	U72742.1	NT	Oryctolagus cuniculus UDP-glucuronosyltransferase (UGT2B13) mRNA, complete cds
3311	12541		1.45	5.0E-02	7305610	NT	Mus musculus Uhc-51 like kinase 2 (C. elegans) (Ulk2), mRNA
3573	12796		0.94	5.0E-02	U32782.1	NT	Haemophilus influenzae Rd section 97 of 163 of the complete genome
3684	12885	22006	4.54	5.0E-02	U12769.2	NT	Antheraea pernyi period clock protein homolog mRNA, complete cds
4837	14026		0.98	5.0E-02	P40232	SWISSPROT	CASEIN KINASE II BETA CHAIN (CK II)
6307	15488	24833	11.19	5.0E-02	P35616	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
8025	17162	26699	2.76	5.0E-02	U67800.1	NT	Methanococcus jannaschii section 142 of 150 of the complete genome
8360	18205		4.81	5.0E-02	Q04047	SWISSPROT	NO-ON-TRANSIENT A PROTEIN
229	9507		34.14	4.9E-02	M14230.1	NT	Chicken 28-kDa vitamin D-dependent calcium-binding protein (CaBP-28) mRNA, complete cds
374	9640	18774	2.22	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
374	9640	18775	2.22	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
2826	12065	21186	0.77	4.9E-02	U32636.1	NT	Zea mays phytoene synthase (Y1) gene, complete cds
3257	12490	21621	1.72	4.9E-02	P54258	SWISSPROT	ATROPHIN-1 (DENTATORUBRAL-PALLIDOLYSIAN ATROPHY PROTEIN)
3545	12768		0.76	4.9E-02	AA188940.1	EST_HUMAN	zq48a12.s1 Stratagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:632926 3' similar to contains Alu repetitive element; contains element MSR1 repetitive element;
3569	12792	21918	1.13	4.9E-02	AA400914.1	EST_HUMAN	z178a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
3569	12792	21919	1.13	4.9E-02	AA400914.1	EST_HUMAN	z178a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
4858	14048	23140	1.62	4.9E-02	AW167821.1	EST_HUMAN	xg56g10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2632386 3'
4858	14048	23141	1.62	4.9E-02	AW167821.1	EST_HUMAN	xg56g10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2632386 3'
5382	14611	23723	1.8	4.9E-02	L00122.1	NT	Rat elastase II gene, exon 6

Page 92 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5382	14611	23724	1.8	4.8E-02	L00122.1	NT	Rat elastase II gene, exon 6
7940	17080	26608	3.81	4.8E-02	AF008303.1	NT	Homo sapiens prepro placental TGF-beta gene, complete cds
8777	17707		1.6	4.8E-02	8923880	NT	Homo sapiens CS box-containing WD protein (LOC55884), mRNA
9056	17898		4.4	4.8E-02	M19364.1	NT	Human gamma-B-crystallin (gamma 1-2) and gamma-C-crystallin (gamma 2-1) genes, complete cds
9119	18277		1.28	4.8E-02	Z89118.1	NT	Bacillus subtilis complete genome (section 13 of 21): from 2395261 to 2613730
335	9804	18733	1.4	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
336	9804	18733	3	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
495	9748	18877	7.4	4.8E-02	AF003100.1	NT	Arabidopsis thaliana AP2 domain containing protein RAP2.7 mRNA, partial cds
2238	11433	20657	1.55	4.8E-02	W51983.1	EST_HUMAN	z49b02.s1 Soares, senescent fibroblasts NBHSF Homo sapiens cDNA clone IMAGE:325611 3' similar to gb:M30938 LUPUS KU AUTOANTIGEN PROTEIN P86 (HUMAN);
3175	12410	21546	2.47	4.8E-02	X17144.1	NT	Tetrahymena rostrata histone H3II and histone H4II intergenic DNA
4674	13668		1.11	4.8E-02	Z54280.1	NT	S.scrofa gene for skeletal muscle myosin receptor
5160	14339	23428	0.63	4.8E-02	U91914.1	NT	Streptococcus constellatus D-alanine:D-alanine ligase gene, partial cds
8847	17630		1.35	4.8E-02	9032893	NT	Streptococcus thermophilus bacteriophage Sf19, complete genome
6010	15260	24684	3.54	4.7E-02	W01153.1	EST_HUMAN	yz97f09.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:291017 5' similar to contains Alu repetitive element;
6050	15218	24638	2.13	4.7E-02	M82752.1	NT	Rat statin-related protein (s1) gene, complete CDS
6543	15739	25200	13.84	4.7E-02	X15543.1	NT	B.taurus mRNA for RF-36-DNA-binding protein
6836	16030	25495	12.53	4.7E-02	X15543.1	NT	B.taurus mRNA for RF-36-DNA-binding protein
7339	16555	26043	1.93	4.7E-02	8754565	NT	Mus musculus ligand of numb-protein X (Lnx), mRNA
8090	17225	26760	2.02	4.7E-02	U73621.1	NT	Bos taurus paired box protein (pax-6) gene, partial cds
8090	17225	26761	2.02	4.7E-02	U73621.1	NT	Bos taurus paired box protein (pax-6) gene, partial cds
8580	18360		1.79	4.7E-02	AV848521.1	EST_HUMAN	AV848521 GLC Homo sapiens cDNA clone GLCBK002 3'
8947	18363		1.48	4.7E-02	P52951	SWISSPROT	HOMEOBOX PROTEIN GBX-2 (GASTRULATION AND BRAIN-SPECIFIC HOMEOBOX PROTEIN 2)
9199	17985		1.24	4.7E-02	AJ277662.1	NT	Homo sapiens partial TUB gene for tubby (mouse) homolog and LMO1 gene for LIM domain only 1 protein
275	9550	18681	1.16	4.6E-02	BE153583.1	EST_HUMAN	PMO-HT0339-251189-003-g05 HT0339 Homo sapiens cDNA
747	9888	19131	3.98	4.6E-02	AE000445.1	NT	Escherichia coli K-12 MG1655 section 335 of 400 of the complete genome
1299	10514		1.09	4.6E-02	A014255.1	EST_HUMAN	arn50d02.s1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1538979 3' similar to TR:P80533
1367	10581	19748	2.77	4.6E-02	AV727059.1	EST_HUMAN	P90533 LIMA, contains element LTR1 repetitive element;
2452	11643	20863	1.64	4.6E-02	AW238023.1	EST_HUMAN	AV727059 HTC Homo sapiens cDNA clone HTC8WC01 5'
							xn24f03.x1 NC1_CGAP_Kid11 Homo sapiens cDNA clone HTC8WC01 5'
							Q12849 G-RICH SEQUENCE FACTOR-1;

Page 93 of 382
Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2760	9550	18681	1.53	4.0E-02	BE153583.1	EST_HUMAN	PMO-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
2969	12207	21343	0.62	4.0E-02	BE153583.1	EST_HUMAN	PMO-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
3304	12207	21343	0.6	4.0E-02	BE153583.1	EST_HUMAN	PMO-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
3471	12207	21343	0.67	4.0E-02	BE153583.1	EST_HUMAN	PMO-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
4103	13310		1.27	4.0E-02	AF220365.1	NT	Mus musculus nuclear RNA helicase II/Gu (dab21) gene, complete cds
5765	14984	24383	3.35	4.0E-02	X61624.1	NT	C.reinhardtii atp2 (atpB) mRNA
5765	14984	24384	3.35	4.0E-02	X61624.1	NT	C.reinhardtii atp2 (atpB) mRNA
6670	15665	25325	4.77	4.0E-02	BE154006.1	EST_HUMAN	PMO-HT0339-060400-009-G12 HT0339 Homo sapiens cDNA
7941	17081	26609	4.08	4.0E-02	AA913328.1	EST_HUMAN	ol27h09.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1524737 3'
8928	18358		1.28	4.0E-02	L11692.1	NT	Oryctolagus cuniculus macrophage scavenger receptor type II mRNA, complete cds
9163	17962		4.09	4.0E-02	X57808.1	NT	Human germline immunoglobulin lambda light chain gene
453	9708	18844	2.45	4.5E-02	P22448	SWISSPROT	RETINOIC ACID RECEPTOR BETA (RAR-BETA)
1228	10444	19589	0.95	4.5E-02	AF005730.1	NT	Marburg virus strain MS.Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
1228	10444	19600	0.95	4.5E-02	AF005730.1	NT	Marburg virus strain MS.Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
1773	10983	20174	5.37	4.5E-02	P32182	SWISSPROT	HEPATOCTE NUCLEAR FACTOR 3-BETA (HNF-3B)
2080	11280	20496	1.63	4.5E-02	AE003984.1	NT	Xylella fastidiosa, section 110 of 229 of the complete genome
3703	12923	22042	4.72	4.5E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
							Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
5766	14985	24385	1.65	4.5E-02	AJ400877.1	NT	Arabidopsis thaliana CCAAT-box binding factor HAP3 homolog gene, complete cds
6597	15793	25251	2.49	4.5E-02	AF036684.1	NT	EST28167 Cerebellum II Homo sapiens cDNA 5' end similar to neuro-D4 protein
7054	16231	25706	5.35	4.5E-02	AA325216.1	EST_HUMAN	Homo sapiens ret finger protein-like 3 (RFP13), mRNA
8578	17592	24000	2.56	4.5E-02	11418013	NT	zq43f11.r1 Stralagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:632483 5'
8889	18250	23709	5.94	4.5E-02	AA181087.1	EST_HUMAN	801652154F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:3935388 5'
224	9503		4.97	4.4E-02	BE872733.1	EST_HUMAN	Drosophila melanogaster extracellular (EXD) mRNA, complete cds
1032	10258	19409	0.86	4.4E-02	L19295.1	SWISSPROT	HYPOTHETICAL PROTEIN (ORF 2280)
2066	11287		4.76	4.4E-02	P31568	SWISSPROT	QV2-PT0012-010300-070-g02 PT0012 Homo sapiens cDNA
2453	11644	20864	1.05	4.4E-02	AW875475.1	EST_HUMAN	Chironomus tentans ecdysione-controlled gene I-18c
3346	12574	21714	0.93	4.4E-02	X06212.1	NT	Mycobacterium xenitus sarthothromine kinase Pkn10 (pkn10) gene, complete cds
3619	12840	21959	1.8	4.4E-02	AF169160.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4626	13823	22911	1.22	4.4E-02	AF109807.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4629	13823	22912	1.22	4.4E-02	AF109807.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4754	13945		2.85	4.4E-02	AJ222689.1	NT	Ovis aries CCAAT-enhancer binding protein epsilon gene

Page 94 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6702	15997	25358	3.19	4.4E-02	AA736899.1	EST_HUMAN	hw13h03.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1239221 3'
7639	16839	26336	6.01	4.4E-02	AF060899.1	NT	Hepatitis E virus strain HEV-JUS2 polyprotein (ORF1), (ORF3), and capsid protein (ORF2) genes, complete cds
7753	16949	26457	3.27	4.4E-02	AA496739.1	EST_HUMAN	ae33f04.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897631 5'
8280	17403		1.93	4.4E-02	AB040826.1	NT	Homo sapiens mRNA for KIAA1493 protein, partial cds
8477	18373		1.48	4.4E-02	BF241245.1	EST_HUMAN	601878749F1 NIH_MGC_35 Homo sapiens cDNA clone IMAGE:4107418 5'
790	10030	19179	7.71	4.3E-02	AF003249.1	NT	Morone saxatilis myosin heavy chain FM3A (FM3A) mRNA, complete cds
2533	11721	20838	2.39	4.3E-02	AV704878.1	EST_HUMAN	AV704878 ADB Homo sapiens cDNA clone ADBACH08 5'
3408	12634	21765	8.87	4.3E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3639	12860		1.05	4.3E-02	AF060568.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
5256	14428	23505	1.34	4.3E-02	D10008.1	NT	yeast RHO3 gene, complete cds
5874	15082	24504	4.79	4.3E-02	P30427	SWISSPROT	PLECTIN
5874	15092	24505	4.79	4.3E-02	P30427	SWISSPROT	PLECTIN
8544	17568		1.41	4.3E-02	AL139077.2	NT	Campylobacter jejuni NCTC11168 complete genome; segment 4/8
832	10070	19225	2.2	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'
876	10112		2.66	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'
906	10141	19303	0.71	4.2E-02	AW003845.1	EST_HUMAN	wx34g01.x1 NCI_CGAP_P1H Homo sapiens cDNA clone IMAGE:2545584 3' similar to TR:Q63291 Q63291
1695	10907		1.55	4.2E-02	AL445066.1	NT	L1 RETROPOSON, ORF2 MRNA, contains L1 L1 L1 repetitive element;
1748	10960	20142	1.25	4.2E-02	P23091	SWISSPROT	Thermoplasma acidophilum complete genome; segment 4/5
3845	12866	21984	1.56	4.2E-02	P23091	SWISSPROT	TRANSFORMING PROTEIN MAF
4098	13306	22406	1.01	4.2E-02	BE262605.1	EST_HUMAN	801150933F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503505 5'
4756	13947	23048	0.87	4.2E-02	BF342985.1	EST_HUMAN	602017105F1 NCI_CGAP_Brr84 Homo sapiens cDNA clone IMAGE:4152672 5'
6302	15483	24927	4.36	4.2E-02	AF276752.1	NT	Legionella pneumophila catalase-peroxidase (katA) gene, complete cds
6721	15916	25375	5.82	4.2E-02	P05095	SWISSPROT	ALPHA-ACTININ 3, NON MUSCULAR (F-ACTIN CROSS LINKING PROTEIN)
7855	17045	26562	2.53	4.2E-02	BE815922.1	EST_HUMAN	PM3-BN0174-250500-009-d10 BN0174 Homo sapiens cDNA
7855	17045	26563	2.53	4.2E-02	BE815922.1	EST_HUMAN	PM3-BN0174-250500-009-d10 BN0174 Homo sapiens cDNA
8038	17174	26714	1.97	4.2E-02	AF176458.1	NT	PRRS isolate PRRSV36 envelope glycoprotein gene, complete cds
8851	18301		2.53	4.2E-02	AI983494.1	EST_HUMAN	w449g10.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2510850 3'
4468	13668		9.32	4.1E-02	AW893484.1	EST_HUMAN	QV1-NN0012-180400-164-f08 NN0012 Homo sapiens cDNA
5162	14331		0.59	4.1E-02	X85880.1	NT	L monocytogenes type 3 partial lap gene (strain 443)
6295	15476	24918	1.84	4.1E-02	7662347	NT	Homo sapiens KIAA0867 protein (KIAA0867), mRNA

Page 95 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6401	15582	25039	2.71	4.1E-02	AF026198.1	NT	Fugu rubripes neural cell adhesion molecule L1 homolog (L1-CAM) gene, complete cds; putative protein 1 (PUT1) gene, partial cds; mitosis-specific chromosome segregation protein SMC1 homolog (SMC1) gene, complete cds; and calcium channel alpha-1 subunit>
9189	18302	23689	23.13	4.1E-02	AJ271909.1	NT	Brassica napus gln gene for plastid glutamine synthetase, exons 1-12
9275	18039	23845	1.3	4.1E-02	AF254822.1	NT	Homo sapiens SMARCA4 isoform (SMARCA4) gene, complete cds, alternatively spliced
3210	12444	21576	3.38	4.0E-02	AB040904.1	NT	Homo sapiens mRNA for KIAA1471 protein, partial cds
3782	13000	22115	0.97	4.0E-02	L11910.1	NT	Human retinoblastoma susceptibility gene exons 1-27, complete cds
5153	14332	23423	0.9	4.0E-02	AB042287.1	NT	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
5385	14814	23727	5.43	4.0E-02	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
6372	15552	25009	5.79	4.0E-02	L23838.1	NT	Strongylocentrotus purpuratus homolog of human bone morphogenetic protein 1 (submp) mRNA, complete cds
6687	15882	25341	3.68	4.0E-02	P08840	SWISSPROT	GLUCOAMYLASE S/IS2 PRECURSOR (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)
8243	17372	23340	1.71	4.0E-02	AJ001018.1	NT	Kluyveromyces fragilis gene for Ca++ ATPase
8481	18114	23809	7.93	4.0E-02	AJ001056.1	NT	Ovis aries mRNA for acetyl-coA carboxylase
1128	10352	19504	4.68	3.9E-02	BF616149.1	EST_HUMAN	UI-H-BW1-ans-h-08-Q-U1.s1 NCJ_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3084134 3'
1352	10567	19731	1.9	3.9E-02	P41047	SWISSPROT	FAS ANTIGEN LIGAND
1931	11135	20330	2.37	3.9E-02	AJ403386.1	NT	M.musculus DNA for desmin-binding fragment DesD7
2665	11848		1.53	3.9E-02	4506862	NT	Homo sapiens succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC) mRNA
5077	14257	23340	1.42	3.9E-02	U61380.1	NT	Bacillus megaterium germination protein (gerAA, gerAC, gerAB) genes, complete cds
5077	14257	23341	1.42	3.9E-02	U61380.1	NT	Bacillus megaterium germination protein (gerAA, gerAC, gerAB) genes, complete cds
5117	14297	23385	0.8	3.9E-02	U92882.1	NT	Mus musculus slow skeletal muscle troponin T (Ttnnt) gene, complete cds
5169	14348	23436	1.01	3.9E-02	AW392417.1	EST_HUMAN	RC8-ST0258-171109-021-C09 ST0258 Homo sapiens cDNA
5192	14368	23454	1	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
5192	14368	23455	1	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
7948	15593	25055	1.69	3.9E-02	P48778	SWISSPROT	ANTIGEN GOR
8317	18258		10.48	3.9E-02	AB042553.1	NT	Felis catus G-CSF gene for granulocyte colony-stimulating factor, complete cds
8986	17857		2.18	3.9E-02	U66061.1	NT	Human germine T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBV1S1, TCRBV1S2, >

Page 96 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9123	18180		7.38	3.9E-02	AL049868.2	NT	Mus musculus chromosome X contigB; X-linked lymphocyte regulated 5 gene, Zinc finger protein 275, Zinc finger protein 92, mrxq28orf
4898	14084	23177	4.3	3.8E-02	AF000580.1	NT	Dicotyledon discoidium plasmid Ddp5, complete genome
7246	16466	25957	2.32	3.8E-02	AF143952.2	NT	Homo sapiens PELOTA (PELOTA) gene, complete cds
999	10230	18385	8.13	3.7E-02	P19137	SWISSPROT	LAMININ ALPHA-1 CHAIN PRECURSOR (LAMININ A CHAIN)
2203	11400	20625	4.9	3.7E-02	A184806.1	EST_HUMAN	wr85608.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2494502 3'
3015	12251	21381	1.02	3.7E-02	P78944	SWISSPROT	EMESODERMIN
3017	12253	21382	5.68	3.7E-02	BF312963.1	EST_HUMAN	601896233F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125584 5'
8358	17450	26941	4.56	3.7E-02	BF124974.1	EST_HUMAN	601762117F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4024973 5'
9060	18150	23753	12.69	3.7E-02	11418392	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1 (SLC22A1), mRNA
3634	12855	21974	0.78	3.6E-02	X73221.1	NT	H. vulgare Sst1 gene for sucrose synthase
3642	12863	21981	0.84	3.6E-02	AL096808.1	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 10[10q26.3] of Homo sapiens
5967	15182	24597	4.29	3.6E-02	AW945516.1	EST_HUMAN	CM2-EN0013-110500-192-b10 EN0013 Homo sapiens cDNA
5987	15182	24598	4.29	3.6E-02	AW945516.1	EST_HUMAN	CM2-EN0013-110500-192-b10 EN0013 Homo sapiens cDNA
6119	15303	24735	1.68	3.6E-02	AF025952.1	NT	Chromatium vinosum sulfur globule protein Cys2 precursor (sgp2) gene, complete cds
6209	15390	24834	2.73	3.6E-02	AA714521.1	EST_HUMAN	nm20605.s1 NCL_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241024 3' similar to gb.J00314_mae2
6873	16064	25530	3.35	3.6E-02	U20808.1	NT	TUBULIN BETA-1 CHAIN (HUMAN); Dicotyledon discoidium unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds
6873	16064	25531	3.35	3.6E-02	U20808.1	NT	Dicotyledon discoidium unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds
905	10140	18302	1.14	3.5E-02	U09508.1	NT	Drosophila melanogaster tigrin mRNA, complete cds
1016	10245	19397	1.05	3.5E-02	AF253417.1	NT	Homo sapiens microsomal epoxide hydrolase (EPHX1) gene, complete cds
1546	10760	19933	0.91	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
1546	10760	19934	0.91	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
4196	13400	22498	1.94	3.5E-02	AE001773.1	NT	Thermobla maritima section 85 of 136 of the complete genome
4306	13507	22603	1.35	3.5E-02	P53780	SWISSPROT	CYSTATHIONINE BETA-LYASE PRECURSOR (CBL) (BETA-CYSTATHIONASE) (CYSTEINE LYASE)
5761	14980	24378	1.69	3.5E-02	J01238.1	NT	Maize actin 1 gene (MAc1), complete cds
6862	15857	25316	3.7	3.5E-02	BE958970.1	EST_HUMAN	601844701R2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3928737 3'
8028	17165	26702	1.89	3.5E-02	AW861841.1	EST_HUMAN	PM1-CT0328-291299-002-403 CT0326 Homo sapiens cDNA
8028	17165	26703	1.89	3.5E-02	AW861841.1	EST_HUMAN	PM1-CT0328-291299-002-403 CT0326 Homo sapiens cDNA
8054	18193		4.1	3.5E-02	BE276948.1	EST_HUMAN	601178765F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3543833 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
585	9834	18952	1.36	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
585	9834	18953	1.36	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
586	9834	18952	3.54	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
586	9834	18953	3.54	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
1058	10284	19434	4.44	3.4E-02	AW274020.1	EST_HUMAN	XI26d07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814253 3' similar to SW:C211_HUMAN P63801 PUTATIVE SURFACE GLYCOPROTEIN C21ORF1 PRECURSOR ;
1214	10432		8.37	3.4E-02	11345459	NT	Homo sapiens hypothetical protein FLJ13220 (FLJ13220), mRNA
2355	11548	20769	1.57	3.4E-02	T67180.1	EST_HUMAN	yc20e05.r1 Stratiogene lung (#837210) Homo sapiens cDNA clone IMAGE:81250 5' similar to contains MIER29 repetitive element
3409	12635	21768	1.11	3.4E-02	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
3757	12976	22091	0.78	3.4E-02	BE839514.1	EST_HUMAN	RC3-FN0155-080700-011-410 FN0155 Homo sapiens cDNA
3897	13113	22231	3.91	3.4E-02	AW764952.1	EST_HUMAN	RC8-UM0015-210200-021-A10 UM0015 Homo sapiens cDNA
4598	13792	22883	3.59	3.4E-02	X59799.1	NT	Musculus S-antigen gene promoter region
5092	14272		2.41	3.4E-02	Q28457	SWISSPROT	LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG)
5108	14288	23373	1.24	3.4E-02	AJ012469.1	NT	Caenorhabditis elegans mRNA for DYS-1 protein, partial
6019	14509	23567	4.27	3.4E-02	U24393.1	NT	Human lysyl oxidase-like protein gene, exon 3
6548	15744		4.73	3.4E-02	A1868629.1	EST_HUMAN	wl89d04.x1 NCJ_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2433031 3'
							zq04f11.s1 Stratiogene muscle 837209 Homo sapiens cDNA clone IMAGE:828749 3' similar to TR:G1017425 G1017425
6751	15948		6.27	3.4E-02	AA194306.1	EST_HUMAN	IPISGKPLPKVTLSDRGVPLKATMRNFTEITAENLTINLKESVTADAGRYEITAANSSGTTKAFINIVLDRPG
377	9843		13.74	3.3E-02	AA398735.1	EST_HUMAN	PPT GPVWISDITEESVTLKWEPPKVDGGSQVTVLLKRETSTAVNTEVSATVARTMMKVMKL ;
1175	10398	19548	15.21	3.3E-02	AB035897.1	NT	z175608.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728198 3'
1618	10829	20004	1.02	3.3E-02	AF110763.1	NT	Cricketulus griseus CYP2A17 mRNA for cytochrome P450 2A17, complete cds
1712	10924		1.2	3.3E-02	AE000700.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
2053	11254		2.44	3.3E-02	R09112.1	EST_HUMAN	Aquifex aeolicus section 32 of 109 of the complete genome
3337	12568		0.61	3.3E-02	H02389.1	EST_HUMAN	Y25c09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:127888 5'
4158	10828	20004	1.9	3.3E-02	AF110763.1	NT	y35h02.r1 Soares placenta NB21P Homo sapiens cDNA clone IMAGE:160771 5'
4463	13661	21704	2.12	3.3E-02	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
4825	14014	23114	0.65	3.3E-02	AW275098.1	EST_HUMAN	Mus musculus tumor rejection antigen gp96 (Tra1), mRNA
5085	14265	23352	1	3.3E-02	AW500191.1	EST_HUMAN	XP40B04.x1 NCJ_CGAP_HIN11 Homo sapiens cDNA clone IMAGE:2742789 3'
5843	15060	24468	15.35	3.3E-02	BF245995.1	EST_HUMAN	UI-HF-BNO-alc-g-10-Q-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076785 5'
5843	15060	24469	15.35	3.3E-02	BF245995.1	EST_HUMAN	601853910F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073787 5'
7881	16880	26387	4.07	3.3E-02	BF691107.1	EST_HUMAN	601853910F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073787 5'
							602247171F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4332497 5'

Page 98 of 382
Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8593	17583		1.52	3.3E-02	T96545.1	EST_HUMAN	ye49f11.1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:121101.5'
8691	17659		1.26	3.3E-02	AF289685.1	NT	Mus musculus EIF4H gene, partial cds; LIMK1 gene, complete cds; and ELN gene, partial cds
8722	17675		1.73	3.3E-02	M81890.1	NT	Human interleukin 11 (IL11) gene, complete mRNA
129	9412	18547	2.2	3.2E-02	AJ002005.1	NT	Oryctolagus cuniculus gene encoding ileal sodium-dependent bile acid transporter
1134	10357	19508	28.12	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 68 (hsp68) gene, hsp68d allele, complete cds
1134	10357	19509	28.12	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 68 (hsp68) gene, hsp68d allele, complete cds
2089	11289		0.9	3.2E-02	P28955	SWISSPROT	LARGE TEGUMENT PROTEIN
3089	12335	21462	13.54	3.2E-02	BE867353.1	EST_HUMAN	601442431F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846727.5'
3695	12815	22034	1.75	3.2E-02	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
3937	13153	22269	0.66	3.2E-02	Z74103.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL055c
3937	13153	22270	0.66	3.2E-02	Z74103.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL055c
4202	13405		18.44	3.2E-02	X94768.1	NT	H.sapiens RP3 gene (XLRP gene 3)
4778	13987	23069	3.67	3.2E-02	AF114182.1	NT	Safraga nidifica maturase (matK) gene, chloroplast gene encoding chloroplast protein, partial cds
4844	14033	23125	4.95	3.2E-02	AF067083.1	NT	Vitreoscilla sp. outer membrane protein homolog gene, complete cds; Trp repressor binding protein gene, partial cds; and unknown genes
5460	14886	24036	1.85	3.2E-02	X68709.1	NT	S.griseocarneum whiG-SN gene
5460	14886	24037	1.85	3.2E-02	X68709.1	NT	S.griseocarneum whiG-SN gene
5888	15105	24516	2.33	3.2E-02	M32437.1	NT	Rat/polyomavirus left junction in cell line W98.14
5889	15108		30.79	3.2E-02	T89367.1	EST_HUMAN	yd33h12.s1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:110087.3' similar to contains
5938	15154	24585	3.84	3.2E-02	AF173845.1	NT	Alu repetitive element; contains LTR1 repetitive element;
6560	15756	25219	4.07	3.2E-02	6680565	NT	Seguinus oedipus tissue kallikrein gene, complete cds
7062	16289		2.88	3.2E-02	AA719795.1	EST_HUMAN	Mus musculus kinesin family member 3c (Kif3c), mRNA
1267	10482		1.86	3.1E-02	4503416	NT	qp54b12.s1 Soares pineal gland_N3-IPG Homo sapiens cDNA clone IMAGE:397151.3' similar to gb:U08441 CYTOCHROME C OXIDASE POLYPEPTIDE III (HUMAN);
1312	10528	19689	2.11	3.1E-02	P18845	SWISSPROT	Homo sapiens dual specificity phosphatase 4 (DUSP4) mRNA
1857	11084	20255	0.94	3.1E-02	6671564	NT	NEURONAL ACETYLCHOLINE RECEPTOR PROTEIN, ALPHA-3 CHAIN PRECURSOR (GF-ALPHA-3)
5373	14602		2.56	3.1E-02	AA278478.1	EST_HUMAN	Mus musculus adaptor-related protein complex AP-3, delta subunit (Ap3d), mRNA
1800	10814		1.73	3.0E-02	AF187125.1	NT	zs81a08.r1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:703658.5'
3541	12764	21895	1.22	3.0E-02	M94176.1	NT	Pityktaenes minutus cytochrome oxidase I gene, partial cds; mitochondrial gene for mitochondrial product
3633	12854	21973	2.79	3.0E-02	AF247644.1	NT	Seccharomyces cerevisiae stem-loop mutation suppressor SSL2 gene, complete cds
3726	12845		0.62	3.0E-02	AW820223.1	EST_HUMAN	Pseudomonas fluorescens family II aminotransferase gene, complete cds
							QV2-ST0296-150200-040-008 ST0296 Homo sapiens cDNA

Page 99 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3924	13140		0.89	3.0E-02	AA364003.1	EST_HUMAN	EST74530 Pineal gland II Homo sapiens cDNA 5' end
4701	13892		38.75	3.0E-02	AI240467.1	EST_HUMAN	q10g06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844314 3'
5083	14263	23348	7.54	3.0E-02	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
5083	14263	23349	7.54	3.0E-02	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
5393	14822		3.03	3.0E-02	AB046793.1	NT	Homo sapiens mRNA for KIAA1573 protein, partial cds
5993	15276	24706	3.37	3.0E-02	AJ242906.1	NT	Cyprius carpio mRNA for inducible nitric oxide synthase (iNOS gene)
6044	15212	24631	3.32	3.0E-02	BE889948.1	EST_HUMAN	601512206F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913848 5'
6044	15212	24632	3.32	3.0E-02	BE889948.1	EST_HUMAN	601512206F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913848 5'
6114	15208	24627	1.95	3.0E-02	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
6114	15208	24628	1.95	3.0E-02	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
7203	16380	25861	2.8	3.0E-02	AE001797.1	NT	Thermotoga maritima section 109 of 136 of the complete genome
7784	16979	26492	3.51	3.0E-02	MB1357.1	NT	Human coagulation factor VII (F7) gene exon 1 and factor X (F10) gene, exon 1
8187	17319	26862	9.3	3.0E-02	AA483216.1	EST_HUMAN	ne8704.s1 NCL_CGAP_Kid1 Homo sapiens cDNA clone IMAGE:911263
8673	18351	23607	1.99	3.0E-02	R32019.1	EST_HUMAN	yf63d04.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:134407 3'
9044	17885		7.15	3.0E-02	AW895565.1	EST_HUMAN	QV4-NIN0038-270400-187-h05 NN0038 Homo sapiens cDNA
9085	18345		3.1	3.0E-02	AF046887.1	NT	Rattus norvegicus UDP-Gal:glucosylceramide beta-1,4-galactosyltransferase mRNA, complete cds
2949	12187	21320	0.92	2.9E-02	BE565644.1	EST_HUMAN	601338428F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3680695 5'
2949	12187	21321	0.92	2.9E-02	BE565644.1	EST_HUMAN	601338428F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3680695 5'
3903	13119	22237	0.79	2.9E-02	H72805.1	EST_HUMAN	y07e10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:233130 5'
5782	15000	24403	6.95	2.9E-02	BF032233.1	EST_HUMAN	601452861F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3856598 5'
6184	15366	24806	10.82	2.9E-02	BE271437.1	EST_HUMAN	601140729F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3049830 5'
572	9822		0.7	2.8E-02	AW970153.1	EST_HUMAN	EST382234 IMAGE resequences, MAGK Homo sapiens cDNA
3345	12573	21712	1.21	2.8E-02	AF066063.1	NT	Homo sapiens retinal fasciclin (FSCN2) gene, exon 2
3345	12573	21713	1.21	2.8E-02	AF066063.1	NT	Homo sapiens retinal fasciclin (FSCN2) gene, exon 2
5435	14682	23915	11.9	2.8E-02	BE741083.1	EST_HUMAN	601594078F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948067 5'
8977	17846		1.33	2.8E-02	X08322.1	NT	Yeast CN3TC chromosome III RAHS DNA (right arm transcription hot-spot)
3410	12638	21767	2.05	2.7E-02	AL161494.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 6
4184	13388	22486	1.81	2.7E-02	N47258.1	EST_HUMAN	y66h12.r1 Soares_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:280487 5'
4184	13388	22487	1.81	2.7E-02	N47258.1	EST_HUMAN	y66h12.r1 Soares_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:280487 5'
6112	15208	24625	1.94	2.7E-02	AA93571.1	EST_HUMAN	cd96h03.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1624661 3'
578	9827	18946	0.91	2.6E-02	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2334	11527	20748	2.34	2.6E-02	AA490021.1	EST_HUMAN	ab02b02.s1 Strabegene fetal retina 637202 Homo sapiens cDNA clone IMAGE:839595 3'
2338	11529	20750	2.19	2.6E-02	6754241	NT	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2338	11529	20751	2.19	2.6E-02	6754241	NT	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2866	12104		1.22	2.6E-02	AF109908.1	NT	Mus musculus MHC class III region RD gene, partial cds; Bf, C2, G9A, NG22, G9, HSP70, HSP70, HSC70, and smRNP genes, complete cds; G7A gene, partial cds; and unknown genes
3917	13133		10.04	2.6E-02	AA071307.1	EST_HUMAN	zm73109.s1 Strabegene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:531305 3'
4278	13481		1.53	2.6E-02	Y07848.1	NT	Homo sapiens EWS, gar22, mp22 and barm22 genes
4928	14114	23209	3.97	2.6E-02	L12032.1	NT	Chicken dorsalin-1 mRNA, complete cds
5098	14278	23362	1.62	2.6E-02	AE002014.1	NT	Deinococcus radiodurans R1 section 151 of 229 of the complete chromosome 1
5124	14303	23392	1.87	2.6E-02	AW241154.1	EST_HUMAN	xa52b04.x1 NCI_CGAP_Sar4 Homo sapiens cDNA clone IMAGE:2570383 3' similar to SW:Y069_HUMAN Q15041 HYPOTHETICAL PROTEIN KIAA0069 ;
5278	14449	23522	0.63	2.6E-02	AE000825.1	NT	Methanobacterium thermoautotrophicum from bases 340840 to 352162 (section 31 of 148) of the complete genome
5759	14878		6.88	2.6E-02	A120630.1	EST_HUMAN	qg27f11.x1 NCI_CGAP_Kd3 Homo sapiens cDNA clone IMAGE:1762317 3'
5839	15056	24483	2.12	2.6E-02	BE621748.1	EST_HUMAN	601493473T1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895578 3'
6047	15215	24635	6.57	2.6E-02	6881271	NT	Rattus norvegicus Nerve growth factor receptor, fast (Ngfr), mRNA
7928	17139		2.08	2.6E-02	AA279351.1	EST_HUMAN	Zs84c02.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:704162 5'
8097	17231	26770	1.78	2.6E-02	AW500547.1	EST_HUMAN	UI-HF-BNO-alk-e-10-0-UJ.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077468 5'
8595	18338	23604	1.41	2.6E-02	BF343827.1	EST_HUMAN	602015501F1 NCI_CGAP_Bmb4 Homo sapiens cDNA clone IMAGE:4150944 5'
538	9789	18912	1.61	2.5E-02	A1793130.1	EST_HUMAN	on26f08.y5 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1557827 5'
538	9789	18913	1.61	2.5E-02	A1793130.1	EST_HUMAN	on26f08.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1557827 5'
819	10057	19210	20.77	2.5E-02	BE974314.1	EST_HUMAN	601680305R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950685 3'
879	10115	19277	6.14	2.5E-02	BE974314.1	EST_HUMAN	601680305R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950685 3'
2718	11897		2.78	2.5E-02	U12571.1	NT	Rattus norvegicus rebphilin-3A mRNA, complete cds
2809	12147	21281	3.33	2.5E-02	X99697.1	NT	H.carterae mRNA for fucoxanthin chlorophyll a/c binding protein, Fcp1
2809	12147	21282	3.33	2.5E-02	X99697.1	NT	H.carterae mRNA for fucoxanthin chlorophyll a/c binding protein, Fcp1
4022	14468	22337	0.86	2.5E-02	BE701165.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4022	14468	22338	0.86	2.5E-02	BE701165.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4188	13392	22490	5.68	2.5E-02	AW592114.1	EST_HUMAN	h16f08.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2834015 3'
							7e30a09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284008 3' similar to contains L1.1 L1
							repetitive element;
5751	14970		4.59	2.5E-02	BE670128.1	EST_HUMAN	60157893F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928054 5'
5756	14975		4.28	2.5E-02	BE746888.1	EST_HUMAN	HYPOTHETICAL 46.7 KD PROTEIN C19G10.05 IN CHROMOSOME I
7387	16601	26089	2.37	2.5E-02	Q10335	SWISSPROT	HYPOTHETICAL 46.7 KD PROTEIN C19G10.05 IN CHROMOSOME I
7387	16601	26090	2.37	2.5E-02	Q10335	SWISSPROT	HYPOTHETICAL 46.7 KD PROTEIN C19G10.05 IN CHROMOSOME I

Page 101 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7458	16666		4.1	2.5E-02	AF050157.1	NT	Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (Iaalpha) and major histocompatibility protein class II beta chain (Ib beta) genes, complete cds; butyrophilin-like (NG9), butyrophilin-1b
8238	17367		2.11	2.5E-02	AB007546.1	NT	Homo sapiens gene for LECT2, complete cds
8552	18271		1.92	2.5E-02	11420078	NT	Homo sapiens similar to ALEX3 protein (H. sapiens) (LOC63634), mRNA
8747	18138		2.01	2.5E-02	11433220	NT	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
8842	17768		1.29	2.5E-02	U60189.1	NT	Dicystellum discoideum putative protein kinase MkcA (mkcA) gene, complete cds
8869	17768	23839	1.38	2.5E-02	BE973327.1	EST_HUMAN	601652365R2 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:2070156 3'
177	9457	18590	0.82	2.4E-02	AI378592.1	EST_HUMAN	lc72c07.x1 Soares_NHHMPu_S1 Homo sapiens cDNA clone IMAGE:211149 5'
1578	10791	19967	1.76	2.4E-02	H65884.1	EST_HUMAN	Y75f1.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:2070156 3'
2011	12008	20423	1.44	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
2011	12008	20424	1.44	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4382	13564	22659	1.72	2.4E-02	J05110.1	NT	T. thermophila calcium-binding 25 kDa (TCBP 25) protein mRNA, complete cds
4521	13717	22811	1.22	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4521	13717	22812	1.22	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
5204	14379		1.01	2.4E-02	AL161595.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 91
5286	14457		0.63	2.4E-02	U18468.1	NT	African swine fever virus, complete genome
6630	15826	25288	17.19	2.4E-02	N69442.1	EST_HUMAN	zs35g11.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:284596 3' similar to gb K02099 RATSR7K Rat (rRNA); contains A3R.b1 A3R repetitive element ;
7014	18191	25695	3.55	2.4E-02	AV682954.1	EST_HUMAN	AV682954 GK Homo sapiens cDNA clone GKCDSC03 5'
7067	16244	25719	4.02	2.4E-02	AA493894.1	EST_HUMAN	rho7b12.s1 NCL_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943583 similar to contains Alu repetitive element; contains element PTR5 repetitive element ;
8106	17240	26778	2.22	2.4E-02	AF108905.1	NT	Mus musculus major histocompatibility locus class III regions Hsc701 gene, partial cds; smRNP, G7A, NG23, Mus homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes
8106	17240	26779	2.22	2.4E-02	AF108905.1	NT	Mus musculus major histocompatibility locus class III regions Hsc701 gene, partial cds; smRNP, G7A, NG23, Mus homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes
8341	17438		1.8	2.4E-02	9627909	NT	Bacteriophage b1L67, complete genome
8495	17538	24028	2.66	2.4E-02	6753635	NT	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
8554	17576	23995	1.58	2.4E-02	BE928869.1	EST_HUMAN	MRO-F10175-3 10800-202-906 F10175 Homo sapiens cDNA
8611	17608	23983	1.27	2.4E-02	U78187.1	NT	Rattus norvegicus cAMP-regulated guanine nucleotide exchange factor 1 (cAMP-GEFI) mRNA, complete cds

Page 102 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8611	17608	24007	1.27	2.4E-02	U78167.1	NT	Rattus norvegicus cAMP-regulated guanine nucleotide exchange factor 1 (cAMP-GEF1) mRNA, complete cds
8793	17720		6.39	2.4E-02	AB008569.1	NT	Caenorhabditis elegans mRNA for iron-sulfur subunit of mitochondrial succinate dehydrogenase, complete cds
8820	17737		1.23	2.4E-02	N42980.1	EST_HUMAN	Y08408.1 Soares melanocyte 2N6HM Homo sapiens cDNA clone IMAGE:270610 5'
8826	17740		1.35	2.4E-02	BF679477.1	EST_HUMAN	602153281F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294173 5'
9282	18378		1.22	2.4E-02	S58644.1	NT	integrin beta 5 subunit [rats, NRK cells, mRNA Partial, 603 nt]
1838	11046		6.31	2.3E-02	W05340.1	EST_HUMAN	za84g08.r1 Soares fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:289284 5'
1852	11059		6.86	2.3E-02	U94165.1	NT	4 Homo sapiens mammary tumor-associated protein INT6 (INT6) gene, exon 4
1977	11180	20388	1.04	2.3E-02	AW797355.1	EST_HUMAN	GM2-UM00038-280400-172-b11 UM0038 Homo sapiens cDNA
2319	11512	20733	2.33	2.3E-02	Z74283.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
3662	12863	22004	7.23	2.3E-02	Z20377.1	EST_HUMAN	HSAAACADH P, Human foetal Brain Whole tissue Homo sapiens cDNA
3696	12916		0.84	2.3E-02	L23429.1	NT	Canis beta-galactosidase-binding lectin (LGALS3) mRNA, 3' end
4131	13337	22436	0.87	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4131	13337	22437	0.87	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4412	13612	22708	1.19	2.3E-02	AW699107.1	EST_HUMAN	CM4-NN0080-280400-160-b04 NN0080 Homo sapiens cDNA
4443	13643	22735	1.17	2.3E-02	BE935225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4443	13643	22736	1.17	2.3E-02	BE935225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4444	14470	22737	1.01	2.3E-02	AW693693.1	EST_HUMAN	xs25d08.x1 NCI_CGAP_UJ2 Homo sapiens cDNA clone IMAGE:2770671 3'
4444	14470	22738	1.01	2.3E-02	AW693693.1	EST_HUMAN	xs25d08.x1 NCI_CGAP_UJ2 Homo sapiens cDNA clone IMAGE:2770671 3'
4594	13788	22880	2.54	2.3E-02	BF026487.1	EST_HUMAN	601672279F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'
4594	13788	22881	2.54	2.3E-02	BF026487.1	EST_HUMAN	601672279F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'
5043	14227		1.06	2.3E-02	7662173	NT	Homo sapiens KIAA0547 gene product (KIAA0547), mRNA
5183	14359	23444	0.65	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
5183	14359	23445	0.65	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
5193	14369	23456	0.62	2.3E-02	AE000775.1	NT	Aquifex aeolicus section 107 of 109 of the complete genome
5383	14612	23725	3.67	2.3E-02	U68303.1	NT	Caulobacter crescentus topoisomerase IV ParE subunit (parE) gene, complete cds, and propionyl-CoA carboxylase beta chain (pcdB) homolog gene, partial cds
5942	15158	24570	4.97	2.3E-02	AL161505.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 17
6419	15616	25079	6.05	2.3E-02	U63610.1	NT	Human plectin (PLEC1) gene, exons 3-32, and complete cds
7085	16262	25739	2.2	2.3E-02	AE000199.1	NT	Escherichia coli K-12 MG1655 section 89 of 400 of the complete genome
7085	16262	25740	2.2	2.3E-02	AE000199.1	NT	Escherichia coli K-12 MG1655 section 89 of 400 of the complete genome
7363	16579	26070	2.17	2.3E-02	P08640	SWISSPROT	GLUCOAMYLASE S1/S2 PRECURSOR (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)

Page 103 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8468	18123		5.76	2.3E-02	BE278331.1	EST_HUMAN	60117958F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3546567 5'
8014	17868	23890	2.12	2.3E-02	U39394.1	NT	Streptomyces sp. alpha-1 3/4-fucosidase precursor gene, complete cds
8072	18376		1.87	2.3E-02	U11077.1	NT	Dictyostelium discoideum extracellular signal-regulated protein kinase (ERK1) mRNA, complete cds
745	9986	19129	3.5	2.2E-02	AF018287.1	NT	Columba livia nucleoside diphosphate kinase (NDPK) gene, nuclear gene encoding mitochondrial protein, complete cds
1719	10931		1.51	2.2E-02	4557448	NT	Homo sapiens chromodomain helicase DNA binding protein 2 (CHD2) mRNA
1982	11185	20394	1.57	2.2E-02	Z82001.1	NT	S.pneumoniae pcpA gene and open reading frames
2685	12024	21079	1.84	2.2E-02	AF109633.1	NT	Mus musculus ets variant protein ER81 gene, exons 1 through 4
3413	12839		1.8	2.2E-02	AA577785.1	EST_HUMAN	nm24a04.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1084782 3'
3625	12846		3.43	2.2E-02	AF083094.1	NT	Infectious bursal disease virus segment B strain IL4 VP1 gene, complete cds
3896	13112	22230	0.63	2.2E-02	Z74283.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
5099	14279	23363	1.65	2.2E-02	Z73587.1	NT	S.cerevisiae chromosome XVI reading frame ORF YPL241c
6183	15365	24805	3.57	2.2E-02	AV689721.1	EST_HUMAN	AV689721 GKB Homo sapiens cDNA clone GKBAND03 3'
7756	16954	28462	1.7	2.2E-02	BE787601.1	EST_HUMAN	601584309F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938571 5'
8750	17693		2.64	2.2E-02	AA503553.1	EST_HUMAN	ne47h07.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:900541 3' similar to contains Alu repetitive element;
425	9678		5.24	2.1E-02	AV761502.1	EST_HUMAN	AV761502 MDS Homo sapiens cDNA clone MDSADG01 5'
455	9708		8.19	2.1E-02	AF029728.1	NT	Dictyostelium discoideum histidine kinase C (dhkC) mRNA, complete cds
1270	10485	19644	8.21	2.1E-02	U72073.1	NT	Bacillus subtilis cotKLM cluster, CotK (cotK), CotL (cotL), and spore coat protein CotM (cotM) genes, complete cds
1752	10964	20147	0.89	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1752	10964	20148	0.89	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1752	10964	20149	0.89	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
2768	10028	19177	3.47	2.1E-02	N29288.1	EST_HUMAN	y43h07.t1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:284541 5'
3560	12783	21912	1.05	2.1E-02	AA461271.1	EST_HUMAN	z63b09.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:796121 5'
4113	13320	22420	0.64	2.1E-02	Z74283.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
4297	13498	22594	0.77	2.1E-02	BF343855.1	EST_HUMAN	602015306F1 NCI_CGAP_Bim64 Homo sapiens cDNA clone IMAGE:4151161 5'
4437	13637	22730	1.78	2.1E-02	U44914.1	NT	Borrelia burgdorferi plasmid cp32-2, erpC and erpD genes, complete cds; and unknown genes
4449	13648	22744	1.73	2.1E-02	A1768127.1	EST_HUMAN	wg81d11.x1 Soares NSF F8 9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371509 3'
4497	13695		0.63	2.1E-02	Y19213.1	NT	Homo sapiens putative psihHba pseudogene for hair keratin, exons 2 to 7
4881	13895		1.31	2.1E-02	Y19213.1	NT	Homo sapiens putative psihHba pseudogene for hair keratin, exons 2 to 7
4720	13911	23013	5.72	2.1E-02	Y08501.1	NT	A.thaliana mitochondrial genome, part A
4741	13932	23036	0.63	2.1E-02	AA685737.1	EST_HUMAN	ag55g12.s1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1126818 3'

Page 104 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4834	14023	23117	0.82	2.1E-02	AI823432.1	EST_HUMAN	wh54605.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384528 3'
8731	13695		8.84	2.1E-02	Y19213.1	NT	Homo sapiens putative psilHbA pseudogene for hair keratin, exons 2 to 7
9173	17986	23856	3.85	2.1E-02	AF183913.1	NT	Azoispirillum brasilense major outer membrane protein OmeA precursor (omeA) gene, complete cds
9286	18044		2.59	2.1E-02	BF063512.1	EST_HUMAN	OM1-TN0141-140900-407408 TN0141 Homo sapiens cDNA
18	9314	18416	0.85	2.0E-02	BF002832.1	EST_HUMAN	7q51c08.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3308998 3' similar to contains MER1.13
19	9315	18417	9.16	2.0E-02	AW895665.1	EST_HUMAN	MER1 repetitive element;
263	9539	18988	2.99	2.0E-02	8753635	NT	QV4-NIN0038-270400-187405 NIN0038 Homo sapiens cDNA
300	9573	18708	2.59	2.0E-02	AA456538.1	EST_HUMAN	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
808	10047	19198	2.09	2.0E-02	8753635	NT	aat15b10.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:813307 5'
1095	10319	19471	0.86	2.0E-02	AL066805.1	NT	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
1207	10426	19582	1.71	2.0E-02	8922391	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 1 [1p36.33] of Homo sapiens
1207	10426	19583	1.71	2.0E-02	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
1839	11047	20236	1.93	2.0E-02	8922453	NT	Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
1839	11047	20237	1.93	2.0E-02	8922453	NT	Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
2751	11930		1.94	2.0E-02	AL161532.2	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
3044	9314	18416	1.58	2.0E-02	BF002832.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
3109	12344		2.28	2.0E-02	7305474	NT	7q51c08.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3308998 3' similar to contains MER1.13
3193	12428		1.67	2.0E-02	AF095588.1	NT	Mus musculus sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 68
3983	13197	22305	1.53	2.0E-02	M18095.1	NT	(Sema6b), mRNA
7031	16208		2.37	2.0E-02	U70408.1	NT	Arabidopsis thaliana C2H2 zinc finger protein FZF mRNA, complete cds
7236	16457	23945	2.06	2.0E-02	Z73968.1	NT	P. vulgaris hydroxyproline-rich glycoprotein (HRGP) mRNA, 3' end
7911	17126	26658	3.17	2.0E-02	D89184.1	NT	Japanese encephalitis virus envelope protein mRNA, partial cds
8281	14502	23587	1.4	2.0E-02	AA456538.1	EST_HUMAN	Mycobacterium tuberculosis H37Rv complete genome; segment 93/162
8769	11930		1.55	2.0E-02	AL161532.2	NT	Equus caballus DNA for 17alpha-hydroxylase/17,20-lyase, complete cds
9247	18146		1.53	2.0E-02	BE786595.1	EST_HUMAN	aa15b10.r1 Soares_NHMPu_ST Homo sapiens cDNA clone IMAGE:813307 5'
9264	18022		5.01	2.0E-02	T80037.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
700	9942	18076	2.49	1.9E-02	AA572764.1	EST_HUMAN	601478819F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3881477 5'
2006	11209	20418	2.75	1.9E-02	AL163303.2	NT	y004c09.r1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:24875 5'
							nt19a07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:914186 similar to contains L1.t1 L1
							repetitive element;
							Homo sapiens chromosome 21 segment HS21C103

Page 105 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2006	11209	20419	2.75	1.9E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2471	11662	20882	1.22	1.9E-02	AL161550.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 50
2857	12095	21224	8.45	1.9E-02	AA713958.1	EST_HUMAN	hw04705.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1238337 3'
2805	12143	21279	1.71	1.9E-02	AV648669.1	EST_HUMAN	AV648669 GLC Homo sapiens cDNA clone GLCBLH07 3'
3226	12460		0.63	1.9E-02	AB033611.1	NT	Utrichus talpoides mitochondrial gene for cytochrome b, complete cds
3589	12610		1.06	1.9E-02	NS2250.1	EST_HUMAN	yz28b02.s1 Soares_multiple_sclerosis_2NbrMSP Homo sapiens cDNA clone IMAGE:284331 3'
3683	12904		8.88	1.9E-02	BE738088.1	EST_HUMAN	601572682F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839564 5'
4024	13235	22340	1.34	1.9E-02	AF141940.1	NT	Mycoplasma imitans VihA1 precursor (VihA1) and VihA2 precursor (VihA2) genes, partial cds
4175	13379	22479	1.56	1.9E-02	P09081	SWISSPROT	HOMEOIC BICOID PROTEIN (PRD-4)
4175	13379	22480	1.56	1.9E-02	P09081	SWISSPROT	HOMEOIC BICOID PROTEIN (PRD-4)
4538	13733	22831	3.05	1.9E-02	AI452999.1	EST_HUMAN	tt46d04.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2144551 3' similar to contains Alu repetitive element
5037	11662	20882	5.49	1.9E-02	AL161550.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 50
8505	18128	23813	3.08	1.9E-02	AF101065.1	NT	Hirudo medicinalis intermediate filament gellanin mRNA, complete cds
9203	17988	23862	1.48	1.9E-02	G68271.1	NT	H. sapiens MUC18 gene exon 10
351	9619	18746	1.42	1.8E-02	AW771104.1	EST_HUMAN	hm52c06.x1 NCI_CGAP_Co17 Homo sapiens cDNA clone IMAGE:3027274 3' similar to contains element MER29 repetitive element
692	6935	19065	0.65	1.8E-02	BF308122.1	EST_HUMAN	601894329F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139983 5'
1168	10389	19541	1.27	1.8E-02	X17664.1	NT	H. fransci mRNA for myelin basic protein (MBP)
2638	11821	21037	1	1.8E-02	AE004544.1	NT	Pseudomonas aeruginosa PAO1, section 105 of 529 of the complete genome
3177	12412		0.78	1.8E-02	AB05828.1	EST_HUMAN	te62a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2090296 3'
3866	13082	22198	1.11	1.8E-02	AW878122.1	EST_HUMAN	MR1-OT0011-280300-009-g04 OT0011 Homo sapiens cDNA
3866	13082	22199	1.11	1.8E-02	AW878122.1	EST_HUMAN	MR1-OT0011-280300-009-g04 OT0011 Homo sapiens cDNA
4062	13273		1.4	1.8E-02	AA861446.1	EST_HUMAN	ak24h04.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1406935 3'
4422	13622	22717	1.35	1.8E-02	AW936363.1	EST_HUMAN	QV4-DT0021-301299-071-b11 DT0021 Homo sapiens cDNA
4975	14162	23253	1.18	1.8E-02	O60810	SWISSPROT	HYPOTHETICAL 7.9 KD PROTEIN IN FIXW 5 REGION
6001	15283	24716	4.21	1.8E-02	P14310	SWISSPROT	HYPOTHETICAL 7.9 KD PROTEIN IN FIXW 5 REGION
7974	16409	25894	1.87	1.8E-02	AB002337.2	NT	Homo sapiens mRNA for KIAA0339 protein, partial cds
7974	16409	25895	1.87	1.8E-02	AB002337.2	NT	Homo sapiens mRNA for KIAA0339 protein, partial cds
8136	17269	26814	1.92	1.8E-02	AP000006.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1168001-1485000 nt. position (877)
8145	17277	26821	3.39	1.8E-02	U62749.1	NT	Zea mays acidic ribosomal protein P2a-3 (rpp2a-3) mRNA, partial cds
9230	18102		1.25	1.8E-02	AF047475.1	NT	Drosophila melanogaster projectin (projectin) gene, partial cds
816	10151	18311	1.51	1.7E-02	BE394869.1	EST_HUMAN	601310626F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632180 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1760	10971	20157	2.19	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.11 L1 repetitive element:
1760	10971	20158	2.19	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.11 L1 repetitive element:
1837	11045		3.2	1.7E-02	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2083	11283		12.09	1.7E-02	AB004816.1	NT	Oryctolagus cuniculus mRNA for mitsugumin29, complets cds
2604	11788		1.15	1.7E-02	7657495	NT	Homo sapiens putative Rab5 GDP/GTP exchange factor homologue (RABEX5), mRNA
2955	12193	21328	1	1.7E-02	A1147615.1	EST_HUMAN	qb22a08.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:1606982 3'
3486	12710		4.88	1.7E-02	AW827368.1	EST_HUMAN	hm45a04.x1 NCI_CGAP_RDF1 Homo sapiens cDNA clone IMAGE:3015534 3' similar to contains MER19.b1 MER19 repetitive element:
3603	12824		0.6	1.7E-02	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
4151	13357		1.17	1.7E-02	AA669618.1	EST_HUMAN	ac19f04.s1 Stratagene ovary (#937217) Homo sapiens cDNA clone IMAGE:856927 3' similar to contains Alu repetitive element; contains element MER24 repetitive element:
4182	13386		2.03	1.7E-02	R02508.1	EST_HUMAN	ye8f08.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:124847 5'
4448	13647	22743	0.65	1.7E-02	A1305279.1	EST_HUMAN	qm08g07.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881276 3' similar to gb:X52359 ZINC FINGER PROTEIN 30 (HUMAN);
4725	13916	23017	1.88	1.7E-02	V00841.1	NT	Message RNA for anglerfish (Lophius americanus) somatostatin II
4828	14017		6.58	1.7E-02	A1015078.1	EST_HUMAN	ov51e02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640858 3'
5100	14280	23364	0.87	1.7E-02	8981289	NT	Rattus norvegicus N-arginine diisic convertase 1 (Nrd1), mRNA
5721	14939	24335	1.65	1.7E-02	A1769247.1	EST_HUMAN	wg35f09.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367113 3' similar to contains Alu repetitive element;
5917	15134	24543	1.78	1.7E-02	A1039280.1	EST_HUMAN	cy65h03.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1672661 3'
6168	15350	24788	2.17	1.7E-02	8400716	NT	Homo sapiens nebulin (NEB), mRNA
6394	15574		1.83	1.7E-02	AJ010770.1	NT	Homo sapiens hyperion gene, exons 1-50
9087	18303	23690	2.28	1.7E-02	AW803482.1	EST_HUMAN	CM4-NN1030-040400-130-f08 NN1030 Homo sapiens cDNA
9177	17970		1.46	1.7E-02	Q03211	SWISSPROT	PISTIL-SPECIFIC EXTENSIN-LIKE PROTEIN PRECURSOR (PELP)
517	9768		1.96	1.6E-02	Q64176	NT	Mycobacterium tuberculosis H37Rv complete genome, segment 13/162
2213	11410	20633	1.08	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
2213	11410	20634	1.09	1.6E-02	Q64178	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
2531	11719	20936	1	1.6E-02	AJ006345.1	NT	Homo sapiens KVLQT1 gene
2608	11790	21010	0.88	1.6E-02	AA484872.1	EST_HUMAN	ne81d06.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:910667
2654	11837		0.93	1.6E-02	AB014534.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds
2981	12218	21353	0.83	1.6E-02	AF112282.1	NT	Laccase sp. isolate 1Bd cytochrome oxidase III gene, partial cds; mitochondrial gene for mitochondrial product

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3499	12723	21859	5.65	1.6E-02	AW850852.1	EST_HUMAN	IL3-CT0219-180200-063-C07 CT0219 Homo sapiens cDNA
3832	13049	22159	1.23	1.6E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
4156	13362		1.49	1.6E-02	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, tapasin, RalGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
5157	14336		0.68	1.6E-02	N80156.1	EST_HUMAN	zaf5e07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:297444 3'
5952	15168	24581	2.2	1.6E-02	AB015281.1	NT	Candida albicans CaGCR3 gene, complete cds
6520	15716		2.8	1.6E-02	X05151.1	NT	Human apoC-II gene for preproapolipoprotein C-II
7087	16284		3.13	1.6E-02	AF078764.1	NT	Drosophila melanogaster enhancer of polycomb (E(Pc)) mRNA, complete cds
7483	18079	26173	2.46	1.6E-02	Z94828.1	NT	G.gallus microsatellite DNA (LE10260 (=T1611E11))
7765	16961	26471	2.87	1.6E-02	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 20
7765	16961	26472	2.87	1.6E-02	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 20
8044	17180	26719	2.23	1.6E-02	A137558.1	EST_HUMAN	q28a10.x1 Soares_pregnant uterus NIHPU Homo sapiens cDNA clone IMAGE:2042442 3'
8478	11410	20633	1.65	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
8478	11410	20634	1.65	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
8865	17766		1.54	1.6E-02	X92751.1	NT	R.norvegicus gene for choline acetyltransferase, exon 1 (non coding)
759	10000		78.83	1.5E-02	8923734	NT	Homo sapiens transcription factor (HSA130894), mRNA
2110	11309	20522	3.85	1.5E-02	N39521.1	EST_HUMAN	y27b07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243925 3'
2141	11339	20557	1.25	1.5E-02	AL181594.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 90
3705	12925	22044	1.13	1.5E-02	BF092842.1	EST_HUMAN	MR4-TN0115-080900-201-b12 TN0115 Homo sapiens cDNA
4123	13329	22427	0.8	1.5E-02	AA160987.1	EST_HUMAN	zq40g10.r1 Strategene hNT neuron (#637233) Homo sapiens cDNA clone IMAGE:632228 5'
6217	15398		1.63	1.5E-02	11467282	NT	Cyanophora paradoxa cyanelle, complete genome
6421	15618	25082	5.18	1.5E-02	11417739	NT	Homo sapiens vely-RNA synthetase 2 (VAR52), mRNA
7727	16925	26435	2.59	1.5E-02	L40809.1	NT	Plasmodium falciparum (strain FCR3) variant-specific surface protein (var-2, var-3) genes, complete cds's
8710	18170		1.65	1.5E-02	AW750834.1	EST_HUMAN	RC4-CN0049-140100-011-c11 CN0049 Homo sapiens cDNA
423	9876		1.46	1.4E-02	AE002230.2	NT	Chlamydomonas reinhardtii AR39, section 58 of 94 of the complete genome
1128	10350	19501	3.57	1.4E-02	7705980	NT	Homo sapiens NESH protein (LOC51225), mRNA
1263	10476		0.9	1.4E-02	U32800.1	NT	Haemophilus influenzae Rd section 115 of 163 of the complete genome
1305	10521		3.25	1.4E-02	U87779.1	NT	Xenopus laevis neurogenin related 1b (X-NGNR-1b) mRNA, complete cds
3179	12414	21548	1.79	1.4E-02	AF160969.2	NT	Bifidobacterium longum Nev/H+ antiporter (nhaB), cytosine deaminase, and alpha-galactosidase (eglL) genes, complete cds; and N-acetylglucosaminidase repressor protein (nagCxyR) gene, partial cds
3376	12604	21739	0.96	1.4E-02	AW074212.1	EST_HUMAN	xb09409.x1 NCI CGAP_GUI Homo sapiens cDNA clone IMAGE:2575793 3'

Page 108 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3459	12684	21818	6.64	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3459	12684	21819	6.64	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3493	12717	21853	0.59	1.4E-02	4503628	NT	Homo sapiens coagulation factor XII (Hageman factor) (F12), mRNA
3636	12857	21976	7.91	1.4E-02	6966918	NT	Mus musculus histocompatibility 2, complement component factor B (H2-B), mRNA
4486	13684	22774	8.97	1.4E-02	AW982688.1	EST_HUMAN	EST374761 IMAGE: ressequences, MAGG Homo sapiens cDNA
4486	13684	22775	8.97	1.4E-02	AW982688.1	EST_HUMAN	EST374761 IMAGE: ressequences, MAGG Homo sapiens cDNA
4665	13659	22958	0.96	1.4E-02	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4665	13659	22959	0.96	1.4E-02	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4893	14081	23174	7.33	1.4E-02	BE733142.1	EST_HUMAN	601567403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842280 5'
4893	14081	23175	7.33	1.4E-02	BE733142.1	EST_HUMAN	601567403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842280 5'
5834	15051	24457	4.63	1.4E-02	AA556030.1	EST_HUMAN	n111c04.s1 NCI_CGAP_Bir2 Homo sapiens cDNA clone IMAGE:1028990 3' similar to contains Alu repetitive element;
5834	15051	24458	4.63	1.4E-02	AA556030.1	EST_HUMAN	n111c04.s1 NCI_CGAP_Bir2 Homo sapiens cDNA clone IMAGE:1028990 3' similar to contains Alu repetitive element;
6877	16068	26537	2.98	1.4E-02	BE544561.1	EST_HUMAN	601078238F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3464241 5'
8368	17469	26591	4.44	1.4E-02	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
8764	17702		1.95	1.4E-02	AF324985.1	NT	Arabidopsis thaliana F21J9.2 mRNA, complete cds
9058	17889		2.17	1.4E-02	11426968	NT	Homo sapiens sperm associated antigen 7 (SPAG7), mRNA
1925	11129	20323	2.04	1.3E-02	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3180	12415	21549	2.04	1.3E-02	BF697081.1	EST_HUMAN	602129475F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4286203 5'
3180	12415	21550	2.04	1.3E-02	BF697081.1	EST_HUMAN	602129475F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4286203 5'
3946	13162		1.42	1.3E-02	AF169288.1	NT	Mus musculus beta-sarcoglycan gene, complete cds
6326	15507	24953	4.62	1.3E-02	AD031593.1	EST_HUMAN	ow00605.x1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1646072 3' similar to contains Alu repetitive element;
6821	15817	25276	2.43	1.3E-02	AF156961.1	NT	Homo sapiens human endogenous retrovirus W gagC3.37 G gag (gag) gene, complete cds
7136	16313	25794	2.87	1.3E-02	M63707.1	NT	Mouse kidney androgen-regulated protein (KAP) gene, complete cds
7564	16766	26259	4.34	1.3E-02	AW288583.1	EST_HUMAN	xc34e03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2815036 3'
7564	16766	26260	4.34	1.3E-02	AW288583.1	EST_HUMAN	xc34e03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2815036 3'
8366	18326		2.66	1.3E-02	X51780.1	NT	Yeast ABP1 gene for actin binding protein
8874	17771		1.98	1.3E-02	9633069	NT	Human herpesvirus 6B, complete genome
9063	18093		12.49	1.3E-02	AF152238.1	NT	Homo sapiens V1b vasopressin receptor (VPR3) gene, complete cds
9268	18364	23609	1.4	1.3E-02	AF009179.1	NT	Oryza sativa replication protein A1 (Os-RPA1) mRNA, complete cds
360	9627	18757	4.87	1.2E-02	AA059299.1	EST_HUMAN	zf65g01.r1 Soares retina N2b4-IR Homo sapiens cDNA clone IMAGE:381840 5' similar to contains element L1 repetitive element;

Page 109 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
459	9712	18847	2.56	1.2E-02	P38898	SWISSPROT	HYPOTHETICAL 17.1 KD PROTEIN IN PUR5 3 REGION
746	9987	19130	10.01	1.2E-02	A1183522.1	EST_HUMAN	qf68e12.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1734870 3' similar to contains L1.11 L1 repetitive element;
2143	11341	20559	1.46	1.2E-02	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
2406	11598	20819	1.16	1.2E-02	AW172350.1	EST_HUMAN	xj37e09.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2659432 3'
2446	11637	20858	1.3	1.2E-02	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
2600	11598	20819	25.94	1.2E-02	AW172350.1	EST_HUMAN	xj37e09.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2659432 3'
3066	12302		6.86	1.2E-02	AA075418.1	EST_HUMAN	zm88e03.r1 Stratagene ovarian cancer (#937219) Homo sapiens cDNA clone IMAGE:545020 5'
3266	12489	21620	2.15	1.2E-02	R62805.1	EST_HUMAN	y111b08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138903 3'
3258	12491	21622	0.84	1.2E-02	A1688894.1	EST_HUMAN	zb66e07.x5 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:308532 3' similar to contains element MER22 repetitive element;
4935	14122	23217	2.88	1.2E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
5087	14247	23382	1.27	1.2E-02	AB019786.1	NT	Gynops pyrrhogaster CplbiqT mRNA, partial cds
5114	14294	23382	1.49	1.2E-02	AV731704.1	EST_HUMAN	AV731704 HTF Homo sapiens cDNA clone HTFBHG11 5'
5531	14775	24142	1.95	1.2E-02	D75589.1	NT	Rana rugosa mRNA for calreticulin, complete cds
6089	15290	24723	5.53	1.2E-02	AF175412.1	NT	Mus musculus DNA methyltransferase (Dnmt1) gene, exons 2, 3, 4, and 5
6212	15393	24837	8.59	1.2E-02	AV732063.1	EST_HUMAN	AV732063 HTF Homo sapiens cDNA clone HTFBJC09 5'
6463	15680	25132	3.83	1.2E-02	Q11205	SWISSPROT	OMP-N-ACETYLNEURAMINATE-BETA-GALACTOSAMIDE-ALPHA-2,3-SIALYLTRANSFERASE (BETA- GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE) (ALPHA 2,3-ST) (GAL-NAC6S) (GAL-BETA-1,3- GALNAc-ALPHA-2,3-SIALYLTRANSFERASE) (ST3GALA.2) (SIAT4-B)
6977	16155	25628	3.58	1.2E-02	AB031013.1	NT	GALNAC-ALPHA-2,3-SIALYLTRANSFERASE (ST3GALA.2) (SIAT4-B)
8442	17505	24015	1.26	1.2E-02	O15534	SWISSPROT	Nonviral-like virus genogroup 2 gene for capsid protein, complete cds
8877	18187		1.27	1.2E-02	P17139	SWISSPROT	PERIOD CIRCADIAN PROTEIN 1 (CIRCADIAN PACEMAKER PROTEIN RIGU1) (HPER)
9071	17698		4.48	1.2E-02	C18119.1	EST_HUMAN	COLLAGEN ALPHA 1(V) CHAIN PRECURSOR
1276	10491	19650	1.91	1.1E-02	AA070384.1	EST_HUMAN	C18119 Human placenta cDNA (Tfujwera) Homo sapiens cDNA clone GEN-557G08 5'
1681	10893	20080	1.32	1.1E-02	X75491.1	NT	zm69e11.s1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:530924 3'
1681	10893	20081	1.32	1.1E-02	X75491.1	NT	H. sapiens LIPA gene, exon 4
2005	11208	20417	4.75	1.1E-02	BF345283.1	EST_HUMAN	H. sapiens LIPA gene, exon 4
2831	12070		4.23	1.1E-02	N99523.1	EST_HUMAN	602018037F1 NCI CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4153808 5'
3496	12720	21857	3.07	1.1E-02	A1653508.1	EST_HUMAN	z940e05.r1 Soares fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:295040 5'
3898	13211		63.05	1.1E-02	BE144637.1	EST_HUMAN	tg95b10.x1 NCI CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2216539 3' similar to SW:XP_F_HUMAN Q92889 DNA-REPAIR PROTEIN COMPLEMENTING XP-F CELL ;
						EST_HUMAN	PM3-HT0175-300989-001-H08 HT0175 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4085	13294		0.85	1.1E-02	AW813798.1	EST_HUMAN	RC3-ST0197-120200-015-g11 ST0197 Homo sapiens cDNA
4847	14036	23129	2.48	1.1E-02	AL048383.2	EST_HUMAN	DKFZp586E0924_s1 586 (synonym: huler1) Homo sapiens cDNA clone DKFZp586E0924
6331	15512	24958	2.06	1.1E-02	BE149611.1	EST_HUMAN	RC1-H10256-100300-016-h07 HT0256 Homo sapiens cDNA
6744	15939	25400	7.88	1.1E-02	Q61982	SWISSPROT	NEUROGENIC LOCUS NOTCH 3 PROTEIN
7047	16224	25699	2.79	1.1E-02	AA082578.1	EST_HUMAN	zn24a01.r1 Stratagene neuroepithelium NT2RAM1 937234 Homo sapiens cDNA clone IMAGE:548328 5'
7107	16284	25765	5.97	1.1E-02	AA314665.1	EST_HUMAN	EST186494 Colon carcinoma (HCC) cell line II Homo sapiens cDNA 5' end
7552	16757	26251	3.86	1.1E-02	11435505	NT	Homo sapiens T-box 5 (TBX5), mRNA
8327	17428		3	1.1E-02	AA668239.1	EST_HUMAN	ab77111.s1 Stratagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:853005 3' similar to contains Alu repetitive element
8	9302	18408	8.12	1.0E-02	AW846120.1	EST_HUMAN	MR3-CT0176-111099-003-e10 CT0176 Homo sapiens cDNA
2536	11724		0.94	1.0E-02	AA806369.1	EST_HUMAN	oc22p08.s1 NCI CGAP GCB1 Homo sapiens cDNA clone IMAGE:1350495 3'
3055	12291	21417	3.03	1.0E-02	BE835556.1	EST_HUMAN	RCO-FN0025-250500-021-d02 FN0025 Homo sapiens cDNA
3229	12463	21595	1.34	1.0E-02	BE988999.1	EST_HUMAN	60164967R1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933689 3'
3874	13090	22208	0.8	1.0E-02	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
4786	13975	23078	4.78	1.0E-02	6753521	NT	Mus musculus corticotropin releasing hormone receptor 2 (Chr2), mRNA
4861	14049	23143	5.39	1.0E-02	R96567.1	EST_HUMAN	y454h01.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:199633 5'
5208	14383		1.84	1.0E-02	BE064970.1	EST_HUMAN	RC1-BT0313-130400-016-e09 BT0313 Homo sapiens cDNA
5745	14964	24363	2.8	1.0E-02	AW577113.1	EST_HUMAN	MR4-BT0356-070100-201-h01 BT0356 Homo sapiens cDNA
5745	14964	24364	2.8	1.0E-02	AW577113.1	EST_HUMAN	MR4-BT0356-070100-201-h01 BT0356 Homo sapiens cDNA
6874	16065	25532	7.87	1.0E-02	BF036331.1	EST_HUMAN	601459570F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863177 5'
6874	16065	25533	7.87	1.0E-02	BF036331.1	EST_HUMAN	601459570F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863177 5'
7814	17007		2.34	1.0E-02	AF157559.1	NT	Orithidia fasciculata 27 kDa guide RNA-binding protein mRNA, complete cds; mitochondrial gene for mitochondrial product
7907	17122	26653	2.08	1.0E-02	AV760016.1	EST_HUMAN	AV760016 MDS Homo sapiens cDNA clone MDSBDC10 5'
8407	18384		1.45	1.0E-02	Q62203	SWISSPROT	SPLICOSOME ASSOCIATED PROTEIN 82 (SAP 82) (SPLICING FACTOR 3A SUBUNIT 2) (SF3A66)
8467	18145	23751	4.31	1.0E-02	AW835521.1	EST_HUMAN	RC2-DT0007-120200-016-h02 DT0007 Homo sapiens cDNA
8487	18202		5.37	1.0E-02	ST0330.1	NT	Homo sapiens renal dipeptidase (RDP) gene, complete cds
8049	18269		3.4	1.0E-02	X62854.1	NT	H. sapiens gene for Me491/CD63 antigen
9271	18034	23842	1.34	1.0E-02	AB039887.1	NT	Homo sapiens WDR4 gene for WD repeat protein, complete cds
9290	18105		20.92	1.0E-02	D17522.1	NT	Z. mobilis zllE and zllS genes for expression and secretion activator protein, complete cds
903	10138	19300	1.76	9.0E-03	AI796128.1	EST_HUMAN	wh4208.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2383433 3' similar to contains element MER22 MER22 repetitive element;
1271	10486		1.88	9.0E-03	BE781889.1	EST_HUMAN	601470242F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3873346 5'

Page 111 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2359	11552	20773	2.28	9.0E-03	AL161559.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 59
2368	11561	20783	1.95	9.0E-03	AF099934.1	NT	Mus musculus MHC class III protein RPT1 (Rpt1) mRNA, partial cds
2858	12066	21225	0.68	9.0E-03	A1251744.1	EST_HUMAN	q190f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
2858	12066	21226	0.68	9.0E-03	A1251744.1	EST_HUMAN	q190f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
3648	12870	21897	1.08	9.0E-03	J05184.1	NT	S.acidocaldarius thermophilin gene, complete cds
5008	14195	23284	1.11	9.0E-03	BE047949.1	EST_HUMAN	tz44e10.y1 NCL_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2291466 5'
5948	15164		4.8	9.0E-03	BE745988.1	EST_HUMAN	601573438F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834752 5'
7558	16763		1.7	9.0E-03	Y18000.1	NT	Homo sapiens NF2 gene
7583	16788	26283	1.77	9.0E-03	BE395380.1	EST_HUMAN	601310881F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632181 5'
8628	18385		1.56	9.0E-03	BF351141.1	EST_HUMAN	PM1-HT0452-291299-001-e09 HT0452 Homo sapiens cDNA
8848	18379		15.49	9.0E-03	BE348385.1	EST_HUMAN	hw17d09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183161 3'
9160	17959		14.22	9.0E-03	BF351141.1	EST_HUMAN	PM1-HT0452-291299-001-e09 HT0452 Homo sapiens cDNA
9215	17995		1.23	9.0E-03	P16241	SWISSPROT	POU-DOMAIN PROTEIN CF1A (CHORION FACTOR 1A) (CF1-A) (VENTRAL VEINS LACKING PROTEIN) (DRIFTER PROTEIN)
508	8760		5.44	8.0E-03	AA723007.1	EST_HUMAN	zh30e03.s1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:413586 3' similar to contains
998	10228	19383	61.85	8.0E-03	AF106856.1	NT	Alu repetitive element
2125	11324	20542	1.11	8.0E-03	AL163283.2	NT	Homo sapiens edényosuccinate lyase gene, complete cds
2517	11708	20919	1.37	8.0E-03	P10268	SWISSPROT	Homo sapiens chromosome 21 segment HS21C083
3281	12512	21643	1.07	8.0E-03	BE171225.1	EST_HUMAN	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
3334	12563	21701	0.88	8.0E-03	AJ131016.1	NT	RC1-HT0545-120200-011-b09 HT0545 Homo sapiens cDNA
3656	12877	21896	1.46	8.0E-03	P32844	SWISSPROT	Homo sapiens SCL gene locus
3656	12877	21897	1.46	8.0E-03	P32844	SWISSPROT	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
4244	13447	22538	1.19	8.0E-03	BE840049.1	SWISSPROT	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
4377	13578	22678	6.14	8.0E-03	BF369327.1	EST_HUMAN	QV0-FN0181-140700-304-g10 FN0181 Homo sapiens cDNA
4728	13919	23021	0.65	8.0E-03	P03181	SWISSPROT	CM4-NN0119-300600-223-b05 NN0119 Homo sapiens cDNA
4728	13919	23022	0.65	8.0E-03	P03181	SWISSPROT	HYPOTHETICAL BHLF1 PROTEIN
							HYPOTHETICAL BHLF1 PROTEIN
							Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, tapasin, RalGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
5452	14678	23838	2.83	8.0E-03	AF110520.1	NT	PROBABLE PEPTIDASE Y4NA
5980	15194	24610	4.29	8.0E-03	P55577	SWISSPROT	Tursiops truncatus mRNA for p40-phox, complete cds
6309	15490		1.8	8.0E-03	AB038267.1	NT	MR1-ST0111-111189-011-h06 ST0111 Homo sapiens cDNA
6748	15943	25403	4	8.0E-03	AW808692.1	EST_HUMAN	

Page 112 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7053	16230		8.75	8.0E-03	BE086509.1	EST_HUMAN	QV1-BT0677-040400-131-g03 BT0677 Homo sapiens cDNA
7557	16762		2.97	8.0E-03	Z49652.1	NT	S.cerevisiae chromosome X reading frame ORF YJR152w
7920	17135	26665	1.9	8.0E-03	AA828817.1	EST_HUMAN	cd80a09.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1374232
7920	17135	26666	1.9	8.0E-03	AA828817.1	EST_HUMAN	cd80a09.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1374232
8208	17337	26877	5.58	8.0E-03	AF064589.1	NT	Homo sapiens melanoma-associated antigen (MAGE-C1) gene, complete cds
8336	17434		1.97	8.0E-03	M69035.1	NT	Oryctolagus cuniculus eIF-2a kinase mRNA, complete cds
8383	17468		2.41	8.0E-03	AB038181.1	NT	Homo sapiens ABCG1 gene for ABC transporter (ATP-binding cassette, sub-family G (WHITE), member 1), complete cds
701	8943	19077	15.31	7.0E-03	AF097183.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
701	8943	19078	15.31	7.0E-03	AF097183.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
984	10216	19371	9.6	7.0E-03	AF243376.1	NT	Glycine max glutathione S-transferase GST 21 mRNA, partial cds
1124	10348	19489	3.32	7.0E-03	AV731712.1	EST_HUMAN	AV731712 HTF Homo sapiens cDNA clone HTFAZF10 5'
1372	10566		1	7.0E-03	Q61060	SWISSPROT	FORKHEAD BOX PROTEIN D3 (HNF3/IFH TRANSCRIPTION FACTOR GENESIS) (HEPATOCYTE NUCLEAR FACTOR 3 FORKHEAD HOMOLOG 2) (HFH-2)
1399	10613	19777	3.43	7.0E-03	AA668298.1	EST_HUMAN	ab78b09.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:863145 3'
1494	10707	19880	2.54	7.0E-03	AW303599.1	EST_HUMAN	xv21b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813739 3'
1715	10927	20111	1	7.0E-03	AW950556.1	EST_HUMAN	EST362628 MAGE resequences, MAGA Homo sapiens cDNA
1715	10927	20112	1	7.0E-03	AW950556.1	EST_HUMAN	EST362628 MAGE resequences, MAGA Homo sapiens cDNA
2222	12013	20645	1.48	7.0E-03	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
3533	12756	21888	1	7.0E-03	AI150273.1	EST_HUMAN	q634h02.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1751955 3'
3749	12869	22084	0.87	7.0E-03	AW444463.1	EST_HUMAN	UI-H-BI3-akb-c-10-Q-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733691 3'
3800	13018	22131	0.81	7.0E-03	AF186344.1	NT	Rattus norvegicus neuronal nicotinic acetylcholine receptor subunit (Alpha10) mRNA, complete cds
3965	12869	22084	0.84	7.0E-03	AW444463.1	EST_HUMAN	UI-H-BI3-akb-c-10-Q-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733691 3'
4332	13533		1.12	7.0E-03	U60086.1	NT	Dichytellium discoidium multidrug resistance transporter/Ser protease (tagC) mRNA, complete cds
4532	13728		1.04	7.0E-03	AW117711.1	EST_HUMAN	xs34f09.x1 NCI_CGAP_U1t Homo sapiens cDNA clone IMAGE:2806033 3' similar to TR:Q12987 Q12987
4598	13763		1.38	7.0E-03	AW630898.1	EST_HUMAN	ACIDIC 82 KDA PROTEIN :
5010	14197		2.53	7.0E-03	AL163278.2	NT	h88a05.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2869636 5'
5713	18063		4.99	7.0E-03	AW861059.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C078
5795	15012	24416	1.73	7.0E-03	W68251.1	EST_HUMAN	RC1-CT0286-050400-018-c08 CT0286 Homo sapiens cDNA
5898	15113	24524	3.19	7.0E-03	AA327129.1	EST_HUMAN	z033f10.f1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:342475 5'
6115	15228	24647	1.92	7.0E-03	BE928133.1	EST_HUMAN	EST30674 Cdon I Homo sapiens cDNA 5' end
							CM2-CT0478-230800-347-b11 CT0478 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6289	15480	24923	5.21	7.0E-03	Z35638.1	NT	S.cerevisiae chromosome II reading frame ORF YBL077w
6289	15480	24924	5.21	7.0E-03	Z35638.1	NT	S.cerevisiae chromosome II reading frame ORF YBL077w
6498	15695	25159	4.1	7.0E-03	BE175667.1	EST_HUMAN	RC5-HT0582-160300-011-D02 HT0582 Homo sapiens cDNA
7403	16616	26106	3.29	7.0E-03	AB008852.1	NT	Bos taurus mRNA for NDP52, complete cds
8904	18370		1.5	7.0E-03	H94065.1	EST_HUMAN	Y15H01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:242833 3' similar to contains Alu repetitive element
8911	17800		2.34	7.0E-03	BE263253.1	EST_HUMAN	601146154F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160478 5'
9008	17864		1.59	7.0E-03	Y17455.1	NT	Homo sapiens LSFR2 gene, penultimate exon
9147	18367		1.41	7.0E-03	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
9278	18040		1.4	7.0E-03	AW668110.1	EST_HUMAN	RC0.SN0052-110400-021-s04 SN0052 Homo sapiens cDNA
1247	10464	19624	10.61	6.0E-03	AW511148.1	EST_HUMAN	hd22a05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910224 3' similar to SW:PXR_HUMAN 075469 ORPHAN NUCLEAR RECEPTOR PXR;
1247	10464	19625	10.61	6.0E-03	AW511148.1	EST_HUMAN	hd22a05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910224 3' similar to SW:PXR_HUMAN 075469 ORPHAN NUCLEAR RECEPTOR PXR;
2727	11806	21121	1.11	6.0E-03	AF112374.1	NT	Danio rerio odorant receptor gene cluster
2843	12082	21207	4.78	6.0E-03	AA759135.1	EST_HUMAN	ah78a11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
2843	12082	21208	4.78	6.0E-03	AA759135.1	EST_HUMAN	ah78a11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
3213	12447		2.28	6.0E-03	HT5690.1	EST_HUMAN	y77104.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:211351 5'
3275	12508		0.7	6.0E-03	AF190396.1	NT	Nicotiana sp. cytochrome c oxidase subunit II gene, partial cds; mitochondrial gene for mitochondrial product
3360	12588	21727	1.3	6.0E-03	U90880.1	NT	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, sepiapterin reductase and vasotocin genes, complete cds
3360	12588	21728	1.3	6.0E-03	U90880.1	NT	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, sepiapterin reductase and vasotocin genes, complete cds
3521	12745		1.25	6.0E-03	W37985.1	EST_HUMAN	zc13a11.r1 Soares_parenchymal_tumor_NbHPA Homo sapiens cDNA clone IMAGE:322172 5'
3640	12861	21979	2.21	6.0E-03	BF610886.1	EST_HUMAN	UH-814-spm-c-08-0-UJ.s1 NCJ_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3087754 3'
3759	12978	22093	1.06	6.0E-03	6754029	NT	Mus musculus glucosamine-6-phosphate deaminase (Gnp1) mRNA
3833	13149		0.89	6.0E-03	BE360108.1	EST_HUMAN	600942804F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959513 5'
4317	13518		0.95	6.0E-03	NS6946.1	EST_HUMAN	y62h10.s1 Soares_multiple_sclerosis_ZNBMSP Homo sapiens cDNA clone IMAGE:278179 3'
4358	13560		1.94	6.0E-03	AI016883.1	EST_HUMAN	ov33c11.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1639124 3'
4705	13896	22895	7.35	6.0E-03	AA324242.1	EST_HUMAN	EST27116 Carabellum II Homo sapiens cDNA 5' end similar to EST containing Alu repeat
5273	14445	23517	0.9	6.0E-03	AF050737.1	NT	Homo sapiens dopamine D2 receptor (DRD2) gene, complete cds
6413	15610	25074	13.87	6.0E-03	AI033980.1	EST_HUMAN	ov13a04.x1 Soares_parenchymal_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1646870 3' similar to contains MERR10.01 MERR10 repetitive element;

113/382

Page 114 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6453	16650	25118	3.3	6.0E-03	AW789337.1	EST_HUMAN	RCO-UM0051-210300-032-g02 UM0051 Homo sapiens cDNA
6637	16081	25551	10.41	6.0E-03	D10548.1	NT	Subacute sclerosing panencephalitis (SSPE) virus mRNA for fusion protein
7330	16546	26036	2.3	6.0E-03	AW982164.1	EST_HUMAN	EST374237 MAGE resequences, MAGEG Homo sapiens cDNA
7388	16602		2.24	6.0E-03	11545814	NT	Homo sapiens hypothetical zinc finger protein FLJ14011 (FLJ14011), mRNA
7423	16633	28127	2.03	6.0E-03	AI420786.1	EST_HUMAN	bb61c12.x1 NC1 CGAP_P128 Homo sapiens cDNA clone IMAGE:2094070.3 similar to TR:000519 O00519
7423	16633	28127	2.03	6.0E-03	AI420786.1	EST_HUMAN	FATTY ACID AMIDE HYDROLASE.;
7423	16633	28128	2.03	6.0E-03	AI420786.1	EST_HUMAN	bb61c12.x1 NC1 CGAP_P128 Homo sapiens cDNA clone IMAGE:2094070.3 similar to TR:000519 O00519
7555	16760		4.37	6.0E-03	U14668.1	NT	FATTY ACID AMIDE HYDROLASE.;
7556	16761	26254	2.64	6.0E-03	BE737895.1	EST_HUMAN	Mus musculus zinc-finger protein mRNA, complete cds
8262	17368	26921	1.76	6.0E-03	H70286.1	EST_HUMAN	y85f01.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:213049.5 similar to
8449	17508		1.57	6.0E-03	AF010496.1	NT	SP-RPGD_PIG P14332 6-PHOSPHOGLUCONATE DEHYDROGENASE, DECARBOXYLATING.;
8559	18198		1.26	6.0E-03	BF071185.1	EST_HUMAN	Rhodobacter capsulatus strain SB1003, partial genome
8585	18130		6.17	6.0E-03	AE000833.1	NT	802151024F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4282212.5
8669	18194		2.42	6.0E-03	U30790.1	NT	Methanobacterium thermoautotrophicum from bases 429182 to 450296 (section 39 of 148) of the complete genome
9022	17873		1.88	6.0E-03	BE788019.1	EST_HUMAN	Pneumocystis carinii f. sp. reitii guanine nucleotide binding protein alpha subunit (pog1) gene, complete cds
9045	17896		1.96	6.0E-03	AI245480.1	NT	601482821F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3885398.5
975	9920	19050	1.9	5.0E-03	L25105.1	NT	Brassica napus slg gene for S-locus glycoprotein, cultivar T2
975	9920	19051	1.9	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-RNA synthase, complete cds; complete ORFA, and gprE-like protein, complete cds
975	9920	19051	1.9	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-RNA synthase, complete cds; complete ORFA, and gprE-like protein, complete cds
976	9920	19051	3.67	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-RNA synthase, complete cds; complete ORFA, and gprE-like protein, complete cds
1120	10344	19485	1.63	5.0E-03	AB033006.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-RNA synthase, complete cds; complete ORFA, and gprE-like protein, complete cds
2641	11824	21039	1.97	5.0E-03	AB033006.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-RNA synthase, complete cds; complete ORFA, and gprE-like protein, complete cds
2886	12124	21257	0.79	5.0E-03	BE266037.1	EST_HUMAN	Arabidopsis thaliana mRNA for DEAD box RNA helicase, RH3
3101	12337	21465	4.54	5.0E-03	T87623.1	EST_HUMAN	Homo sapiens mRNA for KIAA1180 protein, partial cds
3118	12353		2.3	5.0E-03	AL161491.2	NT	801194796F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3538789.5
3131	12366	21486	1.13	5.0E-03	R71794.1	EST_HUMAN	yc81109.st Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:22385.3
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 3
							yc8g02.31 Soares breast 2N1B1B1 Homo sapiens cDNA clone IMAGE:155686.3

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3245	12478		0.65	5.0E-03 AJ297357.1	NT		Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
3677	12898	22018	4.23	5.0E-03 AF147449.2	NT		Pseudomonas aeruginosa strain PAO1 penicillin-binding protein 1B (pbpB) gene, complete cds
3741	12861	22076	0.74	5.0E-03 U38914.1	NT		Citrus sinensis seed storage protein cfrin mRNA, complete cds
3948	13164		1.67	5.0E-03 AA299675.1	EST_HUMAN		EST12218 Uterus tumor 1 Homo sapiens cDNA 5' end
4291	13493	22591	0.64	5.0E-03 H76355.1	EST_HUMAN		yv78g10.t1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:240066 5'
4293	12861	22076	0.76	5.0E-03 U38914.1	NT		Citrus sinensis seed storage protein cfrin mRNA, complete cds
4609	13803	22893	0.94	5.0E-03 AJ131016.1	NT		Homo sapiens SCL gene locus
4731	13922	23028	1.59	5.0E-03 AJ752367.1	EST_HUMAN		cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NH1TBC_cn15c02 random
4854	14141	23235	0.97	5.0E-03 P15285	SWISSPROT		SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS)
5570	14785	24168	5.73	5.0E-03 P35900	SWISSPROT		SODIUM CHANNEL PROTEIN PARA (PARALYTIC PROTEIN)
							PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE FAF-Y (UBIQUITIN THIOLESTERASE FAF-Y) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE FAF-Y) (DEUBIQUITINATING ENZYME FAF-Y) (FAT FACETS PROTEIN RELATED, Y-LINKED) (UBIQUITIN-SPECIFIC PROTEASE 8, Y CHROMOSOME)
5684	14804	24297	2.62	5.0E-03 O00507	SWISSPROT		800944584T1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960871 3'
5931	15147		7.17	5.0E-03 BE300091.1	EST_HUMAN		Mus musculus AMD1 gene for S-adenosylmethionine decarboxylase, complete cds
6016	14506	23574	6.81	5.0E-03 AB025024.1	NT		Homo sapiens MASH1 mRNA, complete cds
6402	16583	25040	7.06	5.0E-03 AB016816.1	NT		Mouse complement receptor (CR2) mRNA, 3' end
6659	15854		8.12	5.0E-03 M61132.1	NT		894F Heart Homo sapiens cDNA clone 684
7308	16526		7.45	5.0E-03 T19586.1	EST_HUMAN		cn58g05.x1 Soares_NHCC_cervical_tumor Homo sapiens cDNA clone IMAGE:2698040 3' similar to contains L1, L2 L1 repetitive element ;
7513	16718	26207	2.98	5.0E-03 AW170334.1	EST_HUMAN		cn58g05.x1 Soares_NHCC_cervical_tumor Homo sapiens cDNA clone IMAGE:2698040 3' similar to contains L1, L2 L1 repetitive element ;
7513	16718	26208	2.98	5.0E-03 AW170334.1	EST_HUMAN		cn58g05.x1 Soares_NHCC_cervical_tumor Homo sapiens cDNA clone IMAGE:2698040 3' similar to contains L1, L2 L1 repetitive element ;
7611	16814	26310	2.18	5.0E-03 T49153.1	EST_HUMAN		y008604.t1 Stratagene placenta (#837225) Homo sapiens cDNA clone IMAGE:70688 5'
7876	17064		3.94	5.0E-03 BE048056.1	EST_HUMAN		tz46c04.y1 NCI_CGAP_Brm52 Homo sapiens cDNA clone IMAGE:2291622 5'
8602	18332		5.41	5.0E-03 AF047874.1	NT		Gallus gallus glyceraldehyde-3-phosphate dehydrogenase mRNA, complete cds
8743	17688		10.59	5.0E-03 AF067233.1	NT		Brugia malayi Y chromosome marker
8844	17753		1.75	5.0E-03 L10347.1	NT		Human pro-alpha1 type II collagen (COL2A1) gene exons 1-54, complete cds.
8881	17776		1.3	5.0E-03 AA456597.1	EST_HUMAN		2x75a03.s1 Soares ovary tumor NIHOT Homo sapiens cDNA clone IMAGE:808548 3' similar to SW-DXA2_MOUSE P14685 PROBABLE DIPHENOL OXIDASE A2 COMPONENT ;
8912	18139		5.75	5.0E-03 BE572332.1	EST_HUMAN		602077774F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4232002 5'
8987	17913	23869	2.90	5.0E-03 AW449109.1	EST_HUMAN		UH-HB3-add-f-08-Q-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734215 3'
9118	18211		1.4	5.0E-03 C02338	SWISSPROT		COLLAGEN ALPHA 1(VII) CHAIN PRECURSOR (LONG-CHAIN COLLAGEN) (LC COLLAGEN)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
238	9517	18646	3.28	4.0E-03	AW500196.1	EST_HUMAN	U1-HF-BND-alk-h-040-UL1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076831.5'
326	8597	18726	2.1	4.0E-03	R48482.1	EST_HUMAN	y051604.s1 Soares infant brain 11NB Homo sapiens cDNA clone IMAGE:35988.3'
449	9702	18940	0.94	4.0E-03	P54875	SWISSPROT	PHOSPHATIDYLINOSITOL 3-KINASE 3 (PI3KINASE) (PI3K)
610	9857	18978	2.44	4.0E-03	AA938339.1	EST_HUMAN	on75g12.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1562566.3'
887	10122	19286	1.91	4.0E-03	R48482.1	EST_HUMAN	y051604.s1 Soares infant brain 11NB Homo sapiens cDNA clone IMAGE:35988.3'
921	10156	19533	4.09	4.0E-03	AW749101.1	EST_HUMAN	RC3-BT0333-110100-012-01 BT0333 Homo sapiens cDNA
1159	10381	19533	24.64	4.0E-03	AA098777.1	EST_HUMAN	z81a08.t1 Stratagene cdon (#837204) Homo sapiens cDNA clone IMAGE:510998.5'
1177	10398	19551	1.71	4.0E-03	AW794740.1	EST_HUMAN	RC6-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA
1310	10528	19636	0.88	4.0E-03	AA284374.1	EST_HUMAN	zs59a01.t1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701736.5'
1566	10779		0.95	4.0E-03	AV706305.1	EST_HUMAN	AV706305 ADC Homo sapiens cDNA clone ADCAKB08.5'
1717	10929	20114	2.29	4.0E-03	U33472.1	NT	Rettus norvegicus type 1 astrocyte and olfactory-limbic associated protein AT1-4b mRNA, complete cds
1985	11188	20399	16.08	4.0E-03	AA098777.1	EST_HUMAN	z81a08.t1 Stratagene cdon (#837204) Homo sapiens cDNA clone IMAGE:510998.5'
2212	11409		1.85	4.0E-03	BE410556.1	EST_HUMAN	601304181F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638510.5'
2243	11438	20662	1.44	4.0E-03	AW794740.1	EST_HUMAN	RC6-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA
2537	11725	20941	1.4	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTTR), CDM protein (CDM), adrenergic/dystrophy protein >
2637	11725	20941	1.4	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTTR), CDM protein (CDM), adrenergic/dystrophy protein >
2651	11834	21047	1.92	4.0E-03	AL277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2651	11834	21048	1.92	4.0E-03	AL277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2657	11839	21051	1.09	4.0E-03	AL163284.2	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
3191	12426	21560	0.99	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151289-003-h08 HT0340 Homo sapiens cDNA
3191	12426	21560	0.99	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151289-003-h08 HT0340 Homo sapiens cDNA
3504	12728	21864	0.98	4.0E-03	AW188428.1	EST_HUMAN	y081014.x1 NCI_CGAP_Cot18 Homo sapiens cDNA clone IMAGE:2685279.3'
3504	12728	21865	0.98	4.0E-03	AW188428.1	EST_HUMAN	y081014.x1 NCI_CGAP_Cot18 Homo sapiens cDNA clone IMAGE:2685279.3'
3602	12823	21945	0.69	4.0E-03	Q13608	SWISSPROT	OLFACTOR RECEPTOR SIT (OLFACTOR RECEPTOR-LIKE PROTEIN OLF1)
3612	12833	21954	0.66	4.0E-03	AV646253.1	EST_HUMAN	AV646253 GLC Homo sapiens cDNA clone GI CALDO2.3'
3904	13120	22238	0.77	4.0E-03	AF080868.1	NT	Mus musculus tumor susceptibility protein 101 (Tsp101) gene, complete cds
3972	13186		1.89	4.0E-03	AIJ76727.1	NT	Homo sapiens TNNT1 gene, exons 1-11 (and joined CDS)
4226	13428	22519	5.3	4.0E-03	AIJ76727.1	EST_HUMAN	w187a08.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:240274.3'
5312	14544	23613	1.71	4.0E-03	AF005889.1	NT	Drosophila melanogaster anon207 (anon207) mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5395	14624	23737	22.47	4.0E-03	AF169825.1	NT	Rattus norvegicus beta-catenin binding protein mRNA, complete cds
5569	14794	24167	2.5	4.0E-03	P04196	SWISSPROT	Rattus norvegicus opsin gene, complete cds
5702	14921		3.78	4.0E-03	U22180.1	NT	601076015F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3481854 5'
5791	15008	24412	1.85	4.0E-03	BE548453.1	EST_HUMAN	MUCIN 2 PRECURSOR (INTESTINAL MUCIN 2)
6163	15348	24783	4.05	4.0E-03	C02817	SWISSPROT	Dicyostelium discoideum AX4 development protein DG1122 (DG1122) gene, partial cds
6480	15577	25147	5.72	4.0E-03	AF111944.1	NT	Homo sapiens KIAA0345 gene product (KIAA0345) mRNA
6530	15726	25191	2.26	4.0E-03	7682067	NT	hs49b11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2090013 3' similar to contains Alu repetitive element
6694	15879	25338	8.28	4.0E-03	AI553983.1	EST_HUMAN	repetitive element
6743	15938	25399	5.44	4.0E-03	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
7689	16888	26395	6.92	4.0E-03	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C006
8242	17371	26907	2.1	4.0E-03	AEC02102.1	NT	Ureaplasma urealyticum section 3 of 59 of the complete genome
8569	18347		3.66	4.0E-03	BE815173.1	EST_HUMAN	PMA-BN0138-180800-002-508 BN0138 Homo sapiens cDNA
8592	17601		1.6	4.0E-03	BE298290.1	EST_HUMAN	601118164F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028095 5'
8676	17848		2.3	4.0E-03	AW504273.1	EST_HUMAN	UHF-BN0-elp-g-04-UJL1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3080622 5'
8923	17807		3.26	4.0E-03	BF224125.1	EST_HUMAN	7q74q08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3 similar to contains Alu repetitive element; contains element MER31 repetitive element
8965	18253		1.91	4.0E-03	AW614596.1	EST_HUMAN	h002c07.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2853852 3' similar to contains element LTR5 repetitive element
8976	17845		1.75	4.0E-03	AW819141.1	EST_HUMAN	RC3-ST0281-240400-015-03 ST0281 Homo sapiens cDNA
376	9842	18777	2.69	3.0E-03	AF011820.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
889	10124	18287	7.37	3.0E-03	AF011820.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
1636	10850	20028	3.13	3.0E-03	AA488110.1	EST_HUMAN	nc73605.s1 NCI_CGAP_P2 Homo sapiens cDNA clone IMAGE:782884 similar to contains Alu repetitive element
2223	11419		1.08	3.0E-03	AF055068.1	NT	Homo sapiens MHC class 1 region
2257	11452		7.21	3.0E-03	Z32521.1	NT	S.cereale (cv. Halo) mRNA for triosephosphate isomerase
2950	12188		0.77	3.0E-03	Y09006.1	NT	Arabidopsis thaliana ipol1 gene
3048	12284	21411	3.88	3.0E-03	BE379286.1	EST_HUMAN	601237192F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609933 5'
3114	12349	21477	2.89	3.0E-03	AW802687.1	EST_HUMAN	IL2-UM0078-240300-056-D03 UM0078 Homo sapiens cDNA
3395	12622	21753	3.37	3.0E-03	U34606.1	NT	Mus musculus alpha-1(XVIII) collagen (COL18A1) gene, exon 1 and 2
3405	12631		7.36	3.0E-03	Y12500.1	NT	C.elegans samdc gene
3955	13170	22285	7.39	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
3955	13170	22286	7.39	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
4014	13226	22327	1.73	3.0E-03	AI792278.1	EST_HUMAN	h0409.y6 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1155889 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4132	13338		1.01	3.0E-03	ZJ2521.1	NT	S.cereale (cv. Halo) mRNA for thiolephosphate isomerase
4389	13590	22692	2.97	3.0E-03	AL011432.1	NT	Rattus norvegicus pdif gene
4455	13653		0.71	3.0E-03	BE348739.1	EST_HUMAN	h88g08.x1 NC1_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3151834.3
4518	13714	22808	3.35	3.0E-03	AI536141.1	EST_HUMAN	xu8.P10.H3 conom Homo sapiens cDNA 3'
4850	14039	23132	2.54	3.0E-03	AI732754.1	EST_HUMAN	ab18a08.x5 Strategene lung (h837210) Homo sapiens cDNA clone IMAGE:841142.3 similar to contains Aliu repetitive element;
4870	14058	23152	8.15	3.0E-03	BE787945.1	EST_HUMAN	601482715F1 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:3885483.5
5148	14327		0.68	3.0E-03	BF204360.1	EST_HUMAN	601806437F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4106960.5
5307	14538	23543	3.67	3.0E-03	8922499	NT	Homo sapiens hypothetical protein FLJ10539 (FLJ10539), mRNA
5902	15119	24530	9.51	3.0E-03	AA456701.1	EST_HUMAN	eat3f10.1f Soaree_NihMPL_S1 Homo sapiens cDNA clone IMAGE:813163.5
6300	15481	24925	3.2	3.0E-03	AB021736.1	NT	Oryza sativa gene for bZIP protein, complete cds
6763	15958		10.15	3.0E-03	AW613774.1	EST_HUMAN	h8010.x1 NC1_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2969131.3 similar to contains L1.11 L1 repetitive element;
6782	15977	25435	3.26	3.0E-03	AL161589.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 85
6783	15988	25449	9.71	3.0E-03	AI016731.1	EST_HUMAN	003612.x1 NC1_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1636247.3 similar to gb.X57138_ma1
6994	16172		3.95	3.0E-03	P08872	SWISSPROT	HISTONE H2B.2 (HUMAN);
7121	16298	26780	5.83	3.0E-03	AL163303.2	NT	CIRCUMSPOROZOTE PROTEIN PRECURSOR (CS)
7425	16335		2.75	3.0E-03	5803028	NT	Homo sapiens chromosome 21 segment HS21C103
7738	15481	24925	1.72	3.0E-03	AB021736.1	NT	Homo sapiens ATP/GTP-binding protein (HEAD), mRNA
7918	17133	26683	2.14	3.0E-03	AF008222.1	NT	Oryza sativa gene for bZIP protein, complete cds
7983	18418	25905	2.09	3.0E-03	AF268283.1	NT	Pneumocystis carinii koxr-like serine endoprotease mRNA, partial cds
8015	17154	26889	3.08	3.0E-03	AF094481.1	NT	Homo sapiens gcln-like protein (GLP) gene, complete cds
8015	17154	26690	3.06	3.0E-03	AF094481.1	NT	Homo sapiens trinucleotide repeat DNA binding protein p20-CGGBP (CGGBP) gene, complete cds
8088	17223	26759	1.74	3.0E-03	P11369	SWISSPROT	Homo sapiens trinucleotide repeat DNA binding protein p20-CGGBP (CGGBP) gene, complete cds
8248	17377		1.63	3.0E-03	AW294812.1	EST_HUMAN	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
8330	18153		3.61	3.0E-03	AI525056.1	EST_HUMAN	U1-H-B12-sh1-d-06-O-U1 NC1_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2728842.3
8367	17454	26592	1.75	3.0E-03	AA983154.1	EST_HUMAN	promoter-5.E07 r by tumor Homo sapiens cDNA 5'
8424	18286		1.79	3.0E-03	AB009898.1	NT	cd7b10.s1 Soaree_tetis_Nb2H1F8_9w Homo sapiens cDNA clone IMAGE:1622778.3 similar to contains L1.13 MER26 repetitive element;
8615	17612	23968	4.7	3.0E-03	AI298282.1	NT	Rattus norvegicus mRNA for connectin38 (cx26 gene)
521	9772	18896	0.69	2.0E-03	Q04652	SWISSPROT	RING CANAL PROTEIN (KELCH PROTEIN)
521	9772	18897	0.69	2.0E-03	Q04652	SWISSPROT	RING CANAL PROTEIN (KELCH PROTEIN)

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
795	11978		11.96	2.0E-03	T70874.1	EST_HUMAN	1503.1 Scores fold liver spleen 1NF1S Homo sapiens cDNA clone IMAGE:108341 5'
1371	10585	19752	2.08	2.0E-03	M20783.1	NT	Human alpha-2-plasmin inhibitor gene, exons 6 and 7
1374	10588	19754	1.38	2.0E-03	AA661605.1	EST_HUMAN	nu86f01.s1 NCI CGAP Alvi Homo sapiens cDNA clone IMAGE:1217593
1382	10596	19762	13.61	2.0E-03	AF284440.1	NT	Homo sapiens tumor-related protein DRG2 (DRG2) gene, complete cds
1481	10694	19869	0.96	2.0E-03	P48509	SWISSPROT	PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN)
1505	10718	19889	1.65	2.0E-03	4557836	NT	Homo sapiens procollagen-hsine, 2-oxoglutarate 6-dioxygenase (hsine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA
1505	10718	19890	1.65	2.0E-03	4557836	NT	Homo sapiens procollagen-hsine, 2-oxoglutarate 5-dioxygenase (hsine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA
1571	10784	20136	1.09	2.0E-03	AA450138.1	EST_HUMAN	COLLAGEN ALPHA 2(V) CHAIN PRECURSOR
1741	10953	20373	1.15	2.0E-03	AF302891.1	NT	Myo musculus myelin expression factor-3-like protein gene, partial cds
1964	11168	20635	0.91	2.0E-03	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
2214	11411	21752	4.7	2.0E-03	AA450138.1	EST_HUMAN	U1-H-Bit-act-g-10-0-UI.s1 NCI CGAP Sub3 Homo sapiens cDNA clone IMAGE:2717010 3'
2543	11731	21752	4.7	2.0E-03	AA450138.1	EST_HUMAN	U1-H-Bit-act-g-10-0-UI.s1 NCI CGAP Sub3 Homo sapiens cDNA clone IMAGE:2717010 3'
3394	12621	21758	0.79	2.0E-03	BF568955.1	EST_HUMAN	242a10.r1 Scores total Jctus NB2HF8_9w Homo sapiens cDNA clone IMAGE:789114 5'
3401	12627	21758	0.79	2.0E-03	BF568955.1	EST_HUMAN	602183960T NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300070 3'
3647	12868	21985	5.61	2.0E-03	X87344.1	NT	H. sapiens DNA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
4091	13289	22398	2.3	2.0E-03	P03374	SWISSPROT	ENV POLYPROTEIN CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36
4204	13407		9.81	2.0E-03	U88491.1	NT	Rattus norvegicus 5-hydroxytryptamine7 receptor gene, partial cds
4405	13605		0.94	2.0E-03	L35078.1	NT	Porcine rotavirus major outer capsid protein (VP7) mRNA, complete cds
4418	13619		1.04	2.0E-03	AW297380.1	EST_HUMAN	U1-H-BW0-til-g-03-0-UI.s1 NCI CGAP Sub6 Homo sapiens cDNA clone IMAGE:2730413 3'
4543	13738	22836	2.05	2.0E-03	L42512.1	NT	Drosophila melanogaster shortlighted class 2 (shs) mRNA, complete cds
4543	13738	22837	2.05	2.0E-03	L42512.1	NT	Drosophila melanogaster shortlighted class 2 (shs) mRNA, complete cds
4721	13912		1.94	2.0E-03	R81773.1	EST_HUMAN	Y045602.s1 Scores adult brain NB4H855Y Homo sapiens cDNA clone IMAGE:180890 3'
4751	13942	23044	1.3	2.0E-03	AA909466.1	EST_HUMAN	d14f05.s1 Scores NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1623457 3'
5044	14228	23310	0.8	2.0E-03	AF003528.1	NT	Homo sapiens X-linked arylidic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5071	14251	23334	0.71	2.0E-03	P45898	SWISSPROT	HYPOTHETICAL 37.4 KD PROTEIN T09A5.9 IN CHROMOSOME III
5245	14418		1.1	2.0E-03	BE019692.1	EST_HUMAN	b028f05.x1 NIH_MGC_5 Homo sapiens cDNA clone IMAGE:2864249 3'
5503	18057	24091	1.91	2.0E-03	AB014593.1	NT	Homo sapiens mRNA for KIA00693 protein, partial cds
5541	14765	24131	2.05	2.0E-03	U63711.1	NT	Xenopus laevis xellin mRNA, complete cds
5712	14931	24325	3.67	2.0E-03	P23417	SWISSPROT	ATP-DEPENDENT NUCLEASE SUBUNIT B

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5712	14931	24326	3.67	2.0E-03	P23477	SWISSPROT	ATP-DEPENDENT NUCLEASE SUBUNIT B
5809	16026	24426	2.05	2.0E-03	Q95203	SWISSPROT	CARBONIC ANHYDRASE-RELATED PROTEIN 2 PRECURSOR (CARP 2) (CA-RP II) (CA-X)
5809	15028	24427	2.05	2.0E-03	Q95203	SWISSPROT	CARBONIC ANHYDRASE-RELATED PROTEIN 2 PRECURSOR (CARP 2) (CA-RP II) (CA-X)
5811	15028	24429	7.05	2.0E-03	BF308187.1	EST_HUMAN	601887434F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4121408 5'
5828	15043	24447	2.07	2.0E-03	Q8UKP4	SWISSPROT	ADAM-TS 7 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 7) (ADAMTS-7) (ADAM-TS7)
5833	15050	24456	1.68	2.0E-03	X94451.1	NT	L-asculetum mRNA for lyej-rRNA synthetase (LysRS)
6068	14515	23573	1.76	2.0E-03	AB038502.1	NT	Gaerohaditis elegans mRNA for galectin LEC-11, complete cds
6117	16230	24649	2.9	2.0E-03	BE067986.1	EST_HUMAN	CM4-BT0366-061289-054-001 BT0366 Homo sapiens cDNA
8481	15878	25148	5.15	2.0E-03	AW592004.1	EST_HUMAN	h37b06.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2934035 3' similar to TR:Q60976
6534	15730	25193	7.85	2.0E-03	N20287.1	EST_HUMAN	ly42g06.s1 Scores melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:284442 3' similar to contains L1.b2 L1 repetitive element:
6534	15730	25194	7.65	2.0E-03	N20287.1	EST_HUMAN	ly42g06.s1 Scores melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:284442 3' similar to contains L1.b2 L1 repetitive element:
6941	16085	25553	3.18	2.0E-03	P24821	SWISSPROT	TEMASIN PRECURSOR (TN) (HEXABRACHION) (CYTOTACTIN) (NEURONECTIN) (GMEIN) (J) (MIOTENDINOUS ANTIGEN) (GLIOMA-ASSOCIATED-EXTRACELLULAR MATRIX ANTIGEN) (GP 150-225) (TEMASIN-C) (TN-C)
7088	16265		6.2	2.0E-03	AA261376.1	EST_HUMAN	zs10606.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:684754 3'
7585	16780		3.24	2.0E-03	M86524.1	NT	Human dystrophin gene
8022	15522	24970	2.31	2.0E-03	P07354	SWISSPROT	PROTEOGLYCAN LINK PROTEIN PRECURSOR (CARTILAGE LINK PROTEIN) (LP)
8076	17211		2.26	2.0E-03	BF330909.1	EST_HUMAN	RC3-BT0333-310800-115-g04 BT0333 Homo sapiens cDNA
8083	17216	26753	15.54	2.0E-03	Z11740.1	NT	H. sapiens variable number tandem repeat (VNTR) locus DNA
8313	17417		2.5	2.0E-03	AB25746.1	EST_HUMAN	ly65h03.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2283989 3' similar to SW:VATG_MANSE
8329	17430	26937	2.71	2.0E-03	AF167616.2	NT	Q25532 VACUOLAR ATP SYNTHASE SUBUNIT G:
8353	17446	28940	1.28	2.0E-03	AB084325.1	EST_HUMAN	Human sapiens SEL1L (SEL1L) gene, partial cds
8376	14500		4.25	2.0E-03	ALJ245187.1	NT	ly43g08.s1 Scores_parrathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1688634 3' similar to TR:P97536 P97335 PS-PLA1 PRECURSOR:
8597	18326		2.72	2.0E-03	AV697966.1	EST_HUMAN	Carinus dromedarius cwhp19 gene for immunoglobulin heavy chain variable region
8695	17663	23947	1.54	2.0E-03	Y00508.1	NT	AV697966 GKC Homo sapiens cDNA clone GKCXG005 5'
8813	17733		1.56	2.0E-03	AL163203.2	NT	H. sapiens M1 gene for muscarinic acetylcholine receptor
8870	18181		1.24	2.0E-03	AB375037.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003 1666102.x1 Scores_tetral fetus_Nb24-F8_9w Homo sapiens cDNA clone IMAGE:2048051 3' similar to contains Alu repetitive element:

Page 121 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8995	17856		1.34	2.0E-03	AF129758.1	NT	Homo sapiens MSH5 gene, partial cds; and CLIC1, DD4H, G6b, G6c, G5b, G6d, G6e, G6f, BAT5, G5b, CSK2B, BAT4, G4, Apo M, BAT3, BAT2, AIF-1, 1C7, LST-1, LTB, TNF, and LTA genes, complete cds
9172	18131		2.37	2.0E-03	AV697966.1	EST_HUMAN	AV697966 GKC Homo sapiens cDNA clone GKCX005 5'
445	9699	18835	1.13	1.0E-03	H98471.1	EST_HUMAN	y98c08.t1 Soares_pituitary_gland_N3HPG Homo sapiens cDNA clone IMAGE:232334 5'
839	10076	19235	2.02	1.0E-03	AI720263.1	EST_HUMAN	as70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825
839	10076	19235	2.02	1.0E-03	AI720263.1	EST_HUMAN	as70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825
839	10076	19235	2.02	1.0E-03	AI720263.1	EST_HUMAN	as70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825
1103	10327	19477	2.73	1.0E-03	AI865788.1	EST_HUMAN	wk68a08.x1 NCI CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2551242 3'
1123	10347	18498	1.49	1.0E-03	AI854572.1	EST_HUMAN	wk33e10.x1 NCI CGAP_Mat15 Homo sapiens cDNA clone IMAGE:2551242 3'
1174	10395	18547	3.1	1.0E-03	AI892616.1	EST_HUMAN	wk68a01.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338440 3' similar to contains Alu repetitive element;
1997	11200	20411	4.08	1.0E-03	PA7808	SWISSPROT	HIGH MOLECULAR WEIGHT FORM OF MYOSIN II (HMMWII)
2122	11321	20539	7.75	1.0E-03	AI131016.1	NT	Homo sapiens SCL gene locus
2837	12175	21309	1.43	1.0E-03	AB033177.1	NT	Homo sapiens mRNA for KIAA1291 protein, partial cds
3154	12389	21521	1.49	1.0E-03	P18915	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
3154	12389	21521	1.49	1.0E-03	P18915	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
3154	12389	21521	1.49	1.0E-03	P18915	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
3271	12504	21635	0.84	1.0E-03	P08547	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
3646	12867		1.34	1.0E-03	AB044400.1	NT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
3908	13124	22242	0.63	1.0E-03	Z49849.1	NT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
4427	13627	22721	3.45	1.0E-03	BE839182.1	EST_HUMAN	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED)
4471	13669	22760	5.28	1.0E-03	BE246336.1	EST_HUMAN	TC8AP1D4908 Pediatric pre-B cell acute lymphoblastic leukemia Baylar-HQSG project-TC8A Homo sapiens cDNA clone TC8AP4908
4840	14029	23121	2.09	1.0E-03	AI073483.1	EST_HUMAN	sapiens cDNA clone TC8AP4908
4840	14029	23121	2.09	1.0E-03	AI073483.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640262 3'
4840	14029	23121	2.09	1.0E-03	AI073483.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640262 3'
4841	14030		4.02	1.0E-03	BE154067.1	EST_HUMAN	PM0-HT0339-200400-010-D02 HT0339 Homo sapiens cDNA
5107	14287	23372	7.76	1.0E-03	Q46409	SWISSPROT	APOLIPROTEIN A-IV PRECURSOR (APO-AIV)
5366	14567	23641	1.91	1.0E-03	AA230951.1	EST_HUMAN	zs4401.t1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:700345 5'
5366	14567	23641	1.91	1.0E-03	AA230951.1	EST_HUMAN	zs4401.t1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:700345 5'
5398	14625	23738	3.07	1.0E-03	K03332.1	NT	Homo sapiens KVL011 gene
5422	14649	23783	1.99	1.0E-03	K03332.1	NT	Epstein-Barr virus (AG878 isolate) U2-IF2 domain encoding nuclear protein EBNA2, complete cds
5422	14649	23784	1.99	1.0E-03	K03332.1	NT	Epstein-Barr virus (AG878 isolate) U2-IF2 domain encoding nuclear protein EBNA2, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5479	14706	24060	1.85	1.0E-03	Q02398	SWISSPROT	COLLAGEN ALPHA 1(VII) CHAIN PRECURSOR (LONG-CHAIN COLLAGEN) (LC COLLAGEN)
5667	14889		2.54	1.0E-03	X07698.1	NT	Mouse nucleolin gene
5692	14912	24306	3.07	1.0E-03	BE963939.2	EST_HUMAN	601657519R1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875693 3'
5750	14969		9.14	1.0E-03	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
6141	15325	24760	2.83	1.0E-03	D16828.1	NT	Homo sapiens for fourth somatostatin receptor subtype
6352	15532	24884	1.65	1.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca ²⁺ /Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adenosine diphosphate protein >
6379	15559	25015	3.58	1.0E-03	M63376.1	NT	Human TRPM2 protein gene, exons 1, 2 and 3
6442	15639	25106	8.04	1.0E-03	AF153980.1	NT	Homo sapiens partial albertin-1 gene
6541	15737	25199	2.89	1.0E-03	AF153980.1	NT	Homo sapiens exostosin-like protein 1 (EXTL1) gene, exons 2 through 11, and complete cds
6813	16008	25470	3	1.0E-03	M30471.1	NT	Homo sapiens class III alcohol dehydrogenase (ADH5) cII subunit mRNA, complete cds
6813	16008	25471	3	1.0E-03	M30471.1	NT	Human class III alcohol dehydrogenase (ADH5) cII subunit mRNA, complete cds
6813	16008	25471	3	1.0E-03	M30471.1	NT	Thermidoga neopollana alpha-1,5-galactosidase (agla) gene, complete cds
6966	16144	25613	2.52	1.0E-03	AF011400.1	NT	Thermidoga neopollana alpha-1,5-galactosidase (agla) gene, complete cds
6966	16144	25614	2.52	1.0E-03	AF011400.1	NT	Thermidoga neopollana alpha-1,5-galactosidase (agla) gene, complete cds
7258	16478	25699	1.89	1.0E-03	AW362383.1	EST_HUMAN	RC1-CT0279-181099-011-609 CT0279 Homo sapiens cDNA
7258	16478	25699	1.89	1.0E-03	AW362383.1	EST_HUMAN	RC1-CT0279-181099-011-609 CT0279 Homo sapiens cDNA
7336	16552	26041	3.07	1.0E-03	BE170859.1	EST_HUMAN	QV3-H10543-220300-130-603 HT0543 Homo sapiens cDNA
7400	16613		3.39	1.0E-03	AI593847.1	EST_HUMAN	h73e12x1 NCI_CGAP_HSC3 Homo sapiens cDNA clone IMAGE:2246446 3' similar to TR:Q28195
7468	16676	26159	1.84	1.0E-03	AW231482.1	EST_HUMAN	PVA1 GENE :
7717	16916		4.02	1.0E-03	AV75949.1	EST_HUMAN	xm72d12x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2689751 3'
8307	17413	26935	5.13	1.0E-03	BE884488.1	EST_HUMAN	AV759849 MDS Homo sapiens cDNA clone MDSDF11 5'
8778	17708	23956	1.55	1.0E-03	9507208	NT	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
8803	18308		3.08	1.0E-03	AI347355.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
8921	18330	23602	4.03	1.0E-03	BE780572.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
5225	14399	23482	1.31	9.0E-04	L11810.1	NT	Human retinoblastoma susceptibility gene exons 1-27, complete cds
5527	14751		1.86	9.0E-04	P06727	SWISSPROT	APOLIPROTEIN A-IV PRECURSOR (APO-AIV)
4161	13365		5.66	8.0E-04	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
4776	13965	23068	2.33	8.0E-04	U29185.1	NT	Homo sapiens p10n protein (P1P) gene, complete cds
7705	16904		2.61	8.0E-04	AA777084.1	EST_HUMAN	z24c10.s1 Soares, fetal heart, NIDH19W Homo sapiens cDNA clone IMAGE:37874 3'
7843	17035		2.56	8.0E-04	AI571089.1	EST_HUMAN	h85a08.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2176370 3'
1785	11004	20189	1.5	7.0E-04	L41825.1	NT	Homo sapiens CYP17 gene, 5' and

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2363	11556	20778	0.99	7.0E-04	U28185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
2674	11856	21071	1.13	7.0E-04	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3248	12481	21613	1.3	7.0E-04	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
5880	15097		2.17	7.0E-04	AI1789331.1	EST_HUMAN	wg36f09.x1 Soares_NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367209.3'
8100	17234		3.32	7.0E-04	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
8120	17234	26795	2.16	7.0E-04	Z40561.1	EST_HUMAN	HSC28A072 normalized infant brain cDNA Homo sapiens cDNA clone c-28a07.3'
8847	17755		3.68	7.0E-04	BE07841.1	EST_HUMAN	GM1-BT0614-110300-142-b12 BT0614 Homo sapiens cDNA
9096	17912		3.4	7.0E-04	R17336.1	EST_HUMAN	Y013c06.t1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:32298.5'
9125	17938		3.87	7.0E-04	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
2856	11838		1.75	6.0E-04	BF341380.1	EST_HUMAN	60201339F1 NCI CGAP Brn64 Homo sapiens cDNA clone IMAGE:4149287.5'
3936	13152	22268	1.76	6.0E-04	AI862526.1	EST_HUMAN	W15a11.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2402876.3'
4065	13275	22375	1.44	6.0E-04	K01315.1	NT	Homo sapiens epsilon-1 pseudogene (IGHEP1) gene, 5' flanking region
4065	13275	22376	1.44	6.0E-04	K01315.1	NT	Homo sapiens epsilon-1 pseudogene (IGHEP1) gene, 5' flanking region
4166	13370	22469	3.95	6.0E-04	U45983.1	NT	Homo sapiens CCR8 chemokine receptor (CMKBR8) gene, complete cds
7086	16243		5.71	6.0E-04	AL046807.2	EST_HUMAN	DKFZps586M2024.t1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZps586M2024
7101	16278	25758	2.59	6.0E-04	BE005850.1	EST_HUMAN	RC2-BN0120-250400-012-h11 BN0120 Homo sapiens cDNA
8019	17158	26694	2.73	6.0E-04	ALJ229042.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3
8101	17235	26771	3.28	8.0E-04	AW013847.1	EST_HUMAN	UI-H-BIO-sab-e-09-0-UI.s1 NCI CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708825.3'
8152	17284		2.49	6.0E-04	C001768	SWISSPROT	NUCLEOSIDE DIPHOSPHATE KINASE B (NDK B) (NDP KINASE B) (NM23-M2) (P18)
8495	18208		2.39	6.0E-04	AW380519.1	EST_HUMAN	RC1-HT0269-261199-012-008 HT0269 Homo sapiens cDNA
657	8903	19028	7.85	5.0E-04	O10341	SWISSPROT	HYPOTHETICAL 29.3 KD PROTEIN (ORF82)
1493	10706		1.5	5.0E-04	AW851844.1	EST_HUMAN	QV0-CT0225-021099-030-607 CT0225 Homo sapiens cDNA
3391	12618	21749	1.67	5.0E-04	AA548831.1	EST_HUMAN	nk27e11.s1 NCI CGAP_Co11 Homo sapiens cDNA clone IMAGE:1014764.3' similar to contains Alu repetitive element;
5429	14856	23794	2.85	5.0E-04	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
5947	15163	24577	4.71	5.0E-04	AA156080.1	EST_HUMAN	Zc31b08.t1 Stratiotes colon (8831204) Homo sapiens cDNA clone IMAGE:589693.5'
6249	15427	24987	12.76	5.0E-04	M23604.1	NT	Gacilia gorilla involucrin gene medium allele, complete cds
6444	15641	28107	6.01	5.0E-04	AI188382.1	EST_HUMAN	qcd13f08.x1 Soares_placenta_8to6weeks_ZN1bHP1c69W Homo sapiens cDNA clone IMAGE:1723619.3'
6968	16148	28617	5.82	5.0E-04	AW270938.1	EST_HUMAN	similar to gb:XS1602.cds1 VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 1 (HUMAN); contains Alu repetitive element
7549	16754		4.31	5.0E-04	AL048507.2	EST_HUMAN	xs08e02.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2768858.3'
							DKFZps586M2024.t1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZps586M2024

Table 4

WO 01/57278 PCT/US01/00670

Page 125 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4803	14091	23184	0.85	3.0E-04	AW837723.1	EST_HUMAN	QV3-DT0045-221289-046-d08 DT0045 Homo sapiens cDNA
5289	14480	23528	1.22	3.0E-04	L78833.1	NT	Human BRCA1, Rho7 and vcl genes, complete cds, and lpr35 gene, partial cds
5732	14951		5.43	3.0E-04	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
6006	15256	24680	1.93	3.0E-04	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6546	15742	25203	6.87	3.0E-04	P22807	SWISSPROT	FIBROBLAST GROWTH FACTOR RECEPTOR 3 PRECURSOR (FGFR-3)
7202	16379	25860	7.45	3.0E-04	AA781201.1	EST_HUMAN	RIBOSOMAL PROTEIN L7A (HUMAN); a124g05.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391288 3 similar to gb:M36072.60S
8380	18348	23606	2.85	3.0E-04	AA228301.1	EST_HUMAN	nc38e04.r1 NCI_CGAP_P12 Homo sapiens cDNA clone IMAGE:1010430 similar to contains L112 L1 repetitive element:
8770	18188	23758	2.87	3.0E-04	AB018292.1	NT	Homo sapiens mRNA for KIAA0749 protein, partial cds
9191	17079		2.55	3.0E-04	AL134483.1	EST_HUMAN	DKFZp547L185_r1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547L185 5'
179	9459	18591	1.76	2.0E-04	AF217798.1	NT	Homo sapiens SCG10 like-protein, Helicase-like protein NHL, M88, and ADP-ribosylation factor related protein 1 (ARRRP1) genes, complete cds
485	9737	18670	3.52	2.0E-04	AU146707.1	EST_HUMAN	AU146707 HEMBB1 Homo sapiens cDNA clone HEMBB1001253 3'
917	10152	18312	10.64	2.0E-04	M88524.1	NT	Human dystrophin gene
917	10152	18313	10.64	2.0E-04	M88524.1	NT	Human dystrophin gene
1187	10408		4.9	2.0E-04	AI286021.1	EST_HUMAN	q189e11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855052 3' similar to contains MER3.b2 MER3 repetitive element:
1194	10414		2.28	2.0E-04	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1800	11009		1.44	2.0E-04	AF224288.1	NT	Mus musculus 5' flanking region of Ptx3 gene
2160	11348		1.37	2.0E-04	AA478980.1	EST_HUMAN	zu38p05.s1 Soares ovary tumor NkH0T Homo sapiens cDNA clone IMAGE:740337 3' similar to contains Alu repetitive element:
2539	11727	20944	2.71	2.0E-04	U66061.1	NT	Human germ-line T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV18S1P, TCRBV13S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2.>
2844	12182	21315	1.02	2.0E-04	AI124529.1	EST_HUMAN	am56c09.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539760 3'
3308	12538	21672	0.74	2.0E-04	5174738	NT	Homo sapiens tubulin, beta, 4 (TUBB4) mRNA
3414	12840	21769	2.01	2.0E-04	BE082317.1	EST_HUMAN	QV2-BT0636-070500-194-b07 BT0636 Homo sapiens cDNA
3690	13106	22224	0.7	2.0E-04	AW878441.1	EST_HUMAN	EST390550 MAGE_resequences, MAGEP Homo sapiens cDNA
4125	13331		6.15	2.0E-04	U01028.1	NT	Phaeodactylus nitrata reductase (PUNR2) gene, complete cds
4672	13866	22867	1.32	2.0E-04	HE8265.1	EST_HUMAN	y401e11.r1 Soares_pituitary_gland_NH1PG Homo sapiens cDNA clone IMAGE:232558 5'
4672	13866	22868	1.32	2.0E-04	HE8265.1	EST_HUMAN	y401e11.r1 Soares_pituitary_gland_NH1PG Homo sapiens cDNA clone IMAGE:232558 5'
4807	13996		1.61	2.0E-04	U09226.1	NT	Gallus gallus proteasome 28 kDa subunit homolog mRNA, complete cds

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5080	14270	23354	1.31	2.0E-04	AB037897.1	NT	Danio rerio heparinoma gene, exons 1 to 6, partial cds
5470	14696	24049	1.85	2.0E-04	AB08082.1	EST_HUMAN	tp03b11.x1 NCI_CGAP_U3 Homo sapiens cDNA clone IMAGE:2207709 3'
6178	16360		2.39	2.0E-04	AU121712.1	EST_HUMAN	AU121712 MAMMA1 Homo sapiens cDNA clone MAMMA1000788 5'
6343	15524		13.77	2.0E-04	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
7428	16638	28131	6.33	2.0E-04	AV730373.1	EST_HUMAN	AV730373 HTF Homo sapiens cDNA clone HTFAA01 5'
7653	17043	26560	6.26	2.0E-04	A1440282.1	EST_HUMAN	fp01f11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140269 3' similar to contains Alu repetitive element
7964	17143	26676	3.15	2.0E-04	AW136740.1	EST_HUMAN	UH-H-B1-adm-c-04-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717190 3'
8267	17394	26924	7.66	2.0E-04	AA320338.1	EST_HUMAN	EST22678 Adipose tissue, white II Homo sapiens cDNA 5' end similar to EST containing Alu repeat
776	10015	19163	1.88	1.0E-04	H89646.1	EST_HUMAN	yc6c09.s1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:262864 3' similar to contains L1.1 L1 repetitive element
1082	10307	19458	2.39	1.0E-04	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE : ENDONUCLEASE]
1122	10346	19498	3.89	1.0E-04	AW013847.1	EST_HUMAN	UH-H-B10-aab-e-08-0-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:270825 3'
1122	10346	19497	3.89	1.0E-04	AW013847.1	EST_HUMAN	UH-H-B10-aab-e-08-0-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:270825 3'
1340	10554		3.92	1.0E-04	U82918.1	NT	Anguilla anguilla dopamine D1A1 receptor (d1A1) gene, complete cds
1605	10819	19694	3.55	1.0E-04	AF148905.1	NT	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GPCR, putative phosphotyrosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1605	10819	19695	3.55	1.0E-04	AF148905.1	NT	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GPCR, putative phosphotyrosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1829	11037	20233	1.75	1.0E-04	AB048342.1	NT	Equus caballus DNA, chromosome 2q14, microsatellite TKY38
2648	11831	21044	0.91	1.0E-04	BE218833.1	EST_HUMAN	h45c08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176368 3'
2648	11831	21045	0.91	1.0E-04	BE218833.1	EST_HUMAN	h45c08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176368 3'
3252	12485	21617	0.95	1.0E-04	Q62203	SWISSPROT	SPUCEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SPUNING FACTOR 3A SUBUNIT 2) (SF3A69)
3716	12936	22054	0.82	1.0E-04	A1440282.1	EST_HUMAN	fp01f11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140269 3' similar to contains Alu repetitive element
4037	13247	22350	2.01	1.0E-04	M14042.1	NT	Mouse alpha 1 type-IV collagen mRNA
4056	13269	22371	1.16	1.0E-04	AV647727.1	EST_HUMAN	AV647727 GLC Homo sapiens cDNA clone GLCBBDD4 3'
4460	13658	22752	1.09	1.0E-04	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
6159	15342	24779	9.99	1.0E-04	A1251980.1	EST_HUMAN	q657d10.x1 NCI_CGAP_O12 Homo sapiens cDNA clone IMAGE:1985683 3'
6322	15342	24779	12.88	1.0E-04	A1251980.1	EST_HUMAN	q657d10.x1 NCI_CGAP_O12 Homo sapiens cDNA clone IMAGE:1985683 3'
6863	16053	25521	3.89	1.0E-04	A1806220.1	EST_HUMAN	wf26c08.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2366742 3'

Page 127 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7128	18305		5.3	1.0E-04	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
7881	17069		2.28	1.0E-04	M28587.1	NT	Mouse alpha leukocyte interferon gene, complete cds
8159	17281	28832	1.93	1.0E-04	AB032898.1	NT	Homo sapiens mRNA for KIAA1142 protein, partial cds
8189	17321	28864	1.87	1.0E-04	AW269081.1	EST_HUMAN	xw4912.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2816518.3'
8214	17345	28884	1.65	1.0E-04	Q03686	SWISSPROT	NEURONAL-GLIAL CELL ADHESION MOLECULE PRECURSOR (NG-CAM)
8214	17345	28885	1.65	1.0E-04	Q03686	SWISSPROT	NEURONAL-GLIAL CELL ADHESION MOLECULE PRECURSOR (NG-CAM)
8549	18158		1.5	1.0E-04	BE678399.1	EST_HUMAN	repetitive element;
705	8947	18083	2.78	9.0E-05	AA718933.1	EST_HUMAN	ah45c11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1282468.3'
6905	16062		2.6	9.0E-05	D85606.1	NT	Homo sapiens gene for cholesterylkin type-A receptor, complete cds
7697	16898	28405	2.85	9.0E-05	AW073078.1	EST_HUMAN	xw34g05.x1 NCI_CGAP_Br18 Homo sapiens cDNA clone IMAGE:2568728.3' similar to contains L1 L2 L1
7794	16987	28501	1.84	9.0E-05	AI287878.1	EST_HUMAN	repetitive element;
8139	14862	24247	4.58	9.0E-05	Q60716	SWISSPROT	qy23b08.x1 NCI_CGAP_Lym8 Homo sapiens cDNA clone IMAGE:1882435.3' similar to contains element
							MIR repetitive element;
							PROLYL 4-HYDROXYLASE ALPHA-2 SUBUNIT PRECURSOR
8604	18218		3.76	9.0E-05	AF128756.1	NT	Homo sapiens MSH5 gene, partial cds; and CLIC1, DDAP, G6b, G6c, G5b, G6d, G6e, G6f, BAT5, G5b,
831	10069	18224	1.8	8.0E-05	AJ251648.1	NT	CSK2B, BAT4, G4, Apo M, BAT3, BAT2, AIF-1, 1C7, LST-1, LTB, TNF, and LTA genes, complete cds
874	10110		7.89	8.0E-05	AJ251648.1	NT	Pisum sativum mRNA for beta-1,3 glucanase (gns2 gene)
4477	13675	22764	0.69	8.0E-05	AW044805.1	EST_HUMAN	wy78604.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2654838.3'
7710	16909	26419	2.96	8.0E-05	M69197.1	NT	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds
9229	18201		2.43	8.0E-05	AA279333.1	EST_HUMAN	zs88101.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:704593.3' similar to contains Alu
352	8620	18747	7.28	7.0E-05	AW847445.1	EST_HUMAN	repetitive element; contains element MSR1 repetitive element;
352	8620	18748	7.28	7.0E-05	AW847445.1	EST_HUMAN	RC3-CT0208-220899-011-E04 CT0208 Homo sapiens cDNA
574	8824	18943	1.33	7.0E-05	L49075.1	EST_HUMAN	RC3-CT0208-220899-011-E04 CT0208 Homo sapiens cDNA
574	8824	18944	1.33	7.0E-05	L49075.1	EST_HUMAN	HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014
							HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014
							PROBABLE GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE, MITOCHONDRIAL PRECURSOR
							(GPAT)
1082	10288	18439	1.12	7.0E-05	Q22949	SWISSPROT	Homo sapiens chromosome 21 segment HS21C078
2678	11860	21074	4.06	7.0E-05	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
3122	12357	21486	5.35	7.0E-05	AB00080.1	NT	Dicystellum discoidium gene for TRFA, complete cds
3678	12900		0.97	7.0E-05	AI432413.1	EST_HUMAN	ig73c08.x1 Soares_NHTNIPu_S1 Homo sapiens cDNA clone IMAGE:2114416.3'
4366	13568	22684	1.5	7.0E-05	AL183201.2	NT	Homo sapiens chromosome 21 segment HS21C001

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4440	13640	22731	0.61	7.0E-05	U060960.1	NT	Caenorhabditis elegans Skp1p homolog mRNA, complete cds
4647	14134	23228	0.85	7.0E-05	9845300	NT	Rat cytomegalovirus Maasricht, complete genome
6936	16080	25550	5.65	7.0E-05	T07095.1	EST_HUMAN	EST04984 Fetal brain, Striatagene (cath938208) Homo sapiens cDNA clone HFBED60
7720	16919		6.81	7.0E-05	10835048	NT	Homo sapiens sarcoglycan, epsilon (SGCE), mRNA
1996	11199	20409	1.41	6.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
1996	11199	20410	1.41	6.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
2549	11737	20855	1.06	6.0E-05	AI635241.1	EST_HUMAN	w654h06.x1 NCJ_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:2309531 3' similar to gb-J03250 DNA
2766	9829	19059	2.78	6.0E-05	AF053630.1	NT	TOPoisomerase I (HUMAN);
5622	14845	24225	3.42	6.0E-05	Q12860	SWISSPROT	Homo sapiens monocyte/neutrophil elastase inhibitor gene, complete cds
5622	14845	24226	3.42	6.0E-05	Q12860	SWISSPROT	CONTACTIN PRECURSOR (GLYCOPROTEIN GP135)
6614	15810	25266	3.79	6.0E-05	AW896829.1	EST_HUMAN	CONTACTIN PRECURSOR (GLYCOPROTEIN GP135)
7334	16550	26040	4.35	6.0E-05	R79639.1	EST_HUMAN	PMA-NIND050-310300-001-410 NN0050 Homo sapiens cDNA
8050	17186	28725	4.17	6.0E-05	AA044015.1	EST_HUMAN	y68d08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:143535 3' similar to contains Alu
8622	18199	23762	8.56	6.0E-05	AW890110.1	EST_HUMAN	repetitive element;contains LTR7 repetitive element;
1407	10620	19784	59.64	5.0E-05	AW392096.1	EST_HUMAN	MRO-NT0038-250400-001-409 NT0038 Homo sapiens cDNA
1831	11039		1.35	5.0E-05	8923891	NT	QVA-ST0234-241199-040-h11 ST0234 Homo sapiens cDNA
3957	13172	22287	3.89	5.0E-05	AJ251894.1	NT	Homo sapiens 22KDa peroxisomal membrane protein-like (LOC55895), mRNA
5453	14679	23839	11.84	5.0E-05	X59855.1	NT	Homo sapiens partial SLG22A3 gene for extraneuronal monoamine transporter (EMT), exon 1
5651	14874	24261	3.01	5.0E-05	AV653544.1	EST_HUMAN	Human ML C1emb gene for embryonic myosin alkaline light chain, 3UTR
8601	17775		3.79	5.0E-05	P49193	SWISSPROT	AV653544 GLC Homo sapiens cDNA clone GLCDMA06 3'
8879	17775		4.46	5.0E-05	P49193	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
2759	9511		3.93	4.0E-05	U12821.1	NT	RETINAL-BINDING PROTEIN (RALBP)
4479	13677	22766	0.73	4.0E-05	P49193	SWISSPROT	Human retin (REN) gene, 5' flanking region
4479	13677	22767	0.73	4.0E-05	P49193	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
4892	14080		0.95	4.0E-05	AF164488.1	NT	RETINAL-BINDING PROTEIN (RALBP)
5042	14226	23309	0.66	4.0E-05	AF212313.1	NT	Cryptosporidium parvum isolate Zaire 15 kDa glycoprotein gp15 gene, partial cds
6923	16116		5.98	4.0E-05	AF202635.1	NT	Drosophila melanogaster senseless protein (sens) gene, complete cds
7352	16568	26058	5.03	4.0E-05	AW627946.1	EST_HUMAN	Homo sapiens PP1200 mRNA, complete cds
8471	17524	24025	1.47	4.0E-05	AL163262.2	NT	h36c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2974380 3' similar to contains element MIR repetitive element;
8560	17581		1.54	4.0E-05	AW117580.1	EST_HUMAN	element MIR repetitive element;
8256	18024		1.29	4.0E-05	AA417756.1	EST_HUMAN	h36c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2974380 3' similar to contains element MIR repetitive element;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
687	9830	19081	0.84	3.0E-05	AI248081.1	EST_HUMAN	q164c10.x1 Scores: fetal_liver, spleen, 1NFLS, S1 Homo sapiens cDNA clone IMAGE:1849458 3' similar to contains Alu repetitive element; contains element KER repetitive element;
1086	10292	19443	0.87	3.0E-05	AW273851.1	EST_HUMAN	xx24d03.x1 Scores: NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814100 3'
1139	10362	19511	2.89	3.0E-05	BF037898.1	EST_HUMAN	601461463F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3865142 5'
1139	10362	19512	2.89	3.0E-05	BF037898.1	EST_HUMAN	601461463F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3865142 5'
3261	12494		0.87	3.0E-05	AI289918.1	EST_HUMAN	q181g11.x1 Scores: NihHMPu_S1 Homo sapiens cDNA clone IMAGE:1879748 3' similar to TR:O08632
4376	13578	22876	5.19	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-910 HT0521 Homo sapiens cDNA
4376	13578	22877	5.19	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-910 HT0521 Homo sapiens cDNA
4462	13660	22753	0.9	3.0E-05	AA389879.1	EST_HUMAN	EST79998 Placenta 1 Homo sapiens cDNA similar to p53-associated protein
4462	13660	22754	0.9	3.0E-05	AA389879.1	EST_HUMAN	EST79998 Placenta 1 Homo sapiens cDNA similar to p53-associated protein
4589	13783		0.89	3.0E-05	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
4621	13815	22905	0.83	3.0E-05	AF14973.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
4655	9830	19081	0.83	3.0E-05	AI248081.1	EST_HUMAN	q164c10.x1 Scores: fetal_liver, spleen, 1NFLS, S1 Homo sapiens cDNA clone IMAGE:1849458 3' similar to contains Alu repetitive element; contains element KER repetitive element;
5471	14697	24050	1.83	3.0E-05	11072102	NT	Mus musculus myosin light chain 2, precursor lymphocyte-specific (MyLC2p), mRNA
6981	16159		4.49	3.0E-05	AT69331.1	EST_HUMAN	wg36f09.x1 Scores: NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2387209 3'
8484	17532		1.67	3.0E-05	L7570.1	NT	Homo sapiens Digeorge syndrome critical region, centromeric and
2282	11487	20707	2.08	2.0E-05	AI286021.1	EST_HUMAN	q186e11.x1 Scores: NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855052 3' similar to contains
2545	11733	20850	4.57	2.0E-05	MI3792.1	NT	MER3.b2 MER3 repetitive element;
2673	11855		6.59	2.0E-05	AA180562.1	EST_HUMAN	Human adenosine deaminase (ADA) gene, complete cds
3102	12336	21466	1.76	2.0E-05	BE068036.1	EST_HUMAN	zq46a12.r1 Striatogene hNT neuron (R837233) Homo sapiens cDNA clone IMAGE:632734 5' similar to contains Alu repetitive element; contains element L1 repetitive element;
3322	12551	21685	0.98	2.0E-05	AF184614.1	NT	RC3-BT0318-120200-014-108 BT0318 Homo sapiens cDNA
3348	12576	21717	0.93	2.0E-05	X89211.1	NT	Homo sapiens p47-phox (NCF-1) gene, complete cds
3469	12694		0.69	2.0E-05	X95465.1	NT	H. sapiens DNA for endogenous retroviral like element
3795	13013		1.31	2.0E-05	AL039107.1	EST_HUMAN	S.cerevisiae 12.8 Kbp fragment of the left arm of chromosome XV
4902	14090	23183	0.77	2.0E-05	AI131016.1	NT	DKFZp5681084_r1 568 (synonym: hnd2) Homo sapiens cDNA clone DKFZp5681084 5'
5267	14440	23513	32.31	2.0E-05	AA084052.1	EST_HUMAN	znl6b10.s1 Striatogene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:547579 3'
5555	14779	24147	1.75	2.0E-05	AI011712.1	NT	similar to contains L1.t1 L1 repetitive element;
5944	15160	24573	2.4	2.0E-05	AA714330.1	EST_HUMAN	Homo sapiens TNNT1 gene, exons 1-11 (and joined GDS)
6042	15210	24630	1.9	2.0E-05	Y08926.1	NT	nm0812.s1 NCI_QGAP_SS1 Homo sapiens cDNA clone IMAGE:1238519 3'
							P.falcipecum mRNA for AARP1 protein, partial

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6052	15220		8.31	2.0E-05	AF91025.1	EST_HUMAN	wu5sh07.x1 Soares_Dickgraeff_colon_NHCD Homo sapiens cDNA clone IMAGE:2522077 3'
6142	15326	24761	2.28	2.0E-05	AF224282.1	NT	Heterodontus francisci Hoxa10 (Hoxa10), Hoxa9 (Hoxa9), Hoxa7 (Hoxa7), Hoxa6 (Hoxa6), Hoxa5 (Hoxa5), Hoxa4 (Hoxa4), Hoxa3 (Hoxa3), Hoxa2 (Hoxa2), and Hoxa1 (Hoxa1) genes, complete cds
6142	15326	24762	2.28	2.0E-05	AF224282.1	NT	Heterodontus francisci Hoxa10 (Hoxa10), Hoxa9 (Hoxa9), Hoxa7 (Hoxa7), Hoxa6 (Hoxa6), Hoxa5 (Hoxa5), Hoxa4 (Hoxa4), Hoxa3 (Hoxa3), Hoxa2 (Hoxa2), and Hoxa1 (Hoxa1) genes, complete cds
7223	16400	25885	5.08	2.0E-05	NA1751.1	EST_HUMAN	yw61a08.r1 Soares_placenta_Biochwicks_2NBHP8tc0W Homo sapiens cDNA clone IMAGE:259570 5'
7223	16400	25886	5.08	2.0E-05	NA1751.1	EST_HUMAN	yw61a08.r1 Soares_placenta_Biochwicks_2NBHP8tc0W Homo sapiens cDNA clone IMAGE:259570 5'
7238	15220	25910	2.39	2.0E-05	AF91025.1	EST_HUMAN	wu35h07.x1 Soares_Dickgraeff_colon_NHCD Homo sapiens cDNA clone IMAGE:2522077 3'
7888	16423	25910	3.15	2.0E-05	BE175801.1	EST_HUMAN	RC5-HT0582-280300-012-E12 HT0582 Homo sapiens cDNA
8610	18125		5.29	2.0E-05	BE348229.1	EST_HUMAN	hw21a03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3183532 3' similar to TR-Q12832 Q12832 GLYCOPHORIN HEP2.
8723	18296		5.07	2.0E-05	AW074804.1	EST_HUMAN	xx89a03.x1 NCI_CGAP_Co17 Homo sapiens cDNA clone IMAGE:2573932 3' similar to contains L1.b3 L1 repetitive element
8773	18110		1.62	2.0E-05	AF275948.1	EST_HUMAN	repetitive element
8935	17816	23928	1.38	2.0E-05	AU131513.1	EST_HUMAN	Homo sapiens ABCA1 (ABCA1) gene, complete cds
2855	12023	21050	1.24	1.0E-05	AL163282.2	NT	AU131513 NT2RP3 Homo sapiens cDNA clone NT2RP3002707 5'
3629	12850	21869	1.97	1.0E-05	AF088273.1	NT	Homo sapiens chromosome 21 segment HS21C082
3801	13018		1.02	1.0E-05	AF223391.1	NT	Drosophila melanogaster strain Lando 120 Suppressor of Hairless (Su(H)) gene, partial cds
3944	13180	22276	11.49	1.0E-05	P81274	SWISSPROT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4262	13465	22556	1.56	1.0E-05	AA431119.1	EST_HUMAN	MOSAIC PROTEIN LGN
4867	14055	23149	1.7	1.0E-05	AW418134.1	EST_HUMAN	zw68g04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781494 5'
4886	14173	23263	0.67	1.0E-05	AL163246.2	NT	xy49g11.x1 NCI_CGAP_Lu34.1 Homo sapiens cDNA clone IMAGE:2856548 3'
6116	15229	24648	2.6	1.0E-05	AA641848.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C048
6118	15302	24734	12.58	1.0E-05	4505844	NT	hs19g02.g1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1184114 3' similar to contains L1.t1 L1 L1 repetitive element
6750	15945		3.79	1.0E-05	AL163227.2	NT	L1 repetitive element
6789	15984	25444	2.49	1.0E-05	AA452578.1	EST_HUMAN	Homo sapiens phospholipase A2 group X (PLA2G10) mRNA, and translated products
							z35h12.s1 Soares_testis_NB2H78.gw Homo sapiens cDNA clone IMAGE:788519 3' similar to gb:U02932 PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR ALPHA (HUMAN);

Page 131 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8861	16040	26504	15.7	1.0E-05	AA236110.1	EST_HUMAN	zs05a11.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:684332 5' similar to contains Alu repetitive element; contains element TAR1 repetitive element;
7483	16700	28185	2.48	1.0E-05	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, Refet gene, and sodium phosphate transporter (NP73) gene, complete cds
7483	16700	28186	2.48	1.0E-05	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, Refet gene, and sodium phosphate transporter (NP73) gene, complete cds
2632	11815	21034	5.6	9.0E-06	AI583811.1	EST_HUMAN	h73a08.x1 NCI_CGAP_HSC3 Homo sapiens cDNA clone IMAGE:2246386 3'
3061	12297	21421	5.75	9.0E-06	AI216983.1	EST_HUMAN	qg11b08.x1 Soares_placenta_8weeks_2NBHP609W Homo sapiens cDNA clone IMAGE:1759191 3'
3588	12809		3.56	8.0E-06	M61755.1	NT	Human alainine, glyoxylate aminotransferase (AGXT) gene, exons 1 and 2
5017	14840	24218	2.46	8.0E-06	L23416.1	NT	Homo sapiens differentiation antigen CD20 gene, exons 5, 6
6408	15587	25048	11.37	9.0E-06	AI034370.1	EST_HUMAN	ox20g01.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1656912 3' similar to contains Alu repetitive element;
6833	16027	25483	4.11	9.0E-06	U35114.1	NT	Human apolipoprotein E (APOE) gene, hepatic control region HCR-2
7512	16717	26206	3.57	8.0E-06	Q10364	SWISSPROT	PUTATIVE SERINE/THREONINE-PROTEIN KINASE C22E12.14C
2485	12017	20902	2.21	8.0E-06	AW362538.1	EST_HUMAN	RC3-CT0283-201189-011-h11 CT0283 Homo sapiens cDNA
986	10217		2.15	7.0E-06	AA669728.1	EST_HUMAN	ab5010.s1 Strabagana lung (f837210) Homo sapiens cDNA clone IMAGE:854251 3' similar to contains MER20.11 MER20 repetitive element;
1440	10654	18828	2.53	7.0E-06	7682177	NT	Homo sapiens KIAA0555 gene product (KIAA0555), mRNA
2825	12064		5.04	7.0E-06	AI368252.1	EST_HUMAN	qwt1b09.x1 NCI_CGAP_U3 Homo sapiens cDNA clone IMAGE:1991288 3' similar to contains Alu repetitive element;
3538	12761		0.79	7.0E-06	AA38542.1	EST_HUMAN	EST199205 Thyroid Homo sapiens cDNA 5' end similar to EST containing L1 repeat
5533	14757		5.93	7.0E-06	AW883141.1	EST_HUMAN	QV2-OT0062-250400-173-101 OT0062 Homo sapiens cDNA
8333	18321	23597	2.35	7.0E-06	BF215972.1	EST_HUMAN	501881522-1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4083972 5'
2868	12106	21235	1.48	6.0E-06	BE069189.1	EST_HUMAN	QV3-B10378-010300-106-411 B10378 Homo sapiens cDNA
4764	12130	21265	2.05	6.0E-06	Q01458	SWISSPROT	OVARIAN ABUNDANT MESSAGE PROTEIN (OAM PROTEIN)
4771	13960	23061	2.03	6.0E-06	AI040099.1	EST_HUMAN	ox08a02.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1655738 3' similar to contains MER8.12 MER8 repetitive element;
7025	16202		2.62	6.0E-06	AW801912.1	EST_HUMAN	IL5-UM0070-110400-063-902 UM0070 Homo sapiens cDNA
8220	17999	23867	2.28	6.0E-06	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 11 subunit (CACNA11), mRNA
5694	14914	24308	4.05	5.0E-06	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21CQ48

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5805	15022	24423	1.88	5.0E-06	U07561.1	NT	Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds
7113	16280	25771	10.33	5.0E-06	AA313620.1	EST_HUMAN	EST185498 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
9104	17926	23876	3.8	5.0E-06	AI065045.1	EST_HUMAN	HA0877 Human fetal liver cDNA library Homo sapiens cDNA
653	9899	19024	6.68	4.0E-06	R16287.1	EST_HUMAN	ye48c03.t1 Soares infant brain T1N18 Homo sapiens cDNA clone IMAGE:53254 5' similar to contains Alu repetitive element; contains L1 repetitive element;
856	10092	19254	11.86	4.0E-06	AW103354.1	EST_HUMAN	xc58g12.x1 NCI_CGAP_Es02 Homo sapiens cDNA clone IMAGE:2589574 3' similar to contains Alu repetitive element; contains element MER21 repetitive element;
1342	10556	19721	4.4	4.0E-06	AI334828.1	EST_HUMAN	tb33e09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2056188 3'
1342	10556	19722	4.4	4.0E-06	AI334828.1	EST_HUMAN	tb33e09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2056188 3'
1469	10682	19856	5.73	4.0E-06	BF365612.1	EST_HUMAN	QV2-NT0046-200600-250-h07 NT0046 Homo sapiens cDNA
2230	11426	20652	1.39	4.0E-06	AW015401.1	EST_HUMAN	UI-H-B10-aet4-05-0-UJ.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710425 3'
3028	12284	21392	1	4.0E-06	AF198349.1	NT	Gallus gallus Dact2 protein (Dact2) mRNA, complete cds
3872	13088	22204	1.34	4.0E-06	AW848285.1	EST_HUMAN	IL3-CT0214-150200-074-B03 CT0214 Homo sapiens cDNA
4821	14010	23108	1.81	4.0E-06	AI888939.1	EST_HUMAN	w894c10.x1 NCI_CGAP_Brm25 Homo sapiens cDNA clone IMAGE:2432562 3' similar to contains element MER22 repetitive element;
6716	15911	25369	2.81	4.0E-06	AF008680.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
7885	16420	25907	4.04	4.0E-06	AB007855.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488
2129	11328	20546	1.11	3.0E-06	AA700582.1	EST_HUMAN	Z34B08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:432663 3' similar to contains L1.t1 L1 repetitive element;
2129	11328	20547	1.11	3.0E-06	AA700582.1	EST_HUMAN	Z34B08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:432663 3' similar to contains L1.t1 L1 repetitive element;
2232	11427		2.13	3.0E-06	AF202835.1	NT	Homo sapiens PP1200 mRNA, complete cds
2872	12110	21238	1.04	3.0E-06	AA868218.1	EST_HUMAN	ak48g11.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1409252 3' similar to contains LTR1.13 LTR1 repetitive element;
3232	12466		2.55	3.0E-06	AI857779.1	EST_HUMAN	w122a05.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2425616 3' similar to TR.O60734.O60734 LINE-1 LIKE PROTEIN (contains L1.t2 L1 repetitive element);
3768	12894	22099	1.35	3.0E-06	BE047094.1	EST_HUMAN	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
3768	12894	22100	1.35	3.0E-06	BE047094.1	EST_HUMAN	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
4560	13754	22852	3.87	3.0E-06	X54816.1	NT	Homo sapiens gene for alpha-1-microglobulin-bikunin, exons 1-5 (encoding alpha-1-microglobulin, N-terminus)
6177	15359		2.52	3.0E-06	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8761	17710		7.4	3.0E-06	AW385282.1	EST_HUMAN	RCOL.T0001-261189-011-A03 LT0001 Homo sapiens cDNA
207	9487		2.17	2.0E-06	P54366	SWISSPROT	HOMEBOX PROTEIN GOOSECOID

132/382

Table 4

11/57278

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7011	16189		4.26	1.0E-08	AA449287.1	EST_HUMAN	z04411.s1 Soares, fetal, Nb2H8, 8w Homo sapiens cDNA clone IMAGE:785483 3' similar to gb:D8129 RIBONUCLEASE PANCREATIC PRECURSOR (HUMAN);
8158	17280		5.02	1.0E-08	AW890941.1	EST_HUMAN	RC4-NT0054-120500-012-503 NT0054 Homo sapiens cDNA
8721	17674	23949	3.45	1.0E-08	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
8824	11187	20371	1.86	1.0E-08	AF184814.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
8824	11187	20372	1.86	1.0E-08	AF184814.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
365	9632	18764	2.24	9.0E-07	AF003528.1	NT	Homo sapiens glycylcan 3 (GPC3) gene, partial cds and flanking repeat regions
365	9632	18765	2.24	9.0E-07	AF003528.1	NT	Homo sapiens glycylcan 3 (GPC3) gene, partial cds and flanking repeat regions
5223	14397		1.4	9.0E-07	AW071932.1	EST_HUMAN	EST384021 IMAGE resequences, MAGL Homo sapiens cDNA
7789	16892	26505	2.85	9.0E-07	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
4781	13970	23072	4.52	8.0E-07	AI288596.1	EST_HUMAN	q18207.x1 Soares, NIH-MP, S1 Homo sapiens cDNA clone IMAGE:1878876 3'
4781	13970	23073	4.52	8.0E-07	AI288596.1	EST_HUMAN	q18207.x1 Soares, NIH-MP, S1 Homo sapiens cDNA clone IMAGE:1878876 3'
5608	14832		8.53	8.0E-07	P21414	SWISSPROT	POL POLYPROTEIN CONTAINS: PROTEASE ; REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
6465	15662		14.61	8.0E-07	AF135418.1	NT	Homo sapiens UDP-glucuronosyltransferase gene, complete cds
8142	17274		8.94	8.0E-07	T07770.1	EST_HUMAN	EST05660 Fetal brain, Striatum (cat3636206) Homo sapiens cDNA clone HFBEN89
8318	17420		5.59	8.0E-07	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
1877	11084	20274	2.64	6.0E-07	AW855598.1	EST_HUMAN	CM3-CT0277-221089-024-e11 CT0277 Homo sapiens cDNA
2455	11646	20867	2.48	6.0E-07	AF019413.1	NT	Homo sapiens HLA class III region containing Iannasin X (Iannasin-X) gene, partial cds: cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKIZW), RD, complement factor B (B), and complement component C2 (C2) genes;>
3948	13165		2.04	6.0E-07	P41479	SWISSPROT	HYPOTHETICAL 24.1 KD PROTEIN IN LEF4-P33 INTERGENIC REGION
8578	18267		2.08	6.0E-07	AW803222.1	EST_HUMAN	CM4-NN1028-250300-121-412 NN1028 Homo sapiens cDNA
331	9801		1.48	5.0E-07	AI831883.1	EST_HUMAN	wt8410.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385547 3'
1064	10290		2.65	5.0E-07	AA380630.1	EST_HUMAN	EST80815 Supl cells Homo sapiens cDNA 5' end
2997	12233		0.8	5.0E-07	AI831883.1	EST_HUMAN	wt8410.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385547 3'
4047	13841	22831	1.29	5.0E-07	AF149774.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 4 through 14 and complete cds
6230	15411	24852	19.2	5.0E-07	AW070885.1	EST_HUMAN	wt831e02.x1 NCI CGAP_B178 Homo sapiens cDNA clone IMAGE:2589382 3' similar to gb:X15341
7183	16360	25839	5.84	5.0E-07	AI808587.1	EST_HUMAN	CYTCHROME C OXIDASE POLYPEPTIDE VIA-LIVER (HUMAN);
8048	17184	28723	4.83	5.0E-07	P11087	SWISSPROT	COLLAGEN ALPHA 1(I) CHAIN PRECURSOR
8110	17244		2.42	5.0E-07	AI271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
9013	18187		2.19	5.0E-07	AW862587.1	EST_HUMAN	QV0-CT0383-210400-204-412 CT0383 Homo sapiens cDNA
3976	13180	22289	1.79	4.0E-07	AW008902.1	EST_HUMAN	wt84105.x1 NCI CGAP_C63 Homo sapiens cDNA clone IMAGE:2504697 3'
6786	16981	25441	3.15	4.0E-07	AW419134.1	EST_HUMAN	wt84105.x1 NCI CGAP_Lu34.1 Homo sapiens cDNA clone IMAGE:2865548 3'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7511	16716	26204	4.28	4.0E-07	AI765528.1	EST_HUMAN	w81b08.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2399703.3'
7511	16716	26205	4.29	4.0E-07	AI765528.1	EST_HUMAN	w81b08.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2399703.3'
7774	16969		2.08	4.0E-07	BE001828.1	EST_HUMAN	PM1-BN0083-030300-003-a12 BN0083 Homo sapiens cDNA
447	9701	18837	4.33	3.0E-07	U19719.1	NT	Human microtubulin-associated glycoprotein (MFAP2) gene, putative promoter region and alternatively spliced untranslated exons
590	9838	18957	2.19	3.0E-07	AI271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
1381	10595	19761	2.2	3.0E-07	M99149.1	NT	Human polymorphic microsatellite DNA
1603	10817		3.12	3.0E-07	M84857.1	NT	Human Igk subgroup I germline gene, exons 1 and 2, V-region 018 allele
2013	11215		3.54	3.0E-07	AA526763.1	EST_HUMAN	ni5b08.s1 NCI CGAP_Ov2 Homo sapiens cDNA clone IMAGE:980825 similar to contains Alu repetitive element/contains L1,13 L1 repetitive element;
2252	11447	20668	1.24	3.0E-07	M99149.1	NT	Human polymorphic microsatellite DNA
2432	11623	20845	11.76	3.0E-07	BE005077.1	EST_HUMAN	MR0-BN0115-020300-001-411 BN0115 Homo sapiens cDNA
2432	11623	20846	11.76	3.0E-07	BE005077.1	EST_HUMAN	MR0-BN0115-020300-001-411 BN0115 Homo sapiens cDNA
3000	12236	21368	1.23	3.0E-07	T84704.1	EST_HUMAN	HY50712.r1 Soares fetal liver spleen 1NFUS Homo sapiens cDNA clone IMAGE:111695.5'
3123	12356	21487	1.82	3.0E-07	P36739	SWISSPROT	HYPOHETICAL_63.8 KO PROTEIN IN GUT1-RIM1 INTERGENIC REGION PRECURSOR
4738	13929	23033	8.7	3.0E-07	AV650201.1	EST_HUMAN	AV650201 GLC Homo sapiens cDNA clone GLCCCD01.3'
4774	13963	23065	0.78	3.0E-07	AI797236.1	EST_HUMAN	we6b12.x1 Soares_NEL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347967.3'
5096	14276	23359	1.39	3.0E-07	T57850.1	EST_HUMAN	yc14h09.s1 Stratagene lung (#837210) Homo sapiens cDNA clone IMAGE:80705.3' similar to similar to
5096	14276	23360	1.39	3.0E-07	T57850.1	EST_HUMAN	gb:M62882 ARACHIDONATE 12-LIPOXYGENASE (HUMAN)
5241	14415	23495	1.06	3.0E-07	BE072335.1	EST_HUMAN	gb:M62882 ARACHIDONATE 12-LIPOXYGENASE (HUMAN)
5520	14745	24113	11.02	3.0E-07	O88807	SWISSPROT	PROTEIN-ARGININE DEIMINASE TYPE IV (PEPTIDYLARGININE DEIMINASE IV) (PAD-R4)
5965	15180		4.7	3.0E-07	AA815175.1	EST_HUMAN	(PEPTIDYLARGININE DEIMINASE TYPE ALPHA)
6293	15474	24918	3.2	3.0E-07	AAW797188.1	EST_HUMAN	ccdc410.s1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1339890.3'
6258	18026		4.28	3.0E-07	AI132352.1	NT	QV1-UM0036-200300-115-q02 UM0036 Homo sapiens cDNA
30	8326	18430	2.76	2.0E-07	AF262898.1	NT	Rattus norvegicus mRNA for 45 kDa secretory protein, partial
157	8439	18572	7.69	2.0E-07	L77569.1	NT	Homo sapiens TRF2-interacting telomeric RAP1 protein (RAP1) mRNA, complete cds
157	8439	18573	7.69	2.0E-07	L77569.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
186	8465	18596	76.92	2.0E-07	U38849.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
756	8997	19142	2.28	2.0E-07	AF003530.1	NT	Fugu rubripes beta-cytoplasmic(vesicular) actin gene, complete cds
756	8997	19143	2.28	2.0E-07	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
768	10008		1.13	2.0E-07	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN (CONTAINS: REVERSE TRANSCRIPTASE; ENDONUCLEASE)
951	10184	18340	3.36	2.0E-07	AA223280.1	EST_HUMAN	z08607.s1 Stragene NT2 neuronal precursor 837230 Homo sapiens cDNA clone IMAGE:850869 3' similar to gb:L31880 GLYCOPHORIN A PRECURSOR (HUMAN); contains Abu repetitive element
952	10185	18341	12.82	2.0E-07	T63042.1	EST_HUMAN	yc15g04.s1 Stragene lung (8637210) Homo sapiens cDNA clone IMAGE:80790 3' similar to contains L1 repetitive element:
1171	10392	18344	1.22	2.0E-07	Q26768	SWISSPROT	U6 AUTOANTIGEN
1580	10793	19970	1.82	2.0E-07	Q09701	SWISSPROT	HYPOTHETICAL 72.5 KD PROTEIN C2F7.10 IN CHROMOSOME 1
3597	12818		0.6	2.0E-07	BF131397.1	EST_HUMAN	601818816.t1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4044891 5'
3668	12889	22010	22.49	2.0E-07	AF125348.1	NT	Homo sapiens cavosin 1 (CAV1) gene, exon 3 and partial cds
5282	14463	23531	9.22	2.0E-07	P23289	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN 13
5957	15173	24588	1.77	2.0E-07	AI208715.1	EST_HUMAN	qg5d405.x1 Soares, testis, NHT Homo sapiens cDNA clone IMAGE:1839177 3'
7005	16163		2.32	2.0E-07	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
7157	16334	25817	8.56	2.0E-07	AW862507.1	EST_HUMAN	CM4-NN0003-280300-124-c08 NN0003 Homo sapiens cDNA
8269	17817		1.69	2.0E-07	BE153717.1	EST_HUMAN	PMO-HT0339-260100-008-H07 HT0339 Homo sapiens cDNA
8357	18168		1.95	2.0E-07	AI732462.1	EST_HUMAN	zn85t11.x5 Stragene lung carcinoma 837218 Homo sapiens cDNA clone IMAGE:565028 3' similar to contains THR.b2 THR repetitive element:
1110	10334		1.63	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
1940	11144	20342	0.85	1.0E-07	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
1940	11144	20343	0.85	1.0E-07	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
2416	11607	20828	0.91	1.0E-07		NT	Homo sapiens RAB, member of RAS oncogene family-like 2A (RAB12A), transcript variant 2, mRNA
2779	10723	19895	1.75	1.0E-07	P09258	SWISSPROT	GLYCOPROTEIN GPV
3725	10334		1.43	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
4280	13483	22580	3.17	1.0E-07	AV718682.1	EST_HUMAN	AV718682 GLC Homo sapiens cDNA clone GLCFNFO4 5'
4280	13483	22581	3.17	1.0E-07	AV718682.1	EST_HUMAN	AV718682 GLC Homo sapiens cDNA clone GLCFNFO4 5'
6024	15232	24652	4.91	1.0E-07	BE047871.1	EST_HUMAN	tz3408.y1 NCI CGAP_Brm52 Homo sapiens cDNA clone IMAGE:2291339 5'
6024	15232	24653	4.91	1.0E-07	BE047871.1	EST_HUMAN	tz3408.y1 NCI CGAP_Brm52 Homo sapiens cDNA clone IMAGE:2291339 5'
6287	15498	24910	8.24	1.0E-07	NS5081.1	EST_HUMAN	tz3408.y1 NCI CGAP_Brm52 Homo sapiens cDNA clone IMAGE:245484 3'
6755	15950	25407	4.48	1.0E-07	AA693576.1	EST_HUMAN	z516t10.s1 Soares fetal liver spleen 1NF5 Homo sapiens cDNA clone IMAGE:434348 3'
7051	16228	25704	4.17	1.0E-07	BF674524.1	EST_HUMAN	z516t10.s1 Soares fetal liver spleen 1NF5 Homo sapiens cDNA clone IMAGE:434348 3'
7204	16381		2.32	1.0E-07	AL163282.2	NT	602137714F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4274426 5'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8641	18143	23750	3.09	1.0E-07	BE048770.1	EST_HUMAN	h53e11.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:31322123 similar to TR:095722 095722 D1163J1.1
8784	17713		1.55	1.0E-07	X64467.1	NT	H. sapiens ALAD gene for porphobilinogen synthase
8958	17831		1.35	1.0E-07	X61755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
7038	16213	25690	2.9	8.0E-08	AV734819.1	EST_HUMAN	AV734819 cda Homo sapiens cDNA clone cdaBFB06 5'
							wn30607.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2446932 3' similar to contains OFR.12 OFR repetitive element;
7737	16934	26442	3.19	9.0E-08	AI891032.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C101
8171	17303	28848	4.6	9.0E-08	AL163301.2	NT	Homo sapiens partial steerin-1 gene
8591	17600		3.94	9.0E-08	AI251973.1	NT	Homo sapiens partial steerin-1 gene
613	11972		3.63	8.0E-08	AI911352.1	EST_HUMAN	wd16005.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2328273 3'
1057	10283		0.66	8.0E-08	BE785469.1	EST_HUMAN	601560133F NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3843976 5'
3519	12743		1.84	8.0E-08	BE785469.1	EST_HUMAN	601560133F NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3843976 5'
6695	15890	25351	4.48	8.0E-08	AI752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHITBC_cn15c02 random
6695	15890	25352	4.48	8.0E-08	AI752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHITBC_cn15c02 random
6972	16150	25621	4.01	8.0E-08	AW970693.1	EST_HUMAN	EST382776 IMAGE: ressequences, MAGK Homo sapiens cDNA
7797	16990		2.74	8.0E-08	AF253417.1	NT	Homo sapiens microsomal epoxide hydrolase (EPHX1) gene, complete cds
80	9373	18503	2.46	7.0E-08	Q02357	SWISSPROT	ANKYRIN 1 (ERYTHROCYTE ANKYRIN)
1389	10583	19750	36.64	7.0E-08	X04809.1	NT	Rat mRNA for ribosomal protein L31
3551	12774	21902	1.31	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
3551	12774	21903	1.31	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
7391	16905		7.93	7.0E-08	AI535743.1	EST_HUMAN	cong3.P11.A5 contom Homo sapiens cDNA 3'
8175	17307	26850	6.73	7.0E-08	U24070.1	NT	Rattus norvegicus Munc13-1 mRNA, complete cds
9075	12774	21902	3.5	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
9075	12774	21903	3.5	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
9146	17951		1.31	7.0E-08	AI131016.1	NT	Homo sapiens SCL gene locus
827	10065	19217	2.5	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
827	10065	19218	2.5	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
2331	11524	20747	1.98	6.0E-08	BE144398.1	EST_HUMAN	MFO-HT0166-191199-004-009 HT0166 Homo sapiens cDNA
3026	12262	21390	0.83	6.0E-08		NT	Homo sapiens KIAA1074 protein (KIAA1074), mRNA
4234	13437	22530	1.15	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
7953	17092	26622	2.48	8.0E-08	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8064	17109		1.82	6.0E-08	AL168209.2	NT	Homo sapiens chromosome 21 segment HS21C009
84	9377	18507	2.87	5.0E-08	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
							in03b09.s1 NC1_CGAP_T191 Homo sapiens cDNA clone IMAGE:943193 similar to contains Alu repetitive element.
2202	11399	20624	2.64	5.0E-08	AA483651.1	EST_HUMAN	COMPLEMENT C2 PRECURSOR (C3/C5 CONVERTASE)
8318	17421		3.74	5.0E-08	P06681	SWISSPROT	QV0-CT0225-131099-034-412 CT0225 Homo sapiens cDNA
8515	17549	23986	1.29	5.0E-08	AW851878.1	EST_HUMAN	DORSAL-VENTRAL PATTERNING TOLL-PROTEIN PRECURSOR
1731	10943	20125	0.92	4.0E-08	P25723	SWISSPROT	DORSAL-VENTRAL PATTERNING TOLL-PROTEIN PRECURSOR
1731	10943	20128	0.92	4.0E-08	P25723	SWISSPROT	DORSAL-VENTRAL PATTERNING TOLL-PROTEIN PRECURSOR
3891	13107	22225	0.72	4.0E-08	U82698.1	NT	Homo sapiens thox gene, alternatively spliced products, complete cds
							ar22d10.x1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1699411 3' similar to contains Alu repetitive element.
7185	16362	25842	2.55	4.0E-08	AU050027.1	EST_HUMAN	repetitive element; contains element MER22 repetitive element.
7477	16885		1.77	4.0E-08	AJ238617.1	NT	Homo sapiens mRNA for UGA suppressor tRNA-associated antigenic protein (RNA48 gene)
7656	16856	26356	4.35	4.0E-08	BF692493.1	EST_HUMAN	602248024F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4333300 5'
7656	16856	26357	4.35	4.0E-08	BF692493.1	EST_HUMAN	602248024F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4333300 5'
							zds5g03.r1 Soares_fetal_heart_NbH119W Homo sapiens cDNA clone IMAGE:345556 5' similar to contains L1.11 L1 repetitive element.
8323	18300		2.4	4.0E-08	W76159.1	EST_HUMAN	MEF18b MEF18 repetitive element.
9002	17861		2.01	4.0E-08	AI343353.1	EST_HUMAN	bb79a10.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048570 5' similar to TR:Q9Z158 Q9Z158
5496	14722	24080	2.66	3.0E-08	BE018348.1	EST_HUMAN	SYNTAXIN 17.1
6075	14521	23564	3.72	3.0E-08	AI792737.1	EST_HUMAN	qs76r11.y5 NC1_CGAP_P128 Homo sapiens cDNA clone IMAGE:1944045 5'
							bt93h09.x1 Soares_NSIF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2126273 3' similar to TR:Q13537 Q13537 MER37 TRANSCRIPTIONAL ELEMENT, COMPLETE CONSENSUS SEQUENCE.
6397	15578		3.43	3.0E-08	AI436352.1	EST_HUMAN	y902r04.r1 Soares_fetal_brain_1N1B Homo sapiens cDNA clone IMAGE:30948 5' similar to contains Alu repetitive element.
8286	17402		13.41	3.0E-08	R19420.1	EST_HUMAN	xb78r06.x1 NC1_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2787139 5'
211	9491		12.34	2.0E-08	AW302896.1	EST_HUMAN	zw48r07.r1 Soares_fetus_Nb2Hf8_9W Homo sapiens cDNA clone IMAGE:773317 5' similar to contains Alu repetitive element; contains element MER15 repetitive element.
233	9512		6.42	2.0E-08	AA425598.1	EST_HUMAN	Galus gallus Dach2 protein (Dach2) mRNA, complete cds
503	9755	18893	3.37	2.0E-08	AF188349.1	NT	MFC-OT0080-240200-001-808 OT0080 Homo sapiens cDNA
666	9912	19040	10.21	2.0E-08	AW886438.1	EST_HUMAN	MFC-OT0080-240200-001-808 OT0080 Homo sapiens cDNA
666	9912	19041	10.21	2.0E-08	AW886438.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
997	10229		35.03	2.0E-08	BE280477.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C047
1350	10565	18730	95.22	2.0E-08	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1714	10928		1.55	2.0E-08	BE734871.1	EST_HUMAN	601570483F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3845189 5'
1822	11030		4.08	2.0E-08	AW270271.1	EST_HUMAN	XP4371.X1 NCI_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743149 3'
2508	11897		1.91	2.0E-08	K00216.1	NT	Sheep H1a-5RNA-GUG
3174	12409	21544	6.99	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3174	12409	21545	6.99	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3842	13059		1.59	2.0E-08	AW813620.1	EST_HUMAN	RC3-ST0197-161089-012-503 ST0197 Homo sapiens cDNA
4399	13600		1.47	2.0E-08	AA459040.1	EST_HUMAN	aa28c07.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:814380 5' similar to contains L1:12 L1
4977	14164		2.92	2.0E-08	AW572881.1	EST_HUMAN	he17h08.x2 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2818327 3' similar to contains Alu
1745	10957	20140	1.06	1.0E-08	AF126348.1	NT	repetitive element
2018	11219		2.7	1.0E-08	BE141859.1	EST_HUMAN	PM2-HT0130-150999-001-112 HT0130 Homo sapiens cDNA
3155	12390	21523	1.07	1.0E-08	BE248844.1	EST_HUMAN	TCBAP1D5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo
3155	12390	21524	1.07	1.0E-08	BE248844.1	EST_HUMAN	TCBAP1D5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo
5490	14716	24073	4.44	1.0E-08	AJ010770.1	NT	sapiens cDNA clone TCBAP4232
6639	15834	26296	2.75	1.0E-08	AJ015304.1	EST_HUMAN	Homo sapiens hyperton gene, exons 1-50
7862	17052	28573	4.24	1.0E-08	AF044083.1	NT	os35a05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1618738 3'
8715	17671		2.18	1.0E-08	X51755.1	NT	Homo sapiens major histocompatibility locus class III region
4228	13431	22524	2.66	8.0E-09	AL163278.2	NT	Human lambda4-immunoglobulin constant region complex (germline)
4228	13431	22525	2.66	9.0E-09	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
6193	15375	24815	7.03	8.0E-09	AI183500.1	EST_HUMAN	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
6464	15661	25133	3.54	8.0E-09	AW800159.1	EST_HUMAN	contains MSR1.11 MSR1 repetitive element:
6761	15956		3.3	8.0E-09	AA838892.1	EST_HUMAN	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
3585	12806		2.2	7.0E-09	D88942.1	NT	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
7265	16484		3.06	7.0E-09	T87850.1	EST_HUMAN	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
5000	14187	23277	6.35	6.0E-09	BE169421.1	EST_HUMAN	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
5386	14615	23728	6.96	6.0E-09	AW185784.1	EST_HUMAN	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
6823	16017	25462	2.71	8.0E-09		NT	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to
7181	16338		4.91	8.0E-09	AF200923.2	NT	q442607.X1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to

Page 140 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF-SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1419	10632	19800	3.26	5.0E-09	BE149284.1	EST_HUMAN	RC2-110252-120200-0144110 HT0252 Homo sapiens cDNA
1820	11028	20223	1.02	5.0E-09	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5830	15047	24451	1.78	5.0E-09	AA358454.1	EST_HUMAN	EST168746 Fetal lung II Homo sapiens cDNA 5' end
7108	16285	25766	2.57	5.0E-09	AW798687.1	EST_HUMAN	PM2-UM0053-240300-005-c08 UM0053 Homo sapiens cDNA
9028	18224		1.24	5.0E-09	BE963272.2	EST_HUMAN	601669707R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3865897 3'
527	9776		1.75	4.0E-09	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
972	10204		2.43	4.0E-09	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1465	10878	19851	1.81	4.0E-09	9558718	NT	Homo sapiens hypothetical protein (AF038168), mRNA
2393	11586	20804	37.61	4.0E-09	AA350878.1	EST_HUMAN	EST168385 Infant brain Homo sapiens cDNA 5' end similar to similar to heat shock protein, 80 kDa
7641	16841	26339	3.63	4.0E-09	AI886401.1	EST_HUMAN	wm94710.x1 NCI CGAP U12 Homo sapiens cDNA clone IMAGE:2443627 3'
2320	11513	20734	4.11	3.0E-09	BE222239.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
2519	11707	20922	0.91	3.0E-09	BE222239.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
3302	12533	21665	3.28	3.0E-09	BE222239.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
3355	12583		0.66	3.0E-09	AA442272.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
4074	13284		0.69	3.0E-09	X16674.1	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
4418	13618	22714	10.9	3.0E-09	AF175325.1	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
4513	13709	22802	1.53	3.0E-09	Q9V3R5	SWISSPROT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
7151	16328	25811	2.31	3.0E-09	AL163247.2	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
7561	16795	26287	3.99	3.0E-09	BF109943.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
7591	16795	26286	3.99	3.0E-09	BF109943.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
822	10060		0.78	2.0E-09	X16674.1	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
1265	10480	19841	5.78	2.0E-09	AL163284.2	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
1634	10848		11.64	2.0E-09	AL118573.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
2295	11490	20710	4.74	2.0E-09	Q9V3R5	SWISSPROT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
3911	13127	22244	3.74	2.0E-09	O60241	SWISSPROT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
6274	15454	24895	7.44	2.0E-09	AA461430.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
8263	17390		1.79	2.0E-09	AF111168.2	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
8864	10060		14.46	2.0E-09	X16674.1	NT	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
8839	18369		1.35	2.0E-09	AA226070.1	EST_HUMAN	huc9609.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13

Page 141 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1002	10233		2.24	1.0E-09	W78152.1	EST_HUMAN	2d79d03 s1 Soares, fetal heart, NBH419W Homo sapiens cDNA clone IMAGE:346853 3' similar to gb:U02892 PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR ALPHA (HUMAN);
1117	10341	18491	5.1	1.0E-09	5031624	NT	Homo sapiens COAT-box-binding transcription factor (CBF2) mRNA
1117	10341	19492	5.1	1.0E-09	5031624	NT	Homo sapiens COAT-box-binding transcription factor (CBF2) mRNA
2842	12081	21206	1.57	1.0E-09	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nailp) and survival motor neuron protein (smn) genes, complete cds
2876	12114	21242	12.67	1.0E-09	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
2876	12114	21243	12.67	1.0E-09	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
3003	12239	21369	0.72	1.0E-09	BE535440.1	EST_HUMAN	601058602F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3445177 5'
4811	14000		6.59	1.0E-09	AA718297.1	EST_HUMAN	zh35503 s1 Soares, pineal gland, N3HPG Homo sapiens cDNA clone IMAGE:414029 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
6258	14431	23508	0.68	1.0E-09	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nailp) and survival motor neuron protein (smn) genes, complete cds
5733	14952	24350	3.36	1.0E-09	P26694	SWISSPROT	CIRCUMSPOROZOITE PROTEIN PRECURSOR (CS)
7171	16348		2.4	1.0E-09	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
8255	17382		1.72	1.0E-09	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
8650	17633		2.2	1.0E-09	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8766	18310	23891	2.32	1.0E-09	11418127	NT	Homo sapiens GTP binding protein 1 (GTPBP1), mRNA
1316	10532	19694	2.22	9.0E-10	AW867740.1	EST_HUMAN	MRO-SN0040-050500-002-c07 SN0040 Homo sapiens cDNA
2787	12027	21154	7.73	9.0E-10	AI870071.1	EST_HUMAN	we78h03 x1 Soares, Dieckgraebe, cotton, NHCD Homo sapiens cDNA clone IMAGE:2347263 3' similar to SW-RL29_HUMAN P47914 60S RIBOSOMAL PROTEIN L29; contains element PTR5 repetitive element;
6012	15282	24696	5.41	9.0E-10	AI452982.1	EST_HUMAN	446808 x1 Soares, NSF, FB, GW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2144537 3' similar to TR:000372 000372 PUTATIVE P150.;
149	9431	18565	12.37	8.0E-10	U63630.2	NT	Homo sapiens MCM4 (MCM4) and DNA-PKcs (PRKDC) genes, partial cds
3316	12646	21679	0.68	8.0E-10	BE080748.1	EST_HUMAN	CV1-BT0631-150200-071-01 BT0631 Homo sapiens cDNA
4183	13387	22485	4.81	8.0E-10	AA379832.1	EST_HUMAN	EST89584 Small intestine 1 Homo sapiens cDNA 5' and
7060	16237		3	8.0E-10	U56308.2	NT	Homo sapiens lens major intrinsic protein (MIP) gene, complete cds
708	9950	18088	23.91	7.0E-10		NT	Homo sapiens TPA inducible protein (LOC51586), mRNA
708	9950	19089	23.91	7.0E-10	7706225	NT	Homo sapiens TPA inducible protein (LOC51586), mRNA
1569	10813	19990	3.1	7.0E-10	Q13342	SWISSPROT	LysP100 PROTEIN (LYMPHOID-RESTRICTED HOMOLOG OF SP100)
1989	11182		1.2	7.0E-10	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
2525	11713		13.32	7.0E-10	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
3053	12289	21414	2.97	7.0E-10	X00856.1	NT	H. sapiens DHFR gene, exon 3

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5747	14896	24365	3.58	7.0E-10	AA345220.1	EST_HUMAN	EST51247 Gall bladder II Homo sapiens cDNA 5' end
923	10158	18315	3.29	6.0E-10	AI400877.1	NT	Homo sapiens ASCL3 gene, CEGF1 gene, C11orf14 gene, C11orf15 gene, C11orf18 gene and C11orf17 gene
2637	11820	21036	1.54	6.0E-10	AI424403.1	EST_HUMAN	BT2407.X1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2085021 3'
4750	13941		2.51	6.0E-10	AW853719.1	EST_HUMAN	RC3-CT0254-031099-012-g12 CT0254 Homo sapiens cDNA
8354	17447		1.64	6.0E-10	AW971923.1	EST_HUMAN	EST384012 IMAGE resequences, MACL Homo sapiens cDNA
769	10009		5.57	5.0E-10	AL046804.1	EST_HUMAN	DKFZp434N219.t1 434 (synonym: hnc3) Homo sapiens cDNA clone DKFZp434N219 5'
6012	14189	23286	1.35	5.0E-10	AF181897.1	NT	Homo sapiens WRN (WRN) gene, complete cds
6219	15400		1.71	5.0E-10	BF105159.1	EST_HUMAN	601822184F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4042413 5'
111	8399		1.63	4.0E-10	AI221083.1	EST_HUMAN	qg09f09.X1 Soares, placenta, 8tso weeks, 2NbhP8t09W Homo sapiens cDNA clone IMAGE:1759049 3'
588	8636	18955	1.89	4.0E-10	AA515280.1	EST_HUMAN	similar to contains LTR8.b2 LTR8 repetitive element;
1965	11169	20374	1.75	4.0E-10	AW594709.1	EST_HUMAN	nt64601.s1 NCI_CGAP_C68 Homo sapiens cDNA clone IMAGE:924648 3'
2538	11726	20943	4.74	4.0E-10	AL163303.2	NT	hg58g03.X1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2949844 3' similar to contains Aliu repetitive element;
6155	15339	24776	14.13	4.0E-10	AF224689.1	NT	Homo sapiens chromosome 21 segment HS21C103
925	10159	18317	1.78	3.0E-10	N96113.1	EST_HUMAN	lys2R08.s1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:272963 3' similar to contains L1.11 L1 repetitive element;
1359	10574		4.86	3.0E-10	AY051501.1	NT	Homo sapiens extracellular glycoprotein lactin precursor, gene, complete cds
5755	14974	24373	1.82	3.0E-10	P20350	SWISSPROT	RHOMBOLD PROTEIN (VEINLET PROTEIN)
5813	15030	24431	3.41	3.0E-10	BE302870.1	EST_HUMAN	bat6d08.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2806319 5'
6784	15979	25436	2.33	3.0E-10	AW850731.1	EST_HUMAN	IL3-CT0219-160200-064-B06 CT0219 Homo sapiens cDNA
6784	15979	25439	2.33	3.0E-10	AA769294.1	EST_HUMAN	IL3-CT0219-160200-084-B06 CT0219 Homo sapiens cDNA
7224	16401		2.23	3.0E-10	AA769294.1	EST_HUMAN	nz36g03.s1 NCI_CGAP_G081 Homo sapiens cDNA clone IMAGE:1289908 3'
9041	17863	23896	2.19	3.0E-10	BE179617.1	EST_HUMAN	IL3-H10618-110500-136-E07 H10618 Homo sapiens cDNA
37	9333	18438	1.24	2.0E-10	P48998	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
37	9333	18439	1.24	2.0E-10	P48998	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
1862	11069		3.01	2.0E-10	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nrip) and survival motor neuron protein (smn) genes, complete cds
2943	12181		0.75	2.0E-10	BF675047.1	EST_HUMAN	602136840F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4273377 5'
5574	14798		2.78	2.0E-10	Q28640	SWISSPROT	(HPRG)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5772	14880	24390	2.13	2.0E-10	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds, and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
6247	15428	24868	5.7	2.0E-10	BE781092.1	EST_HUMAN	601588208F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3840824 5'
1498	10711		13.64	1.0E-10	AW867767.1	EST_HUMAN	MRO-SN0038-280300-001-f01 SN0038 Homo sapiens cDNA
1586	10799	18975	2.68	1.0E-10	AW652123.1	EST_HUMAN	AV652123 GLC Homo sapiens cDNA clone GLCXA11 3'
2544	11732		1.86	1.0E-10	AW852001.1	EST_HUMAN	QV0-CT0225-181189-058-08 CT0225 Homo sapiens cDNA
3473	12697	21833	0.87	1.0E-10	AW832912.1	EST_HUMAN	QV2-TT0003-161189-013-g10 TT0003 Homo sapiens cDNA
3515	12739		0.68	1.0E-10	AL041685.1	EST_HUMAN	DKFZp434N1317_t1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N1317 5'
3829	12739		0.86	1.0E-10	AL041685.1	EST_HUMAN	DKFZp434N1317_t1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N1317 5'
3991	13205		7	1.0E-10	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
4109	13316	22414	6.01	1.0E-10	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adenosine deaminase 1 (ADA), and endonuclease 1 (EN1) protein >
4109	13316	22415	6.01	1.0E-10	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adenosine deaminase 1 (ADA), and endonuclease 1 (EN1) protein >
4116	13323	22424	1.91	1.0E-10	AB031089.1	NT	Homo sapiens PGCX1 mRNA for protein containing COXC domain 1, complete cds
4152	13358		2.45	1.0E-10	M30828.1	NT	Homo sapiens PGCX1 mRNA for protein containing COXC domain 1, complete cds
5191	14367		0.99	1.0E-10	AI79745.1	EST_HUMAN	we8204.x1 Soares_NF1_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347615 3' similar to contains MER31.11 MER31 repetitive element;
7134	16311		8.18	1.0E-10	AA081868.1	EST_HUMAN	zn23g06.r1 Striatogene neuroepithelium NT2RAM1 837234 Homo sapiens cDNA clone IMAGE:548314 5'
7488	16695	28179	3.77	1.0E-10	AI038280.1	EST_HUMAN	cy65h03.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1672661 3'
8297	14504		1.53	1.0E-10	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DQB2 and RING8, 9, 13 and 14 genes
266	9541	18671	1.07	9.0E-11	BE145600.1	EST_HUMAN	IL2-H10203-291089-018-c08 H10203 Homo sapiens cDNA
2074	11274	20489	5.61	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_t1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547D225 5'
2074	11274	20490	5.61	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_t1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547D225 5'
3361	12589	21729	2.52	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_t1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547D225 5'
3361	12589	21730	2.52	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_t1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547D225 5'
4503	13700	22794	0.84	9.0E-11	AA775885.1	EST_HUMAN	ae78t01.s1 Striatogene sch22a brain S11 Homo sapiens cDNA clone IMAGE:970287 3'
5477	14704		4.92	9.0E-11	BE079780.1	EST_HUMAN	RC9-B10627-140200-011-E06 B10627 Homo sapiens cDNA

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8690	17658	23981	3.31	9.0E-11	C16635.1	EST_HUMAN	C16635 Clontech human aorta polyA+ mRNA (#6572) Homo sapiens cDNA clone GEN-506808 5'
3080	12316		9.13	8.0E-11	H19871.1	EST_HUMAN	Y15311.1 s1 Scores adult brain N25H8557 Homo sapiens cDNA clone IMAGE:172173 3' similar to contains L1 repetitive element;
3940	13156	22273	0.61	8.0E-11	AI478617.1	EST_HUMAN	Y154409.x1 NC1_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2161836 3'
4020	13232	22335	5.63	8.0E-11	N23712.1	EST_HUMAN	Y146406.s1 Weizmann Offactory Epithelium Homo sapiens cDNA clone IMAGE:255298 3'
1449	10682	19837	1.67	7.0E-11	AA330642.1	EST_HUMAN	EST34392 Embryo, 6 week 1 Homo sapiens cDNA 5' end
6625	15821	25281	3.07	7.0E-11	AF163884.1	NT	Homo sapiens SNCA isoform (SNCA) gene, complete cds, alternatively spliced
8835	17745		1.38	7.0E-11	AV701656.1	EST_HUMAN	AV701656 ADB Homo sapiens cDNA clone ADBAB009 5'
418	9671	18812	6.1	6.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
418	9671	18813	6.1	6.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
6373	15553	25010	3.18	6.0E-11	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
6584	15780	25240	8.08	6.0E-11	AV727659.1	EST_HUMAN	AV727659 HTC Homo sapiens cDNA clone HTGCASC06 5'
11	8307	18409	1.36	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3342	9307	18409	1.91	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
4213	13416	22512	1.55	5.0E-11	P48034	SWISSPROT	ALDEHYDE OXIDASE
5883	15100	24511	1.94	5.0E-11	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
6303	15484	24928	13.54	5.0E-11		NT	Homo sapiens protocadherin beta 3 (PCDH3), mRNA
1405	10618		1.26	4.0E-11	AA436042.1	EST_HUMAN	Z101b12.r1 Scores, testis, NHT Homo sapiens cDNA clone IMAGE:730559 5'
2743	11822	21136	7.91	4.0E-11	BE885900.1	EST_HUMAN	601507531.F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909295 5'
2824	12162	21297	1.04	4.0E-11	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4620	13814	22304	1.18	4.0E-11	D44666.1	EST_HUMAN	HUMSUP009 Human brain cDNA Homo sapiens cDNA clone 069
5860	15078	24491	3.34	4.0E-11	P20095	SWISSPROT	PRE-MRNA SPLICING FACTOR RNA HELICASE PRP2
6244	15425		3.86	4.0E-11	AF224689.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
8806	17797	23928	1.42	4.0E-11		NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
1483	10698	19871	14.82	3.0E-11	6879077	NT	Mus musculus expressed in non-metastatic cells 2, protein (NM23B) (Nme2), mRNA
4261	13464		1.49	3.0E-11	AA309248.1	EST_HUMAN	EST180120 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' end
967	10200	19355	1.59	2.0E-11	AI150502.1	EST_HUMAN	qf36c04.x1 Scores, testis, NHT Homo sapiens cDNA clone IMAGE:1752102 3' similar to contains MER10.3
1183	10413	19568	5.2	2.0E-11	R24807.1	EST_HUMAN	MER10 repetitive element;
1193	10413	19569	5.2	2.0E-11	R24807.1	EST_HUMAN	Y143e12.r1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
1992	10805	19980	10.06	2.0E-11	L17432.1	NT	Y143e12.r1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
							Gallus gallus rho-globin, beta-H globin, beta-A globin, epsilon-globin, and offactory receptor-like protein
							COR3beta (COR3beta) genes, complete cds

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1592	10805	19981	10.06	2.0E-11	L17432.1	NT	Gallus gallus rho-globin, beta-H globin, beta-A globin, epsilon-globin, and olfactory receptor-like protein COR3beta (COR3beta) genes, complete cds
1594	10808	19984	0.95	2.0E-11	A112637.1	EST_HUMAN	gc51c10.x1 Soares, pregnant, uterus, NbHPU Homo sapiens cDNA clone IMAGE:1713138.3 similar to gb:U02932 PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR ALPHA (HUMAN);contains L1,11 L1 repetitive element.
2720	11899	21115	0.93	2.0E-11	AF087913.1	NT	Human endogenous retrovirus HERV-P-147D
3160	12395	21531	4.04	2.0E-11	P10263	SWISSPROT	RETROVIRUS-RELATED GAG POLYPROTEIN (VERSION 1)
3298	12529	21690	1.62	2.0E-11	A1478817.1	EST_HUMAN	bm54c09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2161938.3
3339	12568	21706	0.66	2.0E-11	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYL TRANSFERASE (PROTEIN-UDP ACETYL GALACTOSAMINYL TRANSFERASE) (GALNAC-T1)
4436	13636		0.85	2.0E-11	BE065537.1	EST_HUMAN	RC3-BT0316-170200-014-ad5 BT0316 Homo sapiens cDNA
4806	13800		0.85	2.0E-11	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
4955	14142		1.36	2.0E-11	BE062558.1	EST_HUMAN	QV2-BT0258-261099-014-ad1 BT0258 Homo sapiens cDNA
5029	14214	23298	3.62	2.0E-11	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
5792	15009	24413	1.68	2.0E-11	AA581028.1	EST_HUMAN	ncs3n05.r1 NCI_CGAP_GCT1 Homo sapiens cDNA clone IMAGE:797433.5 similar to SW:PRT16_YEAST P15938 PRE-MRNA SPLICING FACTOR RNA HELICASE PRP16.
6834	16028		2.21	2.0E-11	AF028308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
7164	16341	25820	6.37	2.0E-11	Q13806	SWISSPROT	OLFACTORY RECEPTOR 5H (OLFACTORY RECEPTOR-LIKE PROTEIN OL-F1)
7674	16873	26377	2.64	2.0E-11	AA035389.1	EST_HUMAN	zk27g02.s1 Soares, pregnant, uterus, NbHPU Homo sapiens cDNA clone IMAGE:471784.3
7674	16873	26378	2.64	2.0E-11	AA035389.1	EST_HUMAN	zk27g02.s1 Soares, pregnant, uterus, NbHPU Homo sapiens cDNA clone IMAGE:471784.3
7702	16901	26409	2.16	2.0E-11	AA281956.1	EST_HUMAN	zs18b04.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:985519.5
8456	17513		2.3	2.0E-11	AW842143.1	EST_HUMAN	RC3-CN0027-210100-011-c01 CN0027 Homo sapiens cDNA
8485	17533	24027	1.65	2.0E-11	BF377859.1	EST_HUMAN	CN2-TN0140-070900-372-g01 TN0140 Homo sapiens cDNA
8765	17703		1.99	2.0E-11	D5217.2	NT	Homo sapiens mRNA for KIAA0027 protein, partial cds
8922	17808		1.93	2.0E-11	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8248	18018		2.34	2.0E-11		NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
882	9925	19056	1.26	1.0E-11	AU131016.1	NT	Homo sapiens SCL gene locus
793	10033	19182	1.21	1.0E-11	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C009
1225	10443	19598	2.73	1.0E-11	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C079
1490	10703		1.61	1.0E-11	AF16914.1	NT	Homo sapiens PRO3078 mRNA, complete cds
2098	11296	20508	2.95	1.0E-11	AF000573.1	NT	Homo sapiens homogenisate 1,2-dioxygenase gene, complete cds
3472	12696	21832	1.08	1.0E-11	BE004315.1	EST_HUMAN	CN0-BN0105-170300-292-d12 BN0105 Homo sapiens cDNA

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4944	14131	23228	0.91	1.0E-11	AI168625.1	EST_HUMAN	ox65r06.s1 Soares_NhHMFu_S1 Homo sapiens cDNA clone IMAGE:1681243.3
5354	14584	23680	13.76	1.0E-11	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
6648	15843	25304	7.4	1.0E-11	R13174.1	EST_HUMAN	yf3d08.r1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:28166.5
7835	17027	26544	1.73	1.0E-11	BF680078.1	EST_HUMAN	602154807F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4295977.5
9001	18089		1.62	1.0E-11	Z20377.1	EST_HUMAN	HSAACADHP_Human foetal Brain Whole tissue Homo sapiens cDNA
2904	12142	21278	1.11	9.0E-12	P20742	SWISSPROT	PREGNANCY ZONE PROTEIN PRECURSOR
8540	17665		4.78	8.0E-12	AJ271738.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
4634	13856	22957	1.62	7.0E-12	O05904	SWISSPROT	34 KD SPICULE MATRIX PROTEIN PRECURSOR (LSM34)
7889	17105	26635	12.51	7.0E-12	AA704735.1	EST_HUMAN	zj29g01.s1 Soares_fetal_liver_spleen_1N1LS_S1 Homo sapiens cDNA clone IMAGE:451152.3
3522	12746		0.73	6.0E-12	AV730554.1	EST_HUMAN	AV730554 HITF Homo sapiens cDNA clone HITFAWF06.5
4341	13543	22634	9.71	6.0E-12	AA732516.1	EST_HUMAN	nc28f11.a1 NCJ_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1302573.3 similar to contains Aliu repetitive element
6903	16060		2.9	6.0E-12	AA847898.1	EST_HUMAN	cd10g11.s1 NCJ_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1367588 similar to contains MIER29.12
1050	10276	19429	3.79	5.0E-12	T06573.1	EST_HUMAN	MIER29 repetitive element
3708	12828	22046	6.27	5.0E-12	AJ271736.1	NT	EST04462 Fetal brain, Striatum (cat836206) Homo sapiens cDNA clone HFB0V33
5688	14890	24280	5.11	5.0E-12	AL163278.2	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
5688	14890	24281	5.11	5.0E-12	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
5871	15089	24502	10.34	5.0E-12	AW974760.1	EST_HUMAN	EST388850 IMAGE:rescues, MAGN Homo sapiens cDNA
6810	16005	25468	3.01	5.0E-12	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
7160	16337		6.25	5.0E-12	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
248	9525	18655	5.28	4.0E-12	AA700326.1	EST_HUMAN	zj74g11.s1 Soares_fetal_liver_spleen_1N1LS_S1 Homo sapiens cDNA clone IMAGE:460676.3
249	9525	18655	6.58	4.0E-12	AA700326.1	EST_HUMAN	zj74g11.s1 Soares_fetal_liver_spleen_1N1LS_S1 Homo sapiens cDNA clone IMAGE:460676.3
4822	13816	22908	0.88	4.0E-12	AI68984.1	EST_HUMAN	b28r05.x1 NCJ_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745.3 similar to TR:Q13539 Q13539 MARINER TRANSPOSASE
6540	15736		2.37	4.0E-12	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
7648	16848	28346	4.08	4.0E-12	AJ28043.1	NT	Homo sapiens 958 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
8808	17730		1.89	4.0E-12	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTIP3 (FTIP3) genes, complete cds
622	9867	18988	4.22	3.0E-12	AW341683.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2809377.3 similar to TR:O14517
622	9867	18988	4.22	3.0E-12	AW341683.1	EST_HUMAN	O14517 SMRP
622	9867	18988	4.22	3.0E-12	AW341683.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2809377.3 similar to TR:O14517
622	9867	18988	4.22	3.0E-12	AW341683.1	EST_HUMAN	O14517 SMRP

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7248	16468	25958	3.45	3.0E-12	U37672.1	NT	Human prostate specific antigen gene, 5' flanking region
7248	16468	25960	3.45	3.0E-12	U37672.1	NT	Human prostate specific antigen gene, 5' flanking region
1629	10842	20019	1.81	2.0E-12	AW802131.1	EST_HUMAN	IL5JM0071-120400-065-05 UM0071 Homo sapiens cDNA
3443	12668	21803	0.75	2.0E-12	6754495	NT	Mus musculus keratin-associated protein 8.2 (Krtap8-2), mRNA
4082	13300	22399	1.19	2.0E-12	J01884.1	NT	Rat U3A small nuclear RNA
4082	13300	22400	1.19	2.0E-12	J01884.1	NT	Rat U3A small nuclear RNA
4413	13613		2.27	2.0E-12	BE083509.1	EST_HUMAN	CHMO-B10281-031189-087-03 B10281 Homo sapiens cDNA
4919	14107	23201	0.59	2.0E-12	O70306	SWISSPROT	TBX15 PROTEIN (T-BOX PROTEIN 15)
4919	14107	23202	0.59	2.0E-12	O70306	SWISSPROT	TBX15 PROTEIN (T-BOX PROTEIN 15)
5861	15078		1.87	2.0E-12	AW971857.1	EST_HUMAN	EST1383948 MAGE resequences, MAGL Homo sapiens cDNA
6154	15338	24775	3.16	2.0E-12	T08169.1	EST_HUMAN	EST106060 Infant Brain, Benito Soares Homo sapiens cDNA clone HIBBA13 5' end
6362	15542	24897	2.07	2.0E-12	11422229	NT	Homo sapiens Ac-like transposable element (ALTE), mRNA
7069	16246		17.59	2.0E-12	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
8440	17503		2.41	2.0E-12	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
8654	17634		1.49	2.0E-12	11418248	NT	Homo sapiens sulfolipase-related protein (SULTX3), mRNA
121	9407	18540	3.27	1.0E-12	AW627674.1	EST_HUMAN	h190a09.x1 NCL_CGAP_GUT Homo sapiens cDNA clone IMAGE:2970040 3' similar to contains MER18.11
1856	11160		1.52	1.0E-12	AI871726.1	EST_HUMAN	h190a09.x1 NCL_CGAP_GUT Homo sapiens cDNA clone IMAGE:2439493 3' similar to contains L1.b3 L1
3035	12271	21398	1.76	1.0E-12	AF000891.1	NT	repetitive element;
3035	12271	21399	1.76	1.0E-12	AF000891.1	NT	repetitive element;
3855	13071	22185	41.19	1.0E-12	AU132248.1	EST_HUMAN	Homo sapiens testis-specific Testis Transcript Y 2 (TTY2) mRNA, partial cds
3855	13071	22186	41.19	1.0E-12	AU132248.1	EST_HUMAN	Homo sapiens testis-specific Testis Transcript Y 2 (TTY2) mRNA, partial cds
5639	14863		1.92	1.0E-12	U82828.1	NT	Homo sapiens etada (etad) gene, complete cds
5681	14901		1.82	1.0E-12	Q8Y2G7	SWISSPROT	HYPOTHETICAL ZINC FINGER PROTEIN KIA0961
6127	15311	24745	1.76	1.0E-12	AF190894.1	NT	Homo sapiens putative BPES syndrome breakpoint region protein gene, complete cds
6139	15323	24757	9.56	1.0E-12	AI248533.1	EST_HUMAN	qth66a04.x1 Soares_fetal_liver_spleen_1NF5_S1 Homo sapiens cDNA clone IMAGE:1649614 3' similar to
6139	15323	24758	9.56	1.0E-12	AI248533.1	EST_HUMAN	qth66a04.x1 Soares_fetal_liver_spleen_1NF5_S1 Homo sapiens cDNA clone IMAGE:1649614 3' similar to
8346	17441	26939	4.2	1.0E-12	AW962164.1	EST_HUMAN	gb:IM19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN);contains MER10.11 MER10
8729	18268		1.63	1.0E-12	AL163288.2	NT	EST1374237 MAGE resequences, MAGG Homo sapiens cDNA
							Homo sapiens chromosome 21 segment HS21C088

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3922	13138	22257	0.83	8.0E-13	AB028900.1	NT	Homo sapiens CST gene for cerebroside sulfotransferase, exon 1, 2, 3, 4, 5
6962	16140		2.29	9.0E-13	IN69653.1	EST_HUMAN	228200.8 s1 Scores fetal liver spleen 1NFUS Homo sapiens cDNA clone IMAGE:283651 3'
724	9968	19104	6.37	8.0E-13	U29185.1	NT	Homo sapiens priin protein (PrP) gene, complete cds
724	9968	19105	6.37	8.0E-13	U29185.1	NT	Homo sapiens priin protein (PrP) gene, complete cds
1806	11015	20208	1.99	8.0E-13	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nrip) and survival motor neuron protein (smn) genes, complete cds
7123	16300		2.56	8.0E-13	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
8244	17373	20908	2.52	8.0E-13	U66060.1	NT	Human gemline T-cell receptor beta chain TCRBV13S1, TCRBV6S4A2T, TCRBV6S6A3N2T, TCRBV13S6A2T, TCRBV6S6P, TCRBV6S3A2T, TCRBV13S6P, TCRBV6S4A1N1T, TCRBV6S2, TCRBV6S6A2T, TCRBV6S57P, TCRBV13S4, TCRBV6S2A1N1T, TCRBV6S4A2T, TCRBV6S4A1, TCRBV23S1A2T, TCRBV12P
8838	17748		13.42	7.0E-13	BE178223.1	EST_HUMAN	601463285F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866813 5'
9073	17899		19.47	7.0E-13	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N-ACETYL GALACTOSAMINYLTRANSFERASE) (GALNAC-T1)
2071	11271	20486	5.65	6.0E-13	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
3294	12525		0.77	5.0E-13	R78336.1	EST_HUMAN	y82D04.1 Scores placenta NB2HP Homo sapiens cDNA clone IMAGE:145759 5'
3375	12803		1.63	5.0E-13	AA435773.1	EST_HUMAN	z177a12.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:728514 3'
7438	16845	26137	2.89	5.0E-13	P07313	SWISSPROT	MYOSIN LIGHT CHAIN KINASE, SKELETAL MUSCLE (MLCK)
1833	11041		8.46	4.0E-13	AW378614.1	EST_HUMAN	PM2-HT0224-221099-001-e11 HT0224 Homo sapiens cDNA
2423	11614		3.52	4.0E-13	AF003529.1	NT	Homo sapiens gypican 3 (GPC3) gene, partial cds and flanking repeat regions
5484	14710	24086	4.77	4.0E-13	BE169131.1	EST_HUMAN	PM3-HT0520-230200-002-c08 HT0520 Homo sapiens cDNA
7080	16257	25731	3.25	4.0E-13	AI289831.1	EST_HUMAN	qnc32d05.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1898945 3' similar to contains Aliu repetitive element:
7728	16924	28433	2.08	4.0E-13	AA435819.1	EST_HUMAN	z177g10.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:728514 3'
7728	16924	28434	2.08	4.0E-13	AA435819.1	EST_HUMAN	z177g10.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:728514 3'
184	8463		5.11	3.0E-13	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
875	10111		5.46	3.0E-13	AA430310.1	EST_HUMAN	zwe8g08.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:781408 5'
2338	11531	20754	1.62	3.0E-13	AJ27136.1	NT	Homo sapiens Xq pseudautosomal region: segment 2/2
2441	11632		2.58	3.0E-13	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2626	11810	21026	2.58	3.0E-13	BF372962.1	EST_HUMAN	GM3-FT0100-140700-242-H08 FT0100 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3150	12385		2.42	3.0E-13	AA745844.1	EST_HUMAN	ob16d02.s1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1324035.3'
6422	15619	25083	8.11	3.0E-13	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 8 (DUSP8), ribosomal protein L18a (RPL18a), Ca ²⁺ /Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adrenoleukodystrophy protein >
7268	18487		3.69	3.0E-13	A064788.1	EST_HUMAN	HA0536 Human fetal liver cDNA library Homo sapiens cDNA
7816	16819	26314	3.1	3.0E-13	BE063509.1	EST_HUMAN	CM0-BT0281-031189-087-003 BT0281 Homo sapiens cDNA
8126	17280	26803	2.87	3.0E-13	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
152	9434	18566	2.21	2.0E-13	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 8 (DUSP8), ribosomal protein L18a (RPL18a), Ca ²⁺ /Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adrenoleukodystrophy protein >
243	9521	18652	1.34	2.0E-13	U23839.1	NT	Danio rerio fibroblast growth factor receptor 4 mRNA, complete cds
1277	10492	18651	5.93	2.0E-13	AF239710.1	NT	Homo sapiens DNA polymerase delta small subunit (POLD2) gene, exons 1 through 11 and complete cds
2865	12203	21338	0.79	2.0E-13	8924119	NT	Homo sapiens hypothetical protein PRO2130 (PRO2130), mRNA
2865	12203	21338	0.79	2.0E-13	8924119	NT	Homo sapiens hypothetical protein PRO2130 (PRO2130), mRNA
3249	12482	21814	1.03	2.0E-13	BF431899.1	EST_HUMAN	nab7605.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3'
3481	12705	21841	1.04	2.0E-13	AF108907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4086	13285		1.92	2.0E-13	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
5270	14443		2.88	2.0E-13	BE256449.1	EST_HUMAN	601111249F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3351828.5'
5718	14936	24332	4.51	2.0E-13	Q06852	SWISSPROT	CELL SURFACE GLYCOPROTEIN 1 PRECURSOR (OUTER LAYER PROTEIN B) (S-LAYER PROTEIN 1)
6004	15286	24718	6.56	2.0E-13	X16912.1	NT	Human PKL gene for liver-type 6-phosphofructokinase (EC 2.7.1.11) exon 2
7201	16378	25859	3.55	2.0E-13	6031898	NT	Homo sapiens mab-21 (C. elegans)-like 1 (MAB21L1) mRNA
8521	17552		10.13	2.0E-13	AW892155.1	EST_HUMAN	CM0-NM0001-100300-274-e11 NM0001 Homo sapiens cDNA
286	8569	18701	1.54	1.0E-13	S74128.1	NT	FGF-1=fibroblast growth factor 1 [human, kidney, Genomic, 342 nt, segment 2 of 2]
888	10133	19285	4.82	1.0E-13	AJ007973.1	NT	Homo sapiens LGMD2B gene
1344	10558	19724	1.38	1.0E-13	X87344.1	NT	H. sapiens DNA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
1891	11194	20404	1.95	1.0E-13	AA720574.1	EST_HUMAN	nm21g02.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138.3' similar to contains THIR.13
4593	13787	22878	1.19	1.0E-13	BF340887.1	EST_HUMAN	THR repetitive element: 602038008F NCI_CGAP_Bim64 Homo sapiens cDNA clone IMAGE:4185898.5'
7817	17132	26862	16.9	1.0E-13	BF108755.1	EST_HUMAN	745e10.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3524443.3' similar to contains MIER29.b2 MIER29 repetitive element:

Page 150 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8337	17435		1.5	1.0E-13	AV716377.1	EST_HUMAN	AV716377 DCB Homo sapiens cDNA clone DCBAIE03 5'
9015	17867		2.04	1.0E-13	AL271735.1	NT	Homo sapiens Xq pseudautosomal region: segment 1/2
9161	17860		1.75	1.0E-13	X87579.1	NT	H. sapiens CD4 gene
338	9806	18734	3.04	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element:
339	9807	18735	3.14	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element:
2464	11655		3.37	9.0E-14	AW861577.1	EST_HUMAN	RC4-CT0322-080100-013-d09 CT0322 Homo sapiens cDNA
2710	11889	21108	8.2	9.0E-14	AB038162.1	NT	Homo sapiens TFF gene cluster for trfcd1 factor, complete cds
3075	12311	21432	5.07	9.0E-14	AW513296.1	EST_HUMAN	nc04105.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2707833 3'
3204	9606	18734	1.01	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element:
3780	12898	22114	7.13	9.0E-14	D14547.1	NT	Human DNA, SINE repetitive element
4768	13957	23058	1.61	9.0E-14	AL002153.1	NT	Segulus cecidius gene for seminal vesicle secreted protein semenogelin I
3932	13148		3.6	8.0E-14	R76269.1	EST_HUMAN	y72603.t1 Soares placenta NB2HP Homo sapiens cDNA clone IMAGE:144796 3'
6693	15599	25065	67.72	8.0E-14	X69211.1	NT	H. sapiens DNA for endogenous retroviral like element
6943	16087	25555	2.85	8.0E-14	AA216316.1	EST_HUMAN	zq17c10.s1 Stratiotes fetal retina g37202 Homo sapiens cDNA clone IMAGE:622970 3'
7971	17150		5.08	8.0E-14	BE082558.1	EST_HUMAN	QV2-BT0258-281089-014-e01 BT0258 Homo sapiens cDNA
8738	17684	23954	1.58	8.0E-14	AI688116.1	EST_HUMAN	wc82108.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2326143 3'
1606	11999		4.08	7.0E-14	AW151673.1	EST_HUMAN	x67e10.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12 MER10 repetitive element:
372	9638	18771	11.58	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
7018	16195	25670	3.82	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
7018	16195	25671	3.82	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
624	9889	18991	4.42	5.0E-14	Q63120	SWISSPROT	CANALICULAR MULTISPECIFIC ORGANIC ANION TRANSPORTER 1 (MULTIDRUG RESISTANCE- ASSOCIATED PROTEIN 2) (CANALICULAR MULTIDRUG RESISTANCE PROTEIN)
6086	14266	23353	1.24	5.0E-14	AW073791.1	EST_HUMAN	xb03305.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2575185 3' similar to contains L1.12 L1 repetitive element:
5456	14684	24034	5.3	5.0E-14	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
1131	11986		2.92	4.0E-14	P04928	SWISSPROT	S-ANTIGEN PROTEIN PRECURSOR
1843	11051	20242	5.65	4.0E-14	AL007973.1	NT	Homo sapiens LGMD2B gene

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3734	12854		0.88	4.0E-14	AA046502.1	EST_HUMAN	zif6a06.t1 Soares_pregnant_uterus_NBHPU Homo sapiens cDNA clone IMAGE:487658 5'
4279	13482	22579	2.22	4.0E-14	N6328.1	EST_HUMAN	y73c12.s1 Soares_multiple_sclerosis_2NbHMSF Homo sapiens cDNA clone IMAGE:279190 3' similar to contains L1.3 L1 repetitive element:
8082	18361		3.28	4.0E-14	A1886224.1	EST_HUMAN	wm08c03.x1 NC1_CGAP_U14 Homo sapiens cDNA clone IMAGE:2435332 3' similar to contains Alu repetitive element:
957	10190	18344	0.85	3.0E-14	X85468.1	NT	R.nerviegicus mRNA for CP62 protein xp45112.x1 NC1_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743343 3' similar to contains Alu repetitive element;contains element MERR repetitive element:
7788	14468	23585	9.90	3.0E-14	AW283554.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C085
8892	18243		1.51	3.0E-14	AL163265.2	NT	Homo sapiens chromosome 21 segment HS21C085
395	9650	18785	3.21	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
395	9650	18786	3.21	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
687	11974	18072	8.95	2.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2351	11544		1.76	2.0E-14	AW372888.1	EST_HUMAN	RC5-BT0377-091299-031-D12 BT0377 Homo sapiens cDNA
2427	11618		1.48	2.0E-14	7657529	NT	Homo sapiens rhadoid tumor deletion region protein 1 (RTDR1), mRNA
2492	11662	20898	2.43	2.0E-14	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C009
2606	11693		1.08	2.0E-14	BE222432.1	EST_HUMAN	hvdq10.x1 NC1_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3180738 3' similar to contains Alu repetitive element;contains OFR.11 OFR repetitive element:
5543	14767	24133	3.24	2.0E-14	U01317.1	NT	Human beta globin region on chromosome 11
6292	15473	24914	20.64	2.0E-14	BE158761.1	EST_HUMAN	IL2-HT0397-071299-024-D04 HT0397 Homo sapiens cDNA
6292	15473	24915	20.64	2.0E-14	BE158761.1	EST_HUMAN	IL2-HT0397-071299-024-D04 HT0397 Homo sapiens cDNA
7361	16577	26068	5.36	2.0E-14	AW139800.1	EST_HUMAN	U14-B11-adv-e-10-0-U1.s1 NC1_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718234 3'
8033	14767	24133	1.67	2.0E-14	U01317.1	NT	Human beta globin region on chromosome 11
1074	10289	19449	1.33	1.0E-14	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1410	10623	19787	5.94	1.0E-14	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
1410	10623	19788	5.94	1.0E-14	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
1970	11174	20390	12.87	1.0E-14	L44140.1	NT	Homo sapiens chromosome X region from filarin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds
2151	11349	20565	5.32	1.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2372	11565	20786	32.19	1.0E-14	AF001869.1	NT	Homo sapiens ribosomal protein L23A (RPL23A) gene, complete cds
2895	12133	21269	1.12	1.0E-14	P05227	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-II)
3132	12367	21487	5.56	1.0E-14	BF335227.1	EST_HUMAN	RC2-CT0432-310700-013-609_1 CT0432 Homo sapiens cDNA
3132	12367	21488	5.56	1.0E-14	BF335227.1	EST_HUMAN	RC2-CT0432-310700-013-609_1 CT0432 Homo sapiens cDNA
3865	13081	22197	2.03	1.0E-14	AA682994.1	EST_HUMAN	aa68c12.st Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971350 3'
4469	13667	22758	2.01	1.0E-14	AW275852.1	EST_HUMAN	xq99h10.x1 NC1_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2753059 3'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5576	14800	24173	2.32	1.0E-14	AF128145.1	NT	Bos taurus xenobiotic/medium-chain fatty acid:CoA ligase (am XL-III) mRNA, nuclear mRNA encoding mitochondrial protein, complete cds
5959	18067	24591	10.71	1.0E-14	11437150	NT	Homo sapiens promilin (mouse)-like 1 (PROML1), mRNA
5959	18067	24592	10.71	1.0E-14	11437150	NT	Homo sapiens promilin (mouse)-like 1 (PROML1), mRNA
1555	10769	19941	1.52	9.0E-15	7427622	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2139	11337		1.35	9.0E-15	AF190779.1	NT	Homo sapiens transcription factor (GHM enhancer 3, JM11' protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel $\alpha 2$)
6002	14189	23279	1.12	9.0E-15	BF335227.1	EST_HUMAN	RC2-CT0432-310700-013-809_1 CT0432 Homo sapiens cDNA
6289	15470	24911	3.85	9.0E-15	P21416	SWISSPROT	GAG POLYPROTEIN [CONTAINS: CORE PROTEINS P15, P12, P30, P10]
2763	9739		0.96	8.0E-15	BE201482.1	EST_HUMAN	801148632F1 NH_MGC_19 Homo sapiens cDNA clone IMAGE:3184023 5'
7180	16367		3.7	7.0E-15	AW241968.1	EST_HUMAN	777d02.x1 Scores: NFE_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2700483 3' similar to contains THR12 THR repetitive element
1001	10232	18387	8.38	6.0E-15	AA271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
7850	18391		1.99	6.0E-15	AW338843.1	EST_HUMAN	OV1-LT0036-150200-070-C10 LT0036 Homo sapiens cDNA
416	9669	18809	8.63	5.0E-15	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
2716	11895	21112	2.62	5.0E-15	UB9128.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, Ror1 gene, and sodium phosphate transporter (NPT3) gene, complete cds
3445	12670		1.05	5.0E-15	AW289817.1	EST_HUMAN	UHL-BWD-qlb-g-10-0-UL1.s1 NCL_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2731219 3'
7267	18486		1.87	5.0E-15	AV730056.1	EST_HUMAN	AV730056 HTF Homo sapiens cDNA clone HTFAVE06 5'
433	9298	18400	3.42	4.0E-15	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
7628	15592	25053	2.76	4.0E-15	AL130894.1	NT	Homo sapiens mRNA for transcription factor
7628	15592	25054	2.76	4.0E-15	AL130894.1	NT	Homo sapiens mRNA for transcription factor
4200	13404		7.67	3.0E-15	N89452.1	EST_HUMAN	LY1142F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone LY1142 5' similar to ANF(CARDIODILATIN)
4948	14135		5.47	3.0E-15	P82485	SWISSPROT	NACH-UBIQUINONE OXIDOREDUCTASE CHAIN 5
5054	14236	23323	4.65	3.0E-15	AA078097.1	EST_HUMAN	7P01F03 Chromosome 7 Placental cDNA Library Homo sapiens cDNA clone 7P01F03
5054	14236	23324	4.65	3.0E-15	AA078097.1	EST_HUMAN	7P01F03 Chromosome 7 Placental cDNA Library Homo sapiens cDNA clone 7P01F03
6199	15380	24920	3.53	3.0E-15	M27685.1	NT	Mus musculus ultra high sulfur keratin gene, complete cds
6199	15380	24921	3.53	3.0E-15	M27685.1	NT	Mus musculus ultra high sulfur keratin gene, complete cds
7046	16223		2.34	3.0E-15	AA807128.1	EST_HUMAN	cc36a07.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1351764 3' similar to contains MER18.11 MER19 repetitive element

Page 153 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7374	16590	26079	3.8	3.0E-15	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
8746	18275		1.51	3.0E-15	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
254	9530	18661	5.23	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
373	9639	18772	4.08	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
373	9639	18773	4.08	2.0E-15	AF223391.1	NT	Homo sapiens hypothetical protein FLJ20212 (FLJ20212), mRNA
1515	10729		1.55	2.0E-15	8923201	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3483	12707	21843	0.62	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3483	12707	21844	0.62	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4625	13819		2.81	2.0E-15	AI809335.1	EST_HUMAN	wf07f06.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2349923 3' similar to TR:Q81043 Q81043 NINEIN.1
6197	15378	24819	2.21	2.0E-15	AA704195.1	EST_HUMAN	z77603.s1 Scores_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:460924 3'
6253	15434	24873	4.9	2.0E-15	W05084.1	EST_HUMAN	za78d10.r1 Scores_fetal_liver_NbHL19W Homo sapiens cDNA clone IMAGE:288675 5' similar to WP:F44F4.8 CE02227 TRANSPOSASE :
6747	15942	25402	3.39	2.0E-15	D14547.1	NT	Human DNA, SINE repetitive element
7415	16827		3.67	2.0E-15	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
9109	12707	21843	2.56	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
9109	12707	21844	2.56	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
2730	11908		4.02	1.0E-15	AI809984.1	EST_HUMAN	tx28h05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745 3' similar to TR:Q13539 Q13539 MARINER TRANSPOSASE.1
2974	12211	21349	1.56	1.0E-15	BE043594.1	EST_HUMAN	hk40e02.y1 NCI_CGAP_Ov34 Homo sapiens cDNA clone IMAGE:2669162 5'
3107	12342	21470	1.11	1.0E-15	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
4353	13555	22851	0.89	1.0E-15	BE182698.1	EST_HUMAN	RC3-HT0649-100500-022-b05 HT0649 Homo sapiens cDNA
5822	15039	24441	1.78	1.0E-15	T95763.1	EST_HUMAN	ye40e10.s1 Scores_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:120234 3' similar to contains MER6 repetitive element.1
6091	15292		1.87	1.0E-15	BE074217.1	EST_HUMAN	QV3-BT0569-270100-074-g05 BT0569 Homo sapiens cDNA
6807	15803	23258	3.75	1.0E-15	AI200978.1	EST_HUMAN	qf68h08.x1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1755227 3'

Page 154 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6607	15903	25259	3.75	1.0E-15	AI200978.1	EST_HUMAN	qf68h08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755227 3'
6779	15974	25431	2.94	1.0E-15	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
7395	16609	26100	6.95	1.0E-15	AF044083.1	NT	Homo sapiens major histocompatibility locus class III region
9182	18099	23806	5.74	1.0E-15	AI783944.1	EST_HUMAN	tr31c05.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2218912 3' similar to contains Alu repetitive element
4507	13703	22797	1.15	9.0E-16	4503168	NT	Homo sapiens cut (Drosophila)-like 1 (CCAAT displacement protein) (CUTL1) mRNA
7565	16770	26281	2.85	9.0E-16	F08988.1	EST_HUMAN	HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-23f05
9130	18196		9.02	7.0E-16	T94149.1	EST_HUMAN	ye28c12.r1 Strategene lung (#937210) Homo sapiens cDNA clone IMAGE:119082 5'
2109	11308		7.46	6.0E-16	AW972611.1	EST_HUMAN	EST394702 MAGE resequences, MAGL Homo sapiens cDNA
1484	10697	19872	0.96	5.0E-16	AJ251154.1	NT	Mus musculus olfactory receptor cluster, OR37A, OR37B, OR37C, OR37E genes and OR37D pseudogene
2640	11823	21038	2.42	5.0E-16	AA992176.1	EST_HUMAN	ct60c04.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1623078 3' similar to contains element L1 repetitive element
8052	17188	26728	3.84	5.0E-16	BF217368.1	EST_HUMAN	601885734F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4104129 5'
9225	18003	20762	12.84	5.0E-16	AW797168.1	EST_HUMAN	Homo sapiens GTP binding protein 1 (GTPBP1), mRNA
2346	11539	20762	0.96	4.0E-16	AW797168.1	EST_HUMAN	QV1-UM0036-200300-115-g02 UM0036 Homo sapiens cDNA
2346	11539	20763	0.96	4.0E-16	AW797168.1	EST_HUMAN	QV1-UM0036-200300-115-g02 UM0036 Homo sapiens cDNA
3434	12859	21790	5.03	4.0E-16	Q16653	SWISSPROT	MYELIN-OLIGODENDROCYTE GLYCOPROTEIN PRECURSOR
4124	13330	22428	5.95	4.0E-16	BE083875.1	EST_HUMAN	PMA-BT0650-010400-002-g09 BT0650 Homo sapiens cDNA
4124	13330	22429	5.95	4.0E-16	BE083875.1	EST_HUMAN	PMA-BT0650-010400-002-g09 BT0650 Homo sapiens cDNA
6380	15560	26016	35.49	4.0E-16	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
7772	16987	26480	1.68	4.0E-16	AV730030.1	EST_HUMAN	AV730030 HTF Homo sapiens cDNA clone HTFAWA03 5'
8421	17493		1.39	4.0E-16	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8514	17548		0.29	4.0E-16	C05947.1	EST_HUMAN	C05947 Human pancreatic islet Homo sapiens cDNA clone hbc5365
8525	17555	23988	2.97	4.0E-16		NT	Homo sapiens Grp2-associated binder 2 (KIAA0571), mRNA
8806	17728		1.45	4.0E-16	R18591.1	EST_HUMAN	yp96b11.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:30489 5'
130	9413	18548	1.45	3.0E-16	AW022862.1	EST_HUMAN	df45c01.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2486376 5'
130	9413	18549	1.45	3.0E-16	AW022862.1	EST_HUMAN	df45c01.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2486376 5'
472	9725		2.3	3.0E-16	AL046445.1	EST_HUMAN	DKFZp434P037.r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434P037 5'
482	9734		1.72	3.0E-16	AF135448.1	NT	Homo sapiens TSX (TSX) pseudogene, exon 5
1453	10666	18940	1.97	3.0E-16	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2830	12168	21300	4.29	3.0E-16	P03200	SWISSPROT	ENVELOPE GLYCOPROTEIN GP340 (MEMBRANE ANTIGEN) (MA) [CONTAINS: GLYCOPROTEIN GP220]
3907	13123	22241	0.78	3.0E-16	T08169.1	EST_HUMAN	EST06060 Infant Brain, Bento Soares Homo sapiens cDNA clone HIBBA13 5' end

Page 155 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4961	14148	23240	1.01	3.0E-16	AV661393.1	EST_HUMAN	AV661393 GLC Homo sapiens cDNA clone GLCGSA01 3'
6671	15866	25328	3.01	3.0E-16	A1002836.1	EST_HUMAN	am98105.s1 Striatogene schizo brain S11 Homo sapiens cDNA clone IMAGE:1684185 3' similar to contains THR.b2 THR repetitive element;
7118	16295	25777	6.55	3.0E-16	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
979	10211		1.32	2.0E-16	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
2650	11833		1.1	2.0E-16	J03061.1	NT	Human SSAV-related endogenous retroviral LTR-like element
4159	13363	22463	1.66	2.0E-16	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
6450	15647	25115	2.24	2.0E-16	AI732837.1	EST_HUMAN	n24706.x5 NCL CGAP_Pr12 Homo sapiens cDNA clone IMAGE:1280947 similar to TR:O54849 O54849 HYPOTHETICAL 42.9 KD PROTEIN. [2] TR:O08905 ;contains MER7.11 MER7 repetitive element;
7502	16709	26196	3.45	2.0E-16	5902145	NT	Homo sapiens ubiquitin carrier protein E2-C (UBCH10), mRNA
189	9468	18597	2.2	1.0E-16	AF200719.1	NT	Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds
387	9681		32.18	1.0E-16	AA628592.1	EST_HUMAN	af39g11.s1 Scores: total: Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1034084 3' similar to contains OFR.12 OFR repetitive element;
1941	11145	20344	2.99	1.0E-16	BF327942.1	EST_HUMAN	QV0-BN0148-070700-293-a10 BN0148 Homo sapiens cDNA
5844	15061		25.98	1.0E-16	U45983.1	NT	Homo sapiens CCR8 chemokine receptor (CMKBR8) gene, complete cds
5913	15130	24539	3.2	1.0E-16	Q02779	SWISSPROT	MITOGEN-ACTIVATED PROTEIN KINASE KINASE 10 (MIXED LINEAGE KINASE 2) (PROTEIN KINASE MST)
6314	15061		7.17	1.0E-16	U45983.1	NT	Homo sapiens CCR8 chemokine receptor (CMKBR8) gene, complete cds
3719	12839	22056	2.63	9.0E-17	AW900048.1	EST_HUMAN	CM1-NN1003-200300-153-e01 NN1003 Homo sapiens cDNA
5974	15188		1.99	9.0E-17	AI392984.1	EST_HUMAN	tg22c11.x1 NCL CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2109524 3' similar to contains MER28.12 MER28 repetitive element;
6496	15693		3.16	9.0E-17	AW150257.1	EST_HUMAN	xg49g12.x1 NCL CGAP_U11 Homo sapiens cDNA clone IMAGE:2630950 3' similar to contains OFR.12 OFR repetitive element;
7142	16319		2.25	9.0E-17	AF200719.1	NT	Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds
1025	10251		1.34	8.0E-17	AW880701.1	EST_HUMAN	QV0-OT0032-080300-155-d01 OT0032 Homo sapiens cDNA
3870	13088		1.01	8.0E-17	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
5482	18056	24064	3.83	8.0E-17	BE172081.1	EST_HUMAN	MFO-HT0559-060300-003-e04 HT0559 Homo sapiens cDNA
6198	15379		1.82	8.0E-17	AV730759.1	EST_HUMAN	AV730759 HTF Homo sapiens cDNA clone HTFAQB07 5'
1457	10670		4.28	7.0E-17	6753097	NT	Mus musculus apolipoprotein B editing complex 2 (ApoBec2), mRNA
5347	14577		3.44	7.0E-17	AF216650.1	NT	Homo sapiens putative MTAP (MTAP) mRNA, partial cds, alternatively spliced
5960	15175	24593	7.8	7.0E-17	AF229843.1	NT	Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
208	9488	18622	8.24	6.0E-17	AW983880.1	EST_HUMAN	RC1-HIN003-220300-021-b04 HN003 Homo sapiens cDNA
5794	15011	24415	1.71	6.0E-17	AW662772.1	EST_HUMAN	h181d04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878895 3' similar to contains L1.12 L1 repetitive element;
427	9292	18394	4.13	5.0E-17	T64110.1	EST_HUMAN	yc05h08.r1 Stratagene lung (#637210) Homo sapiens cDNA clone IMAGE:79839 5'
6328	15509	24955	1.75	5.0E-17	T81043.1	EST_HUMAN	yd28b04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:109327 5'
3814	12835	21955	0.65	4.0E-17	AA643697.1	EST_HUMAN	h186a05.s1 NCI_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1058528 3'
8028	17163	26700	2.43	4.0E-17	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
8435	17601		2.34	4.0E-17	A1073546.1	EST_HUMAN	ov43e04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640286 3' similar to TR:Q18530
2068	11288	20482	1.45	3.0E-17	AW119123.1	EST_HUMAN	Q18530 PMS3 MRNA; contains MER10.12 MER10 repetitive element;
3157	12392		1.06	3.0E-17	P35410	SWISSPROT	xd80c09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2804784 3'
3621	12842	21961	1.16	3.0E-17	BE326522.1	EST_HUMAN	MAS-RELATED G PROTEIN-COUPLED RECEPTOR MRG
3621	12842	21962	1.16	3.0E-17	BE326522.1	EST_HUMAN	hw05b04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181989 3'
6992	16170	25642	5.16	3.0E-17	AB026898.1	NT	hw05b04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181989 3'
8398	17476		3.23	3.0E-17	11417966	NT	Homo sapiens DNA; DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
358	9826	18756	4.54	2.0E-17	A1270080.1	EST_HUMAN	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
359	9826	18756	2.24	2.0E-17	A1270080.1	EST_HUMAN	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
995	10227		1.92	2.0E-17	AA722932.1	EST_HUMAN	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
2410	11602	20822	2.54	2.0E-17	Q28983	SWISSPROT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
2410	11602	20823	2.54	2.0E-17	Q28983	SWISSPROT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
2880	12118	21249	8.89	2.0E-17	P12036	SWISSPROT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
5378	14607	23717	1.9	2.0E-17	M27685.1	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
5378	14607	23718	1.9	2.0E-17	M27685.1	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
5774	14992		1.81	2.0E-17	AF055066.1	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
7026	16206	25683	2.43	2.0E-17	BE269888.1	EST_HUMAN	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
7042	16219	25684	3.53	2.0E-17	AL163247.2	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
7042	16219	25685	3.53	2.0E-17	AL163247.2	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
7154	16331	25814	6.53	2.0E-17	D13391.1	NT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;
758	9699	19148	3.33	1.0E-17	P08183	SWISSPROT	q163a06.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959822 3' similar to contains Alu repetitive element;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1683	10895		1.38	1.0E-17	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
1738	10950	20133	5.89	1.0E-17	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
2086	11286	20489	1.89	1.0E-17	P02461	SWISSPROT	COLLAGEN ALPHA 1(III) CHAIN PRECURSOR
2304	11498	20718	3.54	1.0E-17	U79410.1	NT	Homo sapiens thrombospondin 2 (THBS2) gene, promoter region and exons 1A and 1B
3543	12766		0.83	1.0E-17	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
4119	13325		8.44	1.0E-17	R09942.1	EST_HUMAN	y30e07.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:128388 5'
7955	17094	26625	1.06	1.0E-17	Q28824	SWISSPROT	MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE (MLCK) [CONTAINS: TELOKIN]
2434	11625	20847	1.79	9.0E-18	AA174078.1	EST_HUMAN	zp18g12.s1 Stratagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:609862 3'
3769	12987	22103	1.31	8.0E-18	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
354	9622	18750	49.6	7.0E-18	AW316976.1	EST_HUMAN	xx10b04.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
354	9622	18751	49.8	7.0E-18	AW316976.1	EST_HUMAN	RIBOSOMAL PROTEIN L4 (HUMAN);
8938	9622	18750	4.04	7.0E-18	AW316976.1	EST_HUMAN	xx10b04.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
8936	9622	18751	4.04	7.0E-18	AW316976.1	EST_HUMAN	RIBOSOMAL PROTEIN L4 (HUMAN);
3284	12497	21627	1.38	6.0E-18	X71781.2	NT	xx10b04.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
4759	13950		3.42	6.0E-18	P52181	SWISSPROT	RIBOSOMAL PROTEIN L4 (HUMAN);
6542	15738		3.47	6.0E-18	11428155	NT	xx10b04.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
7694	16893	26402	2.2	8.0E-18	AL163246.2	NT	RIBOSOMAL PROTEIN L4 (HUMAN);
7873	17082	26586	1.96	6.0E-18	X87344.1	NT	Rattus norvegicus partial Gdn/Pn-1 gene for glie-derived nextr/protease nexin I, enhancer region
8231	17360		2.73	6.0E-18	11428885	NT	PROTEIN-GLUTAMINE GAMMA-GLUTAMYL TRANSFERASE (TISSUE TRANSGLUTAMINASE)
8671	17646	23977	1.73	6.0E-18	U87929.1	NT	(TGase C) (TGC)
1158	10378	19530	17.47	5.0E-18	AJ280214.1	EST_HUMAN	Homo sapiens similar to high-mobility group (nonhistone chromosomal) protein 4 (H1. septens) (LOC63446), mRNA
4303	13504	22601	1.28	5.0E-18	10946685	NT	Homo sapiens chromosome 21 segment HS21C046
5311	14542	23611	1.95	6.0E-18	AF087813.1	NT	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 8, 13 and 14 genes
7551	16756	26249	4.21	5.0E-18	10242378	NT	Homo sapiens similar to ribosomal protein L12 (H. sapiens) (LOC63091), mRNA
7551	16756	26250	4.21	5.0E-18	10242378	NT	Human aconitase hydratase (ACO2) gene, exon 4
							qim55g1.x1 Soares_plecenta_8to9weeks_2NblHP8b9W Homo sapiens cDNA clone IMAGE:1893668 3' similar to contains Alu repetitive element
							Mus musculus gasdermin (Gsdm), mRNA
							Human endogenous retrovirus HERV-P-T47D
							Homo sapiens lymphocyte activation-associated protein (LOC51088), mRNA
							Homo sapiens lymphocyte activation-associated protein (LOC51088), mRNA

Page 158 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8800	17725		5.65	5.0E-18	AW687182.1	EST_HUMAN	MR1-SN0035-060400-001-g11 SN0035 Homo sapiens cDNA
9151	17854		14.87	5.0E-18	AV650547.1	EST_HUMAN	AV650547 GLC Homo sapiens cDNA clone GLCGGA02 3'
123	9408	18541	1.78	4.0E-18	BE044076.1	EST_HUMAN	ho36h04.x1 NCL_CGAP_UH1 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER29.b3 MER29 repetitive element ;
123	9408	18542	1.78	4.0E-18	BE044076.1	EST_HUMAN	ho36h04.x1 NCL_CGAP_UH1 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER29.b3 MER29 repetitive element ;
1891	10903	20090	18.8	4.0E-18	AA621814.1	EST_HUMAN	nq24f11.s1 NCL_CGAP_Co10 Homo sapiens cDNA clone IMAGE:114845 3' similar to gb:M26326 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
1854	11061		1.02	4.0E-18	A1738592.1	EST_HUMAN	ws33h08.x1 NCL_CGAP_Co18 Homo sapiens cDNA clone IMAGE:2392095 3'
2167	11365	20584	1.64	4.0E-18	Q06430	SWISSPROT	N-ACETYL LACTOSAMINIDE BETA-1,8-N-ACETYL GLUCOSAMINYL TRANSFERASE (N- ACETYL GLUCOSAMINYL TRANSFERASE) (L-BRANCHING ENZYME) (IGNT)
2167	11365	20585	1.64	4.0E-18	Q06430	SWISSPROT	N-ACETYL LACTOSAMINIDE BETA-1,8-N-ACETYL GLUCOSAMINYL TRANSFERASE (N- ACETYL GLUCOSAMINYL TRANSFERASE) (L-BRANCHING ENZYME) (IGNT)
3774	12992	22107	0.61	4.0E-18	A1591586.1	EST_HUMAN	ar63b06.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2173139 3' similar to contains Alu repetitive element;
5378	14605	23714	2.33	4.0E-18	A1017565.1	EST_HUMAN	ou23e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627138 3'
5378	14605	23715	2.33	4.0E-18	A1017565.1	EST_HUMAN	ou23e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627138 3'
7575	16780	26275	7.21	4.0E-18	AA371807.1	EST_HUMAN	EST83633 Pituitary gland, subtracted (prolactin/growth hormone) II Homo sapiens cDNA 5' end similar to EST containing O family repeat
859	10095	19258	6.09	3.0E-18	AA814186.1	EST_HUMAN	pb23h11.s1 NCL_CGAP_Kids Homo sapiens cDNA clone IMAGE:1324581 3' similar to SW:RS5_HUMAN P46782 40S RIBOSOMAL PROTEIN S6 ;
938	10171	19327	3.12	3.0E-18	BE088634.1	EST_HUMAN	CM0-BT0690-210300-298-g07 BT0690 Homo sapiens cDNA
3927	13143	22260	1.29	3.0E-18	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
6009	15259	24883	5.16	3.0E-18	BE001671.1	EST_HUMAN	PM0-BN0081-100300-001-b08 BN0081 Homo sapiens cDNA
8941	17819		5.72	3.0E-18	AW022015.1	EST_HUMAN	df31h12.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2485126 5'
255	9531	18662	3.74	2.0E-18	AW836820.1	EST_HUMAN	QV1-LT0036-150200-070-e07 LT0036 Homo sapiens cDNA
1161	10383		130.1	2.0E-18	BE256097.1	EST_HUMAN	801114352F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355044 5'
3087	12323	21445	0.97	2.0E-18	Q39575	SWISSPROT	DYNEIN GAMMA CHAIN, FLAGELLAR OUTER ARM
5400	14628		2.82	2.0E-18	AA868610.1	EST_HUMAN	ak63a07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1408652 3' similar to TR:O14577 O14577 BAC CLONE RG114A08 FROM 7Q31, COMPLETE SEQUENCE. ;
5442	14668	23624	3.16	2.0E-18	D14547.1	NT	Human DNA, SINE repetitive element
5442	14668	23625	3.16	2.0E-18	D14547.1	NT	Human DNA, SINE repetitive element
5796	15013	24417	3.75	2.0E-18	AW665653.1	EST_HUMAN	hi94g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979984 3' similar to contains MER19.12 MER19 repetitive element ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7546	16751	26245	5.35	2.0E-18	AW470791.1	EST_HUMAN	hs33406.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR.b3 THR repetitive element;
8223	17353	26890	6.03	2.0E-18	AW151298.1	EST_HUMAN	xg47609.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2830728 3' similar to contains MER8.b2 MER8 repetitive element;
8800	10383		6.58	2.0E-18	BE256097.1	EST_HUMAN	601114352F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355044 5'
4409	13609		0.91	1.0E-18	T95406.1	EST_HUMAN	ye43g05.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:120536 5' similar to contains L1 repetitive element;
4614	13808		0.94	1.0E-18	Y10198.1	NT	Homo sapiens PHEX gene
5369	14599	23677	2.61	1.0E-18	AV653405.1	EST_HUMAN	AV653405 GLC Homo sapiens cDNA clone GLCCKE11 3'
5475	14702	24057	3.08	1.0E-18	D00099.1	NT	Homo sapiens mRNA for Na,K-ATPase alpha-subunit, complete cds
5475	14702	24058	3.08	1.0E-18	D00099.1	NT	Homo sapiens mRNA for Na,K-ATPase alpha-subunit, complete cds
7040	18217	25692	6.88	1.0E-18	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
8548	17572	23993	2.92	1.0E-18	AF003529.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
552	9803	18930	5.11	9.0E-19	AA281961.1	EST_HUMAN	z11d08.r1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
553	9803	18930	4	9.0E-19	AA281961.1	EST_HUMAN	z11d08.r1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
6412	18609		3.42	9.0E-19	F08688.1	EST_HUMAN	HSC23F051 normalized Infant brain cDNA Homo sapiens cDNA clone c-23f05
6676	15871	25330	3.24	9.0E-19	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
6676	15871	25331	3.24	9.0E-19	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
7687	16886	26394	4.7	9.0E-19	AB032969.1	NT	Homo sapiens mRNA for KIAA1143 protein, partial cds
8303	9803	18930	10.58	9.0E-19	AA281961.1	EST_HUMAN	z11d08.r1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
1055	10281		1.04	6.0E-18	AW974902.1	EST_HUMAN	EST387007 IMAGE resequences, MAGN Homo sapiens cDNA
2210	11407	20631	1.9	7.0E-19	4758139	NT	Homo sapiens DEADH (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX6) mRNA
5851	15069	24479	2.02	7.0E-19	AF092090.1	NT	Rattus norvegicus cp151 mRNA, partial cds
8443	18362		2.65	7.0E-19	AA705984.1	EST_HUMAN	z180b01.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:435145 3'
3761	12880		1.41	6.0E-19	AW862930.1	EST_HUMAN	PMO-CT0248-131099-001-g01 CT0248 Homo sapiens cDNA
4458	13656	22750	1.47	6.0E-19	P34986	SWISSPROT	OLFATORY RECEPTOR 6 (M50)
4458	13656	22751	1.47	6.0E-19	P34986	SWISSPROT	OLFATORY RECEPTOR 6 (M50)
4813	14002		1.34	6.0E-19	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2

Page 160 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5050	14232	23317	1.01	6.0E-19	AL120817.1	EST_HUMAN	DKFZp762F192_r1_762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762F192 5'
5594	14818	24194	5.29	5.0E-19	Q00193	SWISSPROT	ZONA PELLUCIDA SPERM-BINDING PROTEIN B PRECURSOR (ZONA PELLUCIDA GLYCOPROTEIN ZP-X) (RC55)
8070	17205	26738	7.83	5.0E-19	AW183725.1	EST_HUMAN	xj87b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2664171 3' similar to contains element MSR1 repetitive element;
561	9811	18934	1.19	4.0E-19	AB007970.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501
2642	11825	21040	1.28	4.0E-19	BF697362.1	EST_HUMAN	602130910F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4287674 5'
3836	13053	22165	1	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
3836	13053	22166	1	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
4271	13474	22570	0.6	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4271	13474	22571	0.6	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4441	13641	22732	1.37	3.0E-19	AV708136.1	EST_HUMAN	AV708136 ADC Homo sapiens cDNA clone ADCAMA11 5'
6249	15430		2.23	3.0E-19	11432214	NT	Homo sapiens similar to aldo-keto reductase family 1, member B11 (aldose reductase-like) (H. sapiens) (LOC63222), mRNA
8697	17685		14.35	3.0E-19	AF165520.1	NT	Homo sapiens photorubin 1 protein (PBI) mRNA, complete cds
2526	11714	20931	42.82	2.0E-19	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4439	13639		1.65	2.0E-19	A1311783.1	EST_HUMAN	q061e02.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1915898 3' similar to TR:Q69386 Q69386 POL/ENV GENE;
6572	15768	25231	5.48	2.0E-19	AA012854.1	EST_HUMAN	z634c09.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:360880 5'
8260	17387	26919	1.88	2.0E-19	BF330957.1	EST_HUMAN	RC3-BT0333-250800-114-f04 BT0333 Homo sapiens cDNA
8260	17387	26920	1.88	2.0E-19	BF330957.1	EST_HUMAN	RC3-BT0333-250800-114-f04 BT0333 Homo sapiens cDNA
488	9741		1.85	1.0E-19	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
2130	11329	20548	1.23	1.0E-19	H30795.1	EST_HUMAN	y079g07.r1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:184188 5' similar to contains MER10 repetitive element;
2677	11859		1.79	1.0E-19	D38044.1	NT	Human gene for Ah-receptor, exon 7-8
2800	12040		6.21	1.0E-19	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
3379	12608	21740	1.3	1.0E-19	AA834997.1	EST_HUMAN	e49b12.e1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1393631 3' similar to contains MER37.12
5700	14919	24313	2.41	1.0E-19	U12186.1	NT	MER37 repetitive element;
6698	15891		3.46	1.0E-19	T99920.1	EST_HUMAN	Oryctolagus cuniculus sodium/dicarboxylate cotransporter mRNA, partial cds
7129	16308	25788	49.35	1.0E-19	AW812259.1	EST_HUMAN	y07b02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:123243 5' similar to contains OFR repetitive element;
7133	16310	25792	2.68	1.0E-19	N44631.1	EST_HUMAN	RCO-ST0174-191099-031-b05 ST0174 Homo sapiens cDNA
							Y931e09.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:272872 5'

Page 161 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8233	17362	26900	1.92	1.0E-19	U93183.1	NT	Homo sapiens IMAGE-B2 (IMAGE-B2), IMAGE-B3 (IMAGE-B3), IMAGE-B4 (IMAGE-B4), and IMAGE-B1 (IMAGE-B1) genes, complete cds
5954	15170	24594	2.54	8.0E-20	7657286	NT	Mus musculus keratin-associated protein 9-1 (Krtap9-1), mRNA
5954	15170	24595	2.54	8.0E-20	7657288	NT	Mus musculus keratin-associated protein 9-1 (Krtap9-1), mRNA
3243	12476	21809	0.6	7.0E-20	BF328455.1	EST_HUMAN	PM4-AN0098-050900-003-e04 AN0098 Homo sapiens cDNA
6086	14532	23556	6.05	7.0E-20	AL138120.1	EST_HUMAN	DKFZp547D092_r1 547 (synonym: hrbf1) Homo sapiens cDNA clone DKFZp547D092 5'
6824	15820	25279	10.96	7.0E-20	AA557657.1	EST_HUMAN	nl46c04.s1 NCI_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2
6824	15820	25280	10.96	7.0E-20	AA557657.1	EST_HUMAN	nl46c04.s1 NCI_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2
8205	17336		9.91	7.0E-20	6912833	NT	MER29 repetitive element ;
3530	12753	21888	3.7	6.0E-20	P39188	SWISSPROT	Homo sapiens ribosomal protein L13a (RPL13A), mRNA
4258	13461	22553	3.37	6.0E-20	BE622434.1	EST_HUMAN	ALU SUBFAMILY J SEQUENCE CONTAMINATION WARNING ENTRY
4595	13789		1.15	5.0E-20	AV725123.1	EST_HUMAN	601441231F1: NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916231 5'
6440	15637	25103	5.79	5.0E-20	W90525.1	EST_HUMAN	AV725123 HTC Homo sapiens cDNA clone HTc8TA01 5'
6440	15637	25104	5.79	5.0E-20	W90525.1	EST_HUMAN	zh78d08.s1 Soares_fetal_liver_spleen_1NLS_S1 Homo sapiens cDNA clone IMAGE:418191 3' similar to contains MER30.t1 MER30 repetitive element ;
1597	10811	19989	1.55	4.0E-20	AL163247.2	NT	contains MER30.t1 MER30 repetitive element ;
6435	15632		6.61	4.0E-20	AI874352.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS2T0047
2108	11307	20521	0.91	3.0E-20	U03888.1	NT	tb84g03.x1 NCI_CGAP_Ov35 Homo sapiens cDNA clone IMAGE:2283398 3'
4182	13396	22496	1.29	3.0E-20	P23273	SWISSPROT	Human BXP21 gene
4627	13821	22910	0.81	3.0E-20	AA037616.1	EST_HUMAN	OLFACTORY RECEPTOR-LIKE PROTEIN 114
6753	15948		3.21	3.0E-20	D14547.1	NT	zk318b12.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:484895 3' similar to contains L1.13 L1 repetitive element ;
7258	16478		2.1	3.0E-20	P11969	SWISSPROT	Human DNA_SINE repetitive element
8459	17515	24021	17.57	3.0E-20	BE888422.1	EST_HUMAN	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
840	10077		13.56	2.0E-20	AW303888.1	EST_HUMAN	601514180F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3915522 5'
1119	10343	19493	3.84	2.0E-20	AA516335.1	EST_HUMAN	x224910.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS5_MOUSE
1119	10343	19494	3.84	2.0E-20	AA516335.1	EST_HUMAN	P97461 40S RIBOSOMAL PROTEIN S5 ; ng69h09.s1 NCI_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224068
							G1224068 ORF2: FUNCTION UNKNOWN ;
							ng69h09.s1 NCI_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224068
							G1224068 ORF2: FUNCTION UNKNOWN ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2769	10077		10.39	2.0E-20	AW303888.1	EST_HUMAN	x24e10x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2761088 3' similar to SW:RS5_MOUSE
4965	14152	23243	4.5	2.0E-20	Q28983	SWISSPROT	P97461 40S RIBOSOMAL PROTEIN S5. ;
4965	14152	23244	4.5	2.0E-20	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
5178	14354		2.31	2.0E-20	5174538	NT	ZONADHESIN PRECURSOR
6826	16020	25485	8.64	2.0E-20	D10083.1	NT	Homo sapiens malate dehydrogenase 1, NAD (soluble)(MDH1) mRNA
6826	16020	25486	8.64	2.0E-20	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
8862	18088	23802	2.03	2.0E-20	H55371.1	EST_HUMAN	Homo sapiens RGH1 gene, retrovirus-like element
1981	11949	20393	4.81	1.0E-20	AA281061.1	EST_HUMAN	CHR220310 Chromosome 22 exon Homo sapiens cDNA clone C22_391 5'
4431	13631	22726	1.25	1.0E-20	BF115158.1	EST_HUMAN	z11408.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12
6820	16014	25479	2.76	1.0E-20	11418491	NT	MER19 repetitive element ;
8088	17221	26757	3.06	1.0E-20	AF223391.1	NT	hr8406.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3135155 3' similar to contains L1.12 L1
8596	17603		2.02	1.0E-20	AA420453.1	EST_HUMAN	repetitive element ;
8308	17412		2.65	9.0E-21	AW898189.1	EST_HUMAN	Homo sapiens Autosomal Highly Conserved Protein (AHCP), mRNA
8071	17206	26739	4.47	8.0E-21	AA809411.1	EST_HUMAN	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8473	17526		2.75	8.0E-21	O21330	SWISSPROT	nc60g08.r1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:745684 similar to contains L1.13 L1
2036	11237	20444	2.12	7.0E-21	P15800	SWISSPROT	repetitive element ;
2036	11237	20445	2.12	7.0E-21	P15800	SWISSPROT	RC3-NN0068-090500-021-b03 NN0068 Homo sapiens cDNA
4242	13445		6.6	7.0E-21	AA048502.1	EST_HUMAN	ob71f06.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336835 3'
6674	15869	25328	7.23	7.0E-21	D14718.1	NT	ATP SYNTHASE A CHAIN (PROTEIN 6)
							LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
							LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
							z167a06.r1 Soares_pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:487858 5'
							Human chromosomal protein HMG1 related gene
							zg73d03.s1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:398981 3' similar to
							gb-M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);contains THR.13 OFR
7286	16505	25998	3.34	7.0E-21	AA723404.1	EST_HUMAN	repetitive element ;
7817	17010	26523	2.14	7.0E-21	7706668	NT	Homo sapiens PTD013 protein (PTD013), mRNA
4081	13291	22390	0.95	6.0E-21	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
933	10166	19323	0.75	5.0E-21	5902031	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type 21 (PTPN21), mRNA
4357	13559	22854	3.53	5.0E-21	BE968839.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, non-receptor type 21 (PTPN21), mRNA
4815	14004	23106	7.11	5.0E-21	4885474	NT	601649871F1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933880 5'
8389	17470		1.84	5.0E-21	AA393574.1	EST_HUMAN	Homo sapiens melanoma antigen, family C, 1 (MAGEC1), mRNA
							z172c04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727878 5'

Page 163 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1707	10919	20104	1.53	4.0E-21	AA970713.1	EST_HUMAN	cc86e08.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1573094 3' similar to TR:Q16530 Q16530
6027	15235	24658	3.09	4.0E-21	AB019576.1	NT	PMS3 mRNA ; contains ORF.11 OFR repetitive element ;
1805	11014	20207	4.17	3.0E-21	AA218891.1	EST_HUMAN	Rattus norvegicus mRNA for TIM, complete cds
2239	11434	20658	1.99	3.0E-21	AL163201.2	NT	2q15c06.s1 Strategene fetal retina 937202 Homo sapiens cDNA clone IMAGE:628771 3'
3045	12281	21408	3.89	3.0E-21	AJ007973.1	NT	Homo sapiens chromosome 21 segment HS21C001
5744	14963		2.05	3.0E-21	BF184739.1	EST_HUMAN	Homo sapiens LGMD2B gene
6113	15207	24628	0.92	3.0E-21	BF361093.1	EST_HUMAN	801844465F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4084945 5'
6889	16187	25639	14.95	3.0E-21	AW897780.1	EST_HUMAN	RC1-OT0083-100800-019-g08 OT0083 Homo sapiens cDNA
8981	18292	23688	5.77	3.0E-21	AL163213.2	NT	CM1-NN0063-280400-203-h08 NN0063 Homo sapiens cDNA
148	9430		18.59	2.0E-21	BE163247.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C013
943	10176	19329	0.75	2.0E-21	AB007857.2	NT	QV3-HT0458-170200-090-g12 HT0458 Homo sapiens cDNA
943	10176	19330	0.75	2.0E-21	AB007857.2	NT	Homo sapiens mRNA for KIAA0397 protein, partial cds
1222	10440		2.48	2.0E-21	BE064410.1	EST_HUMAN	Homo sapiens mRNA for KIAA0397 protein, partial cds
2602	11786	21006	2.67	2.0E-21	Q28983	SWISSPROT	RC4-BT0311-141199-011-h08 BT0311 Homo sapiens cDNA
2602	11786	21007	2.67	2.0E-21	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
4888	14076		0.95	2.0E-21	AW151673.1	EST_HUMAN	x67e10.x1 NCL_CGAP_Ges4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12
6583	15779	25239	2.42	2.0E-21	BE141785.1	EST_HUMAN	MER10 repetitive element ;
6726	15921	25390	4.85	2.0E-21	AU138779.1	EST_HUMAN	QV0-HT0103-091198-050-g11 HT0103 Homo sapiens cDNA
7625	16827		2.09	2.0E-21	BE350127.1	EST_HUMAN	AU138779 PLACE1 Homo sapiens cDNA clone PLACE1005052 5'
7866	17056	26578	2.39	2.0E-21	BE973829.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kd13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
7866	17056	26577	2.39	2.0E-21	BE973829.1	EST_HUMAN	MER28 repetitive element ;
8706	17669		9.43	2.0E-21	AF176815.1	NT	601680636F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3951008 5'
1262	10477	19639	1.38	1.0E-21	AA557857.1	EST_HUMAN	601680636F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3951008 5'
1406	10619		2.37	1.0E-21	AI601264.1	EST_HUMAN	Homo sapiens putative 8-hydroxyguanine DNA glycosylase gene, complete cds
5869	15087		2.87	1.0E-21	AL079752.1	EST_HUMAN	nl46c04.s1 NCL_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2
6162	15345	24782	4.61	1.0E-21	AI223104.1	EST_HUMAN	MER29 repetitive element ;
9107	17927		1.29	1.0E-21	AF046133.1	NT	ar88d12.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2152343 3'
9281	18042	23828	2.96	1.0E-21	11435947	NT	DKFZp343i0830_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp343i0830 5'
							qg47e05.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1638336 3' similar to gb:M64241 QM
							PROTEIN (HUMAN);
							Homo sapiens chromosome Xp22 410-8
							Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4404	13604	22704	6.07	9.0E-22	AI702438.1	EST_HUMAN	b294603.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2286204 3' similar to TR:Q15408 Q15408
7372	16588	26077	5.14	9.0E-22	AV761874.1	EST_HUMAN	NEUTRAL PROTEASE LARGE SUBUNIT ;
8198	17330	26872	3.42	9.0E-22	AU140358.1	EST_HUMAN	AV761874 MDS Homo sapiens cDNA clone MDSCCG05 5'
958	10189		3.77	8.0E-22	BE144748.1	EST_HUMAN	AU140358 PLACE2 Homo sapiens cDNA clone PLACE2000394 5'
871	8916	19043	7.04	7.0E-22	AL163246.2	NT	CM0-HT0179-281099-076-h05 HT0179 Homo sapiens cDNA
4268	13471	22584	2.26	7.0E-22	Q81838	SWISSPROT	Homo sapiens chromosome 21 segment HS21C046
5063	14243	23330	1	7.0E-22	AB008881.1	NT	ALPHA-2-MACROGLOBULIN PRECURSOR (ALPHA2M)
8729	15924	25383	5.03	7.0E-22	M78590.1	EST_HUMAN	Homo sapiens gene for activin receptor type IIB, complete cds
6963	16141	25610	3.07	7.0E-22	AF009660.1	NT	EST00738 Fetal brain, Strategene (cat#938208) Homo sapiens cDNA clone HFBCF07
6539	15735		2.7	6.0E-22	AW028123.1	EST_HUMAN	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
5884	15101	24512	3.17	5.0E-22	AL163303.2	NT	wx05g07.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2542812 3'
7173	16350	25828	5.76	5.0E-22	U60822.1	NT	Homo sapiens chromosome 21 segment HS21C103
8942	17820		2.41	5.0E-22	BF478511.1	EST_HUMAN	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
3615	12836		0.97	4.0E-22	AJ271735.1	NT	nae27b06.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:3255888 3' similar to contains Alu repetitive element;
7310	16528	26019	2.62	4.0E-22	BF218030.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region; segment 1/2
9113	17931		1.68	4.0E-22	AL163209.2	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
986	10199		1	3.0E-22	A1469879.1	EST_HUMAN	601882813F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095434 5'
2534	11722	20939	3.24	3.0E-22	AI859038.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C009
3653	12874		1.38	3.0E-22	D14718.1	NT	tm14h10.x1 NCI_CGAP_Co14 Homo sapiens cDNA clone IMAGE:2156811 3' similar to gb:L19593 HIGH AFFINITY INTERLEUKIN-8 RECEPTOR B (HUMAN); contains L1.1 L1 repetitive element ;
4814	14003	23105	2.9	3.0E-22	AI090125.1	EST_HUMAN	wf68b04.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2429839 3' similar to SW:RL21_HUMAN P46778 60S RIBOSOMAL PROTEIN L21. ;
1923	11127		3.44	2.0E-22	N24942.1	EST_HUMAN	Human chromosomal protein HMGI related gene
2489	11679	20896	1.17	2.0E-22	P24916	SWISSPROT	qb28c07.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:1697580 3' similar to contains MER12.12 MER12 repetitive element ;
3398	12825	21756	3.95	2.0E-22	8394043	NT	YK73605.s1 Soares_melanocyte_2NBHM Homo sapiens cDNA clone IMAGE:267369 3'
4211	13414	22509	1.46	2.0E-22	AW817794.1	EST_HUMAN	IMMEDIATE EARLY GENE 13 PROTEIN PRECURSOR
5742	14961	24361	3.5	2.0E-22	BF082118.1	EST_HUMAN	Homo sapiens protein kinase, AMP-activated, gamma 3 non-catalytic subunit (PRKAG3), mRNA
6963	16171	25643	2.51	2.0E-22	AI276522.1	EST_HUMAN	PM1-ST0282-281199-001-d12 ST0282 Homo sapiens cDNA
8234	17363	26901	2.32	2.0E-22	AW418980.1	EST_HUMAN	RC0-TN0079-150900-025-h12 TN0079 Homo sapiens cDNA
8271	17919	23872	1.45	2.0E-22	AL163280.2	NT	q176h06.x1 Soares_NbHMPu_S1 Homo sapiens cDNA clone IMAGE:1678289 3' similar to contains MER28.13 MER28 repetitive element ;
							ha24f04.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2874655 3'
							Homo sapiens chromosome 21 segment HS21C080

Page 165 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1844	11052	20243	1.57	1.0E-22	AW865517.1	EST_HUMAN	PM4-SN0020-010400-009-h02 SN0020 Homo sapiens cDNA
2546	11734	20951	1.88	1.0E-22	U50871.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds
3388	12815	21748	1.63	1.0E-22	D14547.1	NT	Human DNA, SINE repetitive element
9192	17961		6.27	9.0E-23	AW802801.1	EST_HUMAN	IL2-UM0078-070400-061-F11 UM0078 Homo sapiens cDNA
3546	12769	21897	0.65	8.0E-23	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
3292	12513		2.13	7.0E-23	AV647246.1	EST_HUMAN	AV647246 GLC Homo sapiens cDNA clone GLCAW C07.3
7609	16812	26308	4.68	7.0E-23	5031952	NT	Homo sapiens Not58 (D. melanogaster)-like protein (NOT58L) mRNA
3412	12638		1.55	6.0E-23	AF199333.1	NT	Rattus norvegicus RIM1B (Rim1B) mRNA, complete cds
4254	13457	22549	1.11	6.0E-23	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
8412	17486	24008	2.85	6.0E-23	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D.3
8412	17486	24009	2.85	6.0E-23	AF224669.1	NT	(UBE2D3) genes, complete cds
8617	17614	23967	4.22	6.0E-23	AI206130.1	EST_HUMAN	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D.3
							(UBE2D3) genes, complete cds
							q959c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1639460 3' similar to
							SW:MV10_MOUSE P23249 PROTEIN MOV-10.;
							Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12
5414	14642	23774	4.25	5.0E-23	U82671.2	NT	(MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), calretinin
5769	18064	24388	4.03	5.0E-23	AF178818.1	NT	(CALT), NAD(P)H dehydrogenase-like protein (NSDHL), and LI>
6287	18064	24388	3.15	5.0E-23	AF178818.1	NT	Pongo pygmaeus olfactory receptor (PPY116) gene, partial cds
							Pongo pygmaeus olfactory receptor (PPY116) gene, partial cds
							z35g09.1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503968 5' similar to
							contains MER28.12 MER28 repetitive element;
6410	15607	25073	3.27	3.0E-23	AA130165.1	EST_HUMAN	Human endogenous retroviral element HC2
6839	16044	25508	4.41	3.0E-23	Z70684.1	NT	Human endogenous retroviral element HC2
6839	16044	25509	4.41	3.0E-23	Z70684.1	NT	Human endogenous retroviral element HC2
7172	16349		2.65	3.0E-23	AW897927.1	EST_HUMAN	RC3-NN0066-270400-011-h01 NN0066 Homo sapiens cDNA
672	9917	19046	6.01	2.0E-23	AJ269880.1	NT	Homo sapiens KIAA0851 gene (partial), X73 gene and LZTFL1 gene
1151	11944		2.89	2.0E-23	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
2748	11827	21141	1.06	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
2748	11827	21142	1.06	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
							q87311.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:1943757 3' similar to TR:Q13537 Q13537
3350	12578		1.34	2.0E-23	AI201458.1	EST_HUMAN	MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE.;
3697	12917		4.49	2.0E-23	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-q01 HT0487 Homo sapiens cDNA
3954	13169	22283	3.05	2.0E-23	H69931.1	EST_HUMAN	Yr16a02.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:205418 5'
3954	13169	22284	3.05	2.0E-23	H59931.1	EST_HUMAN	Yr16a02.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:205418 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
							Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
8418	15615		8.05	2.0E-23	AF280107.1	NT	Human alcohol dehydrogenase gamma subunit (ADH3) gene, exon 1
8395	17474		4.45	2.0E-23	M32658.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TORBV12S2 region
8951	17625		1.87	2.0E-23	AF009680.1	NT	AU133931 OVARC1 Homo sapiens cDNA clone OVARC1000946 5'
9078	18295		1.78	2.0E-23	AU133931.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C052
4527	13723	22819	1.69	1.0E-23	AL163252.2	NT	Homo sapiens chromosome 21 segment HS21C010
4777	13968		4.93	1.0E-23	AL163210.2	NT	601238455F1 NIH_MGC 44 Homo sapiens cDNA clone IMAGE:3608653 5'
5973	15187		2.6	1.0E-23	BE378471.1	EST_HUMAN	zw62c06.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782698 5' similar to contains PTR5.12
6582	15778	25238	2.4	1.0E-23	AA448097.1	EST_HUMAN	PTR5 repetitive element;
559	9809		1.82	9.0E-24	AA663213.1	EST_HUMAN	ab75a08.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:852758 3' similar to
4849	13843	22833	1.06	8.0E-24	P23269	SWISSPROT	TR-E19822 E19822 CA PROTEIN ;
4849	13843	22834	1.06	8.0E-24	P23269	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN I3
3953	13069		1.26	7.0E-24	AW637954.1	EST_HUMAN	QV0-DT0047-170200-122-a08 DT0047 Homo sapiens cDNA
7234	16455		2.37	7.0E-24	AW303317.1	EST_HUMAN	xv17f03.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2813405 3' similar to contains Alu repetitive element; contains MER19.12 MER19 repetitive element;
713	8955		2.33	6.0E-24	AB001421.1	NT	Macaca fuscata mRNA for Testis-Specific Protein Y (TSPY), complete cds
848	10085	19244	16.07	8.0E-24	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
3947	13163	22278	8.91	5.0E-24	AJ228043.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
5828	14852	24235	3.4	4.0E-24	AA594178.1	EST_HUMAN	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
7735	16932	28440	2.1	4.0E-24	BE544822.1	EST_HUMAN	P31795 POL POLYPROTEIN ;
8794	17721	23962	2.81	4.0E-24	AB028018.1	NT	601078812F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3484498 5'
9053	17924	23875	1.67	4.0E-24	11418318	NT	Homo sapiens mRNA for KIAA1093 protein, partial cds
6901	16058	25528	2.35	3.0E-24	AL163252.2	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
8876	17773	23942	2.46	3.0E-24	BF127762.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C052
2315	11509	20730	2.19	2.0E-24	AA167539.1	EST_HUMAN	601810449F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4053396 5'
3781	12999		0.88	2.0E-24	AW898189.1	EST_HUMAN	zp1108.r1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:609161 5'
8714	18339		9.69	2.0E-24	M28877.1	NT	RC3-NN0068-090500-021-b03 NN0068 Homo sapiens cDNA
1671	10884	20068	2.13	1.0E-24	7708340	NT	Human O family dispersed repeat element
2633	11816		1.53	1.0E-24	AW820194.1	EST_HUMAN	Homo sapiens CGI-127 protein (LOC51648), mRNA
2885	12222	21355	1.19	1.0E-24	D86423.1	NT	QV0-S10294-100400-185-c10 ST0294 Homo sapiens cDNA
							Mus musculus mRNA for HGT keratin, partial cds

Page 167 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4256	13459		2.16	1.0E-24	AF143313.1	NT	Homo sapiens PTEN (PTEN) gene, exon 2
6312	16493	24939	3.94	1.0E-24	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
6439	15638	25102	3.19	1.0E-24	AW901164.1	EST_HUMAN	CNV-NN1010-130300-281-c07 NN1010 Homo sapiens cDNA
9288	18048		1.24	1.0E-24	BE677411.1	EST_HUMAN	7d83h03.x1 Lupskj_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279605 3' similar to contains
8194	17326	26868	1.83	9.0E-25	7706707	NT	MER10.03 MER10 repetitive element ; Homo sapiens putative secreted protein (SIG1), mRNA
5020	14207	23292	3.45	7.0E-25	AA483944.1	EST_HUMAN	ne92e10.s1 NCI_CGAP_Kid1 Homo sapiens cDNA clone IMAGE:911754 similar to contains MER1.b2
6535	15731	25195	4.4	7.0E-25	AA468646.1	EST_HUMAN	MER1 repetitive element ; ne06a09.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:880408 3' similar to contains THR.b2 THR repetitive element ;
8195	17327	26869	10.9	7.0E-25	AA583540.1	EST_HUMAN	nt25h06.s1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:914843 similar to SW:R14A_YEAST
6085	14531	25021	4.79	6.0E-25	W87623.1	EST_HUMAN	P36105 PROBABLE 60S RIBOSOMAL PROTEIN L14EA. ;
6384	15564	25021	10.69	6.0E-25	7305360	NT	zh65h07.r1 Soares_fetal_liver_spleen_TNFS_S1 Homo sapiens cDNA clone IMAGE:416989 5'
7863	17053	26574	4.51	5.0E-25	AW979107.1	EST_HUMAN	Mus musculus obgolin (Obg), mRNA
1448	10661	19838	3.01	4.0E-25	T98107.1	EST_HUMAN	EST391217 MAGE resequences, MAGP Homo sapiens cDNA
3380	12607		2.94	4.0E-25	AW887671.1	EST_HUMAN	ye58h04.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:121783 5'
4307	13508		3.15	4.0E-25	BE170957.1	EST_HUMAN	PM3-OT0093-280200-001-g07 OT0093 Homo sapiens cDNA
3292	12523	21654	3.43	3.0E-25	8923321	NT	QV3-HT0543-140400-149-e11 HT0543 Homo sapiens cDNA
3292	12523	21655	3.43	3.0E-25	8923321	NT	Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA
4916	14104	23197	0.71	3.0E-25	P29622	SWISSPROT	Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA
5255	14428	23504	0.97	3.0E-25	H52187.1	EST_HUMAN	KALLISTATIN PRECURSOR (KALLIKREIN INHIBITOR) (PROTEASE INHIBITOR 4)
6577	15773	25234	4.44	3.0E-25	AL163210.2	NT	yr60b11.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:209661 5' similar to contains
7601	16804	26289	2.11	3.0E-25	AA576013.1	EST_HUMAN	MER8 repetitive element ;
1355	10570	19735	3.68	2.0E-25	5932158	NT	Homo sapiens chromosome 21 segment HS21C010
2274	11469	20690	8.59	2.0E-25	BE88016.1	EST_HUMAN	nt30h10.s1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:915331 similar to contains L1.11 L1 repetitive element ;
2784	11696	20914	6.4	2.0E-25	P17008	SWISSPROT	Homo sapiens transducin (beta)-like 1 (TBL1), mRNA
4172	13376	22475	1.92	2.0E-25	P17008	SWISSPROT	601511530F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913087 5'
4172	13376	22476	1.92	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
7008	16184	25656	3.35	2.0E-25	AL449573.1	EST_HUMAN	40S RIBOSOMAL PROTEIN S16
369	9635	18768	1.02	1.0E-25	AL040228.1	EST_HUMAN	40S RIBOSOMAL PROTEIN S16
1255	10471		3.27	1.0E-25	9635487	NT	40S RIBOSOMAL PROTEIN S16 AL449573 Homo sapiens Testis (Starvies GS) Homo sapiens cDNA DKFZp434H0313 r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434H0313 5' Human endogenous retrovirus, complete genome

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2398	11591	20809	2.1	1.0E-25	Q06055	SWISSPROT	ATP SYNTHASE LIPID-BINDING PROTEIN P2 PRECURSOR (ATPASE PROTEIN 9) (SUBUNIT C)
4875	14063	23158	3.1	1.0E-25	BE162737.1	EST_HUMAN	PM1-HT0454-080100-002-H09 HT0454 Homo sapiens cDNA
5996	18070	24709	2.98	1.0E-25	AA582690.1	EST_HUMAN	nm54h11.s1 NC1_CGAP_Ki68 Homo sapiens cDNA clone IMAGE:1087749 3'
6428	15626	25091	5.51	1.0E-25	AA709079.1	EST_HUMAN	z96g04.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:384822 3' similar to contains PTR5.3 PTR5 repetitive element
7541	16746	26240	3.92	1.0E-25	U93163.1	NT	Homo sapiens IMAGE-B2 (MAGE-B2), MAGE-B3 (MAGE-B3), MAGE-B4 (MAGE-B4), and MAGE-B1 (MAGE-B1) genes, complete cds
8409	17484	26597	1.54	1.0E-25	D14547.1	NT	Human DNA, SINE repetitive element
8409	17484	26598	1.54	1.0E-25	D14547.1	NT	Human DNA, SINE repetitive element
9234	18008		1.31	1.0E-25	X51755.1	NT	Human DNA, SINE repetitive element
2445	11636	20857	1.4	9.0E-26	AL163218.2	NT	Human lambda-immunoglobulin constant region complex (germline)
8272	18107		2.46	9.0E-26	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C018
5532	14758		1.92	8.0E-26	D14547.1	NT	Homo sapiens chromosome 21 segment HS21C085
1556	10770	19942	2.5	7.0E-26	AF003528.1	NT	Human DNA, SINE repetitive element
3958	13173	22288	1.42	7.0E-26	X89211.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4141	13347	22446	2.19	7.0E-26	AW340163.1	EST_HUMAN	H.sapiens DNA for endogenous retroviral like element
8172	17304		9.62	7.0E-26	AA115995.1	EST_HUMAN	hd02a12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2808386 3'
8999	17859		1.79	7.0E-26	AW954559.1	EST_HUMAN	zn30d08.r1 Strabagene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:548943 5' similar to gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN); EST366629 MAGE resequences, MAGC Homo sapiens cDNA
2192	11389	20612	2.57	6.0E-26	AF028308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families
3320	12549	21683	1.57	6.0E-26	AA206131.1	EST_HUMAN	zq52h04.r1 Strabagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:845271 5'
8180	17312	26854	6.07	6.0E-26	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1185	10406	19560	3.11	5.0E-26	A1708235.1	EST_HUMAN	as38h08.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2319519 3' similar to WP:F49C12.11 CE03371
1185	10406	19561	3.11	5.0E-26	A1708235.1	EST_HUMAN	as38h08.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2319519 3' similar to WP:F49C12.11 CE03371
6883	18074		3.97	4.0E-26	7657670	NT	Homo sapiens upstream binding transcription factor, RNA polymerase I (UBTF), mRNA
7253	18473	25965	4.16	4.0E-26	BE266187.1	EST_HUMAN	601191345F1 NIH_MGC 7 Homo sapiens cDNA clone IMAGE:3535210 5'
7669	17059	20380	1.65	4.0E-26	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1730	10942	20124	1.37	3.0E-26	D14547.1	NT	Human DNA, SINE repetitive element
1872	11176	20382	1.31	3.0E-26	AL046856.2	EST_HUMAN	DKFZp434i066_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434i066 5'

Page 169 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2000	11203		3.1	3.0E-28	AA115895.1	EST_HUMAN	z130d08.r1 Stratagene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:548943 5' similar to gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);
3760	12879	22094	1.44	3.0E-26	AA152464.1	EST_HUMAN	z330f10.r1 Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:588427 5' similar to TR:G695374
3760	12879	22095	1.44	3.0E-26	AA152464.1	EST_HUMAN	G695374 THYROID RECEPTOR INTERACTOR;
6048	15216	24638	9.41	3.0E-26	BF245458.1	EST_HUMAN	z330f10.r1 Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:4083278 5'
7313	16531		1.99	3.0E-26	AF036405.1	NT	Homo sapiens MLL (MLL) gene, exons 1-3, and partial cds
8102	17236	26772	2.54	3.0E-26	AW875651.1	EST_HUMAN	QV2-P10012-040400-124-e05 P10012 Homo sapiens cDNA
8102	17236	26773	2.54	3.0E-26	AW875651.1	EST_HUMAN	QV2-P10012-040400-124-e05 P10012 Homo sapiens cDNA
8129	17263	26807	10.41	3.0E-28	AA583173.1	EST_HUMAN	nm37405.s1 NCI_CGAP_GC5 Homo sapiens cDNA clone IMAGE:1086057 3' similar to contains OFR.t1
9183	17674		1.58	3.0E-26	AW073434.1	EST_HUMAN	OFR repetitive element;
688	9931	19062	6.9	2.0E-26	AL163282.2	NT	z557509.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2570873 3' similar to contains MER30.t1
1834	11042		3.51	2.0E-26	AL038099.2	EST_HUMAN	MER30 repetitive element;
3197	12432	21598	4.94	2.0E-26	X86694.1	NT	Homo sapiens chromosome 21 segment HS21C082
7338	16554		3.33	2.0E-26	D87875.1	NT	DKFZp566L171.s1 566 (synonym: hfkd2) Homo sapiens cDNA clone DKFZp566L171 3'
7771	16966	26479	4.24	2.0E-26	AI801412.1	EST_HUMAN	M.musculus mRNA for astrocytic phosphoprotein, PEA-15
7956	17095		2.02	2.0E-26	AF055066.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
8522	17553		2.64	2.0E-26	AB037859.1	NT	to89a01.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2185416 3' similar to contains Alu
8733	18284	23683	1.44	2.0E-26	BE170371.1	EST_HUMAN	repetitive element; contains element MER20 MER20 repetitive element;
134	9417	18551	11.48	1.0E-26	BE170371.1	EST_HUMAN	Homo sapiens MHC class 1 region.
2014	11216	20425	1.53	1.0E-26	AL039363.2	EST_HUMAN	Homo sapiens mRNA for KIAA1438 protein, partial cds
2528	11717	20834	1.71	1.0E-26	BE181495.1	EST_HUMAN	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
2647	11830		22.1	1.0E-26	AF261085.1	NT	QV4-HT0538-020300-123-e02 HT0538 Homo sapiens cDNA
6014	15264		2.88	1.0E-26	BE165980.1	EST_HUMAN	DKFZp434H1910.r1 434 (synonym: htss3) Homo sapiens cDNA clone DKFZp434H1910 5'
7469	16877		3.11	1.0E-26	AL038487.1	EST_HUMAN	MR2-BN0114-240500-030-q07 BN0114 Homo sapiens cDNA
8780	18357		2.07	1.0E-26	H55093.1	EST_HUMAN	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GADPH) mRNA, complete cds
6855	16107		3.98	9.0E-27	U03163.1	NT	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
8275	17396		5.26	9.0E-27	BF445556.1	EST_HUMAN	DKFZp566C2146.r1 566 (synonym: hfkd2) Homo sapiens cDNA clone DKFZp566C2146 5'
							CHR220032 Chromosome 22 exon Homo sapiens cDNA clone C22_45 5'
							Homo sapiens IMAGE-B2 (IMAGE-B2), IMAGE-B3 (IMAGE-B3), IMAGE-B4 (IMAGE-B4), and IMAGE-B1 (IMAGE-B1) genes, complete cds
							na03c07.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3253844 3' similar to contains OFR.t1
							OFR repetitive element;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10	9309	18408	2.21	8.0E-27	A1831482.1	EST_HUMAN	wj48c04.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2406150 3' similar to contains THR.b2
564	9814		5.13	8.0E-27	AL163227.2	NT	THR repetitive element ; Homo sapiens chromosome 21 segment HS21C027
1420	10633	19801	56.1	8.0E-27	AW162737.1	EST_HUMAN	au87h08.x1 Schneider fetal brain; 00004 Homo sapiens cDNA clone IMAGE:2783285 3' similar to gb:K00558
1420	10633	19802	56.1	8.0E-27	AW162737.1	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN); au87h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783285 3' similar to gb:K00558
2133	11331	20551	1.66	8.0E-27	AW1884776.1	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN); PM2-SN0018-220300-002-a07 SN0018 Homo sapiens cDNA
3148	12383	21516	3.14	8.0E-27	P12236	SWISSPROT	ADP.ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ADENINE
3327	12558	21683	0.68	8.0E-27	AF181897.1	NT	NUCLEOTIDE TRANSLOCATOR 3) (ANT 3)
6077	14523		6.24	8.0E-27	BE926560.1	EST_HUMAN	Homo sapiens WRN (WRN) gene, complete cds MR4-BT0398-250800-204-d06 BT0398 Homo sapiens cDNA
6104	15198	24616	2.63	8.0E-27	N84970.1	EST_HUMAN	J1751F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J1751 5' similar to
690	9933		1.34	7.0E-27	Z70564.1	NT	REPETITIVE ELEMENT L1 Human endogenous retroviral element HC2
5122	14301		2.35	7.0E-27	AW629172.1	EST_HUMAN	h151h12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
7335	18551		4.9	7.0E-27	AJ271735.1	NT	O76040 ORF2: FUNCTION UNKNOWN. ; Homo sapiens Xq pseudautosomal region; segment 1/2
8926	17809		1.82	7.0E-27	AV723385.1	EST_HUMAN	AV723385 HTB Homo sapiens cDNA clone HTBAHE02 5'
7314	18532	26021	25.43	6.0E-27	M26697.1	NT	Human nucleolar protein (B23) mRNA, complete cds
7145	16322	25803	3.44	5.0E-27	BF666614.1	EST_HUMAN	602121491F1 NIH_MGC 56 Homo sapiens cDNA clone IMAGE:4278527 5'
7145	16322	25804	3.44	5.0E-27	BF666614.1	EST_HUMAN	602121491F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:4278527 5'
8130	17264	26808	2.76	4.0E-27	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
2008	17211	20421	7.24	3.0E-27	X60658.1	NT	R. rattus RYA3 mRNA for a potential ligand-binding protein
4257	13490	22552	1.33	3.0E-27	BE071924.1	EST_HUMAN	PMO-BT0527-090100-001-d11 BT0527 Homo sapiens cDNA
5362	14592	23669	6.3	3.0E-27	AA077705.1	EST_HUMAN	7B44C08 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B44C08
6856	16108	25574	3.1	3.0E-27	BF033327.1	EST_HUMAN	601458531F1 NIH_MGC 66 Homo sapiens cDNA clone IMAGE:3862086 5'
9287	18045		1.79	3.0E-27	AW502868.1	EST_HUMAN	UI-HF-BN0-akq-e-12-Q-U1.1 NIH_MGC 50 Homo sapiens cDNA clone IMAGE:3077679 5'
43	9339	19446	20.19	2.0E-27	AF054187.1	NT	Homo sapiens alpha NAC mRNA, complete cds
1860	11087		35.81	2.0E-27	AA565345.1	EST_HUMAN	nk01b10.s1 NCI_CGAP_P411 Homo sapiens cDNA clone IMAGE:1000899 similar to gb:M17888 60S
3073	12309		12.63	2.0E-27	AW628172.1	EST_HUMAN	ACIDIC RIBOSOMAL PROTEIN P1 (HUMAN); h151h12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040

Page 171 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3190	12425	21558	1.38	2.0E-27	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
3190	12425	21559	1.38	2.0E-27	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
6844	16033		2.26	2.0E-27	AA551527.1	EST_HUMAN	h08h05.s1 NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943737 similar to contains L1.L3 L1 repetitive element;
7628	18733	28223	3.41	2.0E-27	AU121685.1	EST_HUMAN	AU121685 MAMMA1 Homo sapiens cDNA clone MAMMA1000748 5'
8021	11087		18.89	2.0E-27	AA565345.1	EST_HUMAN	h07b10.s1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:1000899 similar to gb:M17886 60S ACIDIC RIBOSOMAL PROTEIN P1 (HUMAN);
442	8896		2.08	1.0E-27	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C046
1004	10235	19388	1.34	1.0E-27	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4057	13267		1.07	1.0E-27	BE350127.1	EST_HUMAN	h08g01.x1 NCI_CGAP_K1413 Homo sapiens cDNA clone IMAGE:3146258 3' similar to contains MER28.b3 MER29 repetitive element;
5900	15117	24529	5.8	1.0E-27	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
6026	15234	24856	1.89	1.0E-27	F30158.1	EST_HUMAN	HSPD20461 HM3 Homo sapiens cDNA clone s4000095C10
6026	15234	24857	1.89	1.0E-27	F30158.1	EST_HUMAN	HSPD20461 HM3 Homo sapiens cDNA clone s4000095C10
6760	15955		2.91	1.0E-27	BE079780.1	EST_HUMAN	RC8-BT0827-140200-011-E08 BT0827 Homo sapiens cDNA
6993	16177	25648	3.53	1.0E-27	D87449.1	NT	Human mRNA for KIAA0260 gene, partial cds
8196	17328	26870	3.61	1.0E-27	AF111093.1	NT	Bos taurus telomeric 3 splice variant bbah mRNA, complete cds
139	9420		1.89	9.0E-28	BE348399.1	EST_HUMAN	hwt1c11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183188 3' similar to TR:Q07314 Q07314 SECRETED NEUREXIN III-ALPHA-C PRECURSOR. [3] TR:Q07280 TR:Q07313;
316	9587	18718	2.2	9.0E-28	AU126280.1	EST_HUMAN	AU126280 NT2RP1 Homo sapiens cDNA clone NT2RP1000443 5'
8355	17448		6.41	9.0E-28	BF377859.1	EST_HUMAN	OM2-TN0140-070800-372-g01 TN0140 Homo sapiens cDNA
8699	18204		2.25	8.0E-28	AW157571.1	EST_HUMAN	au83h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782911 3' similar to TR:O60302 O60302 KIAA0555 PROTEIN; contains element MER22 repetitive element;
1189	10410	19564	20.71	7.0E-28	AU142750.1	EST_HUMAN	AU142750 Y78A11 Homo sapiens cDNA clone Y78A11000824 5'
7742	18938	26447	10.67	7.0E-28	11417866	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
8314	17418		2.77	7.0E-28	AV735348.1	EST_HUMAN	AV735348 CB Homo sapiens cDNA clone CBFKA12 5'
8971	17841		3.8	6.0E-28	AA504562.1	EST_HUMAN	aa60c03.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:825340 5' similar to contains Alu repetitive element; contains element PTR5 repetitive element;
323	9594		2.63	5.0E-28	A0921003.1	EST_HUMAN	w018c07.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2455692 3' similar to contains THR.b1 THR repetitive element;
3985	13199	22307	1.47	5.0E-28	R79762.1	EST_HUMAN	y89f10.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:148443 5'

Page 172 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2588	11774	20894	2.43	4.0E-28	AW195086.1	EST_HUMAN	Yn33c09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695504 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95.
2833	12171	21304	1.12	4.0E-28	4505316	NT	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
3072	12308	21430	4.2	4.0E-28	BE409100.1	EST_HUMAN	601300703F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635305 5'
5271	14444	23515	12.18	4.0E-28	AF219927.1	NT	Homo sapiens diacylglycerol kinase iota (DGKI) gene, exon 23
6222	15403	24844	2.04	4.0E-28	AI198941.1	EST_HUMAN	q66f10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755019 3' similar to gb:M19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN);
7441	16849		4.32	4.0E-28	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families
7576	16781		24.75	4.0E-28	AB038241.1	NT	Felis catus GAPDH mRNA for glyceraldehyde-3-phosphate dehydrogenase, complete cds
7594	15403	24844	3.74	4.0E-28	AI198941.1	EST_HUMAN	q66f10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755019 3' similar to gb:M19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN);
1290	10505		1.95	3.0E-28	AF155382.1	NT	Homo sapiens metalloproteinase-like, disintegrin-like, cysteine-rich protein 2 epsilon (ADAM22) mRNA, complete cds
6727	15922	25381	2.47	3.0E-28	BF354030.1	EST_HUMAN	MR3-HT0713-280500-013-09 HT0713 Homo sapiens cDNA
7509	16714	26202	1.85	3.0E-28	U53588.1	NT	Homo sapiens MHC class 1 region
8776	17708		2.07	3.0E-28	AI831991.1	EST_HUMAN	WJ86107.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2410885 3' similar to contains Alu repetitive element; contains element HGR repetitive element;
8970	17840	23912	1.53	3.0E-28	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8970	17840	23913	1.53	3.0E-28	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
88	9381	18511	7.51	2.0E-28	BE062167.1	EST_HUMAN	RC1-BT0254-220300-019-c05 BT0254 Homo sapiens cDNA
1173	10394	19546	10.56	2.0E-28	Y11107.3	NT	Homo sapiens TGB4 gene for integrin beta 4 subunit, exons 3-41
2439	11630	20851	1.92	2.0E-28	AI348634.1	EST_HUMAN	qo35906.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1910483 3' similar to contains L1.b2 L1 repetitive element;
5802	15019		6.05	2.0E-28	BF212905.1	EST_HUMAN	601814196F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4048751 5'
6953	16131		4.38	2.0E-28	AW972305.1	EST_HUMAN	EST384394 IMAGE resequences, MAGI Homo sapiens cDNA
8137	17270	26815	2.58	2.0E-28	AF224689.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
8756	17697		1.37	2.0E-28	H08376.1	EST_HUMAN	y79c09.r1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:44300 5'
1472	10585	19860	2.38	1.0E-28	D38044.1	NT	Human gene for Ah-receptor, exon 7-9
2186	11383	20807	5.07	1.0E-28	BF333236.1	EST_HUMAN	QV1-BT0821-129000-360-b03 BT0821 Homo sapiens cDNA
4568	13760		2.28	1.0E-28	U09410.1	NT	Human zinc finger protein ZNF131 mRNA, partial cds
6414	15611		6.26	1.0E-28	11428895	NT	Homo sapiens similar to ribosomal protein L12 (H. sapiens) (LOC83081), mRNA
6469	15668		3.16	1.0E-28	8922763	NT	Homo sapiens hypothetical protein FLJ10968 (FLJ10968), mRNA

Page 173 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6848	16037	25501	4.97	1.0E-28	AA308744.1	EST_HUMAN	EST179615 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to similar to retroviral LTR
7030	16207	25684	3.28	1.0E-28	4759431	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
7030	16207	25685	3.28	1.0E-28	4759431	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
8319	17422		3.88	1.0E-28	AA054182.1	EST_HUMAN	zfs1cd01.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:380448 5'
9108	18091		1.83	1.0E-28	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
9211	18313	23593	3.18	9.0E-28	AW663987.1	EST_HUMAN	hi76g06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2678266 3'
8873	17770		3.8	8.0E-28	Q00130	SWISSPROT	HYPOTHETICAL GENE 50 PROTEIN
1582	10795	19972	1.81	7.0E-28	AW666447.1	EST_HUMAN	EST378521 MAGE resequences, MAGI Homo sapiens cDNA
9264	18030		6.86	7.0E-28	AJ132352.1	NT	Rattus norvegicus mRNA for 45 kDa secretory protein, partial
602	9849	18968	15.71	6.0E-28	A193748.1	EST_HUMAN	wp69b01.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2466985 3' similar to TR:O15475
8629	17621		5.29	6.0E-28	BE940436.1	EST_HUMAN	O15475 UNNAMED HERV-H PROTEIN ; contains LTR7.b1 LTR7 repetitive element ;
8719	17673		1.47	6.0E-28	BF568097.1	EST_HUMAN	RC3-UT0082-210800-021-c05 UT0082 Homo sapiens cDNA
5022	14209		1.78	5.0E-28	AL163203.2	NT	602184082F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300076 5'
6690	15885		9.84	5.0E-28	AW887541.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
3198	12433		2.82	4.0E-28	A1752367.1	EST_HUMAN	RC3-OT0091-170300-011-c12 OT0091 Homo sapiens cDNA
5659	14882		7.39	4.0E-28	BE164930.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
6699	15894	25355	5.52	4.0E-28	J04988.1	NT	QV1-HT0471-280300-121-a05 HT0471 Homo sapiens cDNA
4408	13608	22708	1.67	3.0E-28	AB042297.1	NT	Human 90 kD heat shock protein gene, complete cds
4744	13935	23039	1.07	3.0E-28	BF333236.1	EST_HUMAN	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
6854	16042	25506	2.62	3.0E-28	AW303317.1	EST_HUMAN	QV1-BT0821-120800-360-b03 BT0821 Homo sapiens cDNA
6828	16121		2.61	3.0E-28	AL163246.2	NT	xv1703.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813405 3' similar to contains Alu repetitive element; contains MER19.12 MER19 repetitive element ;
7818	17011	28524	2.7	3.0E-28	AA403053.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
8518	17550		1.56	3.0E-28	D63382.1	NT	z62b01.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:726889 5' similar to TR:G1335769
489	9751	18878	1.54	2.0E-28	AF084869.1	NT	G1335769 GAG-POL POLYPROTEIN ;
489	9751	18879	1.54	2.0E-28	AF084869.1	NT	Human HsLIM15 mRNA for HsLIM15, complete cds
1519	10733	19803	6.77	2.0E-28	A1963604.1	EST_HUMAN	Homo sapiens envelope protein RIC-6 (env) gene, complete cds
1519	10733	19904	6.77	2.0E-28	A1963604.1	EST_HUMAN	Homo sapiens envelope protein RIC-6 (env) gene, complete cds
							wr65d10.x1 NCI_CGAP_UH Homo sapiens cDNA clone IMAGE:2492563 3' similar to TR:O15548 O15548
							HERV-E ENVELOPE GLYCOPROTEIN ;
							wr65d10.x1 NCI_CGAP_UH Homo sapiens cDNA clone IMAGE:2492563 3' similar to TR:O15548 O15548
							HERV-E ENVELOPE GLYCOPROTEIN ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4264	13467	22558	1.91	2.0E-29	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C088
6914	16102	25568	4.35	2.0E-29	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
6914	16102	25569	4.35	2.0E-29	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
7147	16324	25906	4.53	2.0E-29	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
7147	16324	25907	4.53	2.0E-29	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
8012	17152		1.9	2.0E-29	11425108	NT	Homo sapiens splicing factor similar to dnal (SPF31), mRNA
8047	17183		2.01	2.0E-29	AW880701.1	EST_HUMAN	QV0-OT0032-080300-155-d01 OT0032 Homo sapiens cDNA
8264	17391		1.8	2.0E-29	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
6714	15609	25368	11.36	1.0E-29	AW983980.1	EST_HUMAN	RC1-HN0003-220300-021-b04 HN0003 Homo sapiens cDNA
6920	15137	24548	3.11	9.0E-30	AA761215.1	EST_HUMAN	nc20c07.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1288332 3' similar to contains MER4.b1 MER4 repetitive element;
8398	17475		4.04	9.0E-30	11422745	NT	Homo sapiens zinc finger regulated transporter-like (ZIRT), mRNA
5797	15014		9.51	8.0E-30	F08888.1	EST_HUMAN	HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-23f05
6550	15746	25206	3.85	8.0E-30	AA383873.1	EST_HUMAN	EST197317 Thymus 1 Homo sapiens cDNA 5' end similar to EST containing O family repeat
1504	10717		1.52	7.0E-30	BE091133.1	EST_HUMAN	PM4-BT0724-150400-004-411 BT0724 Homo sapiens cDNA
1743	10955	20138	1.39	6.0E-30	D25303.1	NT	Human mRNA for Integrin alpha subunit, complete cds
3153	12388	21520	2.88	6.0E-30	BE008026.1	EST_HUMAN	QV0-BN0147-290400-214-f12 BN0147 Homo sapiens cDNA
9235	14489		2.32	6.0E-30	X61755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
3989	13203	22311	40.02	5.0E-30	AI399992.1	EST_HUMAN	Human aconitase hydratase (ACO2) gene, exon 7 repetitive element;
5295	18132		5.38	5.0E-30	U87931.1	NT	Human aconitase hydratase (ACO2) gene, exon 7
7484	18672		3.56	5.0E-30	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
7714	18913	28421	7.8	5.0E-30	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
7714	18913	28422	7.8	5.0E-30	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2111	11310	20523	2.02	4.0E-30	AW837471.1	EST_HUMAN	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
2111	11310	20524	2.02	4.0E-30	AW937471.1	EST_HUMAN	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
6746	15941	25401	4.27	4.0E-30	AW812488.1	EST_HUMAN	CM1-ST0181-091189-035-f08 ST0181 Homo sapiens cDNA
1160	10382		1.64	3.0E-30	AI338551.1	EST_HUMAN	qq83c05.x1 Soares fetal_Nb2HF8 sw Homo sapiens cDNA clone IMAGE:1938920 3' similar to contains MER29.b2 MER29 repetitive element;
3740	12960	22075	0.64	3.0E-30	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
7759	16955	28463	2.59	3.0E-30	P34056	SWISSPROT	TRANSCRIPTION FACTOR AP-2
881	9924	19055	0.91	2.0E-30	AW857315.1	EST_HUMAN	CM0-C10307-310100-158-h03 C10307 Homo sapiens cDNA
1092	10316		2.41	2.0E-30	F08888.1	EST_HUMAN	HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-23f05
1473	10886	19861	4.84	2.0E-30	BE175877.1	EST_HUMAN	RC5-HT0582-110400-013-H08 HT0582 Homo sapiens cDNA

Page 175 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2675	11857	21072	8.46	2.0E-30	BE765232.1	EST_HUMAN	IL2-NT0101-280700-116-E04 NT0101 Homo sapiens cDNA
2870	12108	21237	8.13	2.0E-30	AF114156.1	NT	Homo sapiens Y-linked zinc finger protein (ZFY) gene, complete cds
3771	12989	22105	1.85	2.0E-30	AW206581.1	EST_HUMAN	UI-H-B11-af0-c-12-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722558 3'
4787	13976	23079	1.85	2.0E-30	BE298945.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
4787	13976	23080	1.85	2.0E-30	BE298945.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
6633	15828	25291	6.69	2.0E-30	C18939.1	EST_HUMAN	C18939 Human placenta cDNA (TFujwara) Homo sapiens cDNA clone GEN-570C01 5'
6685	15860	25318	2.21	2.0E-30	BE670617.1	EST_HUMAN	7e37c12.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284662 3' similar to SW:DHSA_HUMAN P31040 SUCCINATE DEHYDROGENASE [UBIQUINONE] FLAVOPROTEIN SUBUNIT PRECURSOR ;
6685	15860	25319	2.21	2.0E-30	BE670617.1	EST_HUMAN	7e37c12.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284662 3' similar to SW:DHSA_HUMAN
7072	16249	25722	2.78	2.0E-30	AW871568.1	EST_HUMAN	P31040 SUCCINATE DEHYDROGENASE [UBIQUINONE] FLAVOPROTEIN SUBUNIT PRECURSOR ;
7102	16278	25759	5.6	2.0E-30	AW470791.1	EST_HUMAN	EST383657 MAGE resequences, MAGL Homo sapiens cDNA ha33d06.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR.b3 THR repetitive element ;
291	9565	18698	18.27	1.0E-30	C18939.1	EST_HUMAN	C18939 Human placenta cDNA (TFujwara) Homo sapiens cDNA clone GEN-570C01 5'
544	9795	18919	3.42	1.0E-30	AW468897.1	EST_HUMAN	hd30b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2810991 3' similar to contains MER1.k3 MER1 MER1 repetitive element ;
723	9865	19103	2.56	1.0E-30	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
2179	11376	20598	19.86	1.0E-30	AA664377.1	EST_HUMAN	ec77b08.s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:868599 3'
2425	11616	20838	2.33	1.0E-30	BF347728.1	EST_HUMAN	802022560F1 NCI_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4157991 5'
2682	12200	21334	1.51	1.0E-30	5803091	NT	Homo sapiens methionine aminopeptidase, eIF-2-associated p87 (MNPEP), mRNA
3019	12255	21384	0.81	1.0E-30	AA315045.1	EST_HUMAN	EST188988 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end
6386	15586	25023	2.18	1.0E-30	BF183230.1	EST_HUMAN	801809932F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040694 5'
9037	18228	22082	9.1	1.0E-30	H55593.1	EST_HUMAN	CHR220532 Chromosome 22 exon Homo sapiens cDNA clone C22_728 5'
3748	12968	22082	0.81	9.0E-31	IT73025.1	EST_HUMAN	yc65e06.r1 Stralagene liver (#937224) Homo sapiens cDNA clone IMAGE:85570 5'
3748	12968	22083	0.81	9.0E-31	IT73025.1	EST_HUMAN	yc65e06.r1 Stralagene liver (#937224) Homo sapiens cDNA clone IMAGE:85570 5'
1084	10309	19461	2.7	8.0E-31	8923389	NT	Homo sapiens hypothetical protein FLJ20420 (FLJ20420), mRNA
2376	11566		13.17	8.0E-31	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
718	9990		1.45	7.0E-31	AA372637.1	EST_HUMAN	EST184555 Colon adenocarcinoma IV Homo sapiens cDNA 5' end
2628	11811	21028	2.27	7.0E-31	BE326517.1	EST_HUMAN	hw05a11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
2628	11811	21029	2.27	7.0E-31	BE326517.1	EST_HUMAN	hw05a11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
8871	17769	23940	2.52	7.0E-31	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3658	12879		2.63	6.0E-31	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8509	15705		6.07	6.0E-31	AF055066.1	NT	Homo sapiens MHC class 1 region
7324	16540	26029	2.02	6.0E-31	AU119105.1	EST_HUMAN	AU119105 HEMBA1 Homo sapiens cDNA clone HEMBA1005050 5'
8455	17512	24020	1.93	6.0E-31	AW372868.1	EST_HUMAN	RC5-BT0377-091299-031-D12 BT0377 Homo sapiens cDNA
8594	18152		2.61	6.0E-31	BE894488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
197	9477	18609	1.74	5.0E-31	M60694.1	NT	Homo sapiens type I DNA topoisomerase gene, exon 8
197	9477	18610	1.74	5.0E-31	M60694.1	NT	Homo sapiens type I DNA topoisomerase gene, exon 8
6812	15808		9.55	5.0E-31	BF056540.1	EST_HUMAN	7K0804.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:3443479 3' similar to TR:Q13537 Q13537
603	9850		4.69	4.0E-31	AJ271735.1	NT	SIMILAR TO POGO ELEMENT ; contains L1.1 L1 repetitive element ;
						NT	Homo sapiens Xq pseudautosomal region; segment 1/2
1590	10803	18978	0.95	4.0E-31	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYL TRANSFERASE (PROTEIN-UDP ACETYL GALACTOSAMINYL TRANSFERASE) (UDP-GALNAc:POLYPEPTIDE, N-ACETYL GALACTOSAMINYL TRANSFERASE) (GALNAc-T1)
1787	10997		2.49	4.0E-31	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2742	11921		1.88	4.0E-31	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
8634	17624		1.25	4.0E-31	AJ230125.1	NT	Homo sapiens GGT1 gene, exon 1
9019	17871		1.44	4.0E-31	AB008881.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
2555	11742	20960	5.53	3.0E-31	6005971	NT	Homo sapiens SEC83, endoplasmic reticulum translocon component (S. cerevisiae) like (SEC83L), mRNA
6226	15407	24849	7.95	3.0E-31	4826853	NT	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 8 (19Kd, ASH1) (NDUFB8) mRNA
6512	15708		2.89	3.0E-31	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
6951	16129	25597	3.74	3.0E-31	D14523.1	NT	Horse mRNA for ferritin L-chain, complete cds
7228	16447	25937	2.86	3.0E-31	P11174	SWISSPROT	40S RIBOSOMAL PROTEIN S15 (R1G PROTEIN)
7712	16911		7.41	3.0E-31	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3862086 5'
1883	11090	20281	1.04	2.0E-31	AW838171.1	EST_HUMAN	QV2-LT0051-260300-111-603 LT0051 Homo sapiens cDNA
2308	11502	20724	2.54	2.0E-31	AL119245.1	EST_HUMAN	DKFZp761G1513_r1_761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761G1513 5'
						EST_HUMAN	aa88711.s1 Strategene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838413 3' similar to contains
2404	11596	20816	4.8	2.0E-31	AA456824.1	EST_HUMAN	THR.12 THR repetitive element ;
5542	14768	24132	2.77	2.0E-31	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29 b3
						EST_HUMAN	MER29 repetitive element ;
6785	15960		2.34	2.0E-31	AA87764.1	EST_HUMAN	m06704.s1 NCI_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1161055 3' similar to TR:Q13537 Q13537
						EST_HUMAN	MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;

Page 177 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6830	16024	25489	4.65	2.0E-31	7661535	NT	Homo sapiens B9 protein (B9), mRNA
7098	16275	25754	3	2.0E-31	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
7098	16275	25755	3	2.0E-31	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
8565	17585		2.14	2.0E-31	AF148512.1	NT	Homo sapiens hexokinase II gene, promoter region
8712	18380		2.48	2.0E-31	AI114527.1	EST_HUMAN	HA1110 Human fetal liver cDNA library Homo sapiens cDNA
16	9312	18415	7.1	1.0E-31	U93163.1	NT	Homo sapiens MAGE-B2 (MAGE-B2), MAGE-B3 (MAGE-B3), MAGE-B4 (MAGE-B4), and MAGE-B1 (MAGE-B1) genes, complete cds
1638	10852	20030	6.59	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1638	10852	20031	6.59	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1638	10852	20032	6.59	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
4637	13831	22918	1.87	1.0E-31	AL134378.1	EST_HUMAN	DKFZp547B235.1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
4637	13831	22919	1.87	1.0E-31	AL134378.1	EST_HUMAN	DKFZp547B235.1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
5322	14554	23624	3.51	1.0E-31	AW391679.1	EST_HUMAN	MR3-ST0220-151269-028-e08.1 ST0220 Homo sapiens cDNA
5726	14944	24340	2.11	1.0E-31	AF048727.1	NT	Homo sapiens minisatellite ceb1 repeat region
7490	16687	26182	2.54	1.0E-31	AI088434.1	EST_HUMAN	Q16959:FRATAXIN.1
8257	17384	26917	6.47	1.0E-31	AW303317.1	EST_HUMAN	xx17703.x1 Soares_NFL_T_OBC_S1 Homo sapiens cDNA clone IMAGE:2813405 3' similar to contains Alu repetitive element; contains MER19.12 MER19 repetitive element;
5950	15168	24578	2.53	9.0E-32	AV723978.1	EST_HUMAN	AV723978 HTB Homo sapiens cDNA clone HTBAAG01 5'
2045	11246	20456	7.85	8.0E-32	AI056770.1	EST_HUMAN	ox15a09.x1 Soares_fetal_liver_spleen_1NLS_S1 Homo sapiens cDNA clone IMAGE:1675384 3'
4876	14064	23159	0.96	7.0E-32	P52691	SWISSPROT	NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 (PORE MEMBRANE PROTEIN OF 121 KD) (P145)
8538	17563		3.22	7.0E-32	X17283.1	NT	Human chromosome 22 immunoglobulin V(K) gene, part with 5' breakpoint between orphion and neighbouring non-amplified region
1041	10267	19418	48.91	5.0E-32	AF116827.1	NT	Homo sapiens PRO1181 mRNA, complete cds
939	10172		2.6	4.0E-32	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
6336	15516	24962	3.11	4.0E-32	11432574	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
6336	15516	24963	3.11	4.0E-32	11432574	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
462	9715	18850	3.57	3.0E-32	Y17293.1	NT	Homo sapiens FLI-1 gene, partial
1454	10667	19841	10.88	3.0E-32	AV731500.1	EST_HUMAN	AV731500 HTF Homo sapiens cDNA clone HTFAK07 5'
6875	16066	25534	6.4	3.0E-32	AV758634.1	EST_HUMAN	AV758634 BM Homo sapiens cDNA clone BMFBH12 5'
6875	16066	25535	6.4	3.0E-32	AV758634.1	EST_HUMAN	AV758634 BM Homo sapiens cDNA clone BMFBH12 5'
7499	16706	26192	9.12	3.0E-32	AA777621.1	EST_HUMAN	285a07.s1 Soares_fetal_liver_spleen_1NLS_S1 Homo sapiens cDNA clone IMAGE:448500 3' similar to contains THR.13 THR repetitive element;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8568	17587		5.38	3.0E-32	BE279086.1	EST_HUMAN	601156285F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139701 5'
8950	14491	23579	3.58	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
8950	14491	23580	3.58	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
9112	17830		2.92	3.0E-32	BE279086.1	EST_HUMAN	601156285F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139701 5'
5863	15081	24493	5.72	2.0E-32	Z38133.1	NT	H. sapiens mRNA for myosin
5863	15081	24494	5.72	2.0E-32	Z38133.1	NT	H. sapiens mRNA for myosin
9228	18006	23847	1.47	2.0E-32	AV738449.1	EST_HUMAN	AV738449 CB Homo sapiens cDNA clone CBFBI08 5'
9228	18006	23848	1.47	2.0E-32	AV738449.1	EST_HUMAN	AV738449 CB Homo sapiens cDNA clone CBFBI08 5'
2636	11819		1.51	1.0E-32	D84430.1	NT	Homo sapiens mRNA for phenylalanyl tRNA synthetase, complete cds
3059	12295		1.32	1.0E-32	BE743299.1	EST_HUMAN	601573207F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834433 5'
6106	15200	24618	6.26	1.0E-32	11439789	NT	Homo sapiens chromosome 11 open reading frame 9 (C11ORF9), mRNA
6653	15848	25307	7.33	1.0E-32	AA720574.1	EST_HUMAN	hw21g02.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR 13 THR repetitive element;
3458	12681		5.61	9.0E-33	BE327112.1	EST_HUMAN	hw07c05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182216 3' similar to TR:O88539 O88539 WW DOMAIN BINDING PROTEIN 11.;
5837	15054		3.19	9.0E-33	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
6712	15907	25366	2.29	9.0E-33	BF347228.1	EST_HUMAN	602021164F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4156670 5'
7378	16594		7.28	9.0E-33	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
63	9359	18450	4.34	7.0E-33	5031738	NT	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
63	9359	18481	4.34	7.0E-33	5031738	NT	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
2127	11328	20544	2.66	7.0E-33	AI590115.1	EST_HUMAN	hw21g02.s1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2178809 3' similar to contains OFR.11 OFR repetitive element;
2811	11795		9	7.0E-33	AV730056.1	EST_HUMAN	AV730056 HTF Homo sapiens cDNA clone HTFAVE06 5'
3208	12442		18.26	7.0E-33	AV971307.1	EST_HUMAN	EST383396 MAGL Homo sapiens cDNA
4472	13670	22761	0.96	7.0E-33	AA157467.1	EST_HUMAN	2050601.1 Stratagene endothelial cell 937223 Homo sapiens cDNA clone IMAGE:590328 5'
7405	16817	26107	4.91	7.0E-33	BF347228.1	EST_HUMAN	602021164F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4156670 5'
7800	16933	26508	2.26	7.0E-33	AW971568.1	EST_HUMAN	EST383657 MAGL Homo sapiens cDNA
8545	17570	23991	5.15	7.0E-33	AA601416.1	EST_HUMAN	hw21g02.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100881 3' similar to contains L1.11 L1 repetitive element;
3717	12637		1.15	6.0E-33	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
6847	15842	26303	4.52	6.0E-33	JO4038.1	NT	Human glyceraldehyde-3-phosphate dehydrogenase (GAPDH) gene, complete cds

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8881	15876	25335	3.6	6.0E-33	11429188	NT	Homo sapiens similar to RAD23 (S. cerevisiae) homolog B (H. sapiens) (LOC63277), mRNA
1747	10859		1.81	5.0E-33	BF373515.1	EST_HUMAN	QV1-FT0169-100700-271-a02 FT0169 Homo sapiens cDNA
1846	11054		1.22	5.0E-33	11141884	NT	Homo sapiens solute carrier family 5 (choline transporter), member 7 (SLC5A7), mRNA
1863	11070	20260	4	5.0E-33	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
1863	11070	20261	4	5.0E-33	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
2237	11432		3.28	5.0E-33	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
4035	13245	22348	0.68	5.0E-33	AB014599.1	NT	Homo sapiens mRNA for KIAA0669 protein, partial cds
8343	17440		1.31	5.0E-33	11433063	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A), mRNA
1136	10359		1.64	4.0E-33	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
2095	11295	20507	2.46	4.0E-33	4758987	NT	Homo sapiens RAB1, member RAS oncogene family (RAB1) mRNA
2384	11577		2.74	4.0E-33	AA626821.1	EST_HUMAN	ab51b11.r1 Stratiogene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:844317 5' similar to contains Alu repetitive element; contains MER28.b2 MER28 repetitive element ;
2510	11699	20916	16.8	4.0E-33	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4480	13678	22768	1.55	4.0E-33	AW293349.1	EST_HUMAN	UI-H-B12-ah1-c-03-Q-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727149 3'
5397	14626	23739	24.3	4.0E-33	AA053053.1	EST_HUMAN	zf71a08.r1 Stratiogene colon (#937204) Homo sapiens cDNA clone IMAGE:510038 5' similar to gb:X12871_ma1 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN);
1097	10321		6.43	3.0E-33	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element ;
1098	10321		3.04	3.0E-33	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element ;
2413	12018		2.64	3.0E-33	AV647851.1	EST_HUMAN	AV647851 GLC Homo sapiens cDNA clone GLC8CF09 3'
17	9313		0.77	2.0E-33	AI160189.1	EST_HUMAN	qb67g03.x1 Soares_fetal_NbHH19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.11 OFR repetitive element ;
104	8313		2.62	2.0E-33	AI160189.1	EST_HUMAN	qb67g03.x1 Soares_fetal_NbHH19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.11 OFR repetitive element ;
4411	13611		4.41	2.0E-33	BE156039.1	EST_HUMAN	MRO-HT0405-160300-202-408 HT0405 Homo sapiens cDNA
6006	14163	23282	25.82	2.0E-33	AA626883.1	EST_HUMAN	ab51g11.r1 Stratiogene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:844388 5' similar to gb:X00734_cd51 TUBULIN BETA-5 CHAIN (HUMAN);
5125	14304	23393	1.41	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
5125	14304	23394	1.41	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
5838	15055	24462	1.83	2.0E-33	AI277492.1	EST_HUMAN	qb84d01.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1880161 3'
8	9304		1.67	1.0E-33	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7867	17057	28578	2	1.0E-33	AW096818.1	EST_HUMAN	QV3-BN0047-230200-102-b03 BN0047 Homo sapiens cDNA
8167	17269	26842	5.99	1.0E-33	U06922.1	NT	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
8841	17750		2	1.0E-33	A1927191.1	EST_HUMAN	wo88c08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2482410 3'
9024	8304		5.11	1.0E-33	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
9059	17890	23898	1.83	1.0E-33	AV727809.1	EST_HUMAN	AV727809 HTC Homo sapiens cDNA clone HTCCNC12 5'
9246	18017		2.54	9.0E-34	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
2137	11335	20553	1.18	8.0E-34	8922751	NT	Homo sapiens hypothetical protein FLJ10900 (FLJ10900), mRNA
1446	10659	19834	2.76	7.0E-34	T70845.1	EST_HUMAN	yd15e05.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:106320 5'
8618	17813		2.89	7.0E-34	H12866.1	EST_HUMAN	yf14c10.r1 Soares placenta N52HP Homo sapiens cDNA clone IMAGE:148722 5'
477	9729	18862	1.31	6.0E-34	U10691.1	NT	Human G2 protein mRNA, partial cds
471	9728	18863	1.31	6.0E-34	U10691.1	NT	Human G2 protein mRNA, partial cds
8418	17490	24010	1.7	6.0E-34	U03686.1	NT	Mus musculus DAB2/J hair-specific (hac1-1) gene
1845	11053		3.27	5.0E-34	7706500	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51728), mRNA
5094	14274	23357	4.37	6.0E-34	U30883.1	NT	Human splicing factor SRP55-1 (SRP-55) mRNA, complete cds
6736	15931	25391	2.28	5.0E-34	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
7247	16487	25958	2.25	5.0E-34	AB037856.1	NT	Homo sapiens mRNA for KIAA1435 protein, partial cds
7806	16999		1.91	5.0E-34	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1967	11171	20377	2.12	4.0E-34	A1804687.1	EST_HUMAN	194c06.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2249194 3'
2879	11861	21075	0.94	4.0E-34	8922807	NT	Homo sapiens hypothetical protein FLJ10989 (FLJ10989), mRNA
3137	12372	21503	1.09	4.0E-34	5803168	NT	Homo sapiens splicing factor 3a, subunit 3, 60kD (SF3A3), mRNA
7711	16910		5.68	3.0E-34	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
1495	10708	19881	11.67	1.0E-34	P12236	SWISSPROT	ADP-ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ADENINE NUCLEOTIDE TRANSLOCATOR 3) (ANT 3)
3654	12875	21993	1.4	1.0E-34	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4047	13257	22358	0.98	1.0E-34	AY008397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4047	13257	22359	0.98	1.0E-34	AY008397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4476	13674		5.59	1.0E-34	BE071414.1	EST_HUMAN	RC2-BT0506-240400-018-h08 BT0506 Homo sapiens cDNA
5728	14947	24344	2.28	1.0E-34	BE874052.1	EST_HUMAN	601484430F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886999 5'
5728	14947	24345	2.28	1.0E-34	BE874052.1	EST_HUMAN	601484430F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886999 5'
6991	16169	25641	10.13	1.0E-34	AL036635.1	EST_HUMAN	DKFZ564A1563_r1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZp564A1563 5'
8804	18316		2.28	1.0E-34	AA807097.1	EST_HUMAN	cc31c11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1351316 3' similar to gb.X68203 TYROSINE-PROTEIN KINASE RECEPTOR FLT4 PRECURSOR (HUMAN);

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9050	17922		4.53	1.0E-34	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3624	12845	21964	1.17	9.0E-35	AW663302.1	EST_HUMAN	h177008.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968787 5'
230	9508		17.95	8.0E-35	6031190	NT	Homo sapiens prohibitin (PHB) mRNA
1709	10921	20106	3.14	8.0E-35	BF589937.1	EST_HUMAN	nae33a08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
1709	10921	20107	3.14	8.0E-35	BF589937.1	EST_HUMAN	nae33a08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
4883	14071	23168	4.02	8.0E-35	BF183195.1	EST_HUMAN	O75912 DIACYLGLYCEROL KINASE IOTA ;
7281	16500	25993	2.31	8.0E-35	BE378480.1	EST_HUMAN	nae33a08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:4040324 5'
8535	17560		3.51	8.0E-35	BF589282.1	EST_HUMAN	601236468F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608513 5'
5887	15085	24499	1.62	7.0E-35	11425417	NT	602184624T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300680 3'
1417	10630	19798	1.02	6.0E-35	AA757115.1	EST_HUMAN	Homo sapiens phosphatidylinositol glycan, class L (PIGL), mRNA
1837	11141	20337	1.3	6.0E-35	6005975	NT	ah53r03.s1 Soares_testis_NHT Homo sapiens cDNA clone 1308397 3'
4030	13240	22344	0.69	6.0E-35	AW297191.1	EST_HUMAN	Homo sapiens zinc finger protein 208 (ZNF208), mRNA
6427	15624	25089	5.25	6.0E-35	6005921	NT	UI-H-BWO-ajd-409-Q-J1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2731433 3'
143	9425	18559	70.69	5.0E-35	AF154830.1	NT	Homo sapiens tripe functional domain (PTPRF interacting) (TRIO), mRNA
1684	10806	20083	1.68	5.0E-35	X63392.1	NT	Homo sapiens carbamyl phosphate synthetase I mRNA, complete cds
2738	11917	21131	2.17	5.0E-35	AB007866.2	NT	H.sapiens immunoglobulin kappa light chain variable region L14
2970	12208	21344	1.15	5.0E-35	6912639	NT	Homo sapiens mRNA for KIAA0408 protein, partial cds
							Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
							Homo sapiens ctk2 kinase (CLK2), propin', cote1, glucocorticoidase (GBA), and metaxin genes, complete cds; metaxin pseudogene and glucocorticoidase pseudogene, and thrombospondin3 (THBS3) gene, partial cds
4403	13603	22703	1.74	5.0E-35	AF023288.1	NT	601431984F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917229 5'
6523	15719		3.88	5.0E-35	BE890982.1	EST_HUMAN	zh84f12.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428015 5'
7733	16930		3.48	5.0E-35	AA001786.1	EST_HUMAN	601109719F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350405 5'
1436	10950	19824	34.03	4.0E-35	BE257907.1	EST_HUMAN	yu98a07.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:241238 5' similar to contains P1R5 repetitive element ;
1788	10968	20193	8.81	4.0E-35	H91193.1	EST_HUMAN	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4819	14008		0.63	4.0E-35	AF003526.1	NT	601300705F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635401 5'
5136	14314		0.99	4.0E-35	BE409102.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3
6168	15351		1.9	4.0E-35	BE350127.1	EST_HUMAN	MER29 repetitive element ;
6628	15824	25286	7.14	4.0E-35	AL046596.1	EST_HUMAN	DKFZp434L148_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434L148 5'
1558	10772	19645	49.16	3.0E-35	BE268182.1	EST_HUMAN	601125260F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345063 5'

Page 182 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2289	11494		3.28	3.0E-35	AF224492.1	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
5359	14589	23665	24.64	3.0E-35	BF433100.1	EST_HUMAN	7n25a09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3565361 3' similar to TR:Q9QZH7
5359	14589	23666	24.64	3.0E-35	BF433100.1	EST_HUMAN	Q8QZH7 F-BOX PROTEIN FBL2 ;
108	11959	18528	1.05	2.0E-35	N88985.1	EST_HUMAN	7n25a09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3565361 3' similar to TR:Q9QZH7
1198	10416	19570	0.8	2.0E-35	T11909.1	EST_HUMAN	Q8QZH7 F-BOX PROTEIN FBL2 ;
2184	11381	20605	6.37	2.0E-35	AB018413.1	NT	K6932F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K6932 5' similar to REPETITIVE ELEMENT
2644	11827	21042	1.22	2.0E-35	AW665005.1	EST_HUMAN	A971F Heart Homo sapiens cDNA clone A971
3283	12514	21644	1.02	2.0E-35	6912459	NT	Homo sapiens mRNA for Gab2, complete cds
3283	12514	21645	1.02	2.0E-35	6912459	NT	h18a12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979166 3' similar to SW:TR12_HUMAN Q14689 THYROID RECEPTOR INTERACTING PROTEIN 12 ;
3532	12755		1.11	2.0E-35	AB020702.1	NT	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
3888	13104	22221	0.69	2.0E-35	BE247575.1	EST_HUMAN	Homo sapiens mRNA for KIAA0895 protein, partial cds
3888	13104	22222	0.89	2.0E-35	BE247575.1	EST_HUMAN	TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4328
4673	13867		2.75	2.0E-35	H49236.1	EST_HUMAN	TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4328
5481	14706	24063	2	2.0E-35	BF332417.1	EST_HUMAN	QVQ-BT0701-210400-199-504 BT0701 Homo sapiens cDNA
7376	16592	26080	5.53	2.0E-35	X59417.1	NT	H.sapiens PROS-27 mRNA
8289	12514	21644	1.22	2.0E-35	6912459	NT	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
8289	12514	21645	1.22	2.0E-35	6912459	NT	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
8470	17523	24023	1.28	2.0E-35	BE904978.1	EST_HUMAN	601496774F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898699 5'
8470	17523	24024	1.28	2.0E-35	BE904978.1	EST_HUMAN	601496774F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898699 5'
9026	17876		8.58	2.0E-35	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
9144	11959	18528	2	2.0E-35	N88985.1	EST_HUMAN	K6932F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K6932 5' similar to REPETITIVE ELEMENT
48	9345	18455	4.75	1.0E-35	AA631949.1	EST_HUMAN	hm1c16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
48	9345	18456	4.75	1.0E-35	AA631949.1	EST_HUMAN	hm1c16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
760	10001	19147	72.69	1.0E-35	AW389473.1	EST_HUMAN	IL2-ST0162-131099-006-d12 ST0162 Homo sapiens cDNA
760	10001	19148	72.69	1.0E-35	AW389473.1	EST_HUMAN	IL2-ST0162-131099-006-d12 ST0162 Homo sapiens cDNA
919	10154		2.05	1.0E-35	T87947.1	EST_HUMAN	y693a01.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:115752 5' similar to SP-A44282 A44282 RETROVIRUS-RELATED POLYPROTEIN - HUMAN ;

Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2507	11695	20913	1.58	1.0E-35	7705994	NT	Homo sapiens hypothetical protein (LOC51233), mRNA
2723	11902	21118	1.21	1.0E-35	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3
							MER29 repetitive element;
2723	11902	21118	1.21	1.0E-35	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3
3108	12343	21471	1.33	1.0E-35	6006030	NT	MER29 repetitive element;
3127	12362	21491	1.95	1.0E-35	AV650422.1	EST_HUMAN	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TCEB1L) mRNA
3127	12362	21492	1.95	1.0E-35	AV650422.1	EST_HUMAN	AV650422 GLC Homo sapiens cDNA clone GLCCEFO8 3'
4414	13614	22708	4.84	1.0E-35	7656805	NT	AV650422 GLC Homo sapiens cDNA clone GLCCEFO8 3'
4414	13614	22710	4.84	1.0E-35	7656805	NT	Mus musculus activin receptor interacting protein 1 (Arip1-pending), mRNA
6833	18076	25592	3.9	1.0E-35	AU158595.1	EST_HUMAN	Mus musculus activin receptor interacting protein 1 (Arip1-pending), mRNA
6833	18076	25593	3.9	1.0E-35	AU158595.1	EST_HUMAN	AU158595 PLACE3 Homo sapiens cDNA clone PLACE3000382 3'
8237	17366		4.28	1.0E-35	AI525119.1	EST_HUMAN	AU158595 PLACE3 Homo sapiens cDNA clone PLACE3000382 3'
8321	18273		2.31	1.0E-35	11418274	NT	promina-7.D01.r bvtumor Homo sapiens cDNA 5'
8337	17562		2.05	1.0E-35	11418110	NT	Homo sapiens fibulin 1 (FBLN1), mRNA
8815	17803		2.34	1.0E-35	BE792832.1	EST_HUMAN	Homo sapiens casein kinase 1, epsilon (CSNK1E), mRNA
2881	12119	21250	1.78	7.0E-36	AW857579.1	EST_HUMAN	601384833F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3838885 5'
3082	12318		5.8	7.0E-36	4557498	NT	CM1-CT0315-081269-063-407 CT0315 Homo sapiens cDNA
6360	15540	24994	5.98	7.0E-36	U06872.1	NT	Homo sapiens C-terminal binding protein 2 (CTBP2) mRNA
6360	15540	24995	5.98	7.0E-36	U06872.1	NT	Human carcinoembryonic antigen gene family member 12 (CGM12) gene, exons L and L1N
8704	17668	23948	2.84	7.0E-36	AF052051.1	NT	Human carcinoembryonic antigen gene family member 12 (CGM12) gene, exons L and L1N
1973	11177	20383	1.77	6.0E-36	7706822	NT	Homo sapiens glutathione transferase A4 gene, exon 1
2382	11575		5.88	6.0E-36	AB035346.1	NT	Homo sapiens ninjurin 2 (NINJ2), mRNA
3618	12839	21958	0.88	6.0E-36	BF515101.1	EST_HUMAN	Homo sapiens TCEB gene, exon 12
5353	14583	23659	6.31	6.0E-36	AI435169.1	EST_HUMAN	UI-H-BW1-amy-c-12-0-UI.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083542 3'
6125	15309	24742	3.34	6.0E-36	AW780143.1	EST_HUMAN	h93b06.x1 Soares NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2126195 3' similar to gb:M11949 PANCREATIC SECRETORY TRYPSIN INHIBITOR PRECURSOR (HUMAN);
8081	17216	26750	2.26	6.0E-36	AI380499.1	EST_HUMAN	h008h02.x1 NCI_CGAP_Cot14 Homo sapiens cDNA clone IMAGE:3036627 3' similar to SW:IMAA2_HUMAN
135	9418	18552	9.88	5.0E-36	AJ271735.1	NT	PS2292 IMPORTIN ALPHA-2 SUBUNIT;
2708	11887	21104	47.02	5.0E-36	BE388436.1	EST_HUMAN	h95c09.x1 NCI_CGAP_CELL1 Homo sapiens cDNA clone IMAGE:2107024 3' similar to contains MER8.b2
3590	12811	21931	2.13	5.0E-36	AL163209.2	NT	MER8 repetitive element;
4798	13987	23093	2.18	5.0E-36	5729729	NT	Homo sapiens Xq pseudautosomal region; segment 1/2

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4798	13987	23094	2.18	5.0E-36	5729729	NT	Homo sapiens API5-like 1 (API5L1), mRNA
8287	9418	18552	4.4	5.0E-36	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
8593	17802	24008	2.39	5.0E-36	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1232	10450	19606	1.85	4.0E-36	BE010038.1	EST_HUMAN	PM3-BN0176-100400-001-g04 BN0176 Homo sapiens cDNA
1444	10857	19833	1.45	4.0E-36	P10268	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
1622	10835	20011	1.15	4.0E-36	BE382574.1	EST_HUMAN	601298574F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628386 5'
2189	11366		5.46	4.0E-36	AW247772.1	EST_HUMAN	2820020.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820020 5'
3328	12557	21694	0.79	4.0E-36	BE389298.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
3328	12557	21695	0.79	4.0E-36	BE389298.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
5161	14340	23429	0.59	4.0E-36	AA805381.1	EST_HUMAN	ok05b11.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1508909 3' similar to SW:D3HL_RAT_P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
5691	14911	24305	2.59	4.0E-36	11497041	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), transcript variant 3, mRNA
6359	15539	24993	1.99	4.0E-36	M33320.1	NT	Human platelet Glycoprotein IIb (GPIIb) gene, exons 2-29
7559	16764	26255	2.9	4.0E-36	AA400370.1	EST_HUMAN	zu09c10.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743250 5'
8609	17607		1.56	4.0E-36	11420516	NT	Homo sapiens nuclear factor of activated T-cells, cytoplasmic 2 (NFATC2), mRNA
8657	18156		3.54	4.0E-36	AV753629.1	EST_HUMAN	AV753629 TP Homo sapiens cDNA clone TPGABH01 5'
9265	18032		1.38	4.0E-36	D25217.2	NT	Homo sapiens mRNA for KIAA0027 protein, partial cds
703	9945	19081	2.65	3.0E-36	AF099810.1	NT	Homo sapiens neurexin III-alpha gene, partial cds
1489	10702	19876	0.96	3.0E-36	AF110239.1	NT	Homo sapiens calcium/calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
1489	10702	19877	0.96	3.0E-36	AF110239.1	NT	Homo sapiens calcium/calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
2262	11457	20675	3.92	3.0E-36	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
4505	13702	22798	8.01	3.0E-36	10181139	NT	Mus musculus juncophilin 1 (Jp1-pending), mRNA
7671	16870	26373	1.79	3.0E-36	BF036327.1	EST_HUMAN	601458531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3662086 5'
3134	12369	21500	6.47	2.0E-36	BE259287.1	EST_HUMAN	601106343F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3342708 5'
4978	14165	23255	23.75	2.0E-36	AW880376.1	EST_HUMAN	QV0-O10030-240300-174-h04 OT0030 Homo sapiens cDNA
5434	14661	23801	2.36	2.0E-36	AF287747.1	NT	Mus musculus p47-phox gene, complete cds
5591	14815	24189	3.46	2.0E-36	T08756.1	EST_HUMAN	EST08948 Infant Brain, Bonto Soares Homo sapiens cDNA clone HIBB128 5' end
5915	15132	24541	13.08	2.0E-36	T69629.1	EST_HUMAN	yc44607.1 Stratiogene liver (8937224) Homo sapiens cDNA clone IMAGE:83508 5'
895	10130	19292	1.73	1.0E-36	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
2113	11312	20527	1.28	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-131199-021-h07 HT0217 Homo sapiens cDNA
2113	11312	20528	1.28	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-131199-021-h07 HT0217 Homo sapiens cDNA

Page 185 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2188	11366	20586	1.21	1.0E-36	BF673761.1	EST_HUMAN	602136493F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4272866 5'
3318	12548		1.63	1.0E-36	AF156862.1	NT	Homo sapiens human endogenous retrovirus W proC8-1B protease (pro) gene, partial cds
5746	14965		5.34	1.0E-36	AI867714.1	EST_HUMAN	wb37c12.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2307862 3' similar to contains Alu repetitive element;
6445	15642	25108	4.67	1.0E-36	AA148034.1	EST_HUMAN	z051a12.1 Stratagene endothelial cell 837223 Homo sapiens cDNA clone IMAGE:590398 5'
6445	15642	25109	4.67	1.0E-36	AA148034.1	EST_HUMAN	z051a12.1 Stratagene endothelial cell 837223 Homo sapiens cDNA clone IMAGE:590398 5'
7115	16292	25773	5.47	1.0E-36	BF364169.1	EST_HUMAN	QV3-NN1023-010600-190-h01 NN1023 Homo sapiens cDNA
7521	16726	26217	3.97	1.0E-36	AW897636.1	EST_HUMAN	CM3-NN0061-140400-147-h12 NN0061 Homo sapiens cDNA
7919	17134	26664	4.03	1.0E-36	AW504143.1	EST_HUMAN	UI-HF-BN0-ale-c-03-0-UJ.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078277 5'
8468	17521		4.59	1.0E-36	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
8944	17821		3.71	1.0E-36	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
9209	17892		2.95	1.0E-36	AF202723.1	NT	Homo sapiens Sad1 unc-84 domain protein 2 (SUN2) mRNA, partial cds
6248	15429	24869	2.31	9.0E-37	AW009277.1	EST_HUMAN	ws80b07.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2504245 3'
6248	15429	24870	2.31	9.0E-37	AW009277.1	EST_HUMAN	ws80b07.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2504245 3'
8745	17690		2.13	9.0E-37	W22618.1	EST_HUMAN	73D4 Human retina cDNA Tsp5091-cleaved sublibrary Homo sapiens cDNA not directional
3330	12559	21697	0.99	8.0E-37	4757979	NT	Homo sapiens chimerin (chimaerin) 2 (CHIN2) mRNA
5584	14808	24181	3.78	8.0E-37	BE350127.1	EST_HUMAN	ht08g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
5584	14808	24182	3.78	8.0E-37	BE350127.1	EST_HUMAN	MER29 repetitive element;
5604	14828	24204	4.96	8.0E-37	AW840840.1	EST_HUMAN	ht08g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
6423	15620	25084	8.42	8.0E-37	X87344.1	NT	MER29 repetitive element;
1281	10508		3.81	7.0E-37	AL042800.1	EST_HUMAN	ht08g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
7342	16558	26046	9.31	7.0E-37	AI817700.1	EST_HUMAN	MER29 repetitive element;
7471	16879	26161	4.11	7.0E-37	AI536702.1	EST_HUMAN	RC1-CN0008-210100-012-e08_1 CN0008 Homo sapiens cDNA
9080	17904		3.34	6.0E-37	AF202723.1	NT	H.sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
5705	14924	24317	4.29	5.0E-37	AA307123.1	EST_HUMAN	DKFZp434E0422_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434E0422 5'
5705	14924	24318	4.29	5.0E-37	AA307123.1	EST_HUMAN	wk25b11.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413341 3' similar to contains PTR5.12
7494	16701		5.03	5.0E-37	7657117	NT	PTR5 repetitive element;
8463	17518		6.75	5.0E-37	AF149773.1	NT	tm87g03.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165140 3' similar to contains L1.b3 L1
2388	11581	20788	4.76	4.0E-37	AA702794.1	EST_HUMAN	repetitive element;
							Homo sapiens Sad1 unc-84 domain protein 2 (SUN2) mRNA, partial cds
							EST178035 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
							EST178035 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
							Homo sapiens glycine C-acetyltransferase (2-amino-3-ketobutyrate-CoA ligase) (GCAT), mRNA
							Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
							z180b04.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'

Page 186 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7602	16805	26300	1.77	4.0E-37	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
7602	16805	26301	1.77	4.0E-37	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
1984	11187	20397	2.81	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2418
1984	11187	20398	2.81	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2418
2478	11668		4.67	3.0E-37	AW961150.1	EST_HUMAN	EST373222 MAGE resequencing, MAGF Homo sapiens cDNA
2920	12158		3.85	3.0E-37	AW961150.1	EST_HUMAN	EST373222 MAGE resequencing, MAGF Homo sapiens cDNA
386	9680	18817	0.74	2.0E-37	D89780.1	NT	Homo sapiens mRNA for AML1, complete cds
386	9680	18818	0.74	2.0E-37	D89780.1	NT	Homo sapiens mRNA for AML1, complete cds
1088	10312	19465	2.82	2.0E-37	AU131202.1	EST_HUMAN	AU131202 NT2RP3 Homo sapiens cDNA clone NT2RP3002166 5'
1088	10312	19466	2.82	2.0E-37	AU131202.1	EST_HUMAN	AU131202 NT2RP3 Homo sapiens cDNA clone NT2RP3002166 5'
1933	11137	20333	4.55	2.0E-37	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
3871	13087	22203	6.5	2.0E-37	4503210	NT	Homo sapiens cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomatosis), polypeptide 1 (CYP27A1b) mRNA
4231	13434	22528	1.04	2.0E-37	4826865	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
5955	15171	24588	3.36	2.0E-37	AA346720.1	EST_HUMAN	EST52931 Fetal heart II Homo sapiens cDNA 5' end
6477	15674	25145	3.78	2.0E-37	BF204032.1	EST_HUMAN	601869157F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111406 5'
8094	17228	26766	20.18	2.0E-37	AF176013.1	NT	Homo sapiens J domain containing protein 1 isoform b (JDP1) mRNA, complete cds
8908	18021		3.29	2.0E-37	11417972	NT	Homo sapiens pescadillo (zebrafish) homolog 1, containing BRC1 domain (PES1), mRNA
9252	18021		3.91	2.0E-37	11417972	NT	Homo sapiens pescadillo (zebrafish) homolog 1, containing BRC1 domain (PES1), mRNA
2057	11258	20473	4.08	1.0E-37	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
3161	12396		1.04	1.0E-37	AW862082.1	EST_HUMAN	RC3-CT0347-210400-016-h03 CT0347 Homo sapiens cDNA
3938	13154	22271	1.05	1.0E-37	AF186011.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4959	14146	23238	2.15	1.0E-37	BF371719.1	EST_HUMAN	QV0-FN0180-280700-318-c10 FN0180 Homo sapiens cDNA
6693	15968	25348	3.8	1.0E-37	AA171406.1	EST_HUMAN	zp21b02.r1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:610059 5' similar to contains L1.12 L1 repetitive element
7288	16507	25996	6.46	1.0E-37	M22878.1	NT	Human somatic cytochrome c (HC1) processed pseudogene, complete cds
8796	17722		2.73	1.0E-37	BE771814.1	EST_HUMAN	CM3-FT0096-140700-243-d07 FT0096 Homo sapiens cDNA
5564	14768	24159	1.76	9.0E-38	10048482	NT	Rattus norvegicus multidomain presynaptic cytomatrix protein Piccolo (LOC56766), mRNA
1228	10447	19603	1.97	8.0E-38	11436955	NT	Homo sapiens Grib2-associated binder 2 (KIA0571), mRNA
2462	11653	20875	1.26	8.0E-38	BF346221.1	EST_HUMAN	602018401F1 NCJ CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4153992 5'
2149	11347	20584	9.52	7.0E-38	AW972825.1	EST_HUMAN	EST384920 MAGE resequencing, MAGL Homo sapiens cDNA
4208	13411	22505	0.7	7.0E-38	H19092.1	EST_HUMAN	yn5167.r1 Soares adult brain N25HB55Y Homo sapiens cDNA clone IMAGE:171973 5'
3007	12243	21374	2.28	6.0E-38	BF033033.1	EST_HUMAN	601455722F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859348 5'
8322	17424		7.1	6.0E-38	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8830	17742	23933	10.53	6.0E-38	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
9233	18119	23811	1.25	6.0E-38	11418164	NT	Homo sapiens adenylosuccinate lyase (ADSL), mRNA
734	9875	19114	2.25	5.0E-38	AW971819.1	EST_HUMAN	EST383908 MAGE resequences, MAGL Homo sapiens cDNA
2417	11608	20830	9.18	5.0E-38	AJ237740.1	NT	Homo sapiens RIBIIR gene (partial), exon 8
3685	12906	22026	0.86	5.0E-38	7549804	NT	Homo sapiens deiodinase, iodothyronine, type II (DIO2), transcript variant 2, mRNA
3849	12908	22026	1.69	5.0E-38	7549804	NT	Homo sapiens deiodinase, iodothyronine, type II (DIO2), transcript variant 2, mRNA
5201	11608	20830	1.22	5.0E-38	AJ237740.1	NT	Homo sapiens RIBIIR gene (partial), exon 8
6099	15299	24731	3.24	5.0E-38	BE871610.1	EST_HUMAN	601450148F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3854074 5'
119	9405	18536	5.47	4.0E-38	Z25466.1	NT	B.taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
119	9405	18537	5.47	4.0E-38	Z25466.1	NT	B.taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
1165	10387	19558	2.46	3.0E-38	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
2070	11270		4.56	3.0E-38	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
3674	12895		1.86	3.0E-38	7549807	NT	Homo sapiens HIRA interacting protein 4 (dnaj-like) (HIRIP4), mRNA
3638	13055	22169	1.6	3.0E-38	P53338	SWISSPROT	SSU72 PROTEIN
3638	13055	22170	1.6	3.0E-38	P53338	SWISSPROT	SSU72 PROTEIN
4617	13811		1.61	3.0E-38	BE279301.1	EST_HUMAN	601157633F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3504272 5'
5981	18069	24811	7.19	3.0E-38	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
8329	15510	24956	6.98	3.0E-38	BF373664.1	EST_HUMAN	CM3-FT0181-140700-241-f07 FT0181 Homo sapiens cDNA
6668	15963	25323	3.23	3.0E-38	H85494.1	EST_HUMAN	yw88b04.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:249775 5'
6668	15963	25324	3.23	3.0E-38	H85494.1	EST_HUMAN	yw88b04.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:249775 5'
7685	17055		2.14	3.0E-38	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
9086	10387	19538	1.84	3.0E-38	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
52	9349	18463	1.6	2.0E-38	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
1387	10601	18768	4.66	2.0E-38	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
1623	10836	20012	1.58	2.0E-38	AA437353.1	EST_HUMAN	zw30d01.r1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:770785 5' similar to
1623	10836	20013	1.58	2.0E-38	AA437353.1	EST_HUMAN	SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
4579	13773	22868	10.15	2.0E-38	4557887	NT	zw30d01.r1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:770785 5' similar to
5150	14329	23419	0.87	2.0E-38	BE296224.1	EST_HUMAN	SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
5150	14329	23420	0.87	2.0E-38	BE296224.1	EST_HUMAN	Homo sapiens keratin 18 (KRT18) mRNA
5173	14317	23408	0.75	2.0E-38	AA437181.1	EST_HUMAN	601177386F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532580 5'
6622	15818		7.88	2.0E-38	BE165980.1	EST_HUMAN	601177386F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532580 5'
							zw61d09.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:758129 5' similar to TR:G817957
							G817957 GLYCINE RECEPTOR SUBUNIT ALPHA 4 ;
							MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA

Page 188 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7787	16982	26495	2.23	2.0E-38	AA595480.1	EST_HUMAN	nc34g03.s1 NCI_CGAP_P23 Homo sapiens cDNA clone IMAGE:1102812 3' similar to TR:E212316
7787	16982	26496	2.23	2.0E-38	AA595480.1	EST_HUMAN	E212316 NADP DEPENDENT LEUKOTRIENE B4 12-HYDROXYDEHYDROGENASE. ;
8024	17161	26698	6.35	2.0E-38	BE712790.1	EST_HUMAN	nc34g03.s1 NCI_CGAP_P23 Homo sapiens cDNA clone IMAGE:1102812 3' similar to TR:E212316
							E212316 NADP DEPENDENT LEUKOTRIENE B4 12-HYDROXYDEHYDROGENASE. ;
8153	17285	26828	3.85	2.0E-38	AF190501.1	NT	QV2-HT0698-080800-293-a05 HT0698 Homo sapiens cDNA
							Homo sapiens leucine-rich repeat-containing G protein-coupled receptor 6 (LGR6) mRNA, partial cds
8153	17285	26829	3.85	2.0E-38	AF190501.1	NT	Homo sapiens leucine-rich repeat-containing G protein-coupled receptor 6 (LGR6) mRNA, partial cds
8375	17461		8.04	2.0E-38	AV726988.1	EST_HUMAN	AV726988 HTC Homo sapiens cDNA clone HTCAHX07 5'
8377	17462		2.07	2.0E-38	AB012723.1	NT	Homo sapiens gene for kinesin-like protein, complete cds
8681	17651		1.59	2.0E-38	M55630.1	NT	Human topoisomerase I pseudogene 2
8693	17661	23982	3.6	2.0E-38	H55641.1	EST_HUMAN	CHR220580 Chromosome 22 exon Homo sapiens cDNA clone C22_788 5'
8757	17698		1.99	2.0E-38	S74908.1	NT	E1 beta=pyruvate dehydrogenase beta [promoter] [human, placenta, Genomic, 1280 nt]
9243	18014		2.44	2.0E-38	11418248	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA
							z062b02.r1 Soares_NHT Homo sapiens cDNA clone IMAGE:742539 5' similar to contains element
1101	10325		2.54	1.0E-38	AA401570.1	EST_HUMAN	MER19 repetitive element ;
1968	11172	20378	2.74	1.0E-38	4885288	NT	Homo sapiens guanine nucleotide binding protein-like 1 (GNL1), mRNA
1988	11191	20401	1.19	1.0E-38	7661989	NT	Homo sapiens KIAA0173 gene product (KIAA0173), mRNA
2458	11649	20871	4.36	1.0E-38	AF270831.1	NT	Homo sapiens cyclin K (CCNK) gene, exon 7
2576	11762	20983	1.1	1.0E-38	4758371	NT	Homo sapiens fibrinogen-like 1 (FGL1), mRNA
4137	13343	22444	0.96	1.0E-38	AB037863.1	NT	Homo sapiens mRNA for KIAA1442 protein, partial cds
4310	13511	22605	0.67	1.0E-38	4505016	NT	Homo sapiens low density lipoprotein receptor-related protein 6 (LRP6) mRNA, and translated products
4315	13516	22610	1.58	1.0E-38	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4315	13516	22611	1.56	1.0E-38	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4597	13761	22882	1.02	1.0E-38	8922543	NT	Homo sapiens hypothetical protein FLJ10600 (FLJ10600), mRNA
5672	14892	24284	4.04	1.0E-38	7305350	NT	Mus musculus obogelin (Obog), mRNA
5672	14892	24285	4.04	1.0E-38	7305380	NT	Mus musculus obogelin (Obog), mRNA
6254	15435	24874	2.8	1.0E-38	AB014512.1	NT	Homo sapiens mRNA for KIAA0812 protein, partial cds
6881	16072	25541	8.97	1.0E-38	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146258 3' similar to contains MER28.b3
8122	17256	26798	1.81	1.0E-38	7662109	NT	MER29 repetitive element ;
8534	18087		1.97	1.0E-38	AL163284.2	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
							Homo sapiens chromosome 21 segment HS21C084

Page 189 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
56	9353	18469	5.86	8.0E-39	4502312	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) 16kD (ATP6C) mRNA
1398	10612	19776	1.29	8.0E-39	4758229	NT	Homo sapiens estrogen receptor-binding fragment-associated gene 9 (EBAG9) mRNA
1797	11006		2.74	8.0E-39	A1823404.1	EST_HUMAN	wh5310.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384491 3' similar to TR:P87890 P87890 POL PROTEIN ;
2063	11264	20477	5.62	7.0E-39	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
7388	16800	26088	2.88	6.0E-39	BF331829.1	EST_HUMAN	QV1-BT0831-040800-357-02 BT0831 Homo sapiens cDNA
9152	17855		2.33	6.0E-39	BE670394.1	EST_HUMAN	7c34c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284356 3' similar to WP:R151.6 CE00828 ;
1015	10244	19396	3.22	5.0E-39	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2842	12180	21314	8.37	5.0E-39	A1750154.1	EST_HUMAN	at36b04.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2374063 3' similar to TR:Q15408 Q15408 NEUTRAL PROTEASE LARGE SUBUNIT ; contains LTR7.11 LTR7 repetitive element ;
8845	17754		2.06	5.0E-39	11420289	NT	Homo sapiens hypothetical protein FLJ10803 (FLJ10803), mRNA
557	9807	18932	97.11	4.0E-39	AB015610.1	NT	Chlorococcus ethiops mRNA for ribosomal protein S4X, complete cds
3548	12771	21899	0.94	4.0E-39	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
8863	17765		3.91	4.0E-39	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
8983	17848		2.14	4.0E-39	BE838452.1	EST_HUMAN	QV0-FN0063-260600-278-c08 FN0063 Homo sapiens cDNA
49	9346	18457	19.73	3.0E-39	AA631949.1	EST_HUMAN	fmfc16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
49	9346	18458	19.73	3.0E-39	AA631949.1	EST_HUMAN	fmfc16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
49	9346	18459	19.73	3.0E-39	AA631949.1	EST_HUMAN	fmfc16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
8368	17455	26583	6.17	3.0E-39	A1084557.1	EST_HUMAN	α63a10.s1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1660986 3' similar to SW:GTR5_RAT P43427 GLUCOSE TRANSPORTER TYPE 5, SMALL INTESTINE ;
8368	17455	26584	6.17	3.0E-39	A1084557.1	EST_HUMAN	α63a10.s1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1660986 3' similar to SW:GTR5_RAT P43427 GLUCOSE TRANSPORTER TYPE 5, SMALL INTESTINE ;
8413	17487		5.85	3.0E-39	H37903.1	EST_HUMAN	yp51c06.s1 Scores retina N2b4HR Homo sapiens cDNA clone IMAGE:180954 3'
907	10142		8.08	2.0E-39	BE409203.1	EST_HUMAN	601301607F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636289 5'
922	10157		13.75	2.0E-39	A1825119.1	EST_HUMAN	promne-7.D01.r bvtumor Homo sapiens cDNA 5'
1039	10265		3.65	2.0E-39	AF000573.1	NT	Homo sapiens homogenitatis 1,2-dioxygenase gene, complete cds
1516	10730		98	2.0E-39	AW372318.1	EST_HUMAN	PM0-BT0340-211289-003-d02 BT0340 Homo sapiens cDNA
1943	11147	20347	2.64	2.0E-39	AA720574.1	EST_HUMAN	rw21g02.s1 NCI_CGAP_GC80 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13
2592	11778	20997	1.47	2.0E-39	AL163248.2	NT	THR repetitive element ;
4397	13598	22696	1.65	2.0E-39	BF370207.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C048
							RC4-FN0037-290700-011-a10 FN0037 Homo sapiens cDNA

Page 190 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5437	14664	23817	4.29	2.0E-39	AA508880.1	EST_HUMAN	hg86f03.s1 NCI_CGAP_P18 Homo sapiens cDNA clone IMAGE:941693
6242	15423	24864	2.22	2.0E-39	AA080867.1	EST_HUMAN	zn06f02.r1 Stratiene INT neuron (#937233) Homo sapiens cDNA clone IMAGE:546651 5'
7970	17149	26885	2.7	2.0E-39	D89864.1	NT	Human mRNA for KIAA0209 gene, partial cds
1502	10715	19887	3.01	1.0E-39	AJ006345.1	NT	Homo sapiens KVLQ11 gene
1502	10715	19888	3.01	1.0E-39	AJ006345.1	NT	Homo sapiens KVLQ11 gene
1517	10731	19900	6.07	1.0E-39	7857020	NT	Homo sapiens DKFZP434P211 protein (DKFZP434P211), mRNA
4683	13857	22955	7.37	1.0E-39	AW951995.1	EST_HUMAN	EST384065 MAGE resequences, MAGB Homo sapiens cDNA
4683	13857	22956	7.37	1.0E-39	AW951995.1	EST_HUMAN	EST384065 MAGE resequences, MAGB Homo sapiens cDNA
4713	13904	23004	11.24	1.0E-39	7857020	NT	Homo sapiens DKFZP434P211 protein (DKFZP434P211), mRNA
5519	14744	24111	4.29	1.0E-39	AJ278170.1	NT	Mus musculus mRNA for neuronal interacting factor X 1 (NIX1) (Nix1 gene)
5519	14744	24112	4.29	1.0E-39	AJ278170.1	NT	Mus musculus mRNA for neuronal interacting factor X 1 (NIX1) (Nix1 gene)
6008	15258		1.72	1.0E-39	11438738	NT	Homo sapiens tubby like protein 3 (TULP3), mRNA
6240	15421	24862	2.06	1.0E-39	D78132.1	NT	Homo sapiens mRNA for ras-related GTP-binding protein, complete cds
8781	17718		1.28	1.0E-39	U07000.1	NT	Human breakpoint cluster region (BCR) gene, complete cds
562	9812	18935	1.44	9.0E-40	5803210	NT	Homo sapiens UDP-glucose pyrophosphorylase 2 (UGP2), mRNA
1242	10458	19616	12.31	9.0E-40	4755145	NT	Homo sapiens AE-binding protein 1 (AEBP1) mRNA
1242	10458	19617	12.31	9.0E-40	4755145	NT	Homo sapiens AE-binding protein 1 (AEBP1) mRNA
1450	10863	19838	1.29	9.0E-40	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3) mRNA
3768	12988	22102	0.8	9.0E-40	4503764	NT	Homo sapiens fragile X mental retardation 1 (FMR1) mRNA
3950	14468	22279	4.18	9.0E-40	AB033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
4502	13541	22832	0.6	9.0E-40	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
3008	12242	21373	0.86	8.0E-40	AA078165.1	EST_HUMAN	7H15A04 Chromosome 7 HeLa cDNA Library Homo sapiens cDNA clone 7H15A04
3898	13114		7.24	8.0E-40	BE396541.1	EST_HUMAN	601288958F1 NIH_MGC 8 Homo sapiens cDNA clone IMAGE:3619166 5'
6383	15563	25019	2.32	7.0E-40	U60325.1	NT	Human DNA polymerase gamma mRNA, nuclear gene encoding mitochondrial protein, complete cds
6383	15563	25020	2.32	7.0E-40	U60325.1	NT	Human DNA polymerase gamma mRNA, nuclear gene encoding mitochondrial protein, complete cds
7473	16681	26164	2.72	7.0E-40	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2886	11867	21080	5.57	6.0E-40	AA381275.1	EST_HUMAN	EST70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to zinc finger protein family
2886	11867	21081	5.57	6.0E-40	AA381275.1	EST_HUMAN	EST70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to zinc finger protein family
5632	14856		2.07	6.0E-40	BE504766.1	EST_HUMAN	hz40g01.x1 NCI_CGAP_G06 Homo sapiens cDNA clone IMAGE:3210480 3'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6057	15228	24845	4.62	6.0E-40	11439783	NT	Homo sapiens fatty acid desaturase 1 (FADS1), mRNA
6057	15228	24846	4.62	6.0E-40	11439783	NT	Homo sapiens fatty acid desaturase 1 (FADS1), mRNA
7084	16241	25715	10.58	6.0E-40	AV653028.1	EST_HUMAN	AV653028 GLC Homo sapiens cDNA clone GLCDGF04 3'
7084	16241	25718	10.58	6.0E-40	AV653028.1	EST_HUMAN	AV653028 GLC Homo sapiens cDNA clone GLCDGF04 3'
2565	11751	20971	3.15	5.0E-40	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1842	11050	20241	2.09	4.0E-40	AI688005.1	EST_HUMAN	H81901.x1 NCI_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:2248873 3' similar to TR:O73505 O73505 POL PROTEIN.;
2078	11278		4.83	4.0E-40	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4383	13584	22888	9.15	4.0E-40	7862117	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
6460	15857	25128	4.42	4.0E-40	AA742809.1	EST_HUMAN	nv34e10.r1 NCI_CGAP_Br4 Homo sapiens cDNA clone IMAGE:1222122
6787	15982	25442	2.71	4.0E-40	BE009416.1	EST_HUMAN	PMO-BN0167-070500-002-h12 BN0167 Homo sapiens cDNA
6787	15982	25443	2.71	4.0E-40	BE009416.1	EST_HUMAN	PMO-BN0167-070500-002-h12 BN0167 Homo sapiens cDNA
7304	16522	26013	1.89	4.0E-40	AW841585.1	EST_HUMAN	RC1-CH0017-120200-012-e04 GN0017 Homo sapiens cDNA
4114	13321	22421	0.89	3.0E-40	AI925948.1	EST_HUMAN	wh1207.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:377153 3'
4889	14077		0.63	3.0E-40	AA055118.1	EST_HUMAN	z16h09.a1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:2380549 3'
5951	15167	24580	7.57	3.0E-40	11417342	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A), mRNA
6591	15787	25248	5.04	3.0E-40	5454167	NT	Homo sapiens HBV associated factor (XAP4) mRNA
7255	18475	25867	1.91	3.0E-40	D86984.1	NT	Human mRNA for KIAA0209 gene, partial cds
7593	16787	26291	1.91	3.0E-40	BE350127.1	EST_HUMAN	ht09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3149256 3' similar to contains MER29.b3
7816	17009	26522	14.52	3.0E-40	6005813	NT	MER29 repetitive element.;
330	9600		6.88	2.0E-40	AI223038.1	EST_HUMAN	Homo sapiens serine threonine protein kinase (NDR), mRNA
804	10043		9.68	2.0E-40	AW303868.1	EST_HUMAN	qg52h08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838847 3'
1793	11002		1.97	2.0E-40	AV731601.1	EST_HUMAN	xr24e10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2761038 3' similar to SW-RS5_MOUSE P07461 40S RIBOSOMAL PROTEIN S5.;
1903	11109	20302	3.35	2.0E-40	4506188	NT	AV731601 HTF Homo sapiens cDNA clone HTFAZE05 5'
1903	11109	20303	3.35	2.0E-40	4506188	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2039	11240	20448	1.44	2.0E-40	AI988562.1	EST_HUMAN	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2135	11333	20552	1.8	2.0E-40	5453592	NT	w80a11.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2514716 3' similar to TR:Q91928 Q91928 ZINC FINGER PROTEIN.;
							Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3090	12326	21449	4.72	2.0E-40	5453582	NT	Homo sapiens adenylyl cyclase-associated protein 2 (CAP2) mRNA
4922	14110	23208	1.68	2.0E-40	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4922	14110	23207	1.68	2.0E-40	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
893	10128		1.72	1.0E-40	AA225988.1	EST_HUMAN	nc09a09.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1007608
2584	11770	20890	4.35	1.0E-40	BF036881.1	EST_HUMAN	601460375F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3663903 5'
							bb79a10.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048570 5' similar to TR:Q9Z158 Q9Z158
2646	11829		2.98	1.0E-40	BE018348.1	EST_HUMAN	SYNTAXIN 17.1
3267	12500		1.01	1.0E-40	4507142	NT	Homo sapiens sorting nexin 3 (SNX3) mRNA
4611	13805	22896	5.6	1.0E-40	4508012	NT	Homo sapiens zinc finger protein 200 (ZNF200) mRNA, and translated products
6120	15304	24736	2.37	1.0E-40	AA573201.1	EST_HUMAN	n4204.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:995187 3'
6120	15304	24737	2.37	1.0E-40	AA573201.1	EST_HUMAN	n4204.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:995187 3'
7491	16688	26183	6.81	1.0E-40	AU149345.1	EST_HUMAN	AU149345 NT2RM4 Homo sapiens cDNA clone NT2RM4002122 3'
8809	18232		8.76	1.0E-40	BF334112.1	EST_HUMAN	MR2-CT0222-211099-002-e10 CT0222 Homo sapiens cDNA
3791	13009	22124	0.91	9.0E-41	W01596.1	EST_HUMAN	z38a02.r1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:284602 5'
8433	15630	25095	2.36	8.0E-41	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
838	11979	19233	1.42	7.0E-41	AI934364.1	EST_HUMAN	wp04h04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463895 3'
838	11979	19234	1.42	7.0E-41	AI934364.1	EST_HUMAN	wp04h04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463895 3'
4660	13854	22951	1.12	7.0E-41	BE389592.1	EST_HUMAN	601282077F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603955 5'
4660	13854	22952	1.12	7.0E-41	BE389592.1	EST_HUMAN	601282077F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603955 5'
5261	14434	23508	7.39	7.0E-41	11419208	NT	Homo sapiens hypothetical protein (FLJ10996), mRNA
5658	14881	24270	3.45	7.0E-41	11419208	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
7972	17151	26888	1.69	7.0E-41	4758445	NT	Homo sapiens guanine nucleotide binding protein 10 (GNG10) mRNA
9250	18229		5.86	7.0E-41	11417972	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PES1), mRNA
285	9559	18993	1.28	6.0E-41	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
2081	11281	20497	1.72	6.0E-41	7657042	NT	Homo sapiens Down syndrome candidate region 1 (DSOR1), mRNA
1771	10981	20171	2.49	5.0E-41	T62628.1	EST_HUMAN	yc03e10.s1 Stragelene lung (#837210) Homo sapiens cDNA clone IMAGE:79626 3'
5901	15118		2.22	5.0E-41	BE067042.1	EST_HUMAN	PM4-BT0341-251199-002-F11 BT0341 Homo sapiens cDNA
396	9651		1.87	4.0E-41	BE156318.1	EST_HUMAN	QV0-HT0367-150200-114-Q09 HT0367 Homo sapiens cDNA
1106	10330	19480	1.12	4.0E-41	AU118944.1	EST_HUMAN	AU118344 HEMBA1 Homo sapiens cDNA clone HEMBA1005583 5'
							ow45e06.s1 Scores parathyroid tumor Nbl-IPA Homo sapiens cDNA clone IMAGE:1049784 3' similar to
1414	10827	19793	16.08	4.0E-41	AI027117.1	EST_HUMAN	TR:O00597 O00597 CYTOCHROME C-LIKE POLYPEPTIDE, contains LTRs.b1 LTRs repetitive element:

Page 193 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1414	10827	19784	16.08	4.0E-41	A027117.1	EST_HUMAN	ow45e08.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1649794 3' similar to TR:O00597 CYTOCHROME C-LIKE POLYPEPTIDE; contains LTR5.b1 LTR5 repetitive element;
1427	10840	18811	2.73	4.0E-41	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
1612	10825	20000	5.77	4.0E-41	A1500406.1	EST_HUMAN	hm98c04.x1 NC1_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165958 3' similar to contains OFR.b1 OFR repetitive element;
2841	12080	21204	4.37	4.0E-41	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
2841	12080	21205	4.37	4.0E-41	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4128	13332	22430	2.46	4.0E-41	X92885.1	NT	H.sapiens DNase I hypersensitive site (HSS-3) enhancer element
5879	15098		1.77	4.0E-41	AV758295.1	EST_HUMAN	AV758295 BM Homo sapiens cDNA clone BMFBHC08 5'
6990	16168	25840	4.92	4.0E-41	BF304883.1	EST_HUMAN	601888098F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122119 5'
8174	17306		10.3	4.0E-41	AV710480.1	EST_HUMAN	AV710480 Cu Homo sapiens cDNA clone CUAACC07 5'
8998	18121		1.79	4.0E-41	AV708431.1	EST_HUMAN	AV708431 ADC Homo sapiens cDNA clone ADCARE02 5'
9186	17977	23858	1.4	4.0E-41	BE887118.1	EST_HUMAN	601508315F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3910059 5'
955	10188	18343	2.08	3.0E-41	AB030176.1	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine deiminase type II, complete cds
4327	13528	22622	3.69	3.0E-41	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
5438	14685	23818	7.72	3.0E-41	X87889.1	NT	H.sapiens mRNA for putative p64 GLOP protein
5825	15042	24448	1.7	3.0E-41	AB037808.1	NT	Homo sapiens mRNA for KIAA1387 protein, partial cds
8220	17350	26888	1.82	3.0E-41	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
8898	17792		1.85	3.0E-41	BF125922.1	EST_HUMAN	601762940F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026081 5'
1792	10757	19831	29.38	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
1928	11132	20327	1.52	2.0E-41	AA331940.1	EST_HUMAN	EST35818 Embryo, 8 week I Homo sapiens cDNA 5' end
2185	11382	20606	1.27	2.0E-41	D86982.1	NT	Human mRNA for KIAA0207 gene, complete cds
2233	11428	20854	5.66	2.0E-41	X89831.1	NT	G.gorilla DNA for ZNF80 gene homolog
2780	10757	19831	18.14	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
3300	12531	21663	38.49	2.0E-41	AA449549.1	EST_HUMAN	zc08b04.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:785839 5'
4624	13818	22808	1.43	2.0E-41	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
4624	13818	22809	1.43	2.0E-41	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
6368	15546	25001	6.72	2.0E-41	AF038404.1	NT	Homo sapiens homolog of Nedd5 (hNedd5) mRNA, complete cds
6487	15684	25151	2.25	2.0E-41	M96944.1	NT	Human B-cell specific transcription factor (BSAP) mRNA, complete cds
6487	15684	25152	2.25	2.0E-41	M96944.1	NT	Human B-cell specific transcription factor (BSAP) mRNA, complete cds
8020	17159	26895	3.94	2.0E-41	AA372637.1	EST_HUMAN	EST84555 Odon adenocarcinoma IV Homo sapiens cDNA 5' end
3171	12406	21540	1.16	1.0E-41	BE869735.1	EST_HUMAN	601445047F1 NIH_MGC_85 Homo sapiens cDNA clone IMAGE:3849803 5'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3171	12406	21541	1.16	1.0E-41	BE869735.1	EST_HUMAN	601445647F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
4564	13758	22855	10.99	1.0E-41	5878468	NT	Mus musculus tubulin alpha 6 (Tub6), mRNA
8462	17517		2.57	1.0E-41	11528291	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
469	9722	18853	6.13	8.0E-42	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
2079	11279	20495	2.22	8.0E-42	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
8508	18236		29.5	8.0E-42	AA493898.1	EST_HUMAN	nh07602.s1 NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943586 similar to TR:G434304 G434304 367BP EXPRESSED SEQUENCE TAG MRNA :
8528	18109		1.24	8.0E-42	AW088082.1	EST_HUMAN	xc97a04.x1 NCI_CGAP_Bm35 Homo sapiens cDNA clone IMAGE:2592174 3' similar to contains OFR.12
940	10173		3.09	7.0E-42	AL163285.2	NT	OFR repetitive element ;
6838	16043	25507	2.35	7.0E-42	AI204358.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C085
1823	11031	20224	16.53	6.0E-42	AF012872.1	NT	qf58g12.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1754278 3'
1823	11031	20225	16.53	6.0E-42	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
2253	11448		2.87	6.0E-42	AW238656.1	EST_HUMAN	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
133	9416		5.67	5.0E-42	AJ271735.1	NT	xc29f08.x1 NCI_CGAP_HN10 Homo sapiens cDNA clone IMAGE:2741789 3' similar to contains L1.t1 L1 repetitive element ;
444	9698	18834	1.43	5.0E-42	BE217813.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region, segment 1/2
483	9746		3.18	5.0E-42	5730038	NT	hvx31e11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175052 3'
494	9747		2.91	5.0E-42	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
5998	15280	24712	2.51	5.0E-42	11417897	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
6166	15348	24786	1.74	5.0E-42	AF071589.1	NT	Homo sapiens myotubularin related protein 3 (MTMR3), mRNA
7569	16774	26267	2.28	5.0E-42	8923162	NT	Homo sapiens multifunctional calcium/calmodulin-dependent protein kinase II delta2 isoform mRNA, complete cds
761	10002	19149	18.41	4.0E-42	AF055068.1	NT	Homo sapiens hypothetical protein FLJ20163 (FLJ20163), mRNA
761	10002	19150	18.41	4.0E-42	AF055068.1	NT	Homo sapiens MHC class 1 region
1073	10288	19448	2.88	4.0E-42	AF188011.1	NT	Homo sapiens MHC class 1 region
4176	13380	22481	1.79	4.0E-42	X59417.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4235	13438	22531	5.5	4.0E-42	4508498	NT	H. sapiens PROS-27 mRNA
4582	13778	22869	16.6	4.0E-42	4508008	NT	Homo sapiens regulatory factor X, 4 (influences HLA class II expression) (RFX4) mRNA
5196	14372	23459	1.04	4.0E-42	7661635	NT	Homo sapiens zinc finger protein 177 (ZNF177) mRNA
7242	16462	25951	1.76	4.0E-42	AW818630.1	EST_HUMAN	Homo sapiens DKFZP564O2082 protein (DKFZP564O2082), mRNA
7242	16462	25952	1.76	4.0E-42	AW818630.1	EST_HUMAN	RC1-ST0278-040400-018-h11 ST0278 Homo sapiens cDNA
7951	17060	26620	3.51	4.0E-42	BF035327.1	EST_HUMAN	RC1-ST0278-040400-018-h11 ST0278 Homo sapiens cDNA
							601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862088 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1478	10689	19866	2.54	2.0E-42	BF376834.1	EST_HUMAN	RCO-TN0079-110900-024-g07 TN0078 Homo sapiens cDNA
2356	11549	20770	1.77	2.0E-42	AV690218.1	EST_HUMAN	AV690218 GKC Homo sapiens cDNA clone GKCCBB08 5'
2375	11568		3.58	2.0E-42	AW898344.1	EST_HUMAN	RC3-NN0070-270400-011-h10 NN0070 Homo sapiens cDNA
2389	11582	20769	24.12	2.0E-42	AW250059.1	EST_HUMAN	2819293.3prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2819293 3'
5554	14778	24145	17	2.0E-42	AW955388.1	EST_HUMAN	EST367438 MAGC resequences, MAGC Homo sapiens cDNA
5554	14778	24146	17	2.0E-42	AW955388.1	EST_HUMAN	EST367438 MAGC resequences, MAGC Homo sapiens cDNA
8229	17358	26897	2	2.0E-42	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
741	9981	19124	1.41	1.0E-42	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
1049	10275	19428	1.78	1.0E-42	AW295809.1	EST_HUMAN	UIH-B11-afh-e-04-0-J1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2721871 3'
1109	10333	19483	1.58	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1109	10333	19484	1.58	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1249	11989	19628	12.22	1.0E-42	AF087168.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1249	11989	19629	12.22	1.0E-42	AF087168.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1675	10887	20073	1.1	1.0E-42	11423219	NT	Homo sapiens rec (LOC51201), mRNA
2509	11698	20915	2.09	1.0E-42	5174458	NT	Homo sapiens major histocompatibility complex, class II, DM alpha (HLA-DMA) mRNA
2919	12157	21292	10.03	1.0E-42	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L) mRNA, and translated products
3688	12909	22028	2.23	1.0E-42	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
3777	12995	22111	1.02	1.0E-42	5031610	NT	Homo sapiens Golgi vesicular membrane trafficking protein p18 (BET1) mRNA
3900	13116	22233	1.09	1.0E-42	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C067
4232	13435	22529	2.23	1.0E-42	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4758	13949	23050	2.4	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (P31), mRNA
4758	13949	23051	2.4	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (P31), mRNA
4788	13977	23081	6.15	1.0E-42	4506758	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4887	14075	23173	1.22	1.0E-42	AB033114.1	NT	Homo sapiens mRNA for KIAA1288 protein, partial cds
7562	16767	26258	1.67	1.0E-42	11437455	NT	Homo sapiens chromatin-specific transcription elongation factor, 140 kDa subunit (FACTP140), mRNA
7104	16281	25781	6.25	9.0E-43	4757869	NT	Homo sapiens chromodomain protein, Y chromosome-like (CDYL) mRNA
7607	16810	26305	3.42	9.0E-43	AA435719.1	EST_HUMAN	z79a07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728532 3'
658	9904	19030	14.02	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
658	9904	19031	14.02	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
707	9849	19085	4.54	8.0E-43	8923278	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA

PCT/US 01/00670

Page 196 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
707	9949	19086	4.54	8.0E-43	8923278	NT	Homo sapiens hypothetical protein FLJ20287 (FLJ20287), mRNA
707	9949	19087	4.64	8.0E-43	8923278	NT	Homo sapiens hypothetical protein FLJ20287 (FLJ20287), mRNA
3620	12841	21860	8	7.0E-43	AW248442.1	EST_HUMAN	2822251.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822251 5'
6707	15902		6.35	7.0E-43	AI938748.1	EST_HUMAN	wp68b01.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2466985 3' similar to TR:O16475 O15475 UNNAMED HERV-H PROTEIN ;contains LTR7.b1 LTR7 repetitive element ;
1351	10568		18.5	6.0E-43	AA491890.1	EST_HUMAN	ne72608.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:909803 similar to gb:U05035 60S
2552	11740		2.84	6.0E-43	AV708201.1	EST_HUMAN	RIBOSOMAL PROTEIN L30 (HUMAN);
5793	15010	24414	2.46	6.0E-43	8955973	NT	AV708201 ADC Homo sapiens cDNA clone ADCACC10 5'
6045	15213	24633	1.97	6.0E-43	AW468897.1	EST_HUMAN	Homo sapiens ATP-binding cassette, sub-family C (CFTR/MRP), member 3 (ABCC3), transcript variant MRP3B, mRNA
7668	16865		6.52	6.0E-43	AL119158.1	EST_HUMAN	hd30b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910991 3' similar to contains MER1.13 MER1 MER1 repetitive element ;
140	9422		2.31	5.0E-43	AL163213.2	NT	DKFp761L1712.r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFp761L1712 5'
509	9761	18887	2.47	5.0E-43	AA382780.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C013
2799	12039	21161	1.47	5.0E-43	AV732578.1	EST_HUMAN	EST96033 Testis 1 Homo sapiens cDNA 5' end
8868	16090	25557	5	5.0E-43	AA465288.1	EST_HUMAN	AV732578 HTF Homo sapiens cDNA clone HTFANCO6 5'
7187	16384	25844	2.95	5.0E-43	AI733244.1	EST_HUMAN	aa33408.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:815055 5'
7348	16584	26053	5.41	5.0E-43	AW863007.1	EST_HUMAN	oo52c10.x5 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1589810 3' similar to TR:P90591 P90591
7542	16747	26241	1.68	5.0E-43	W28011.1	EST_HUMAN	PV14 GENE. ;
7993	18428	25915	2.26	5.0E-43	X15804.1	NT	MR2-SN0007-290400-004-c02 SN0007 Homo sapiens cDNA
880	11943	19367	8.87	4.0E-43	AF003528.1	NT	55e4 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
6131	15315		2.02	4.0E-43	11416793	NT	Human mRNA for alpha-actinin
6519	15715	25180	4.94	4.0E-43	AI244341.1	EST_HUMAN	Homo sapiens X-linked ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
6519	15715	25181	4.94	4.0E-43	AI244341.1	EST_HUMAN	Homo sapiens protocadherin beta 6 (PCDH6), mRNA
7852	17042	26559	1.73	4.0E-43	T77380.1	EST_HUMAN	q776d02.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1865354 3' similar to contains MER10.13 MER10 repetitive element ;
8438	17502		3.09	4.0E-43	R20950.1	EST_HUMAN	q776d02.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1865354 3' similar to contains MER10.13 MER10 repetitive element ;
1221	10439		2.8	3.0E-43	AF223391.1	NT	y072h10.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:113827 5'
							y06b005.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31368 5' similar to contains MER10 repetitive element ;
							Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1670	10883	20067	4.5	3.0E-43	X97869.1	NT	H. sapiens gene encoding La autoantigen
3547	12770	21898	1.47	3.0E-43	S69002.1	NT	AML1-EVI-1=AML1-EVI-1 fusion protein (rearranged translocation) [human, leukemic cell line SKH1, mRNA Mutant, 5938 nt]
4277	13480	22578	1.1	3.0E-43	AA548154.1	EST_HUMAN	nk55d08.s1 NCI_CGAP_P77 Homo sapiens cDNA clone IMAGE:1017419
5975	15189	24606	4.19	3.0E-43	U65487.1	NT	Human ribosomal RNA upstream binding transcription factor (UBTF) gene, partial cds
6513	15709		8.19	3.0E-43	AA458824.1	EST_HUMAN	aa88f11.s1 Stratagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:838413 3' similar to contains THR.12 THR repetitive element;
6724	15919	25378	2.46	3.0E-43	7661721	NT	Homo sapiens hypothetical protein (HSA011916), mRNA
8216	17347	26987	2.04	3.0E-43	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
188	9467		10.09	2.0E-43	A190764.1	EST_HUMAN	qd61c09.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1733968 3' similar to contains PTR7.13
6563	15759		7.03	2.0E-43	U43701.1	NT	PTR7 PTR7 repetitive element;
7752	16948		8.09	2.0E-43	T03007.1	EST_HUMAN	Human ribosomal protein L23a mRNA, complete cds
1627	10840	20016	4.61	1.0E-43	AF154836.1	NT	FB1G5 Fetal brain, Stratagene Homo sapiens cDNA clone FB1G5 3' end similar to LINE-1
1827	10840	20017	4.61	1.0E-43	AF154836.1	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
1680	10892	20079	2.93	1.0E-43	AL163284.2	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
2683	11865	21077	3.71	1.0E-43	BF348283.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
5939	15155	24566	7.68	1.0E-43	4507168	NT	602022313F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4157668 5'
5939	15155	24567	7.68	1.0E-43	4507168	NT	Homo sapiens Sp4 transcription factor (SP4) mRNA
6071	14518	23560	1.79	1.0E-43	R19751.1	EST_HUMAN	Homo sapiens Sp4 transcription factor (SP4) mRNA
6486	15683		2.88	1.0E-43	AF198490.1	NT	yg40e01.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:34732 5' similar to SP-BD38_MOUSE P28658 BRAIN PROTEIN DN38 ;
6730	15925	25384	39.18	1.0E-43	AV963678.1	EST_HUMAN	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
7535	16740	26231	7.71	1.0E-43	A1084061.1	EST_HUMAN	EST375749 IMAGE resequences, MAGH Homo sapiens cDNA
7905	17120	26651	3.87	1.0E-43	11424378	NT	wr87h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2494705 3'
8379	17464		3.42	1.0E-43	AL137884.1	EST_HUMAN	Homo sapiens calcium channel, voltage-dependent, alpha 1E subunit (CACNA1E), mRNA
8695	17654	23980	2.23	1.0E-43	A1675416.1	EST_HUMAN	DKFZ761D1015_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761D1015 5'
8914	17802	23927	3.14	9.0E-44	A1222985.1	NT	w698b04.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2313775 3'
900	10135	19287	7.56	8.0E-44	A1222985.1	EST_HUMAN	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
900	10135	19298	7.56	8.0E-44	A1222985.1	EST_HUMAN	qh23g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
7723	16922	28431	3.57	8.0E-44	Y10498.2	NT	qh23g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
8165	17317	26661	2.01	8.0E-44	L28138.1	NT	Homo sapiens mRNA for thymidine kinase, partial
8636	17625	23974	3.72	8.0E-44	11527389	NT	Homo sapiens myosin mRNA, partial cds
8678	17690	23864	1.44	8.0E-44	11418088	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide F (POLR2F), mRNA
							Homo sapiens putative nuclear protein (HRH1-FB2122), mRNA

Page 198 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9046	18142	23749	2.3	8.0E-44	11418098	NT	Homo sapiens protein kinase C, alpha binding protein (PRKCABP), mRNA
665	9911		0.83	7.0E-44	RO6035.1	EST_HUMAN	yes9e01.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:124920 5'
2200	11397	20621	1.86	7.0E-44	5031886	NT	Homo sapiens LIM domain-containing preferred translocation partner in lipoma (LPP) mRNA
2921	12159	21283	1.71	7.0E-44	AF048729.1	NT	Homo sapiens minisatellite ms32 repeat region
2921	12159	21284	1.71	7.0E-44	AF048729.1	NT	Homo sapiens minisatellite ms32 repeat region
3844	13061	22175	2.85	7.0E-44	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4227	13430	22522	1.29	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
4227	13430	22523	1.29	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
6524	15720	25184	4.81	7.0E-44	AU159839.1	EST_HUMAN	AU159839 Y79AA1 Homo sapiens cDNA clone Y79AA1000496 3'
8246	17375	28909	3.42	6.0E-44	AW954050.1	EST_HUMAN	EST366120 MAGE resequences, MAGC Homo sapiens cDNA
308	9581		2.5	5.0E-44	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
337	9605		2.23	5.0E-44	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
6424	15621	25085	4.3	5.0E-44	AJ568523.1	EST_HUMAN	h40d02.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2170083 3' similar to contains OFR.t1
6872	16094		2.33	5.0E-44	AU124571.1	EST_HUMAN	OFR OFR repetitive element
3392	12619	21750	2.73	4.0E-44	AL163303.2	NT	AU124571 NT2RM4 Homo sapiens cDNA clone NT2RM4000218 5'
5039	14223		1.73	4.0E-44	AJ435225.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
7789	16983	26497	3.15	4.0E-44	U90878.1	NT	Homo sapiens chromosome 21 segment HS21C103
1756	10967		1.21	3.0E-44	6912477	NT	Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds
2497	11686	20905	3.27	3.0E-44	BE880826.1	EST_HUMAN	Homo sapiens karyopherin alpha 6 (importin alpha 7) (KPNA6), mRNA
3063	12289	21423	6.4	3.0E-44	AA169851.1	EST_HUMAN	Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds
1056	10282	19432	2.91	2.0E-44	4826685	NT	601491529F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3893839 5'
1056	10282	19433	2.91	2.0E-44	4826685	NT	zpt18b05.t1 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:609777 5'
1215	10433	19589	5.8	2.0E-44	5803200	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1215	10433	19590	5.8	2.0E-44	5803200	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1319	10534	19698	2.92	2.0E-44	AF133588.1	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1378	10590	19756	1.34	2.0E-44	BE465325.1	EST_HUMAN	Homo sapiens transmembrane trafficking protein (TMP21), mRNA
2120	11319	20537	1.6	2.0E-44	AF070851.1	NT	Homo sapiens transmembrane trafficking protein (TMP21), mRNA
2371	11756		1.59	2.0E-44	5901633	NT	Homo sapiens RAB38 (RAB38) mRNA, complete cds
3447	12672	21807	1.06	2.0E-44	D87875.1	NT	Homo sapiens tissue-type bone marrow zinc finger protein 4 mRNA, complete cds
4567	13761	22857	1.97	2.0E-44	AW864378.1	EST_HUMAN	Homo sapiens tissue-type bone marrow zinc finger protein 4, sigma 1 subunit (CLAPS4), mRNA
6256	15437	24876	4.1	2.0E-44	11419226	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
6256	15437	24877	4.1	2.0E-44	11419226	NT	PM4-SN0016-120500-003-e04 SN0016 Homo sapiens cDNA
							Homo sapiens glutamate receptor, metabotropic 3 (GRM3), mRNA
							Homo sapiens glutamate receptor, metabotropic 3 (GRM3), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8283	17399		1.56	2.0E-44	BE244802.1	EST_HUMAN	TCBAP1E2785 Pediatric pre-B cell acute lymphoblastic leukemia Baxor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP2785
54	9351	18468	5.21	1.0E-44	7857334	NT	Homo sapiens Misschappen/NIK-related kinase (MINK), mRNA
54	9351	18487	5.21	1.0E-44	7857334	NT	Homo sapiens Misschappen/NIK-related kinase (MINK), mRNA
587	9835	18954	2.08	1.0E-44	AW853132.1	EST_HUMAN	RC1-CT0249-030300-028-h12 CT0249 Homo sapiens cDNA
1205	10424		1.81	1.0E-44	AW994803.1	EST_HUMAN	RC1-BN0039-110300-012-b01 BN0039 Homo sapiens cDNA
1553	10767		6.02	1.0E-44	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2191	11388	20610	4.39	1.0E-44	AA434554.1	EST_HUMAN	zw53d02.r1 Soares total fetus Nb2HF8 9w Homo sapiens cDNA clone IMAGE:773763 5' similar to contains THR13 THR repetitive element;
2191	11388	20611	4.39	1.0E-44	AA434554.1	EST_HUMAN	zw53d02.r1 Soares total fetus Nb2HF8 9w Homo sapiens cDNA clone IMAGE:773763 5' similar to contains THR13 THR repetitive element;
2715	11894	21111	1.46	1.0E-44	AF198779.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
3708	12928		4.68	1.0E-44	AA455869.1	EST_HUMAN	aa01c09.s1 Soares NhlhMPu_S1 Homo sapiens cDNA clone IMAGE:811984 3'
7584	16789		11.94	1.0E-44	AV714608.1	EST_HUMAN	AV714608 DCB Homo sapiens cDNA clone DCBBYE03 5'
8061	17198	28735	4.59	1.0E-44	10092684	NT	Homo sapiens Sushi domain (SCR repeat) containing (BK65A6.2), mRNA -
8117	17251	28791	3.02	1.0E-44	AW846967.1	EST_HUMAN	RC1-CT0198-150999-011-C08 CT0198 Homo sapiens cDNA
8117	17251	28792	3.02	1.0E-44	AW846967.1	EST_HUMAN	RC1-CT0198-150999-011-C08 CT0198 Homo sapiens cDNA
4576	13770	22865	1.21	9.0E-45	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4576	13770	22866	1.21	9.0E-45	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
2490	11680	20897	18.54	8.0E-45	5174718	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
5112	14292	23378	7.96	8.0E-45	5174718	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
2811	12149		1.44	7.0E-45	AL160131.1	NT	Novel human gene mapping to chromosome 22
3956	13171		7.02	6.0E-45	AW157570.1	EST_HUMAN	au83h07.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782809 3' similar to SW:R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A ;
9008	18340		1.27	6.0E-45	11418213	NT	Homo sapiens ADP-ribosylation factor GTPase activating protein 1 (ARFGAP1), mRNA
902	10137		1.9	5.0E-45	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1971	11175	20381	4.35	5.0E-45	BF333627.1	EST_HUMAN	GM4-CH0044-180200-515-f01 CN0044 Homo sapiens cDNA
3178	12411	21547	2	5.0E-45	AI523768.1	EST_HUMAN	tg9407.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:2118453 3' similar to SW:PAX1_MOUSE
5445	14671	23828	8.89	5.0E-45	AA397781.1	EST_HUMAN	P09084 PAIRED BOX PROTEIN PAX-1.;
6778	15973	25430	2.31	5.0E-45	4759223	NT	z172d03.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:727877 3' similar to contains element TAR1 repetitive element;
							Homo sapiens programmed cell death 5 (PDCD5), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8192	17324	26867	2.63	5.0E-45	8923698	NT	Homo sapiens golgin-like protein (GLP), mRNA
1152	10374	19525	11.82	4.0E-45	X65828.1	NT	H. sapiens ART4 gene
2255	11450	20669	3.36	4.0E-45	BE265622.1	EST_HUMAN	601194440F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3538425 5'
8281	17388		1.88	4.0E-45	BE044078.1	EST_HUMAN	ho38h04.x1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER29.b3
8298	18285	23684	2.19	4.0E-45	11435647	NT	MER29 repetitive element;
8907	17788		2.18	4.0E-45	BF676077.1	EST_HUMAN	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
3305	12535		0.97	3.0E-45	T71480.1	EST_HUMAN	602084052F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248253 5'
4063	12535		0.95	3.0E-45	T71480.1	EST_HUMAN	yd35f07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:110245 5'
5244	14417		1.88	3.0E-45	AJ289473.1	NT	yd35f07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:110245 5'
6713	15908	25367	2.57	3.0E-45	4758451	NT	Homo sapiens mRNA for TRAF and TNF receptor associated protein (trap gene)
7168	16346	25824	16.25	3.0E-45	AL163227.2	NT	Homo sapiens golgi autoantigen, golgin subfamily a, 2 (GOLGA2) mRNA
7168	16345	25825	16.25	3.0E-45	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
9127	18274		1.98	3.0E-45	X89211.1	NT	Homo sapiens chromosome 21 segment HS21C027
2466	11657		1.59	2.0E-45	AL163218.2	NT	H. sapiens DNA for endogenous retroviral like element
2998	12234	21364	0.88	2.0E-45	AJ243213.1	NT	Homo sapiens chromosome 21 segment HS21C018
5888	15103	24514	5.4	2.0E-45	LD1665.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
7381	18077	28084	21.38	2.0E-45	BE634350.1	EST_HUMAN	Human eosinophil Charcot-Leyden crystal (CLC) protein (lysophospholipase) gene, promoter and exon 1
7732	16928	26437	4.48	2.0E-45	AA458770.1	EST_HUMAN	MRO-HT0923-190800-201-a02 HT0923 Homo sapiens cDNA
8037	17173	26712	2.46	2.0E-45	AW270280.1	EST_HUMAN	aa87f12.r1 Strategene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838319 5' similar to
8037	17173	26713	2.46	2.0E-45	AW270280.1	EST_HUMAN	TR-G1144569 G1144569 R-SLY1.;
9169	17664		2.8	2.0E-45	11418157	NT	xp72803.x1 NCI_CGAP_Ov40 Homo sapiens cDNA clone IMAGE:2745868 3'
122	9688		3.43	1.0E-45	BE389855.1	EST_HUMAN	xp72803.x1 NCI_CGAP_Ov40 Homo sapiens cDNA clone IMAGE:2745868 3'
415	9668		3.92	1.0E-45	BE389855.1	EST_HUMAN	Homo sapiens calcium channel, voltage-dependent, alpha 11 subunit (CACNA11), mRNA
479	9731	18865	0.96	1.0E-45	4506412	NT	Homo sapiens RAP1A, member of RAS oncogene family (RAP1A), mRNA
1182	10403	19557	1.87	1.0E-45	U32169.1	NT	Homo sapiens Langerhans cell specific c-type lectin (LANGERIN), mRNA
3087	12303	21426	12.47	1.0E-45	U32169.1	NT	Human pro-a2 chain of collagen type XI (COL11A2) gene, complete cds
3467	12692	21829	0.68	1.0E-45	8659558	NT	Homo sapiens chromosome 21 open reading frame 1 (C21orf4), mRNA
4473	13871	22762	6.02	1.0E-45	BE396833.1	EST_HUMAN	Homo sapiens chromosome 21 open reading frame 1 (C21orf4), mRNA
6814	16009	25472	4.31	1.0E-45	BE887843.1	EST_HUMAN	60128910F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3619603 5'
8502	17541	24029	4.45	1.0E-45	11418098	NT	601511226F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912535 5'
8656	17684		7.85	1.0E-45	11526291	NT	Homo sapiens protein kinase C, alpha binding protein (PRKCABP), mRNA
							Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA

Page 201 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8702	17687		6.94	1.0E-45	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
9133	17942	23881	2.75	1.0E-45	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1I subunit (CACNA1I), mRNA
6864	15859		11.57	9.0E-46	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
7210	16387	25869	8.54	9.0E-46	AW246984.1	EST_HUMAN	2822449.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822449 5'
2405	11597	20817	20.16	8.0E-46	AI433261.1	EST_HUMAN	132708.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132189 3' similar to gb:J00314_ma2
2405	11597	20818	20.16	8.0E-46	AI433261.1	EST_HUMAN	TUBULIN BETA-1 CHAIN (HUMAN);
6482	15679		5.81	8.0E-46	BE167244.1	EST_HUMAN	RC5-HT0506-280200-012-C12 HT0506 Homo sapiens cDNA
8165	17297		3.37	8.0E-46	11419729	NT	Homo sapiens ribosomal protein L44 (RPL44), mRNA
4578	13772		10.04	7.0E-46	BE388165.1	EST_HUMAN	601277292F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618119 5'
4820	14009		1.25	7.0E-46	BE084386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
5682	14902	24295	3.93	7.0E-46	8922708	NT	Homo sapiens hypothetical protein FLJ10847 (FLJ10847), mRNA
8832	17743		1.33	7.0E-46	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
2711	11890	21107	6.12	6.0E-46	AI884381.1	EST_HUMAN	wm31f08.x1 NCI_CGAP_U4 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.t2
2711	11890	21108	6.12	6.0E-46	AI884381.1	EST_HUMAN	MER19 repetitive element;
5724	14942	24338	9.61	6.0E-46	AI635448.1	EST_HUMAN	wm31f08.x1 NCI_CGAP_U4 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.t2
7628	16404		2.87	6.0E-46	BE784971.1	EST_HUMAN	MER19 repetitive element;
209	9489		6.95	5.0E-46	AL163210.2	NT	ts58h10.x1 NCI_CGAP_Kid8 Homo sapiens cDNA clone IMAGE:2232835 3' similar to TR:O60363 O60363
3502	12726	21862	1.86	5.0E-46	BE677194.1	EST_HUMAN	SA GENE.;
3502	12726	21863	1.88	5.0E-46	BE677194.1	EST_HUMAN	601478409F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3880895 5'
5977	15191	24608	1.87	5.0E-46	BF590442.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
6059	15249	24671	4.32	5.0E-46	BF347228.1	EST_HUMAN	7d81g01.x1 Lupeki_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'
647	9893		2.39	4.0E-46	AA601143.1	EST_HUMAN	7d81g01.x1 Lupeki_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'
							naa3807.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258757 3' similar to TR:O75202
							O75202 HOMOLOG OF RAT KIDNEY-SPECIFIC;
							602021184F1 NCI_CGAP_Brn97 Homo sapiens cDNA clone IMAGE:4156870 5'
							na54609.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X53741_ma1
							FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
1679	10891	20077	8.19	4.0E-46	AW770544.1	EST_HUMAN	h186c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008836 3' similar to gb:X14008_ma1
							LYSOZYME C PRECURSOR (HUMAN);contains element MER37 repetitive element;

Page 202 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1679	10891	20078	8.19	4.0E-48	AW770544.1	EST_HUMAN	h186c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008838 3' similar to gb:X14008_ma1 LYSOZYME C PRECURSOR (HUMAN); contains element MER37 repetitive element ;
2698	11878	21090	18.7	4.0E-48	M18048.1	NT	Human endogenous retrovirus RTVL-H2
5411	14639	23768	2.3	4.0E-48	M36852.1	NT	Human Ig germline gamma-3 heavy-chain gene V region, partial cds
5411	14639	23769	2.3	4.0E-48	M36852.1	NT	Human Ig germline gamma-3 heavy-chain gene V region, partial cds
8958	17829	23907	1.88	4.0E-48	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
2250	11445	20687	1.82	3.0E-48	7657203	NT	Homo sapiens acidic 82 kDa protein mRNA (HSU15652), mRNA
2392	11585	20803	2.31	3.0E-48	AF160212.1	NT	Homo sapiens VAMP-associated 33 kDa protein mRNA, complete cds
6701	15898	25357	6.58	3.0E-48	A1831482.1	EST_HUMAN	w48c04.x1 NCI_CGAP_Lu18 Homo sapiens cDNA clone IMAGE:2408150 3' similar to contains THR.b2 THR repetitive element ;
8105	17239	26777	2.69	3.0E-48	D31765.1	NT	Human mRNA for KIAA0081 gene, partial cds
847	10084	19243	6.45	2.0E-48	AA488646.1	EST_HUMAN	ne08a09.s1 NCI_CGAP_C63 Homo sapiens cDNA clone IMAGE:880408 3' similar to contains THR.b2 THR repetitive element ;
1544	10758		1.74	2.0E-48	AA678246.1	EST_HUMAN	z127a11.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:431898 3'
1618	10831	20008	4.27	2.0E-48	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
4894	14181	23270	1.44	2.0E-48	AA399286.1	EST_HUMAN	zf59a02.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:726850 5' similar to SW:RSP1_MOUSE Q01730 RSP-1 PROTEIN ;
6285	15488	24907	7.31	2.0E-48	9910569	NT	Mus musculus sperm tail associated protein (Slap), mRNA
6488	15885		4.32	2.0E-48	BE869151.1	EST_HUMAN	801445137F1 NIH_MGC 68 Homo sapiens cDNA clone IMAGE:3849297 5'
7788	18991		1.77	2.0E-48	7857233	NT	Homo sapiens small acidic protein (IMAGE145052), mRNA
8422	18241		2	2.0E-48	BF028854.1	EST_HUMAN	601785225F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3997328 5'
8689	18135		1.33	2.0E-48	H48391.1	EST_HUMAN	y32d01.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:206977 5'
8727	17678		1.27	2.0E-48	AA001788.1	EST_HUMAN	zh84f12.r1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:428015 5'
9031	18127	23812	6.9	2.0E-48	AW277214.1	EST_HUMAN	xq78h03.x1 NCI_CGAP_Lu34 Homo sapiens cDNA clone IMAGE:2758789 3'
1240	10458	19815	7.9	1.0E-48	4502694	NT	Homo sapiens cell division cycle 10 (homologous to CDC10 of S. cerevisiae) (CDC10) mRNA
2246	11441	20665	4.25	1.0E-48	AW978516.1	EST_HUMAN	EST380625 IMAGE resequences, MAGP Homo sapiens cDNA
2364	11557	20779	3.53	1.0E-48	H97330.1	EST_HUMAN	EST48b095 WATM1 Homo sapiens cDNA clone 48b095
3216	12450	21582	4.7	1.0E-48	AA631912.1	EST_HUMAN	np78b02.s1 NCI_CGAP_P12 Homo sapiens cDNA clone IMAGE:1132385 similar to gb:X76717 H.sapiens MT-11 mRNA. (HUMAN);
4890	14078		2.9	1.0E-48	AB023197.1	NT	Homo sapiens mRNA for KIAA0980 protein, partial cds
5335	14759	24128	5.85	1.0E-48	BF194707.1	EST_HUMAN	7c92b01.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3643705 3'
5843	18060	24250	5.13	1.0E-48	8923762	NT	Homo sapiens centaurin-alpha 2 protein (HSA272195), mRNA

PCT/US01/00670

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5643	18060	24251	5.13	1.0E-46	8923782	NT	Homo sapiens centaurin-alpha 2 protein (HSA272195), mRNA
7439	14759	24126	4.91	1.0E-46	BF194707.1	EST_HUMAN	7692b01.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3643705 3'
8451	17509	24017	1.5	1.0E-46	BF531102.1	EST_HUMAN	602072284F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215388 5'
8451	17509	24018	1.5	1.0E-46	BF531102.1	EST_HUMAN	602072284F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215388 5'
9244	18015		1.63	1.0E-46	AV715377.1	EST_HUMAN	AV715377 DCB Homo sapiens cDNA clone DCBAIE03 5'
775	10014		4.91	9.0E-47	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
4952	14139	23233	2.1	9.0E-47	AW770928.1	EST_HUMAN	h193e04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3009534 3' similar to TR:075703 O75703
8978	18228	23699	1.93	9.0E-47	11417968	NT	HYPOTHETICAL 12.4 KD PROTEIN ;
1777	10987	20179	44.01	8.0E-47	Y18536.1	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
1777	10987	20180	44.01	8.0E-47	Y18536.1	NT	Homo sapiens HLA-C gene, exon 5, individual 19323
							Homo sapiens HLA-C gene, exon 5, individual 19323
2678	11858	21073	1.3	8.0E-47	5453955	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), epsilon isoform (PPP2R5E) mRNA
2989	12226	21360	2.14	8.0E-47	AJ229043.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
2513	11702	20917	3.72	8.0E-47	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C048
6847	16036	25500	5.32	6.0E-47	A1695189.1	EST_HUMAN	z98h02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2286659 3'
5916	15133	24542	5.84	5.0E-47	11423972	NT	Homo sapiens CDC37 (cell division cycle 37, S. cerevisiae, homolog) (CDC37), mRNA
7375	16591		6.37	5.0E-47	M78590.1	EST_HUMAN	EST00738 Fetal brain, Stratagene (cat#836206) Homo sapiens cDNA clone HFBFCF07
1404	10617	19783	4.3	4.0E-47	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
8151	17283		6.74	4.0E-47	AW515509.1	EST_HUMAN	xx66b07.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2848587 3' similar to SW:INT6_MOUSE
551	9802	18928	2.54	3.0E-47	BE907634.1	EST_HUMAN	Q84252 VIRAL INTEGRATION SITE PROTEIN INT-6. [1];
551	9802	18929	2.54	3.0E-47	BE907634.1	EST_HUMAN	601497639F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898721 5'
828	10066	19219	7.18	3.0E-47	N57483.1	EST_HUMAN	601497639F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898721 5'
953	10186	18342	10.82	3.0E-47	AL163284.2	NT	yy64b04.s1 Soares_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:277327 3'
3273	12508	21637	0.76	3.0E-47	4504118	NT	Homo sapiens chromosome 21 segment HS21C084
3943	13159		6.42	3.0E-47	U93181.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4366	13558	22853	1.87	3.0E-47	M12959.1	NT	Homo sapiens nuclear dual-specificity phosphatase (SBF1) mRNA, partial cds
5662	14885	24273	4.5	3.0E-47	AW408800.1	EST_HUMAN	Human T-cell receptor active alpha-chain mRNA from JM cell line, complete cds
5662	14885	24274	4.5	3.0E-47	AW408800.1	EST_HUMAN	UI-HF-BM0-adv-d-07-0-UI.r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3063205 5'
5907	15124		1.87	3.0E-47	A1222413.1	EST_HUMAN	UI-HF-BM0-adv-d-07-0-UI.r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3063205 5'
150	9432	18568	1.51	2.0E-47	4505318	NT	q104607.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843716 3'
975	10207	18361	2.74	2.0E-47	AL163209.2	NT	Homo sapiens myosin phosphatase, target subunit 2 (MYPT2), mRNA
875	10207	18362	2.74	2.0E-47	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009

Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1573	10786	19981	1.75	2.0E-47	7862109	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
1652	10868	20048	4.28	2.0E-47	AA524514.1	EST_HUMAN	ng43h12.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:937607 3'
4340	13542	22633	2.14	2.0E-47	4504868	NT	Homo sapiens ring finger protein (C3HC4 type) 8 (RNIF8), mRNA
4378	13580	22878	1.96	2.0E-47	AA568592.1	EST_HUMAN	n23g07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:914652
4378	13580	22880	1.96	2.0E-47	AA568592.1	EST_HUMAN	n23g07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:914652
4508	13704	22798	2.32	2.0E-47	5174648	NT	Homo sapiens Rev/Rex activation domain binding protein-related (RAB-R), mRNA
4827	14016	23115	1.05	2.0E-47	AW965166.1	EST_HUMAN	EST377239 MAGI resequences, MAGI Homo sapiens cDNA
5167	14348		0.78	2.0E-47	A1041128.1	EST_HUMAN	ov61h03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1641845 3'
8447	15844	25111	3	2.0E-47	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
8447	15844	25112	3	2.0E-47	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
8489	18272	23679	2.83	2.0E-47	R42423.1	EST_HUMAN	y92e08.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:29966 3' similar to contains OFR repetitive element;
1409	10822	19786	6.74	1.0E-47	A133429.1	EST_HUMAN	qp99h03.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1931189 3'
3812	13030	22139	0.92	1.0E-47	BE280477.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
3812	13030	22140	0.92	1.0E-47	BE280477.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
5106	14286	23371	2.55	1.0E-47	AW813906.1	EST_HUMAN	RC3-ST0197-130400-017-h02 ST0197 Homo sapiens cDNA
6102	15196	24814	8.41	1.0E-47	A1880886.1	EST_HUMAN	a119e06.x1 Barabead aorta HPLRB8 Homo sapiens cDNA clone IMAGE:2355588 3' similar to gb:M22995
6738	15933		6.94	1.0E-47	AW864648.1	EST_HUMAN	RAS-RELATED PROTEIN RAP-1A (HUMAN); h84a11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878972 3' similar to gb:M28328
1591	10804	19879	4.07	9.0E-48	AF223391.1	NT	KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN); Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3531	12754	21887	0.75	9.0E-48	BF359947.1	EST_HUMAN	CM2-MT0100-310700-280-f05 MT0100 Homo sapiens cDNA
7677	16876	26381	3.33	9.0E-48	BE393813.1	EST_HUMAN	601310479F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632083 5'
1257	10473		2.18	8.0E-48	4501900	NT	Homo sapiens aminocyclase 1 (ACY1), mRNA
1258	10473		1.89	8.0E-48	4501900	NT	Homo sapiens aminocyclase 1 (ACY1), mRNA
3100	12336	21463	3.19	8.0E-48	AW768477.1	EST_HUMAN	h61b03.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:3001133 3' similar to gb:X64707
3100	12336	21464	3.19	8.0E-48	AW768477.1	EST_HUMAN	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
487	9750		1.35	7.0E-48	AB033035.1	NT	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
488	9750		17.36	7.0E-48	AB033035.1	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
1488	10701	19875	1.1	7.0E-48	6912719	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
1814	10827	20002	4.69	7.0E-48	5730038	NT	Homo sapiens tousel-like kinase 1 (TLK1), mRNA Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA

Page 205 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5903	15120	24531	24.65	7.0E-48	11418831	NT	Homo sapiens histidyl-tRNA synthetase (HARS), mRNA
3576	12799	21925	0.7	6.0E-48	A1781111.1	EST_HUMAN	w69h03.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2388613 3'
6932	16125	25591	2.22	6.0E-48	11427428	NT	Homo sapiens hypothetical protein FLJ111006 (FLJ111006), mRNA
6988	16166	25638	3.11	6.0E-48	AA189080.1	EST_HUMAN	zq45b08.s1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:632627 3' similar to contains Alu repetitive element;
3280	14469	21842	1.56	5.0E-48	4828891	NT	Homo sapiens phosphodiesterase 1A, calmodulin-dependent (PDE1A), mRNA
7529	16734	26224	4.02	4.0E-48	A1820420.1	EST_HUMAN	tu47a02.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:2254154 3'
1391	10605	19769	1.14	3.0E-48	AV680964.1	EST_HUMAN	AV680964 GK Homo sapiens cDNA clone GKCDRE12 5'
1945	11149	20350	24.98	3.0E-48	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6), mRNA
1945	11149	20351	24.98	3.0E-48	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6), mRNA
3396	12623	21754	1	3.0E-48	AF172453.1	NT	Homo sapiens opikoid growth factor receptor mRNA, complete cds
3609	12830	21951	0.78	3.0E-48	AW684531.1	EST_HUMAN	h14b12.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972255 3' similar to SW:DCRB_HUMAN
4233	13436		0.69	3.0E-48	AA009541.1	EST_HUMAN	P56555 DOWN SYNDROME CRITICAL REGION PROTEIN B. ;
5611	14835	24210	2.35	3.0E-48	BE084571.1	EST_HUMAN	204g03.r1 Soares_tetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428844 5'
7451	16659	26148	10.07	3.0E-48	BF514170.1	EST_HUMAN	MR4-BT0657-060400-201-e10 BT0657 Homo sapiens cDNA
47	9344	18454	1.14	2.0E-48	AA631940.1	EST_HUMAN	U1-H-BW1-ant-e-10-Q-JL.s1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3082287 3'
4529	13725	22822	1.16	2.0E-48	BE246065.1	EST_HUMAN	h16c7 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR17-26
6288	15479	24921	4.24	2.0E-48	AB040934.1	NT	TCBAP103842 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP3842
6288	15479	24922	4.24	2.0E-48	AB040934.1	NT	Homo sapiens mRNA for KIAA1501 protein, partial cds
6304	15485	24929	3.75	2.0E-48	11496238	NT	Homo sapiens mRNA for KIAA1501 protein, partial cds
8448	14481	23532	2.71	2.0E-48	AA465007.1	EST_HUMAN	Homo sapiens v-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (p65)) (RELA), mRNA
8789	18181	23760	1.52	2.0E-48	BE737154.1	EST_HUMAN	z60c03.r1 Soares ovary tumor NBHOT Homo sapiens cDNA clone IMAGE:810052 5'
58	9354	18471	3.21	1.0E-48	7706534	NT	601305064F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3639782 5'
883	10119	19281	12.45	1.0E-48	4502168	NT	Homo sapiens displatein resistance-associated overexpressed protein (LOC51747), mRNA
1083	10308	19459	2.62	1.0E-48	7657430	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nepril-II, Alzheimer disease) (APP), mRNA
1083	10308	19460	2.62	1.0E-48	7657430	NT	Homo sapiens EBNA-2 co-activator (100KD) (p100), mRNA
1303	10519	19678	3.47	1.0E-48	5032032	NT	Homo sapiens EBNA-2 co-activator (100KD) (p100), mRNA
1884	11091	20282	16.8	1.0E-48	AL163302.2	NT	Homo sapiens RNA binding motif protein 8 (RBM8), mRNA
3463	12888	21824	1.05	1.0E-48	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C102
5163	14342	23431	1.34	1.0E-48	M10976.1	NT	Homo sapiens chromosome 21 segment HS21C046
							Human endogenous retroviral DNA (4-1), complete retroviral segment

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6189	15371	24812	2.4	1.0E-48	4755137	NT	Homo sapiens huntingtin (Huntington disease) (HD) mRNA
6843	16032	25497	6.77	1.0E-48	AB033071.1	NT	Homo sapiens mRNA for KIAA1245 protein, partial cds
8411	18218		1.41	1.0E-48	W26785.1	EST_HUMAN	15d6 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
1978	11179	20387	1.76	8.0E-49	AB026497.1	NT	Mus musculus MyoPDZ mRNA for myosin containing PDZ domain, complete cds
5690	14910	24303	3.04	8.0E-49	10048417	NT	Mus musculus T-box 20 (Tbx20), mRNA
5690	14910	24304	3.04	8.0E-49	10048417	NT	Mus musculus T-box 20 (Tbx20), mRNA
6558	15754	25217	5.17	8.0E-49	U23850.1	NT	Human Inositol 1,4,5 trisphosphate receptor type 1 mRNA, partial cds
7433	16942	26134	1.69	8.0E-49	AI823722.1	EST_HUMAN	ts38d12.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2230871 3' similar to contains Alu repetitive element; contains element PTR5 repetitive element
138	9853	18788	2.75	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
136	9853	18789	2.75	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
398	9853	18789	2.43	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
398	9853	18789	2.43	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
399	9853	18788	3.56	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
399	9853	18789	3.56	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
1228	10446	19602	3.33	7.0E-49	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5424	14651	23787	1.65	7.0E-49	AI807191.1	EST_HUMAN	wf25h04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356683 3' similar to TR:O54923
202	8482	18615	52.05	6.0E-49	AW731740.1	EST_HUMAN	O54923 RSEC15.1
4093	13301	22401	0.85	6.0E-49	AL162091.1	EST_HUMAN	ba55g05.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800504 3' similar to gb:X17206 40S RIBOSOMAL PROTEIN S4 (HUMAN); gb:M20632 Mouse LLRep3 protein mRNA from a repetitive element, complete (MOUSE);
7828	17020	26535	2.57	6.0E-49	AW452218.1	EST_HUMAN	DKFZp761A138_s1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A138 3'
8166	17298	26940	3.61	6.0E-49	AA368556.1	EST_HUMAN	UIH-B13-alo-e-05-0-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3068048 3'
8166	17298	26941	3.61	6.0E-49	AA368556.1	EST_HUMAN	EST177525 Pancreas tumor III Homo sapiens cDNA 5' end
8795	18104		4.03	6.0E-49	AA707567.1	EST_HUMAN	EST177525 Pancreas tumor III Homo sapiens cDNA 5' end
719	9961	18098	13.78	5.0E-49	AL163210.2	NT	228c08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:451694 3'
719	9961	18099	13.78	5.0E-49	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
						NT	Homo sapiens chromosome 21 segment HS21C010
1763	10974	20162	7.07	5.0E-49	AA172121.1	EST_HUMAN	zp28c07.r1 Stratzene neuroepithelium (4807231) Homo sapiens cDNA clone IMAGE:310860 5' similar to TR:G233228 G233228 RTVL-H PROTEIN. contains LTR7 LTR7 repetitive element
2707	11888	21103	11.9	5.0E-49	U17714.1	NT	Homo sapiens putative tumor suppressor ST13 (ST13) mRNA, complete cds
3240	12474	21605	12.59	5.0E-49	11436355	NT	Homo sapiens similar to ribosomal protein S27 (metalloprotein 1) (H. sapiens) (LOC633982), mRNA

Page 207 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
531	9782	18904	35.35	4.0E-49	AW189533.1	EST_HUMAN	x08b01.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2675593 3' similar to WP:B0350.2B
8652	18333		3.3	4.0E-49	AA210798.1	EST_HUMAN	CE08703.1
8742	17687		3.86	4.0E-49	AF240796.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
567	9817	18939	1.66	3.0E-49	X68968.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
2610	11784		2.65	3.0E-49	AA016131.1	EST_HUMAN	z031.c05.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:360584 5' similar to contains L1.13 L1
5004	14191	20281	2.37	3.0E-49	U46999.1	NT	repetitive element;
6259	15440	24879	10.15	3.0E-49	H39479.1	EST_HUMAN	Human type IV collagen (COL4A8) gene, exon 40
7849	17040	26557	2.43	3.0E-49	AA337561.1	EST_HUMAN	EST25612 WATM1 Homo sapiens cDNA clone 25e12
667	9913		2.98	2.0E-49	BE165980.1	EST_HUMAN	EST42572 Endometrial tumor Homo sapiens cDNA 5' end
3188	12423	21556	1.34	2.0E-49	N26446.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
4823	14012	23111	0.81	2.0E-49	BF511846.1	EST_HUMAN	yc23d06.r1 Soares melanocyte 2NbhHM Homo sapiens cDNA clone IMAGE:262571 5'
8494	15691		2.82	2.0E-49	M68033.1	EST_HUMAN	UIH-B14-aps-d-02-q-U1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3088538 3'
908	10144		5.03	1.0E-49	BF035327.1	EST_HUMAN	EST02558 Fetal brain, Stratagene (cat#836206) Homo sapiens cDNA clone HFCY50
1538	10751	19924	47.43	1.0E-49	4557887	NT	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3662086 5'
1770	10980	20170	4.77	1.0E-49	BE255216.1	EST_HUMAN	Homo sapiens keratin 18 (KRT18) mRNA
5283	14454		1.02	1.0E-49	7706703	NT	601115769F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3356273 5'
5372	14601	23711	4.6	1.0E-49	BF131007.1	EST_HUMAN	Homo sapiens putative G-protein coupled receptor (SH120), mRNA
6175	15357	24796	3.23	1.0E-49	BE398110.1	EST_HUMAN	601820053F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4052052 5'
6175	15357	24797	3.23	1.0E-49	BE398110.1	EST_HUMAN	601280330F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3620883 5'
6207	15388	24831	2.52	1.0E-49	N25884.1	EST_HUMAN	601280330F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3620883 5'
6207	15388	24832	2.52	1.0E-49	N25884.1	EST_HUMAN	yw78g12.s1 Soares placenta_8to6weeks_2NbhHP8to9W Homo sapiens cDNA clone IMAGE:258406 3'
7617	16820	26315	1.92	1.0E-49	AV751477.1	EST_HUMAN	similar to gb:X65873 KINESIN HEAVY CHAIN (HUMAN);
7858	17048	28567	4	1.0E-49	11427366	NT	yw78g12.s1 Soares placenta_8to6weeks_2NbhHP8to9W Homo sapiens cDNA clone IMAGE:258406 3'
8280	17397		1.68	1.0E-49	BE159343.1	EST_HUMAN	similar to gb:X65873 KINESIN HEAVY CHAIN (HUMAN);
8844	17629		2.64	1.0E-49	11418322	NT	AV751477 NPD Homo sapiens cDNA clone NPDAWED4 5'
9187	18115		1.42	1.0E-49	11418123	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
5018	14205		1.16	9.0E-50	AF101475.1	NT	MR0-HT0407-010200-006-f02 HT0407 Homo sapiens cDNA
173	9454	18585	2.7	8.0E-50	AL163202.2	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
726	9988	19106	2	8.0E-50	X95097.2	NT	Homo sapiens KIAA0003 gene product (KIAA0003), mRNA
							Homo sapiens glycine N-methyltransferase (GNMT) gene, complete cds
							Homo sapiens chromosome 21 segment HS21O002
							Homo sapiens mRNA for VIP receptor 2

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
726	9668	19107	2	8.0E-50	X85097.2	NT	Homo sapiens mRNA for VIP receptor 2
1734	10946	20129	3.93	8.0E-50	4501890	NT	Homo sapiens actinin, alpha 1 (ACTN1) mRNA
2444	11635	20855	1.38	8.0E-50	7706394	NT	Homo sapiens p47 (LOC51674), mRNA
2444	11635	20856	1.38	8.0E-50	7706394	NT	Homo sapiens p47 (LOC51674), mRNA
2680	11841	21055	2.33	8.0E-50	4826858	NT	Homo sapiens capping protein (ectin filament) muscle Z-line, beta (CAPZB), mRNA
7947	17087	28616	1.69	8.0E-50	AA633487.1	EST_HUMAN	np62306.s1 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1130891 3' similar to gb:J05459
825	9870	18892	0.7	7.0E-50	BE089591.1	EST_HUMAN	GLUTATHIONE S-TRANSFERASE TESTIS/BRAIN (HUMAN);
7341	16557	26045	21.23	7.0E-50	A1872137.1	EST_HUMAN	QV0-BT0703-280400-211-e08 BT0703 Homo sapiens cDNA
4336	13537		0.72	6.0E-50	BE784381.1	EST_HUMAN	wm55g11.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2439908 3'
6533	15729		4.02	6.0E-50	BE044076.1	EST_HUMAN	601589565F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943577 5'
7392	16605	26095	5.96	6.0E-50	AA312079.1	EST_HUMAN	ho36h04.x1 NCI_CGAP_U1 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER28.b3
7392	16606	26096	5.98	6.0E-50	AA312079.1	EST_HUMAN	MER28 repetitive element:
1762	10973	20160	0.98	5.0E-50	BF332938.1	EST_HUMAN	EST192775 Jurkat T-cells VI Homo sapiens cDNA 5' end
1762	10973	20161	0.98	5.0E-50	BF332938.1	EST_HUMAN	EST182775 Jurkat T-cells VI Homo sapiens cDNA 5' end
8256	17383	26916	2.05	5.0E-50	AA403053.1	EST_HUMAN	CMD-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
927	10161		3.35	4.0E-50	AA601143.1	EST_HUMAN	CMD-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
3425	12650	21780	1.59	4.0E-50	AL163248.2	NT	z62b01.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:726889 5' similar to TR:G1335769
1907	11113		5.69	3.0E-50	M18048.1	NT	G1335769 GAG-POL POLYPEPTIDE:
2484	11674	20891	3.11	3.0E-50	BE259198.1	EST_HUMAN	no64e09.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X53741_ma1
3288	12501	21632	1.29	3.0E-50	AA746142.1	EST_HUMAN	FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
3733	12853	22070	1.01	3.0E-50	AW755254.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C048
5259	14432	23507	0.72	3.0E-50	AW593868.1	EST_HUMAN	Human endogenous retrovirus RTVL-H2
6354	15534	24987	4.64	3.0E-50	AF233436.2	NT	601109717F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350309 5'
6354	15534	24988	4.64	3.0E-50	AF233436.2	NT	601109717F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350309 5'
7667	18966	26387	1.83	3.0E-50	11436955	NT	603306.s1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1322827 3'
							CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151935 similar to CMYA5
							Cardiomyopathy associated gene 5
							hg26e01.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2948744 3' similar to SW:C1TC_HUMAN
							P11588 C-1-TETRAHYDROFOLATE SYNTHASE, CYTOPLASMIC; contains Alu repetitive element
							Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1a mRNA, complete cds
							Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1a mRNA, complete cds
							Homo sapiens Ghr2-associated binder 2 (KIAA0571), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8000	16435	25922	5.9	3.0E-50	AJ245621.1	NT	Homo sapiens CTL2 gene
787	10026		5.18	2.0E-50	AF055068.1	NT	Homo sapiens MHC class 1 region
1087	10311	18464	5.21	2.0E-50	4557752	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3255	12488	21619	0.7	2.0E-50	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
4898	14086	23179	1.7	2.0E-50	AW869159.1	EST_HUMAN	MIR3-SN0066-040500-008-01 SN0068 Homo sapiens cDNA
4898	14086	23180	1.7	2.0E-50	AW869159.1	EST_HUMAN	MIR3-SN0066-040500-008-01 SN0068 Homo sapiens cDNA
6816	15812	25269	10.73	2.0E-50	X06956.1	NT	Human HALPHA44 gene for alpha-tubulin, exons 1-3
6816	15812	25270	10.73	2.0E-50	X06956.1	NT	Human HALPHA44 gene for alpha-tubulin, exons 1-3
8164	17286		2.75	2.0E-50	AF023861.1	NT	Macaca mulatta cyclophilin A mRNA, complete cds
463	9721	18852	2.18	1.0E-50	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
2333	11526		11.32	1.0E-50	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
9224	18126		1.7	9.0E-51	D25217.2	NT	Homo sapiens mRNA for KIAA0027 protein, partial cds
4565	13759	22856	18.64	8.0E-51	AA610842.1	EST_HUMAN	np98609.s1 NCL_CGAP_Lu1 Homo sapiens cDNA clone IMAGE:1142440 3' similar to gb:X12671_mai
6358	15538	24992	1.97	8.0E-51	11439587	NT	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN);
2980	12217	21352	0.7	7.0E-51	AW274720.1	EST_HUMAN	Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38). mRNA
3250	12483	21615	1.43	7.0E-51	AW889219.1	EST_HUMAN	xn34603.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695564 3' similar to TR:Q9Z340
3338	12567	21705	0.77	7.0E-51	AW274720.1	EST_HUMAN	Q9Z340 ATYPICAL PKC SPECIFIC BINDING PROTEIN. ;
4149	13355	22457	1.26	7.0E-51	AL079628.1	EST_HUMAN	QV4-NT0028-200400-180-d05 NT0028 Homo sapiens cDNA
4149	13355	22458	1.26	7.0E-51	AL079628.1	EST_HUMAN	xn34603.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695564 3' similar to TR:Q9Z340
4344	13546	22637	2.74	7.0E-51	AW295803.1	EST_HUMAN	Q9Z340 ATYPICAL PKC SPECIFIC BINDING PROTEIN. ;
8183	17315	26858	2	7.0E-51	AF181449.1	NT	DKFZp434B2229_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434B2229 5'
1513	10727	19899	1.08	6.0E-51	6678763	NT	DKFZp434B2229_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434B2229 5'
1948	11152	20354	8.26	6.0E-51	7657266	NT	UI-H-BW0-elp-b-05-0-U1.s1 NCL_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2728817 3'
3450	12875	21810	15.12	6.0E-51	7657266	NT	Homo sapiens HSPC331 mRNA, partial cds
4298	13487	22592	0.85	6.0E-51	9810553	NT	Homo sapiens putative DNA binding protein (M98). mRNA
4298	13487	22593	0.85	6.0E-51	9810553	NT	Homo sapiens KIAA0829 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0829), mRNA
5653	14876	24263	6.45	6.0E-51	AF070083.1	NT	Homo sapiens KIAA0829 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0829), mRNA
5653	14876	24264	6.45	6.0E-51	AF070083.1	NT	Homo sapiens KIAA0829 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0829), mRNA
6070	14517	23559	2.46	6.0E-51	11429685	NT	Homo sapiens KIAA0829 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0829), mRNA

Page 210 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7808	17001	26513	2.12	6.0E-51	11526289	NT	Homo sapiens Interleukin 17 receptor (IL17R), mRNA
8060	17195	26733	1.75	6.0E-51	5453949	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A), mRNA
8060	17195	26734	1.75	6.0E-51	5453949	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A), mRNA
801	10040	19191	10.27	5.0E-51	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
813	10051	19205	1.85	5.0E-51	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
998	11983	16384	0.97	5.0E-51	AL133204.1	NT	Novel human gene mapping to chromosome X
1587	10800	19976	1.72	6.0E-51	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1), mRNA
2553	11741	20957	8.99	5.0E-51	AJ007558.1	NT	Homo sapiens mRNA for nucleoporin 155
3920	13136	22253	2.4	5.0E-51	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
3920	13136	22254	2.4	5.0E-51	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
5104	14284	23368	2.25	5.0E-51	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
7829	17021	26536	4.86	5.0E-51	5803136	NT	Homo sapiens RNA binding motif protein 3 (RBM3), mRNA
132	9415	18550	20.31	3.0E-51	AI587348.1	EST_HUMAN	t81c09.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2224720 3' similar to gb:M26328
1184	10405	19559	34.42	3.0E-51	AI587348.1	EST_HUMAN	KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
4318	13519	22614	2.02	3.0E-51	AL159142.1	NT	Novel human gene mapping to chromosome 22
8972	17842		1.46	3.0E-51	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
371	9637	18770	1.81	2.0E-51	4507798	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A), mRNA
695	9938	19068	0.84	2.0E-51	BE391063.1	EST_HUMAN	601285694F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607463 5'
695	9938	19069	0.84	2.0E-51	BE391063.1	EST_HUMAN	601285694F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607463 5'
1693	10876	20061	10.84	2.0E-51	AA233352.1	EST_HUMAN	2730a05.r1 Stragene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:604880 5' similar to TR:G233226 G233226 RTVL-H PROTEIN, contains LTR7 13 LTR7 repetitive element;
3713	12933	22051	3.07	2.0E-51	AI492415.1	EST_HUMAN	627g03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2131732 3'
4483	13691	22784	0.82	2.0E-51	AW137826.1	EST_HUMAN	UIH-B11-adj-4-02-0-UI.st NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:271851 3'
5684	14886	24276	3.73	2.0E-51	BE782015.1	EST_HUMAN	601470446F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3873563 5'
6917	16110	25578	2.88	2.0E-51	AI917078.1	EST_HUMAN	ts74e07.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2238980 3' similar to SW:TRKC_HUMAN
6984	16142	25611	6.5	2.0E-51	BE165980.1	EST_HUMAN	Q16288 NT-3 GROWTH FACTOR RECEPTOR PRECURSOR;
							MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7871	14640	23770	9	2.0E-51	A1732851.1	EST_HUMAN	ab34f09.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW:NME1_MOUSE P35438 GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR;
7871	14640	23771	9	2.0E-51	A1732851.1	EST_HUMAN	ab34f09.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW:NME1_MOUSE P35438 GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR;
8987	17837	23911	1.62	2.0E-51	11419159	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q23;q24) translocation; translocated to, 4 (MLLT4), mRNA
114	9402	18531	19.07	1.0E-51	4503528	NT	Homo sapiens eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1) mRNA
1485	10698		45.14	1.0E-51	AV742248.1	EST_HUMAN	AV742248 CB Homo sapiens cDNA clone CBTBCC12 5'
5048	14230	23314	0.83	1.0E-51	BE779039.1	EST_HUMAN	60148495F1 NIH_MGC_87 Homo sapiens cDNA clone IMAGE:3868246 5'
5391	14620	23734	3.38	1.0E-51	T18862.1	EST_HUMAN	b120561 Testis 1 Homo sapiens cDNA clone b12056
8248	18392		3.62	1.0E-51	AV760590.1	EST_HUMAN	AV760590 MDS Homo sapiens cDNA clone MDSOBB02 5'
7280	18498	25991	1.97	9.0E-52	R91638.1	EST_HUMAN	Y10H04.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:186567 5' similar to SP:YGAF_ECOLI_P37339 HYPOTHETICAL PROTEIN IN GABP 3'REGION;
7280	18498	25992	1.97	9.0E-52	R91638.1	EST_HUMAN	Y10H04.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:186567 5' similar to SP:YGAF_ECOLI_P37339 HYPOTHETICAL PROTEIN IN GABP 3'REGION;
8737	17683		4.59	9.0E-52	AA777821.1	EST_HUMAN	Z85a07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:448500 3' similar to contains THR.t3 THR repetitive element;
155	9437	18571	6.6	8.0E-52	AA720574.1	EST_HUMAN	rw21902.s1 NCI_CGAP_GC80 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.t3 THR repetitive element;
1487	10700	19874	1.22	8.0E-52	X84900.1	NT	H. sapiens mRNA for laminin-5, alpha3b chain
1630	10843	20020	2.78	8.0E-52	11968028	NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
1630	10843	20021	2.78	8.0E-52	11968028	NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
3971	10843	20020	8.23	8.0E-52	11968028	NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
3971	10843	20021	8.23	8.0E-52	11968028	NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
1195	10415		2.09	6.0E-52	BE072409.1	EST_HUMAN	QV3-BT0537-271299-049-d07 BT0537 Homo sapiens cDNA
1659	10892	20068	7.15	6.0E-52	AF109807.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
7781	16957	26468	2.04	6.0E-52	BE048172.1	EST_HUMAN	tz46h04.y1 NCI_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2291671 5' similar to SW:PGBM_MOUSE_Q05793 BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN PRECURSOR;

Page 212 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4433	13633	22729	1.94	5.0E-52	Z78898.1	NT	Hi sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA18H7
1637	10851	20026	1.58	4.0E-52	AF257318.1	NT	Homo sapiens SH3-containing protein SH3GLB1 mRNA, complete cds
1758	10869	20154	1.94	4.0E-52	4758843	NT	Homo sapiens nucleoporin 155kD (NUP155) mRNA
3801	13117	22234	0.6	4.0E-52	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4650	13844	22835	0.97	4.0E-52	5174590	NT	Homo sapiens 5,10-methylenetetrahydrofolate dehydrogenase, 5,10-methylenetetrahydrofolate cyclychydrolase, 10-formyltetrahydrofolate synthetase (MTHFD) mRNA
6632	15828	25290	4.42	4.0E-52	11417035	NT	Homo sapiens hydroxysteroid (17-beta) dehydrogenase 4 (HSD17B4), mRNA
8584	17584		5.5	4.0E-52	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
9083	17805		6.29	4.0E-52	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
4068	13278		14.34	3.0E-52	11437042	NT	Homo sapiens hypothetical protein FLJ10675 (FLJ10675), mRNA
569	9819	18940	2.3	2.0E-52	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
569	9819	18941	2.3	2.0E-52	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
2463	11654	20876	15.22	2.0E-52	BE207575.1	EST_HUMAN	bb66b07.y1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3030421 5' similar to gb:X16493 M.musculus. mRNA for Zpf-1 zinc finger protein (MOUSE);
2893	11873		25.07	2.0E-52	BF677892.1	EST_HUMAN	602084710F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248891 5'
4997	14184	23272	4.01	2.0E-52	AL137188.3	NT	Novel human gene mapping to chromosome 20, similar to membrane transporters
5038	14222	23306	1.36	2.0E-52	A1141802.1	EST_HUMAN	qa56a05.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1690784 3'
5038	14222	23307	1.36	2.0E-52	A1141802.1	EST_HUMAN	qa56a05.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1690784 3'
5537	14761	24128	3.39	2.0E-52	AW848041.1	EST_HUMAN	IL3-CT0214-231299-053-E12 CT0214 Homo sapiens cDNA
5819	15036	24437	1.65	2.0E-52	11141868	NT	Homo sapiens interleukin 21 receptor (IL21R), mRNA
6869	15884		10.62	2.0E-52	AF147880.1	NT	Macaca mulatta beta-tubulin mRNA, complete cds
7116	16293	25774	5.48	2.0E-52	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
7116	16293	25775	5.48	2.0E-52	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
7756	16952	28458	6.11	2.0E-52	A1831462.1	EST_HUMAN	wj49c04.x1 NCI_OGAP_Lu19 Homo sapiens cDNA clone IMAGE:2408150 3' similar to contains THR.b2 THR repetitive element;
7756	16952	28459	6.11	2.0E-52	A1831462.1	EST_HUMAN	wj49c04.x1 NCI_OGAP_Lu19 Homo sapiens cDNA clone IMAGE:2408150 3' similar to contains THR.b2 THR repetitive element;
7769	16965	28478	3.72	2.0E-52	AV715377.1	EST_HUMAN	AV715377 DCB Homo sapiens cDNA clone DCBAIE03 5'
7892	17108		2.13	2.0E-52	W70260.1	EST_HUMAN	zd49g12.r1 Soares_fetal_heart_NbHH10W Homo sapiens cDNA clone IMAGE:344038 5'
8140	17272		3.66	2.0E-52	11417890	NT	Homo sapiens LIM domain kinase 2 (LIMK2), mRNA
8365	18375	23591	12.95	2.0E-52	AW236287.1	EST_HUMAN	xn72607.x1 NCI_OGAP_CML1 Homo sapiens cDNA clone IMAGE:2700036 3' similar to contains Alu repetitive element;contains element LTR2 repetitive element;
8783	17712		4.63	2.0E-52	A1808985.1	EST_HUMAN	wf67d05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360849 3' similar to TR:Q16859 Q16859 CARBOXYLESTERASE;

Page 213 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
539	9790	18914	1.78	1.0E-52	AA834445.1	EST_HUMAN	zu75h12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743879 3'
1379	10593	18759	3.28	1.0E-52	4504026	NT	Homo sapiens glutamate-aminonia ligase (glutamine synthase) (GLUL) mRNA
3024	12280	21388	1.82	1.0E-52	S91070.1	NT	pol=reverse transcriptase homodog (retroviral element) [human, endogenous retroviral element RTVL-Hp1, Genomic, 660 nt]
5355	14585	23661	3.88	1.0E-52	M29426.1	NT	Human P-glycoprotein (MDR1) gene, exon 4
5827	15044	24448	2.75	1.0E-52	U38964.1	NT	Human PMS2 related (hPMSR2) gene, complete cds
6284	15445	24884	2.57	1.0E-52	X07292.1	NT	Human aldolase C gene for fructose-1,6-bisphosphate aldolase
7350	16568	26056	15.82	1.0E-52	U48296.1	NT	Homo sapiens protein tyrosine phosphatase PTPCAAX1 (hPTPCAAX1) mRNA, complete cds
7413	16625		2.87	1.0E-52	11426321	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 2 (PSMB2), mRNA
3773	12891	22108	0.85	9.0E-53	4508064	NT	Homo sapiens protein kinase, cAMP-dependent, regulatory, type II, beta (PRKAR2B) mRNA
8614	17811		3.78	7.0E-53	BF238465.1	EST_HUMAN	601904771F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4132783 5'
9057	18245		6.71	7.0E-53	AI421782.1	EST_HUMAN	944f07.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2086077 3' similar to contains THR.11
4078	13286	22384	6.55	5.0E-53	4758543	NT	THR repetitive element;
8696	17642		1.81	5.0E-53	AW813563.1	EST_HUMAN	Homo sapiens heterogeneously nuclear ribonucleoprotein C (C1/C2) (HNRPC) mRNA
51	9348	18461	2.25	4.0E-53	AL163285.2	NT	RC3-ST0197-151099-071-g10 ST0197 Homo sapiens cDNA
51	9348	18462	2.25	4.0E-53	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
7766	16962	26473	3.53	4.0E-53	BF128701.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C085
7766	16962	26474	3.53	4.0E-53	BF128701.1	EST_HUMAN	601810969F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053977 5'
2622	11806	21023	1.8	3.0E-53	AB028898.1	NT	601810969F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053977 5'
3712	12832	22050	1.7	3.0E-53	AW050838.1	EST_HUMAN	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4588	13782	22874	0.81	3.0E-53	AW803563.1	EST_HUMAN	wz22c07.x1 Soares_Dieckgraefe_colon_NHCD Homo sapiens cDNA clone IMAGE:2558798 3'
6582	15758	25221	5.16	3.0E-53	S72043.1	NT	IL2-UM0081-240300-055-D03 UM0081 Homo sapiens cDNA
6788	15983		8.94	3.0E-53	5901953	NT	GIF=growth inhibitory factor [human, brain, Genomic, 2015 nt]
8493	17536		1.41	3.0E-53	11426423	NT	Homo sapiens FGFR1 oncogene partner (FOP), mRNA
464	9717		5.34	2.0E-53	AA386556.1	EST_HUMAN	Homo sapiens acetyl-Coenzyme A carboxylase alpha (ACACA), mRNA
2286	11491	20711	43.86	2.0E-53	U78027.1	NT	ESTT7525 Pancreas tumor III Homo sapiens cDNA 5' end
2501	11690		11.89	2.0E-53	4502316	NT	Homo sapiens Bruton's tyrosine Kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
3212	12446	21570	0.6	2.0E-53	AF083822.1	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) 31kD; Vacuolar proton-ATPase, subunit E; V-ATPase, subunit E (ATP6E), mRNA
4036	13246	22349	2.27	2.0E-53	IM81873.1	NT	Homo sapiens dihydropyridine receptor alpha 2 subunit (CACNA2D1) gene, exon 6
5406	14634	23746	2.32	2.0E-53	BF334740.1	EST_HUMAN	Human Krueppel-related DNA-binding protein (TF34) gene, partial cds
							PM1-CT0396-170800-001-g03 CT0396 Homo sapiens cDNA

Page 214 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5406	14634	23747	2.32	2.0E-53	BF334740.1	EST_HUMAN	PM1-CT03096-170800-001-g03 CT0396 Homo sapiens cDNA
6880	16071		6.07	2.0E-53	AW245676.1	EST_HUMAN	2822865.6prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822865 5'
1447	10680	19835	1.18	1.0E-53	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
3387	12814	21747	1.42	1.0E-53	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4884	14171	23281	1.03	1.0E-53	BE268388.1	EST_HUMAN	601176725F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531919 5'
6801	15996	25454	12.97	1.0E-53	X79536.1	NT	H. sapiens mRNA for hnRNPcore protein A1
8359	17451	26581	1.49	1.0E-53	AW245422.1	EST_HUMAN	2822943 3prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822943 3'
3218	12452	21585	0.62	9.0E-54		NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
5330	18050	23634	5.28	9.0E-54	4504116	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
212	9492	18024	5.45	8.0E-54	BE388785.1	EST_HUMAN	601272863F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614031 5'
1803	11012	20205	2.01	8.0E-54	4504810	NT	Homo sapiens insulin-like growth factor 2 receptor (IGF2R) mRNA
4747	13938	23041	0.71	8.0E-54	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
4747	13938	23042	0.71	8.0E-54	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
5129	13938	23041	0.72	8.0E-54	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
5128	13938	23042	0.72	8.0E-54	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
5631	14855	24238	22.45	8.0E-54	6005700	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 8 (ABCA8), mRNA
389	9883	18820	1.42	7.0E-54	AA812537.1	EST_HUMAN	al79c12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1377046 3' similar to contains MER30.13 MER30 repetitive element ;
1798	11007	20200	1.3	7.0E-54	Y16845.1	NT	Homo sapiens mRNA for monocyte chemotactic protein-2
2171	11368	20589	8.45	7.0E-54	N27177.1	EST_HUMAN	yw68d12.s1 Soares_placenta_8to9weeks_2NbHP8tc9W Homo sapiens cDNA clone IMAGE:257399 3' similar to contains LTR7.b3 LTR7 repetitive element ;
7688	16887	26368	2.02	7.0E-54	8923698	NT	Homo sapiens golgin-like protein (GLP), mRNA
7688	16887	26369	2.02	7.0E-54	8923698	NT	Homo sapiens golgin-like protein (GLP), mRNA
7689	17031		6.66	7.0E-54	AI160189.1	EST_HUMAN	qb67g03.x1 Soares_fetal_heart_NbH1H19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.11 OFR repetitive element ;
24	9320	18424	4.02	6.0E-54	AB003618.1	NT	Homo sapiens DNA for MICB, exon 4, 5 and partial cds
390	9884	18821	1.74	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
390	9884	18822	1.74	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3251	12484	21618	1.3	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3981	13195	22303	1.16	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
4457	13855	22749	0.75	6.0E-54	4502872	NT	Homo sapiens chloride channel 6 (CLCN6) mRNA
4891	14079		1.7	6.0E-54	AV754746.1	EST_HUMAN	AV754746 TP Homo sapiens cDNA clone TPGAAC10 5'
5024	14079		2.37	6.0E-54	Y09846.1	NT	H. sapiens shc pseudogene, p68 isoform
						NT	H. sapiens shc pseudogene, p68 isoform

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7990	18425	25912	4.04	6.0E-54	AW813567.1	EST_HUMAN	RC3-ST0197-151099-011-08 ST0197 Homo sapiens cDNA
2119	11318	20538	3.92	5.0E-54	P51523	SWISSPROT	ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2)
187	8466		74.6	4.0E-54	AF110103.1	NT	Tupala belangeri beta-actin mRNA, partial cds
983	10196	19351	100.21	4.0E-54	AA308764.1	EST_HUMAN	EST177698 Jurkat T-cells VI Homo sapiens cDNA 5' end similar to glyceraldehyde-3-phosphate dehydrogenase
1774	10984	20175	3.46	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
1774	10984	20176	3.46	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
3168	12403		1.94	4.0E-54	A1935086.1	EST_HUMAN	wd28411.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2329269 3' similar to TR:002711
93	8386	18515	11.44	3.0E-54	AA313487.1	EST_HUMAN	002711 PRO-POL-DUTPASE POLYPROTEIN ;
2587	11773		1.32	3.0E-54	A1908757.1	EST_HUMAN	EST185371 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
7652	16852	28350	4.71	3.0E-54	BF345600.1	EST_HUMAN	IL-BT189-190399-007 BT189 Homo sapiens cDNA
7908	17123	28654	3.14	3.0E-54	AA393362.1	EST_HUMAN	602019408F1 NCI CGAP Bm87 Homo sapiens cDNA clone IMAGE:4155121 5'
8464	17619	24022	2.69	3.0E-54	AW954559.1	EST_HUMAN	z70f12.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727727 5' similar to TR:G191315
8512	18337		2.75	3.0E-54	AW748965.1	EST_HUMAN	G191315 ANDROGEN-DEPENDENT EXPRESSED PROTEIN ;
648	9894	19018	8.02	2.0E-54	5031900	NT	EST368828 MAGC resequences, MAGC Homo sapiens cDNA
1373	10587	19753	1.05	2.0E-54	4507164	NT	RC1-BT0313-131199-011-509 BT0313 Homo sapiens cDNA
2504	11692	20912	2.47	2.0E-54	AW163175.1	EST_HUMAN	Homo sapiens killer cell lectin-like receptor subfamily G, member 1 (KLRG1), mRNA
2560	11746	20966	2.11	2.0E-54	AL163210.2	NT	Homo sapiens nuclear antigen Sp100 (SP100) mRNA
2847	12086	21215	1.44	2.0E-54	AW057524.1	EST_HUMAN	ai92g03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783764 5' similar to SW:GUL1_HUMAN Q13616 CULLIN HOMOLOG 1 ;
3523	12747		6.73	2.0E-54	AA532925.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
4187	13391		3.92	2.0E-54	4502642	NT	wy60b12.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2552927 3' similar to TR:Q82084 Q82084 PHOSPHOLIPASE C NEIGHBORING ;
4434	13634		1.21	2.0E-54	AF208161.1	NT	h45g09.s1 NCI CGAP P16 Homo sapiens cDNA clone IMAGE:995488 similar to gb:X63777 60S
4438	13638		1.27	2.0E-54	AL163201.2	NT	RIBOSOMAL PROTEIN L23 (HUMAN);
5166	14345	23434	0.6	2.0E-54	AL163201.2	NT	Homo sapiens chaperonin containing T-complex subunit 6 (CCT6) mRNA
5556	14780	24148	4.56	2.0E-54	11428657	NT	Homo sapiens synovial precursor, mRNA, complete cds
5595	14819	24195	12.42	2.0E-54	AB046811.1	NT	Homo sapiens chromosome 21 segment HS21C001
5595	14819	24196	12.42	2.0E-54	AB046811.1	NT	Homo sapiens chromosome 21 segment HS21C001
6128	15312	24746	7.59	2.0E-54	11428544	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
							Homo sapiens mRNA for KIAA1591 protein, partial cds
							Homo sapiens mRNA for KIAA1591 protein, partial cds
							Homo sapiens neurofibromin 1 (neurofibromatosis, von Recklinghausen disease, Watson disease) (NF1), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6973	16151	25622	4.05	2.0E-54	AB001026.1	NT	Homo sapiens mRNA for brain ryanodine receptor, complete cds
8217	17348		4.24	2.0E-54	7657454	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PES1), mRNA
8991	17853	23887	1.6	2.0E-54	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
4461	13659		1.8	1.0E-54	BF315418.1	EST_HUMAN	601899230F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4128535 5'
8168	17863		3.74	1.0E-54	AU077341.1	EST_HUMAN	AU077341 Sugano cDNA library Homo sapiens cDNA clone Zm6C880 similar to 5'-end region of Human gamma-glutamyl transpeptidase mRNA, 5 end
1322	10537		0.87	8.0E-55	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
1325	10540		2.14	8.0E-55	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
7750	16946		2.46	8.0E-55	AW408714.1	EST_HUMAN	fl02602.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960907 5'
1089	10313	19467	1.07	7.0E-55	R09346.1	EST_HUMAN	Y28604.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:127098 5' similar to SP:C561_BOVIN P10897 CYTOCHROME
7782	16958	26467	15.56	7.0E-55	AI591056.1	EST_HUMAN	lq2909.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2210249 3'
7762	16958	26468	15.56	7.0E-55	AI591056.1	EST_HUMAN	lq2809.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2210249 3'
8987	17851		1.49	7.0E-55	H23396.1	EST_HUMAN	ym57g07.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:52444 5'
9136	18263		5.18	7.0E-55	H23396.1	EST_HUMAN	ym57g07.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:52444 5'
8046	17182	28722	2.17	6.0E-55	AB040834.1	NT	Homo sapiens mRNA for KIAA1501 protein, partial cds
1740	10952	20134	1.32	5.0E-55	AA704971.1	EST_HUMAN	z95b09.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:462617 3'
1740	10952	20135	1.32	5.0E-55	AA704971.1	EST_HUMAN	z95b09.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:462617 3'
4782	13971	23074	1.49	5.0E-55	AW206021.1	EST_HUMAN	UI-H-B11-afy-g-09-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2723536 3'
5898	15115	24528	1.68	5.0E-55	4502240	NT	Homo sapiens arylsulfatase E (chondrodysplasia punctata 1) (ARSE), mRNA
5898	15115	24527	1.68	5.0E-55	4502240	NT	Homo sapiens arylsulfatase E (chondrodysplasia punctata 1) (ARSE), mRNA
6781	15978	25434	2.25	5.0E-55	4506302	NT	Homo sapiens protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA) mRNA
8555	17577		3.35	5.0E-55	11417972	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PES1), mRNA
57	11958	18470	3.36	4.0E-55	AW957894.1	EST_HUMAN	EST370084 MAGE resequences, MAGE Homo sapiens cDNA
678	9922	19053	46.87	4.0E-55	4828973	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1442	10958	19830	1.18	4.0E-55	7681713	NT	Homo sapiens predicted osteoblast protein (GS3786), mRNA
1442	10958	19831	1.18	4.0E-55	7681713	NT	Homo sapiens predicted osteoblast protein (GS3786), mRNA
1503	10716		1.45	4.0E-55	BF081411.1	EST_HUMAN	7f5b10.x1 Soares NSF_F8_PW_OT_PA_S1 Homo sapiens cDNA clone IMAGE:3380043 3' similar to contains L1 L3 L1 repetitive element;
1994	11197	20406	2.71	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
1994	11197	20407	2.71	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
2055	11256	20469	8.48	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG) mRNA
2055	11256	20470	8.48	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG) mRNA
2276	11471	20693	7.25	4.0E-55	4507794	NT	Homo sapiens ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1) mRNA

Page 217 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2550	11738		0.99	4.0E-55	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
3247	12480	21612	0.94	4.0E-55	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
6578	15774		5.57	4.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
7781	16976		5.6	4.0E-55	W28189.1	EST_HUMAN	43c5 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
8485	17520		7.9	4.0E-55	BF303941.1	EST_HUMAN	601886575F2 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4120338 5'
8402	17480		3.27	3.0E-55	BE178519.1	EST_HUMAN	PM1-HT0803-080300-001-g08 HT0803 Homo sapiens cDNA
9181	17973		1.68	3.0E-55	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
382	9848	18781	2.24	2.0E-55	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV8)
558	9808		1.09	2.0E-55	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
655	9901	19027	3.38	2.0E-55	4507288	NT	Homo sapiens syntridin-binding protein 1 (STXBP1) mRNA, and translated products
2813	12161	21286	0.82	2.0E-55	4507788	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
4785	13974	23077	2.73	2.0E-55	BE178986.1	EST_HUMAN	CM1-HT0876-150800-357-g03 HT0876 Homo sapiens cDNA
6819	16013		2.85	2.0E-55	A1002836.1	EST_HUMAN	an98105.s1 Streptococcus schizos brain S11 Homo sapiens cDNA clone IMAGE:1684185 3' similar to contains
7523	16728	28219	2.48	2.0E-55	AU118344.1	EST_HUMAN	THR.b2 THR repetitive element
98	9389	18518	1.2	1.0E-55	4505060	NT	Homo sapiens mannose-6-phosphate receptor (cation dependent) (M6PR) mRNA
194	9474	18605	60.19	1.0E-55	U09823.1	NT	Oryctolagus cuniculus New Zealand white elongation factor 1 alpha (Rabefia2) mRNA, complete cds
591	9830	18948	0.87	1.0E-55	A1026718.1	EST_HUMAN	ov65g09.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1644180 3'
1158	10380	19532	5.24	1.0E-55	AB020710.1	NT	Homo sapiens mRNA for KIAA0803 protein, partial cds
1921	11125	20320	2.45	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867027 5'
1921	11125	20321	2.45	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867027 5'
2293	11488		8.1	1.0E-55	5903174	NT	Homo sapiens SMA3 (SMA3), mRNA
2483	11873	20890	79.35	1.0E-55	X13111.1	NT	Human mRNA for HLA-A11E, a MHC class I molecule (major histocompatibility complex)
2520	11708	20923	5.19	1.0E-55	AB007886.2	NT	Homo sapiens mRNA for KIAA0408 protein, partial cds
2520	11708	20924	5.19	1.0E-55	AB007886.2	NT	Homo sapiens mRNA for KIAA0408 protein, partial cds
2573	11758	20978	8.98	1.0E-55	L54057.1	NT	Homo sapiens CLP mRNA, partial cds
3967	13182	22281	3.76	1.0E-55	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C087
4282	13485	22584	1.09	1.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4742	13933		1.08	1.0E-55	N77261.1	EST_HUMAN	yv44g03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245820 5'
4945	14034	23126	1.85	1.0E-55	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
4945	14034	23127	1.85	1.0E-55	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
5162	14341	23430	0.97	1.0E-55	8923125	NT	Homo sapiens hypothetical protein FLJ20126 (FLJ20126), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5778	14998	24397	6.65	1.0E-55	11433046	NT	Homo sapiens hec domain and RLD 2 (HERC2), mRNA
5778	14998	24398	6.65	1.0E-55	11433046	NT	Homo sapiens hec domain and RLD 2 (HERC2), mRNA
7486	16693	26178	5.26	1.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
7486	16693	26177	5.26	1.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
7984	16419	25908	2.62	1.0E-55	U50850.1	NT	Human Infant brain unknown product mRNA, complete cds
8003	18438	25925	2.12	1.0E-55	T10045.1	EST_HUMAN	seq1575 b4HB3MA Cot8-HAP-F1 Homo sapiens cDNA clone b4HB3MA-COT8-HAP-F161 5' similar to similar to Chinese Hamster DHFR-coamplified protein mRNA
6241	15422	24863	1.68	9.0E-56	BE378074.1	EST_HUMAN	601237702F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609552 5'
2690	11871	21085	5.74	7.0E-56	H19534.1	EST_HUMAN	Yn62g03.r1 Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:173044 5' similar to contains THR repetitive element;
6353	15533	24985	2.12	7.0E-56	AW361213.1	EST_HUMAN	RC1-CT0252-231089-013-507 CT0252 Homo sapiens cDNA
6353	15533	24986	2.12	7.0E-56	AW361213.1	EST_HUMAN	RC1-CT0252-231089-013-507 CT0252 Homo sapiens cDNA
1667	10880	20064	1.85	5.0E-56	AW997712.1	EST_HUMAN	RC3-BN0053-170200-011-h01 BN0053 Homo sapiens cDNA
8651	18324	23569	2.18	5.0E-56	H55099.1	EST_HUMAN	CHR220038 Chromosome 22 exon Homo sapiens cDNA clone C22_55 5'
29	9325	18428	18.75	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
29	9325	18429	18.75	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
2669	11850	21065	3.18	4.0E-56	4507728	NT	Homo sapiens tubulin, beta polypeptide (TUBB) mRNA
2669	11850	21066	3.18	4.0E-56	4507728	NT	Homo sapiens tubulin, beta polypeptide (TUBB) mRNA
2764	9783	18906	3.7	4.0E-56	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2785	11761	20981	1.3	4.0E-56	AI632488.1	EST_HUMAN	w609f08.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA
2785	11761	20982	1.3	4.0E-56	AI632488.1	EST_HUMAN	P27119 ORNITHINE DECARBOXYLASE ;
5773	14991	24391	5.54	4.0E-56	AF217508.1	NT	w609f08.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA
5773	14991	24392	5.54	4.0E-56	AF217508.1	NT	P27119 ORNITHINE DECARBOXYLASE ;
7497	16704	26188	11.06	4.0E-56	AI498086.1	EST_HUMAN	Homo sapiens uncharacterized bone marrow protein BM031 mRNA, complete cds
7497	16704	26189	11.06	4.0E-56	AI498086.1	EST_HUMAN	Homo sapiens uncharacterized bone marrow protein BM031 mRNA, complete cds
1349	10584	19729	4.56	3.0E-56	8524029	NT	hm85g12.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163046 3'
1735	10947	20130	1.43	3.0E-56	6912743	NT	hm85g12.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163046 3'
2118	11317	20535	1.09	3.0E-56	6912697	NT	Homo sapiens hypothetical protein PRO1304 (PRO1304), mRNA
3089	12325	21447	1.68	3.0E-56	AA325826.1	EST_HUMAN	Homo sapiens 5'-3' exoribonuclease 2 (XRN2), mRNA
3089	12325	21448	1.68	3.0E-56	AA325826.1	EST_HUMAN	Homo sapiens oncogene TC21 (TC21), mRNA
3824	13042		2.27	3.0E-56	AF055068.1	NT	EST28888 Cerebellum II Homo sapiens cDNA 5' end EST28889 Cerebellum II Homo sapiens cDNA 5' end Homo sapiens MHC class 1 region

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3895	13111	22229	0.98	3.0E-56	BE393512.1	EST_HUMAN	601310203F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631848 5'
4382	13583	22695	0.8	3.0E-56	7857042	NT	Homo sapiens Down syndrome candidate region 1 (DSOR1), mRNA
4416	13616	22712	5.14	3.0E-56	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
4570	13764	22860	2.93	3.0E-56	5902085	NT	Homo sapiens superkiller viralicidic activity 2 (S. cerevisiae homodog)-like (SKIV2L), mRNA
4817	14006		1.75	3.0E-56	BE893572.1	EST_HUMAN	601438154F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3923100 5'
5142	14321	23413	0.78	3.0E-56	6912593	NT	Homo sapiens phosphotidylinositol transfer protein, beta (PITPNB), mRNA
5528	14752	24118	1.73	3.0E-56	4759163	NT	Homo sapiens spero/osteoneurin, cwcw and kazal-like domains proteoglycan (testican) (SPOCK) mRNA
5528	14752	24119	1.73	3.0E-56	4759163	NT	Homo sapiens spero/osteoneurin, cwcw and kazal-like domains proteoglycan (testican) (SPOCK) mRNA
6030	15238	24661	5.37	3.0E-56	11421124	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), mRNA
6723	15918	25377	8	3.0E-56	11418704	NT	Homo sapiens bone morphogenetic protein 5 (BMP5), mRNA
7211	16388	25870	2.39	3.0E-56	11434956	NT	Homo sapiens KIAA0317 gene product (KIAA0317), mRNA
7861	17051	26571	5.15	3.0E-56	5902013	NT	Homo sapiens nuclear pore complex interacting protein (NPIP), mRNA
7861	17051	26572	5.15	3.0E-56	5902013	NT	Homo sapiens nuclear pore complex interacting protein (NPIP), mRNA
8510	17546	23984	1.24	3.0E-56	11434876	NT	Homo sapiens caveolin 3 (CAV3), mRNA
8510	17546	23985	1.24	3.0E-56	11434876	NT	Homo sapiens caveolin 3 (CAV3), mRNA
530	9781		2.09	2.0E-56	AA199818.1	EST_HUMAN	z452a08.s1 Stratagene neuroepithelium (#637231) Homo sapiens cDNA clone IMAGE:945206 3'
740	11976	19122	1.19	2.0E-56	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-110 BT0310 Homo sapiens cDNA
740	11976	19123	1.19	2.0E-56	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-110 BT0310 Homo sapiens cDNA
2845	12183	21318	1.53	2.0E-56	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
3288	12519		0.92	2.0E-56	AB008881.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
3507	12731	21669	1.14	2.0E-56	AV703184.1	EST_HUMAN	AV703184 ADB Homo sapiens cDNA clone ADBCFG10 5'
6121	15305	24738	1.71	2.0E-56	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
987	10218		24.65	1.0E-56	AF180930.1	NT	Macaca fascicularis protein tyrosine phosphatase (PRL-1) mRNA, complete cds
3655	12876	21994	1.84	1.0E-56	AW59833.1	EST_HUMAN	hg23c11.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
3655	12876	21995	1.84	1.0E-56	AW59833.1	EST_HUMAN	hg23c11.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
631	9876		2.23	9.0E-57	AW880895.1	EST_HUMAN	QV0-O10033-070300-152-j03 OT0033 Homo sapiens cDNA
7773	16968	26481	2.07	9.0E-57	AF228497.1	NT	Homo sapiens serine protease 17 (KLK4) gene, complete cds
7773	16968	26482	2.07	9.0E-57	AF228497.1	NT	Homo sapiens serine protease 17 (KLK4) gene, complete cds
8053	17189	26729	1.8	9.0E-57	AB020981.1	NT	Homo sapiens mRNA for cyclin B2, complete cds
13	9309	18411	0.69	8.0E-57	8923349	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
302	9575	18708	2.41	8.0E-57	AW818405.1	EST_HUMAN	QV4-ST0234-181199-037-05 ST0234 Homo sapiens cDNA

Page 220 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
894	10128	19291	4.82	8.0E-57	AW264599.1	EST_HUMAN	xr05d10.x1 NCI_CGAP_Bm53 Homo sapiens cDNA clone IMAGE:2759251 3' similar to gb:U05875
1765	10995	20191	1.75	8.0E-57	AA498109.1	EST_HUMAN	INTERFERON-GAMMA RECEPTOR BETA CHAIN PRECURSOR (HUMAN);
5060	14240	23329	0.9	8.0E-57	BE289918.1	EST_HUMAN	z651b12.r1 Spares_NHT Homo sapiens cDNA clone IMAGE:757151 5'
5297	18235	23703	2.72	8.0E-57	11418185	NT	800944440F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960864-5'
5853	15071	24481	13.17	8.0E-57	AB023177.1	NT	Homo sapiens acetylase 2, mitochondrial (ACO2), mRNA
5853	15071	24482	13.17	8.0E-57	AB023177.1	NT	Homo sapiens mRNA for KIAA0960 protein, partial cds
6396	15577	25034	2.29	8.0E-57	AB020644.1	NT	Homo sapiens mRNA for KIAA0837 protein, partial cds
6396	15577	25035	2.29	8.0E-57	AB020644.1	NT	Homo sapiens mRNA for KIAA0837 protein, partial cds
8013	9309	18411	3.51	8.0E-57	8923349	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
8751	17694	23925	1.48	8.0E-57	7018528	NT	Homo sapiens monocarboxylate transporter 3 (SLC16A8), mRNA
8902	17795	23925	2.02	8.0E-57	11545732	NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
2597	11782	21001	1.89	7.0E-57	7657592	NT	Homo sapiens smg GDS-ASSOCIATED PROTEIN (SMAP), mRNA
2597	11782	21002	1.89	7.0E-57	7657592	NT	Homo sapiens smg GDS-ASSOCIATED PROTEIN (SMAP), mRNA
3238	12472	21604	0.78	7.0E-57	8005979	NT	Homo sapiens Kruppel-like factor 8 (KLF8), mRNA
3859	13075	22180	2.25	7.0E-57	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
3859	13075	22181	2.25	7.0E-57	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
9253	18270		4.12	5.0E-57	AJ271735.1	NT	Homo sapiens Xq pseudocentromere region; segment 1/2
3736	12956	22072	2.71	4.0E-57	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
814	10052	19206	1.2	3.0E-57	4507798	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
1339	10553		55.7	3.0E-57	AA230279.1	EST_HUMAN	nc13f07.s1 NCI_CGAP_P71 Homo sapiens cDNA clone IMAGE:1008037 similar to SW:RS10_HUMAN
2354	11547	20768	1.09	3.0E-57	AA948335.1	EST_HUMAN	P46783 40S RIBOSOMAL PROTEIN S10. ;
2664	11845	21059	1.09	3.0E-57	BE076622.1	EST_HUMAN	EST54770 Hippocampus II Homo sapiens cDNA 5' end
2664	11845	21060	1.09	3.0E-57	BE076622.1	EST_HUMAN	7733b10.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP:Y47H9C.2
3536	12759	21690	2.57	3.0E-57	AF232708.1	NT	CE20263 ;
3675	12896		43.06	3.0E-57	AW853964.1	EST_HUMAN	7733b10.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP:Y47H9C.2
5719	14937	24333	3.4	3.0E-57	BE786837.1	EST_HUMAN	7733b10.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP:Y47H9C.2
6507	15703	25169	3.32	3.0E-57	W28130.1	EST_HUMAN	CE20263 ;
6515	15711	25175	2.34	3.0E-57	11545798	NT	7733b10.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP:Y47H9C.2
							Homo sapiens cell-line tsA201a chloride ion current inducer protein (Cln) gene, complete cds
							RC3-CT0254-110300-027-d10 CT0254 Homo sapiens cDNA
							601568986F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944302 5'
							4276 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
							Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
							Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA
6515	15711	25176	2.34	3.0E-57	11545798	NT	AU117659 HEMBA1 Homo sapiens cDNA clone HEMBA1001910 5'
6734	15928	26388	5.84	3.0E-57	AU117659.1	EST_HUMAN	2820473.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820473 5'
7482	16690	26172	3.42	3.0E-57	AW248374.1	EST_HUMAN	2820473.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:308548 5'
8517	18343	23605	6.01	3.0E-57	W23871.1	EST_HUMAN	z645d11.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:308548 5'
8903	18240		1.57	3.0E-57	AW178575.1	EST_HUMAN	RCO-HT0112-080899-001-C06 HT0112 Homo sapiens cDNA
1492	10705	19878	1.63	2.0E-57	AF248219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
1492	10705	19878	1.63	2.0E-57	AF248219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
2365	11558	20780	0.98	2.0E-57	BE172526.1	EST_HUMAN	MRO-HT0559-010400-008-h10 HT0559 Homo sapiens cDNA
2888	11869	21083	2.54	2.0E-57	AA845419.1	EST_HUMAN	contains Alu repetitive element; contains element MER22 repetitive element ;
3417	12842		2.73	2.0E-57	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
3905	13121	22239	0.65	2.0E-57	BE073264.1	EST_HUMAN	MRO-BT0551-060300-103-603 BT0551 Homo sapiens cDNA
4168	13373	22472	2.44	2.0E-57	AA018299.1	EST_HUMAN	z64006.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:361450 5'
4169	13373	22473	2.44	2.0E-57	AA018299.1	EST_HUMAN	z64006.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:361450 5'
4511	13707	22800	6.55	2.0E-57	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C003
5522	14747		1.69	2.0E-57	AA016131.1	EST_HUMAN	z631c05.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:360584 5' similar to contains L1.13 L1
5674	14894		31.59	2.0E-57	BF115268.1	EST_HUMAN	repetitive element ;
7819	17012	26525	2.46	2.0E-57	11424084	NT	7n80f04.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3570968 3' similar to contains TAR1.t1
7819	17012	26528	2.46	2.0E-57	11424084	NT	MER22 repetitive element ;
7860	17050	26569	1.76	2.0E-57	AJ245503.1	NT	Homo sapiens hypothetical protein FLJ20041 (FLJ20041), mRNA
7860	17050	26570	1.76	2.0E-57	AJ245503.1	NT	Homo sapiens hypothetical protein FLJ20041 (FLJ20041), mRNA
2188	11395	20817	2.63	1.0E-57	AW503208.1	EST_HUMAN	Homo sapiens partial mRNA for PEX5 related protein
6878	15873		3.15	1.0E-57	BE043031.1	EST_HUMAN	Homo sapiens partial mRNA for PEX5 related protein
8680	17950		5.46	1.0E-57	AW470791.1	EST_HUMAN	ULHF-BND-akt-g07-Q-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
8960	17832	23909	1.56	9.0E-58	BE395081.1	EST_HUMAN	h032a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3039082 3' similar to TR:O00248 O00248
596	9943		2.21	8.0E-58	BE888715.1	EST_HUMAN	HYPOTHETICAL 9.3 KD PROTEIN ;
680	9906	19033	9.99	8.0E-58	A1798376.1	EST_HUMAN	h033008.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR_b3
680	9906	19034	9.99	8.0E-58	A1798376.1	EST_HUMAN	h033008.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR_b3
							THR repetitive element ;
							601308495F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631000 5'
							601445948F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3650211 5'
							tr34507.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475
							UNNAMED HERV-H PROTEIN ;
							tr34507.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475
							UNNAMED HERV-H PROTEIN ;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1824	11032	20226	2.33	8.0E-58	11434921	NT	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
1824	11032	20227	2.33	8.0E-58	11434921	NT	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
2929	12167		2.9	8.0E-58	7706132	NT	Homo sapiens DHHC1 protein (LOC51304), mRNA
4940	14127	23223	6.17	7.0E-58	BE208903.1	EST_HUMAN	ba05g04.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823510 5' similar to TR:Q61489 Q61489
7432	16841		7.04	7.0E-58	5174542	NT	DHIM1 PROTEIN ;
7503	16710	26197	3.9	7.0E-58	AW504109.1	EST_HUMAN	Homo sapiens MADS box transcription enhancer factor 2, polypeptide B (myocyte enhancer factor 2B) (MEF2B) mRNA
7503	16710	26198	3.9	7.0E-58	AW504109.1	EST_HUMAN	UI-HF-BND-ali-g-10-0-J1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078867 5'
2218	11415	20640	1.85	6.0E-58	BE395081.1	EST_HUMAN	UI-HF-BND-ali-g-10-0-J1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078867 5'
2343	11638	20760	12.89	6.0E-58	AU130689.1	EST_HUMAN	601309465F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631000 5'
2853	12091	21220	1.15	6.0E-58	BE242150.1	EST_HUMAN	AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001263 5'
2853	12091	21221	1.15	6.0E-58	BE242150.1	EST_HUMAN	TCAAAP1E1219 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAAP1219
8779	17709		1.8	6.0E-58	11528291	NT	TCAAAP1E1219 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAAP1219
305	9578	18710	4.63	6.0E-58	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
717	9859	18097	4.77	5.0E-58	BE763984.1	EST_HUMAN	RC4-NT0057-180800-016-b05 NT0057 Homo sapiens cDNA
1202	10422	18576	3.01	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1202	10422	18577	3.01	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1203	10422	18578	2.7	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1203	10422	18577	2.7	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
3295	12526	21657	4.5	5.0E-58	AA988183.1	EST_HUMAN	or98607.s1 NCL_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1603908 3'
4245	13448	22539	0.92	5.0E-58	A1636745.1	EST_HUMAN	is89607.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2238468 3' similar to SW:PRO2_ACACA
5504	14729		2.2	5.0E-58	11498282	NT	P19894 PROFILIN II ;
5743	14962	24362	6	5.0E-58	H23072.1	EST_HUMAN	Homo sapiens placenta-specific 1 (PLAC1), mRNA
6451	15648	25118	11.24	5.0E-58	8922693	NT	ym51h07.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:52071 5'
8483	18265		2.43	5.0E-58	11528283	NT	Homo sapiens hypothetical protein FLJ10828 (FLJ10828), mRNA
9183	17880		3.41	5.0E-58	11418177	NT	Homo sapiens cat eye syndrome chromosome region, candidate 1 (CECR1), mRNA
378	9844	18778	4.45	4.0E-58	4502302	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
806	10045	19198	1.31	4.0E-58	4504634	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, O subunit (oligomycin sensitivity conferring protein) (ATP5O) mRNA
							Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1464	10677	19850	1.04	4.0E-58	4503648	NT	Homo sapiens coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B) (F9) mRNA
2541	11729	20947	1.09	4.0E-58	AF265555.1	NT	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds
2595	11781	20999	1.73	4.0E-58	U36251.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 3
3297	12528	21639	1.07	4.0E-58	D16470.1	NT	Human mRNA, Xq terminal portion
3721	12941	22058	1.23	4.0E-58	5031660	NT	Homo sapiens EGF-like repeats and discoidin-like domains 3 (EDIL3), mRNA
7883	17071	28569	10.39	4.0E-58	11424069	NT	Homo sapiens E1B-55kDa-associated protein 5 (E1B-AP5), mRNA
340	9908		1.87	3.0E-58	R17879.1	EST_HUMAN	X010602.1 Soares infant brain IN1B Homo sapiens cDNA clone IMAGE:31693 5'
1393	10907	19771	1.82	3.0E-58	4758981	NT	Homo sapiens peptide YY (PYY) mRNA
2990	12227		0.78	3.0E-58	R17879.1	EST_HUMAN	X010602.1 Soares infant brain IN1B Homo sapiens cDNA clone IMAGE:31693 5'
3143	12378	21508	3.37	3.0E-58	BF569848.1	EST_HUMAN	602185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4309943 5'
3143	12378	21509	3.37	3.0E-58	BF569848.1	EST_HUMAN	602185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4309943 5'
948	10181	18337	12.44	2.0E-58	AF068624.1	NT	Homo sapiens 5-aminolevulinic synthase 2 (ALAS2) gene, complete cds
							ba08007.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823733 5' similar to gb:X69391.60S RIBOSOMAL PROTEIN L8 (HUMAN); gb:X81987 M.musculus mRNA for TAX responsive element binding protein (MOUSE);
1297	10512		47.14	2.0E-58	BE208532.1	EST_HUMAN	601498961F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901911 5'
5371	18052	23878	3.36	2.0E-58	BE907186.1	EST_HUMAN	601498961F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901911 5'
5371	18052	23710	3.36	2.0E-58	BE907186.1	EST_HUMAN	601498961F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901911 5'
							an57602.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539674 3' similar to WP:ZK328.1 CE05085 UBIQUITIN CONJUGATING ENZYME1, RECOVERIN SUBFAMILY OF EF-HAND CALCIUM BINDING PROTEIN;
5717	14935	24331	1.81	2.0E-58	A124874.1	EST_HUMAN	Homo sapiens endocytic receptor Endo180 (ENDO180) mRNA, complete cds
6145	15329	24764	3.16	2.0E-58	AF134838.1	NT	Homo sapiens endocytic receptor Endo180 (ENDO180) mRNA, complete cds
6146	16329	24765	3.16	2.0E-58	AF134838.1	NT	Homo sapiens endocytic receptor Endo180 (ENDO180) mRNA, complete cds
7327	18543	26032	12.17	2.0E-58	BF307745.1	EST_HUMAN	601860812F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131891 5'
7538	18741	26232	1.94	2.0E-58	AW872841.1	EST_HUMAN	hm25f08.x1 NCI_CGAP_Thy4 Homo sapiens cDNA clone IMAGE:3013671 3'
728	8971	18109	0.76	1.0E-58	M65134.1	NT	Human complement component C5 mRNA, 3'end
1075	10300	18450	3.15	1.0E-58	6274549	NT	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9 (22kD, B22) (NDUFB9), mRNA
1335	10550	19714	0.84	1.0E-58	AW957182.1	EST_HUMAN	EST369252 IMAGE resequences, MAGD Homo sapiens cDNA
1335	10550	19715	0.84	1.0E-58	AW957182.1	EST_HUMAN	EST369252 IMAGE resequences, MAGD Homo sapiens cDNA
1400	10814	19778	1.13	1.0E-58	AJ238093.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
1639	10853	20033	1.77	1.0E-58	BE486132.1	EST_HUMAN	hy10f08.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3196635 3'
2615	11799	21015	1.71	1.0E-58	AF217514.1	NT	Homo sapiens uncharacterized bone marrow protein BM038 mRNA, complete cds
2754	11833	21149	2.78	1.0E-58	4759169	NT	Homo sapiens steroid regulatory element binding transcription factor 2 (SREBF2) mRNA

Page 224 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2783	11181	20389	1.27	1.0E-58	5174444	NT	Homo sapiens G protein-coupled receptor 69A (GPR69A) mRNA
3511	12735	21874	0.63	1.0E-58	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
3511	12735	21875	0.63	1.0E-58	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
4990	14177	23268	5.91	1.0E-58	A1141083.1	EST_HUMAN	Q43H01.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878128 3'
8245	17374		3.08	1.0E-58	X63392.1	NT	H. sapiens immunoglobulin kappa light chain variable region L14
2196	11393	20815	45.34	8.0E-59	4507378	NT	Homo sapiens TATA box binding protein (TBP) mRNA
6521	15717	25182	2.25	8.0E-59	A1781963.1	EST_HUMAN	WH50D08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384171 3'
182	11961		2.44	8.0E-59	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862088 5'
4980	14167	23267	1.07	6.0E-59	AW869159.1	EST_HUMAN	MR3-SN0066-040500-008-01 SN0066 Homo sapiens cDNA
3091	12327	21450	7.79	5.0E-59	A1807484.1	EST_HUMAN	W48c11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2358936 3'
4681	13855	22853	7.37	5.0E-59	X83497.1	NT	H. sapiens DNA for ZNF80-linked ERV9 long terminal repeat
6084	14530	23555	8.55	5.0E-59	AW102304.1	EST_HUMAN	au86c07.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781228 3' similar to contains element TAR1 repetitive element
7481	16889	28171	3.22	5.0E-59	11434908	NT	Homo sapiens hypothetical protein (LOC57143), mRNA
803	10042	19194	4.8	4.0E-59	D80008.1	NT	Human mRNA for KIAA0184 gene, partial cds
4803	13992	23100	0.98	4.0E-59	4508758	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4803	13992	23101	0.98	4.0E-59	4508758	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
8832	18197		2.83	4.0E-59	AF057720.1	NT	Homo sapiens 17-beta-hydroxysteroid dehydrogenase IV (HSD17B4) gene, promoter region and exon 1
9	9305		4.61	3.0E-59	AW965524.1	EST_HUMAN	EST377582 IMAGE resequences, MAGI Homo sapiens cDNA
231	9509	18637	5.06	3.0E-59	7662247	NT	Homo sapiens KIAA0680 gene product (KIAA0680), mRNA
1685	10897	20084	11.45	3.0E-59	4505860	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
1685	10897	20085	11.45	3.0E-59	4505860	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
2099	11299	20512	8.64	3.0E-59	AB028035.1	NT	Homo sapiens mRNA for KIAA1112 protein, partial cds
2099	11299	20513	8.64	3.0E-59	AB028035.1	NT	Homo sapiens mRNA for KIAA1112 protein, partial cds
3083	12329	21454	3.99	3.0E-59	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3083	12329	21455	3.99	3.0E-59	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3815	13033	22144	1.19	3.0E-59	4508044	NT	Homo sapiens zona pellucida glycoprotein 2 (sperm receptor) (ZP2) mRNA
4692	13883	22985	2.22	3.0E-59	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4859	14047	23142	1.63	3.0E-59	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
5780	14979	24377	2.17	3.0E-59	8924074	NT	Homo sapiens hypothetical protein PRO1741 (PRO1741), mRNA
6235	15418	24857	1.83	3.0E-59	5454137	NT	Homo sapiens nuclear receptor co-repressor 1 (NCOR1), mRNA
8760	17701		5.3	3.0E-59	11417988	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLAT1), mRNA
6975	16153		8.01	2.0E-59	AA309774.1	EST_HUMAN	EST180633 Jurkat T-cells V Homo sapiens cDNA 5' end

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7407	16818	26110	2.31	2.0E-59	AW410698.1	EST_HUMAN	fn07h04.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2981654 5'
7407	16819	26111	2.31	2.0E-59	AW410698.1	EST_HUMAN	fn07h04.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2981654 5'
8508	17544	24030	13.38	2.0E-59	A1631808.1	EST_HUMAN	wa36c12.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2300182 3' similar to TR:Q86542
9061	18220	23693	4.11	2.0E-59	L11845.1	NT	Q86542 RTVL-H PROTEIN, contains LTR7.b1 LTR7 repetitive element ;
166	9448		12.28	1.0E-59	BE298411.1	EST_HUMAN	Homo sapiens alpha-tubulin mRNA, complete cds
2580	11768		3.15	1.0E-59	AA748468.1	EST_HUMAN	601176757F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531927 5'
7431	15498	24943	9.28	1.0E-59	AJ130894.1	NT	oa56h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309029 3' similar to TR:Q13537
772	10012	19160	1.38	8.0E-60	AW977845.1	EST_HUMAN	Q13537 MER37 TRANSDUCIBLE ELEMENT, COMPLETE CONSENSUS SEQUENCE ;
1487	10680	19853	5.94	8.0E-60	4759159	NT	Homo sapiens mRNA for transcription factor
2138	11336	20554	4.87	8.0E-60	5174858	NT	EST388949 MAGE resequences, MAGE Homo sapiens cDNA
2138	11336	20555	4.87	8.0E-60	5174858	NT	Homo sapiens small nuclear ribonucleoprotein D3 polypeptide (18kD) (SNRPD3) mRNA
6448	15645	25113	4.12	8.0E-60	X17033.1	NT	Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
6754	15949	25408	3.84	8.0E-60	11428949	NT	Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
7409	16621	26113	5.82	8.0E-60	AL163204.2	NT	Human mRNA for integrin alpha-2 subunit
7409	16621	26114	5.82	8.0E-60	AL163204.2	NT	Homo sapiens S-antigen; retina and pineal gland (arrestin) (SAG), mRNA
762	10003	19151	24.23	7.0E-60	AF055066.1	NT	Homo sapiens chromosome 21 segment HS21C004
763	10003	19151	103.89	7.0E-60	AF055066.1	NT	Homo sapiens MHC class 1 region
825	10063	19215	1.61	7.0E-60	4504634	NT	Homo sapiens MHC class 1 region
2088	11298	20511	4.34	7.0E-60	AF077188.1	NT	Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
4160	13364	22464	3.55	7.0E-60	4505488	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
4573	13787	22862	0.62	7.0E-60	AF264750.1	NT	Homo sapiens ornithine decarboxylase 1 (ODC1) mRNA
6879	16070	25540	3.61	7.0E-60	H58041.1	EST_HUMAN	Homo sapiens ALR-like protein mRNA, partial cds
7904	17119	28650	1.95	7.0E-60	H58041.1	EST_HUMAN	y1204.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205087 5' similar to contains LTR5 repetitive element ;
2145	11343	20561	2.1	6.0E-60	BE864974.2	EST_HUMAN	y1204.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205087 5' similar to contains LTR5 repetitive element ;
6811	15807		10.94	6.0E-60	H52456.1	EST_HUMAN	601658751R1 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:3886069 3'
83	9376	18505	0.9	5.0E-60	A1807917.1	EST_HUMAN	y478h09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:2359212 3'
83	9376	18508	0.9	5.0E-60	A1807917.1	EST_HUMAN	Wf52c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
2201	11398	20822	2.89	4.0E-60	AW503208.1	EST_HUMAN	Wf52c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
2201	11398	20823	2.69	4.0E-60	AW503208.1	EST_HUMAN	UI-HF-BN0-akt-g-07-Q-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'

Page 226 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2927	12165		1.39	4.0E-60	AA289037.1	EST_HUMAN	EST11498 Uterus Homo sapiens cDNA 5' end similar to similar to retrovirus-related pol
1827	11035	20230	4.76	3.0E-60	BE662611.1	EST_HUMAN	601336448F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1827	11035	20231	4.76	3.0E-60	BE662611.1	EST_HUMAN	601336448F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1835	11043		4.97	3.0E-60	6031190	NT	Homo sapiens prohibitin (PHB) mRNA
4451	13650	22745	1.67	3.0E-60	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
5506	14731	24093	2.37	3.0E-60	AW836196.1	EST_HUMAN	RC3-LT0023-200100-012-601 LT0023 Homo sapiens cDNA
6601	15797	25253	6.71	3.0E-60	5174844	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
6601	15797	25254	6.71	3.0E-60	5174844	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
6697	15892	25353	7.68	3.0E-60	5174844	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
9140	18257		1.5	3.0E-60	AA485286.1	EST_HUMAN	ab07h04.r1 Strategene lung (#937210) Homo sapiens cDNA clone IMAGE:940151 5' similar to contains LTR10.11 LTR10 repetitive element;
32	9328	18433	1.51	2.0E-60	AY008285.1	NT	Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
1428	10841	18912	5.12	2.0E-60	Z11894.1	NT	H. sapiens 41kDa protein kinase related to rat ERK2
1696	10908	20093	1.43	2.0E-60	M24603.1	NT	Human bcr protein mRNA, 5' end
2447	11638	20959	1.02	2.0E-60	AW380450.1	EST_HUMAN	RC1-HT0268-031299-012-02 HT0268 Homo sapiens cDNA
3554	12777	21908	0.7	2.0E-60	4767887	NT	Homo sapiens v-raf murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
3892	13108	22228	0.86	2.0E-60	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
6018	14508	23577	2.21	2.0E-60	4503044	NT	Homo sapiens corticotropin releasing hormone receptor 2 (CRHR2) mRNA
6018	14508	23578	2.21	2.0E-60	4503044	NT	Homo sapiens corticotropin releasing hormone receptor 2 (CRHR2) mRNA
6126	15310	24743	4.04	2.0E-60	AA311159.1	EST_HUMAN	EST181949 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to prothymosin, alpha
6126	15310	24744	4.04	2.0E-60	AA311159.1	EST_HUMAN	EST181949 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to prothymosin, alpha
6737	15932	25392	5.05	2.0E-60	L36033.1	NT	Human pre-B cell stimulating factor homologue (SDF-1b) mRNA, complete cds
7065	18242	25717	4.11	2.0E-60	11991659	NT	Homo sapiens sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A (SEMA6A), mRNA
7065	18242	25718	4.11	2.0E-60	11991659	NT	Homo sapiens sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A (SEMA6A), mRNA
7961	17140	26871	1.84	2.0E-60	4507366	NT	Homo sapiens threonyl-tRNA synthetase (TARS), mRNA
7961	17140	26872	1.84	2.0E-60	4507366	NT	Homo sapiens threonyl-tRNA synthetase (TARS), mRNA
8797	17723		6	2.0E-60	11418192	NT	Homo sapiens non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1), mRNA
8838	18186		1.56	2.0E-60	AF068757.1	NT	Homo sapiens somatostatin receptor subype 3 (SSTR3) gene, 5' flanking region and partial cds
8940	17818		1.23	2.0E-60	11418068	NT	Homo sapiens similar to HSPC022 protein (H. sapiens) (LOC83504), mRNA
8954	17828		1.25	2.0E-60	AB011399.1	NT	Homo sapiens gene for AF-8, complete cds
528	9779	18902	1.68	1.0E-60	BE178566.1	EST_HUMAN	PM3-HT0605-270200-001-606 HT0605 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3880	13096	22213	1.79	1.0E-60	AU143389.1	EST_HUMAN	AU143389 Y79AA1 Homo sapiens cDNA clone Y79AA1001954 5'
4976	14163	23254	1.83	1.0E-60	AL183285.2	NT	Homo sapiens chromosome 21 segment HS21C085
6704	15899		3.72	1.0E-60	AA244041.1	EST_HUMAN	nc04e12.1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:1007182 similar to contains L1.1 L1 repetitive element:
1107	10331	19481	4.23	9.0E-61	AU119344.1	EST_HUMAN	AU119344 HEMBA1 Homo sapiens cDNA clone HEMBA1005583 5'
2630	11813	21031	1.13	8.0E-61	AW006478.1	EST_HUMAN	w05b10.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2506555 3'
2630	11813	21032	1.13	8.0E-61	AW006478.1	EST_HUMAN	w05b10.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2506555 3'
2903	12141		2.66	8.0E-61	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
270	9545	18674	2.65	6.0E-61	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
821	10059	19212	1.54	6.0E-61	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
1328	10544	19707	12.57	6.0E-61	AF119880.1	NT	Homo sapiens PRO2014 mRNA, complete cds
1607	10820	19896	0.91	6.0E-61	BE257400.1	EST_HUMAN	601109238F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350145 5'
1625	10838	20015	3.27	6.0E-61	AA596033.1	EST_HUMAN	nn6b109.s1 NCI_CGAP_Lat1 Homo sapiens cDNA clone IMAGE:1088897 3'
3277	12510	21640	11.97	6.0E-61	AU130889.1	EST_HUMAN	AU130889 NT2RP3 Homo sapiens cDNA clone NT2RP3001283 5'
5673	14893	24286	3.18	6.0E-61	S79249.1	NT	Ig-beta/B29-CD70b (alternatively spliced) [human, B cells, mRNA Partial, 375 nt]
6227	15408	24850	1.8	6.0E-61	U24498.1	NT	Human autosomal dominant polycystic kidney disease protein 1 (PKD1) gene
6342	15523	24971	1.86	6.0E-61	AF035737.1	NT	Homo sapiens general transcription factor 2-1 (GTF2I) mRNA, complete cds
8698	10059	19212	1.82	6.0E-61	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
1653	10867	20049	2.83	6.0E-61	4506008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
3001	12237	21367	2.23	5.0E-61	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
3116	12351	21479	1	5.0E-61	AB020632.1	NT	Homo sapiens mRNA for KIAA0825 protein, partial cds
3182	12397	21532	1.6	5.0E-61	4502186	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
3959	13174		1.76	5.0E-61	AJ226041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
5026	9631	18763	0.7	5.0E-61	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
5275	14447	23519	1.06	6.0E-61	AF001445.1	NT	Homo sapiens core binding factor alpha1 subunit (CBFA1) gene, exon 2
5275	14447	23520	1.06	5.0E-61	AF001445.1	NT	Homo sapiens core binding factor alpha1 subunit (CBFA1) gene, exon 2
8480	17529		4.52	4.0E-61	AV731140.1	EST_HUMAN	AV731140 HTF Homo sapiens cDNA clone HTFAR801 5'
505	9757	18884	1.85	2.0E-61	8922829	NT	Homo sapiens hypothetical protein FLJ11026 (FLJ11026), mRNA
1220	10438	19594	1.84	2.0E-61	BE168410.1	EST_HUMAN	QV3-HT0513-060400-147-401 HT0513 Homo sapiens cDNA
1220	10438	19595	1.84	2.0E-61	BE168410.1	EST_HUMAN	QV3-HT0513-060400-147-401 HT0513 Homo sapiens cDNA
1841	10855	20036	1.84	2.0E-61	N53039.1	EST_HUMAN	y63d11.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:246453 3' similar to gb:L28444.60S RIBOSOMAL PROTEIN L35A (HUMAN);
7045	16222	25998	2.74	2.0E-61	AW500266.1	EST_HUMAN	U1HF-BN0-ekd-f-12-Q-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076774 5'

Page 228 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7152	16328	25812	3.6	2.0E-61	11421778	NT	Homo sapiens polymerase (RNA) III (DNA directed) (39kD) (RPC39), mRNA
7461	16669		22.39	2.0E-61	11419729	NT	Homo sapiens ribosomal protein L44 (RPL44), mRNA
441	9095		0.8	1.0E-61	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
782	10021	19171	1.88	1.0E-61	5453828	NT	Homo sapiens origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L) mRNA
1828	11034	20229	4.25	1.0E-61	6005983	NT	Homo sapiens zona pellucida glycoprotein 3A (sperm receptor) (ZP3A), mRNA
2163	11361	20579	1.74	1.0E-61	AW927281.1	EST_HUMAN	xn11b09.y1 NCI_CGAP_L15 Homo sapiens cDNA clone IMAGE:2693369 5' similar to contains element
2788	12028	21155	1.09	1.0E-61	BE386363.1	EST_HUMAN	MSR1 repetitive element;
3354	12582	21722	0.79	1.0E-61	7662319	NT	601279513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614667 5'
4432	13632	22727	0.74	1.0E-61	4759249	NT	Homo sapiens KIAA0806 gene product (KIAA0806), mRNA
4432	13632	22728	0.74	1.0E-61	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
4873	14081	23155	9.51	1.0E-61	AW298181.1	EST_HUMAN	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
4873	14081	23156	9.51	1.0E-61	AW298181.1	EST_HUMAN	UIH-BW0-ajl-b-08-Q-UJ.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
4979	14166	23258	0.78	1.0E-61	AL163210.2	NT	UIH-BW0-ajl-b-08-Q-UJ.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
8041	15209	24629	10.88	1.0E-61	M30135.1	NT	Homo sapiens chromosome 21 segment HS21C010
8504	15701	25167	4.46	1.0E-61	11034840	NT	Human P40 T-cell and mast cell growth factor (hP40) gene, complete cds
6564	15760	25222	3.39	1.0E-61	AF224668.1	NT	Homo sapiens growth hormone releasing hormone (GHRH), mRNA
6850	16039		2.62	1.0E-61	AW699726.1	EST_HUMAN	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
7084	16281	25738	12.12	1.0E-61	11428892	NT	MRO-BN0070-040400-010-H01 BN0070 Homo sapiens cDNA
7228	16450	25839	3.5	1.0E-61	11425578	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
8414	18231	23700	3.11	1.0E-61	11430460	NT	Homo sapiens actinin, alpha 4 (ACTN4), mRNA
8414	18231	23701	3.11	1.0E-61	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
9115	17833	23877	7.99	1.0E-61	11418127	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
9280	18097	23803	1.55	1.0E-61	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4548	13743	22844	1.6	8.0E-62	AA830420.1	EST_HUMAN	cc68h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1354725 3' similar to SW:POL_MLVK
1115	10339	19489	1.36	7.0E-62	AV714334.1	EST_HUMAN	P31795 POL POLYPROTEIN;
3480	12704	21840	0.65	7.0E-62	P17480	SWISSPROT	AV714334 DCB Homo sapiens cDNA clone DCBAMA08 5'
7890	17106	26836	4.29	7.0E-62	A1208681.1	EST_HUMAN	NUCLEOLAR TRANSCRIPTION FACTOR 1 (UPSTREAM BINDING FACTOR 1) (UBF-1) (AUTOANTIGEN NOR-90)
2856	12194		1.27	6.0E-62	U09410.1	NT	qg56a04.x1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1839150 3' similar to TR:O15103
3362	12590		5.35	6.0E-62	11418255	NT	O15103 HYPOTHETICAL 27.3 KD PROTEIN. ; Human zinc finger protein ZNF131 mRNA, partial cds Homo sapiens CGI-56 protein (CGI-56), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6346	15527	24975	3.61	6.0E-62	A1782801.1	EST_HUMAN	w04402.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:2389251 3'
6346	15527	24976	3.61	6.0E-62	A1782801.1	EST_HUMAN	w04402.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:2389251 3'
6866	16056	25523	2.47	6.0E-62	AW814393.1	EST_HUMAN	MR3-ST0203-130100-025-e09 S10203 Homo sapiens cDNA
422	9875	18815	2.46	5.0E-62	A1950528.1	EST_HUMAN	wx51e07.x1 NCI CGAP Lu28 Homo sapiens cDNA clone IMAGE:2547204 3' similar to SW:GG95_HUMAN
2370	11563	20784	4.37	5.0E-62	AJ271735.1	NT	Q08379 GOLGIN-95, contains element MER22 repetitive element;
2370	11563	20785	4.37	5.0E-62	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
3397	12824	21755	2.42	5.0E-62	4508758	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
4319	13520	22615	1.97	5.0E-62	AA431093.1	EST_HUMAN	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4556	13751	25580	1.27	5.0E-62	AW905887.1	EST_HUMAN	zw78e09.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:782344 3' similar to SW:NRDC_RAT
6921	16114	25580	4.84	5.0E-62	AW410687.1	EST_HUMAN	p47245 NARDILYSIN;
7815	17008	26520	2.31	5.0E-62	11425574	NT	RCS-NN1089-100500-021-H03 NN1089 Homo sapiens cDNA
7815	17008	26521	2.31	5.0E-62	11425574	NT	fn07g09.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2961616 5'
850	10087	19246	3.3	4.0E-62	AW161479.1	EST_HUMAN	Homo sapiens muscle specific gene (M9), mRNA
850	10087	19247	3.3	4.0E-62	AW161479.1	EST_HUMAN	Homo sapiens muscle specific gene (M9), mRNA
851	10087	19246	3.33	4.0E-62	AW161479.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
851	10087	19247	3.33	4.0E-62	AW161479.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
2421	11612	20834	27.87	4.0E-62	A1827900.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
2421	11612	20835	27.87	4.0E-62	A1827900.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
3377	12605		9.57	4.0E-62	AJ243213.1	NT	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
5041	14225		0.96	4.0E-62	AJ243213.1	NT	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
5250	14423	23500	0.81	4.0E-62	4758323	NT	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
5626	14850	24232	1.84	4.0E-62	4506978	NT	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
5786	15003	24407	2.71	4.0E-62	11420554	NT	wf12b08.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2350359 3' similar to
6151	15335	24772	1.78	4.0E-62	11421041	NT	gb:X57138_ma1 HISTONE H2B.2 (HUMAN);
							wf12b08.x1 Soares_NFL_T_GBC S1 HISTONE H2B.2 (HUMAN);
							gb:X57138_ma1 HISTONE H2B.2 (HUMAN);
							gb:X57138_ma1 HISTONE H2B.2 (HUMAN);
							Homo sapiens keratin 18 (KRT18) mRNA
							Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
							Homo sapiens enhancer of zeste (Drosophila) homolog 2 (EZH2) mRNA
							Homo sapiens solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2 (SLC13A2) mRNA
							Homo sapiens ubiquitin specific protease 9, X chromosome (Drosophila fat facets related) (USP9X), mRNA
							Homo sapiens phosphoribosyl pyrophosphate synthetase 2 (PRPS2), mRNA

Page 230 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6348	15528	24977	2.14	4.0E-62	7657057	NT	Homo sapiens eukaryotic translation initiation factor 2B, subunit 2 (beta, 39kD) (EIF2B2), mRNA
6348	15528	24978	2.14	4.0E-62	7657057	NT	Homo sapiens eukaryotic translation initiation factor 2B, subunit 2 (beta, 39kD) (EIF2B2), mRNA
6731	15926	25385	10.64	4.0E-62	AB033089.1	NT	Homo sapiens mRNA for KIAA1263 protein, partial cds
7582	16787	26281	2.72	4.0E-62	Z78766.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC8pA16D3
7582	16787	26282	2.72	4.0E-62	Z78766.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC8pA16D3
7779	16974	26487	22.33	4.0E-62	S70594.1	NT	thyroid-stimulating hormone alpha subunit [human, Genomic, 288 nt, segment 3 of 4]
8399	17477	26593	2.09	4.0E-62	11418086	NT	Homo sapiens putative nuclear protein (HRIHFB2122), mRNA
8631	18190		2.62	4.0E-62	11418192	NT	Homo sapiens non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1), mRNA
9047	17920	23873	1.7	4.0E-62	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
9099	17915	23870	7.8	4.0E-62	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9099	17915	23871	7.8	4.0E-62	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9148	17952	23883	2.56	4.0E-62	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
74	9388	18496	1.85	3.0E-62	4557784	NT	Homo sapiens neurofibromin 2 (bilateral acoustic neuroma) (NF2), mRNA
3011	12247	21378	0.74	3.0E-62	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3011	12247	21377	0.74	3.0E-62	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3676	12897	22017	15.04	3.0E-62	X52858.1	NT	Human cyclophilin-related processed pseudogene
6635	15830	25292	8.49	3.0E-62	AI632733.1	EST_HUMAN	wa33704.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2299903 3' similar to contains THR.L2
1238	10455	18614	2.67	2.0E-62	AL163284.2	NT	THR repetitive element;
7126	16303		5.65	2.0E-62	AF224689.1	NT	Homo sapiens chromosome 21 segment HS21C084
8186	17318		26.63	2.0E-62	BF330876.1	EST_HUMAN	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
1051	10277	19430	2	1.0E-62	AF248540.1	NT	QV4-BT0257-081199-017-e03 BT0257 Homo sapiens cDNA
1530	10744	19917	17.89	1.0E-62	L78810.1	NT	Homo sapiens intersectin 2 (SH3D1B) mRNA, complete cds
1786	10978	20167	1.58	1.0E-62	AA625207.1	EST_HUMAN	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
2865	12103	21234	0.94	1.0E-62	AL039044.1	EST_HUMAN	af70e11.1 Soares_NHHMPu_S1 Homo sapiens cDNA clone IMAGE:1047404 5' similar to WP:K01H12.1
3402	12628		2.08	1.0E-62	AB040911.1	NT	CE03453 ;
4526	13722	22818	1.26	1.0E-62	8923201	NT	DKFZp566F104_r1 566 (synonym: hfk42) Homo sapiens cDNA clone DKFZp566F104 5'
6136	15320	24754	2.5	1.0E-62	AA722878.1	EST_HUMAN	Homo sapiens mRNA for KIAA1478 protein, partial cds
6136	15320	24755	2.5	1.0E-62	AA722878.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20212 (FLJ20212), mRNA
6808	16001	25480	2.36	1.0E-62	X15533.1	NT	z889f10.s1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:409771 3'
6808	16001	25481	2.36	1.0E-62	X15533.1	NT	z889f10.s1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:409771 3'
6940	16084	25552	3.51	1.0E-62	AA465170.1	EST_HUMAN	H. sapiens lysosomal acid phosphatase gene (EC 3.1.3.2) Exon 9
							H. sapiens lysosomal acid phosphatase gene (EC 3.1.3.2) Exon 9
							aa33408.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:815055 3'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7908	17121	26652	2.64	1.0E-62	Z78698.1	NT	H. sapiens flow-sorted chromosome 8 HindIII fragment, SC8pA14D8
8917	17804		2.3	1.0E-62	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
9129	17940	23880	3.35	1.0E-62	11430480	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
343	9811	18738	2.06	9.0E-63	AW818405.1	EST_HUMAN	QV4-ST0234-181199-037-405 ST0234 Homo sapiens cDNA
2314	11508		1.26	9.0E-63	C18159.1	EST_HUMAN	C18159 Human placenta cDNA (TFJjiwara) Homo sapiens cDNA clone GEN-558C10 5'
4018	13230	22332	7.81	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
4018	13230	22333	7.81	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
5300	14487	26928	2.91	9.0E-63	11418185	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), mRNA
6157	15340	24777	3.67	9.0E-63	11426885	NT	Homo sapiens nucleoprotein 88kD (NUP88), mRNA
7610	16813	26309	2	9.0E-63	BF203408.1	EST_HUMAN	601865828F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4088487 5'
2312	11506	20727	1	8.0E-63	4557734	NT	Homo sapiens monoamine oxidase A (MAOA), nuclear gene encoding mitochondrial protein, mRNA
2341	11534	20757	4.33	8.0E-63	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
3438	12683	21795	4.09	8.0E-63	AF198346.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
3438	12683	21796	4.09	8.0E-63	AF198346.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
4252	13455	22547	3.98	8.0E-63	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
937	10170		1.24	7.0E-63	AB182137.1	EST_HUMAN	wm55g11.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2439808 3'
5358	14598		21.03	6.0E-63	AA420803.1	EST_HUMAN	nc6302.r1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:745947 similar to gb:Y00381 60S
3293	12524	21656	0.98	4.0E-63	AL163278.2	NT	RIBOSOMAL PROTEIN (HUMAN);
3796	13014	22126	1.48	4.0E-63	AB014607.1	NT	Homo sapiens chromosome 21 segment HS21C078
3796	13014	22127	1.48	4.0E-63	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
5848	15063	24471	2.59	4.0E-63	AW750372.1	EST_HUMAN	Homo sapiens mRNA for KIAA0707 protein, partial cds
5848	15063	24472	2.59	4.0E-63	AW750372.1	EST_HUMAN	CM3-BT0595-190100-072-409 BT0595 Homo sapiens cDNA
7692	16891	26399	2.35	4.0E-63	AW134709.1	EST_HUMAN	CM3-BT0595-190100-072-409 BT0595 Homo sapiens cDNA
7692	16891	26400	2.35	4.0E-63	AW134709.1	EST_HUMAN	UI-H-B11-abq-4-02-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2712482 3'
1904	11110	20304	2.09	3.0E-63	AB018260.1	NT	UI-H-B11-abq-4-02-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2712482 3'
2734	11913	21126	0.97	3.0E-63	J00310.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
2773	10462	19623	11.78	3.0E-63	6005963	NT	Human Met-tRNA-I gene 1
5859	15077	24490	31.49	3.0E-63	11545810	NT	Homo sapiens zinc finger protein 144 (ZNF144), mRNA
196	9476	18608	1.26	2.0E-63	U07804.1	NT	Homo sapiens hepatocellular carcinoma antigen gene 520 (LOC83928), mRNA
203	9483	18616	1.81	2.0E-63	4885226	NT	Human DNA topoisomerase I mRNA, partial cds
504	9756		1.42	2.0E-63	4557624	NT	Homo sapiens eyes absent (Drosophila) homolog 2 (EYA2), mRNA
							Homo sapiens glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.9kD) (GLCLC) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
836	10074	19231	2.04	2.0E-63	7857042	NT	Homo sapiens Down syndrome candidate region 1 (DSCR1), mRNA
1548	10762	19836	1.66	2.0E-63	AB030388.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1548	10762	19837	1.66	2.0E-63	AB030388.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1737	10949	20132	2.19	2.0E-63	BE410739.1	EST_HUMAN	601301627F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638103 5'
3120	12355	21484	1.16	2.0E-63	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nadin-II, Alzheimer disease) (APP), mRNA
3253	12486	21618	2.53	2.0E-63	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region
3883	13099	22218	2.35	2.0E-63	L39891.1	NT	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
4882	14070	23167	1.1	2.0E-63	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
5213	14388	23473	0.87	2.0E-63	6912817	NT	Homo sapiens glutamyl-peptide cyclotransferase (glutamyl cyclase) (QPCT), mRNA
5308	18049	23542	1.88	2.0E-63	11419429	NT	Homo sapiens similar to ecdonucleotide pyrophosphatase/phosphodiesterase 3 (H. sapiens) (LOC83214), mRNA
5606	14830	24208	2.73	2.0E-63	BF373541.1	EST_HUMAN	QV1-FT0170-040700-265-c05 FT0170 Homo sapiens cDNA
5606	14830	24207	2.73	2.0E-63	BF373541.1	EST_HUMAN	QV1-FT0170-040700-265-c05 FT0170 Homo sapiens cDNA
7332	16548	26038	27.58	2.0E-63	N78945.1	EST_HUMAN	zb18b05.s1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:302385 3' similar to gb:U7208 40S RIBOSOMAL PROTEIN S4 (HUMAN);
7355	16571	26062	2.86	2.0E-63	AF098810.1	NT	Homo sapiens neuroxin III-alpha gene, partial cds
7355	16571	26063	2.86	2.0E-63	AF098810.1	NT	Homo sapiens neuroxin III-alpha gene, partial cds
8513	18133	23748	5.24	2.0E-63	11418185	NT	Homo sapiens acetylase 2, mitochondrial (ACO2), mRNA
4335	13536	22627	2.88	1.0E-63	F08485.1	EST_HUMAN	HSC2VD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
4335	13536	22628	2.88	1.0E-63	F08485.1	EST_HUMAN	HSC2VD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
6819	15815		2.88	1.0E-63	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
9187	18246		7.48	1.0E-63	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
6416	15613	25077	8.1	9.0E-64	A1478186.1	EST_HUMAN	hm50b07.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2161525 3'
1053	10279		16.75	8.0E-64	BE280786.1	EST_HUMAN	601155232F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139038 5'
5730	14949	24348	3.59	8.0E-64	BE885755.1	EST_HUMAN	601508988F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3910336 5'
8320	17423		4.21	8.0E-64	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
8374	17460		2.3	8.0E-64	T60851.1	EST_HUMAN	y698b02.r1 Stratagene lung (8337210) Homo sapiens cDNA clone IMAGE:79179 5'
3503	12727		0.98	7.0E-64	BE394321.1	EST_HUMAN	601311455F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3633204 5'
4743	13834	23037	2.89	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
4743	13834	23038	2.89	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
7086	16283	25741	4.76	7.0E-64	Y07848.1	NT	Homo sapiens EWS, gar22, rp22 and bam22 genes

Page 233 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1697	10909	20094	3.93	6.0E-64	AB51992.1	EST_HUMAN	wb51e07.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
1697	10909	20095	3.93	6.0E-64	AB51992.1	EST_HUMAN	wb51e07.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
3086	12322	21443	4.98	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2529436 3'
3086	12322	21444	4.98	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2529436 3'
5501	14727	24087	2.09	6.0E-64	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
5501	14727	24088	2.09	6.0E-64	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
5507	14732	24094	6.03	6.0E-64	M13975.1	NT	Homo sapiens protein kinase C beta-II type (PRKCB1) mRNA, complete cds
6179	15361	24769	2.45	6.0E-64	11525879	NT	Homo sapiens mesenchyme homeo box 1 (MEOX1), mRNA
6179	15361	24800	2.45	6.0E-64	11525879	NT	Homo sapiens mesenchyme homeo box 1 (MEOX1), mRNA
6861	16051	25518	8.49	6.0E-64	11420555	NT	Homo sapiens acetyl-CoA synthetase (LOC55802), mRNA
6898	16178	25647	2.76	6.0E-64	S76475.1	NT	trkG [human, brain, mRNA, 2715 nt]
7353	16569	26059	9.75	6.0E-64	11420197	NT	Homo sapiens stromal antigen 3 (STAG3), mRNA
7353	16569	26060	9.75	6.0E-64	11420197	NT	Homo sapiens stromal antigen 3 (STAG3), mRNA
7587	12322	21443	2.09	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2529436 3'
7587	12322	21444	2.09	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2529436 3'
8532	17558	23980	4.22	6.0E-64	11528198	NT	Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
830	10088	19222	2.38	5.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
830	10088	19223	2.38	5.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
1346	10581	19726	1.1	5.0E-64	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1426	10639	19809	1.34	5.0E-64	L40933.1	NT	Homo sapiens phosphoglucomutase-related protein (PGMRP) gene, complete cds
1426	10639	19810	1.34	5.0E-64	L40933.1	NT	Homo sapiens phosphoglucomutase-related protein (PGMRP) gene, complete cds
1688	10898	20086	1.67	5.0E-64	U88356.1	NT	Human (3)mbt protein homolog mRNA, complete cds
2778	10687	19862	5.41	5.0E-64	7662205	NT	Homo sapiens KIAA0818 gene product (KIAA0818), mRNA
2778	10687	19863	5.41	5.0E-64	7662205	NT	Homo sapiens KIAA0818 gene product (KIAA0818), mRNA
3693	13151	22267	8.01	5.0E-64	AF017433.1	NT	Homo sapiens putative transcription factor CR53 (CR53) mRNA, partial cds
4085	13262	22391	0.66	5.0E-64	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
7390	16604	26093	4.15	4.0E-64	AW813783.1	EST_HUMAN	RC3-ST0197-120200-015-e03 ST0197 Homo sapiens cDNA
7390	16604	26094	4.15	4.0E-64	AW813783.1	EST_HUMAN	RC3-ST0197-120200-015-e03 ST0197 Homo sapiens cDNA
2164	11362	20580	12.04	3.0E-64	C18895.1	EST_HUMAN	C18895 Human placenta cDNA (TFujihara) Homo sapiens cDNA clone GEN-509E02 5'
3221	12455	21588	0.7	3.0E-64	BE794381.1	EST_HUMAN	601589565F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3843577 5'
3420	12845	21774	1.42	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'
3420	12845	21775	1.42	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5872	15080	24503	2.5	3.0E-64	BF370000.1	EST_HUMAN	RC8-FN0019-230600-011-G11 FN0019 Homo sapiens cDNA
6618	15814	25273	2.49	3.0E-64	AF248953.1	NT	Homo sapiens gdgi matrix protein GM130 (GOLGA2) mRNA, complete cds
6618	15814	25274	2.49	3.0E-64	AF248953.1	NT	Homo sapiens gdgi matrix protein GM130 (GOLGA2) mRNA, complete cds
6823	15819	25277	2.26	3.0E-64	BE206521.1	EST_HUMAN	bb72h12.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3047975 5' similar to gb:L08069 DNAAJ PROTEIN HOMOLOG 2 (HUMAN);
6823	15819	25278	2.26	3.0E-64	BE206521.1	EST_HUMAN	bb72h12.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3047975 5' similar to gb:L08069 DNAAJ PROTEIN HOMOLOG 2 (HUMAN);
7790	16984	26498	2.06	3.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
8188	17320	26863	5.53	3.0E-64	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C046
1098	10320	19472	2.11	2.0E-64	AA609940.1	EST_HUMAN	af09d08.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1031151 3'
1401	10815	19779	3.29	2.0E-64	4757701	NT	Homo sapiens eIF4E-like cap-binding protein (4EHP) mRNA
2491	11681		2.83	2.0E-64	A1927030.1	EST_HUMAN	w087b001.x1 NCI_CGAP_Kid111 Homo sapiens cDNA clone IMAGE:2462281 3' similar to contains element L1 repetitive element;
2496	11685	20903	8.65	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2496	11685	20904	8.65	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
3105	12340	21488	2.07	2.0E-64	4504068	NT	Homo sapiens glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2) (GOT2), nuclear gene encoding mitochondrial protein, mRNA
5656	14879	24269	2.65	2.0E-64	AU124387.1	EST_HUMAN	AU124387 NT2RM2 Homo sapiens cDNA clone NT2RM2002113 5'
5668	15086	24500	4.15	2.0E-64	BF688337.1	EST_HUMAN	602123474F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4280395 5'
5930	15146	24557	2.05	2.0E-64	A1078387.1	EST_HUMAN	ex28b03.x1 Soares_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1678717 3'
5964	15178	24596	4.1	2.0E-64	M77185.1	NT	H.sapiens dopamine receptor D5 pseudogene 1, partial cds
7347	16563	26052	2.91	2.0E-64	BF528114.1	EST_HUMAN	602042882F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4180556 5'
7619	16822	26317	5.7	2.0E-64	A1922911.1	EST_HUMAN	wn81b06.x1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2452211 3'
7619	16822	26318	5.7	2.0E-64	A1922911.1	EST_HUMAN	wn81b06.x1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2452211 3'
7765	16980	26493	2.13	2.0E-64	AW864773.1	EST_HUMAN	PM2-SN0018-220300-002-612 SN0018 Homo sapiens cDNA
8446	17507	24018	1.36	2.0E-64	8567387	EST_HUMAN	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
8913	17801		2.65	2.0E-64	H55162.1	EST_HUMAN	CHR220101 Chromosome 22 exon Homo sapiens cDNA clone C22_132 5'
262	9538	18667	2.22	1.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
1749	10961	20143	27.24	1.0E-64	A1929419.1	EST_HUMAN	au60c01.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519136 3' similar to gb:L21896_cds1 PROTHYMOSIN ALPHA (HUMAN); contains element MSR1 repetitive element;
2873	12210	21348	0.82	1.0E-64	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3485	12709	21846	5.93	1.0E-64	AF196779.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
3561	12784	21813	1.41	1.0E-64	AF228527.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3561	12784	21814	1.41	1.0E-64	AF228527.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3878	13094	22211	0.78	1.0E-64	8022829	NT	Homo sapiens TRIAD3 mRNA, partial cds
8419	17491		2.5	1.0E-64	AL163246.2	NT	Homo sapiens hypothetical protein FLJ11028 (FLJ11028), mRNA
2241	11436	20660	1.5	9.0E-65	X89211.1	NT	Homo sapiens chromosome 21 segment HS21C046
2241	11436	20661	1.5	9.0E-65	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
8098	17203		35.12	9.0E-65	BF330676.1	EST_HUMAN	H. sapiens DNA for endogenous retroviral like element
8042	17178	26717	11.84	8.0E-65	A1928244.1	EST_HUMAN	QV4-BT0257-081199-017-403 BT0257 Homo sapiens cDNA
1063	10289	19440	2.01	6.0E-65	AV721898.1	EST_HUMAN	au58h07.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519005 3' similar to SW:RL21_HUMAN P48778 60S RIBOSOMAL PROTEIN L21.;
1890	11097		20.4	6.0E-65	AA550929.1	EST_HUMAN	AV721898 HTB Homo sapiens cDNA clone HTBBZC08 5'
6700	15895	25358	3.18	8.0E-65	AW083252.1	EST_HUMAN	h185d10.s1 NCI CGAP_P111 Homo sapiens cDNA clone IMAGE:988378 similar to gb:K03002 60S RIBOSOMAL PROTEIN L32 (HUMAN);
6768	15963	25420	4.99	6.0E-65	AA427878.1	EST_HUMAN	xc07b09.x1 NCI CGAP_Co21 Homo sapiens cDNA clone IMAGE:2583545 3' similar to TR:Q63308 Q63308 LONG INTERSPERSED REPETITIVE DNA CONTAINING 7 ORFS.; contains L1.b2 L1 repetitive element;
6768	15963	25421	4.99	6.0E-65	AA427878.1	EST_HUMAN	zw53b06.s1 Soares_totat_fetus_Nb2Hf8_9w Homo sapiens cDNA clone IMAGE:773747 3'
7450	18658	26147	4.89	6.0E-65	BE567816.1	EST_HUMAN	zw53b06.s1 Soares_totat_fetus_Nb2Hf8_9w Homo sapiens cDNA clone IMAGE:773747 3'
8030	17167	26705	4.81	6.0E-65	AL163210.2	NT	601340485F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3682877 5'
637	9882	19006	0.72	5.0E-65	AF064604.1	NT	Homo sapiens chromosome 21 segment HS21C010
1361	10578	19741	1.71	5.0E-65	7881951	NT	Homo sapiens KE03 protein mRNA, partial cds
1361	10578	19742	1.71	5.0E-65	7881951	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
2123	11322	20540	1.56	5.0E-65	AB033768.1	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
3222	12458	21589	2.37	5.0E-65	4507848	NT	Homo sapiens hPAD-colony10 mRNA for peptidylarginine deiminase type I, complete cds
3222	12458	21590	2.37	5.0E-65	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
198	9478	18611	2.79	4.0E-65	AL120419.1	EST_HUMAN	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
753	9894	19138	1.27	4.0E-65	A1268468.1	EST_HUMAN	DKFZp761G108_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761G108 5'
753	9894	19139	1.27	4.0E-65	A1268468.1	EST_HUMAN	qm48e01.x1 Soares_placenta_8to8weeks_2NbHP8b6W Homo sapiens cDNA clone IMAGE:1891800 3'
1086	10310	19463	1.28	4.0E-65	4828735	NT	qm48e01.x1 Soares_placenta_8to8weeks_2NbHP8b6W Homo sapiens cDNA clone IMAGE:1891800 3'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1479	10892	19887	28.34	4.0E-65	4506636	NT	Homo sapiens ribosomal protein L34 (RPL34) mRNA
2305	11499	20719	3.54	4.0E-65	BE221469.1	EST_HUMAN	hu25604.x1 NCJ_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:3171102 3'
2305	11499	20720	3.54	4.0E-65	BE221469.1	EST_HUMAN	hu25604.x1 NCJ_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:3171102 3'
3928	13142	22259	0.96	4.0E-65	AW993185.1	EST_HUMAN	RC2-BN0033-160200-013-a03 BN0033 Homo sapiens cDNA
5735	14954	24352	4.42	4.0E-65	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
5735	14954	24353	4.42	4.0E-65	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
6173	15355	24793	2.45	4.0E-65	11545780	NT	Homo sapiens hypothetical protein FLJ22087 (FLJ22087), mRNA
7663	16863	26365	2.72	4.0E-65	AF119848.1	NT	Homo sapiens PRO1474 mRNA, complete cds
8754	10310	19463	1.88	4.0E-65	4826735	NT	Homo sapiens fragile X mental retardation, autosomal homolog 1 (FXR1), mRNA
8901	17794	18611	5.17	4.0E-65	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
9286	9478	18521	1.68	4.0E-65	AL120419.1	EST_HUMAN	DKFZp761G108_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761G108 5'
97	9391	18521	1.29	3.0E-65	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
98	9391	18521	1.04	3.0E-65	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1239	11946	19830	4.65	3.0E-65	X78932.1	NT	H.sapiens HZF9 mRNA for zinc finger protein
1543	10756	19830	0.92	3.0E-65	4504626	NT	Homo sapiens immunoglobulin superfamily, member 3 (IGSF3) mRNA, and translated products
1791	11001	20197	1.13	3.0E-65	A1000692.1	EST_HUMAN	ov23f03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638173 3' similar to contains element
2947	12185	21317	0.99	3.0E-65	D87078.2	NT	MSR1 repetitive element;
3244	12477	21610	1.5	3.0E-65	4504950	NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
3701	12821	22039	1.22	3.0E-65	A1000692.1	EST_HUMAN	Homo sapiens lamellipodin, beta 1 (LAMB1), mRNA
4651	13845	22938	1.56	3.0E-65	6912385	NT	ov23f03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638173 3' similar to contains element
7927	16403	25888	15.56	3.0E-65	AA430006.1	EST_HUMAN	MSR1 repetitive element;
3382	12609	21743	7.64	2.0E-65	BF680294.1	EST_HUMAN	Homo sapiens rab6 GTPase activating protein (GAP and centrosome-associated) (GAPCENA), mRNA
5895	15112	24750	5.18	2.0E-65	BE263373.1	EST_HUMAN	zw65a06.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781042 5'
6133	15317	24750	27.19	2.0E-65	BF576922.1	EST_HUMAN	602155082F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4295968 5'
7249	16469	25961	1.71	2.0E-65	11419247	NT	601190883F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3534741 5'
8373	17459		11.09	2.0E-65	AA307904.1	EST_HUMAN	602134359F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4289295 5'
8868	18111		3.24	2.0E-65	BF246086.1	EST_HUMAN	Homo sapiens SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d,
90	9383		0.99	1.0E-65	BF125544.1	EST_HUMAN	Homo sapiens SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d,
545	9796	18920	1.2	1.0E-65	7657495	NT	Homo sapiens SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d,
							member 3 (SMARCD3), mRNA
							EST178755 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' and similar to endogenous
							retrovirus
							EST178755 Colon carcinoma (HCC) cell line Homo sapiens cDNA clone IMAGE:4073769 5'
							601854033F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073769 5'
							601763488F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026501 5'
							Homo sapiens putative Rab5 GDP/GTP exchange factor homologue (RABEX5), mRNA

Page 237 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2007	11210	20420	1.4	1.0E-65	AB040948.1	NT	Homo sapiens mRNA for KIAA1513 protein, partial cds
3351	12578	21719	0.86	1.0E-65	BE466881.1	EST_HUMAN	h224g08.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:3208888 3'
3975	13189	22297	1.9	1.0E-65	4504082	NT	Homo sapiens glypican 4 (GPC4) mRNA
3975	13189	22298	1.9	1.0E-65	4504082	NT	Homo sapiens glypican 4 (GPC4) mRNA
4189	13393	22491	4.44	1.0E-65	AW029340.1	EST_HUMAN	wx09c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
4189	13393	22492	4.44	1.0E-65	AW029340.1	EST_HUMAN	wx09c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
4239	13442		1.11	1.0E-65	AW062813.1	EST_HUMAN	EST374886 MAGG resequences, MAGG Homo sapiens cDNA
5055	14237	23325	1.09	1.0E-65	AW238282.1	EST_HUMAN	xp20c01.x1 NCI_CGAP_HN10 Homo sapiens cDNA clone IMAGE:2740898 3'
5055	14237	23326	1.09	1.0E-65	AW238282.1	EST_HUMAN	xp20c01.x1 NCI_CGAP_HN10 Homo sapiens cDNA clone IMAGE:2740898 3'
6770	15965	25423	2.68	1.0E-65	AU129040.1	EST_HUMAN	AU129040 NT2RP2 Homo sapiens cDNA clone NT2RP2004714 5'
6770	15965	25424	2.68	1.0E-65	AU129040.1	EST_HUMAN	AU129040 NT2RP2 Homo sapiens cDNA clone NT2RP2004714 5'
6774	15969		4.14	1.0E-65	11431894	NT	Homo sapiens inositol 1,4,5-triphosphate receptor, type 1 (ITPR1), mRNA
6908	16063	25529	7.42	1.0E-65	A191718.1	EST_HUMAN	qd56a02.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1733450 3' similar to gb:M28581 ZINC FINGER PROTEIN 8 (HUMAN); contains MER19.11 MER19 repetitive element ;
7243	18463	25953	2.12	1.0E-65	M26167.1	NT	Human platelet factor 4 variation 1 (PF4var1) gene, complete cds
7358	18574	26086	25.94	1.0E-65	4506860	NT	Homo sapiens ribosomal protein L7a (RPL7A) mRNA
7690	18989	26396	2.8	1.0E-65	BF698707.1	EST_HUMAN	6021262339F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4283313 5'
7763	18959	26469	2.63	1.0E-65	A1821017.1	EST_HUMAN	ts78a08.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2237170 3' similar to gb:L16533_ma1
8420	17492		2.48	1.0E-65	11418041	NT	PANCREATITIS ASSOCIATED PROTEIN 1 PRECURSOR (HUMAN);
8524	17554	23987	5.49	1.0E-65	11418322	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
8953	17834		1.47	1.0E-65	11418248	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
71	8366	18492	0.93	9.0E-66	AL180311.1	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA
71	8366	18493	0.93	9.0E-66	AL180311.1	NT	Novel human gene mapping to chromosome 22
1362	10577	19743	2.59	9.0E-66	5031980	NT	Novel human gene mapping to chromosome 22
1362	10577	19744	2.59	9.0E-66	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
1477	10690		4.32	9.0E-66	M87299.1	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
3877	13093	22209	0.73	9.0E-66	M72393.1	NT	Human transposon-like element, partial
3877	13093	22210	0.73	9.0E-66	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4699	13990	22890	0.62	9.0E-66	AL137183.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
7887	17103		1.9	7.0E-66	BE084410.1	EST_HUMAN	Novel human gene mapping to chromosome X
4369	13561	22655	1.14	6.0E-66	A1824653.1	EST_HUMAN	RC4-BT0311-141189-011-h08 BT0311 Homo sapiens cDNA
							wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2449597 3' similar to WP:F15G9.4A
							OE18595 ;

Page 238 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4359	13561	22656	1.14	6.0E-66	A824653.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2449597 3' similar to WP:F15G9.4A CE18595;
4359	13561	22657	1.14	6.0E-66	A824653.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2449597 3' similar to WP:F15G9.4A CE18595;
7719	16918	26426	9.19	6.0E-66	X69181.1	NT	H. sapiens mRNA for ribosomal protein L31
1375	10589	19755	2	5.0E-66	BE004410.1	EST_HUMAN	RC4-BT0311-141199-011-P06 BT0311 Homo sapiens cDNA
5140	14319	23410	0.97	5.0E-66	BE898644.1	EST_HUMAN	601881592F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3951791 5'
5140	14319	23411	0.97	5.0E-66	BE898644.1	EST_HUMAN	601881592F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3951791 5'
6852	16041	25505	6.49	5.0E-66	11420557	NT	Homo sapiens thyroid hormone receptor binding protein (AIB3), mRNA
800	10039	19180	1.09	4.0E-66	6679816	NT	Mus musculus fragile X mental retardation syndrome 1 homolog (Fmr1), mRNA
2245	11440	20684	4.3	4.0E-66	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
2437	11628		7.08	4.0E-66	AJ223394.1	NT	Homo sapiens germ-line DNA upstream of Jkappa locus
4763	13982		10.15	4.0E-66	9635487	NT	Human endogenous retrovirus, complete genome
5466	14692	24045	4.68	4.0E-66	11428643	NT	Homo sapiens methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyclohydrolase (MTHFD2), mRNA
6020	14510	23588	4.04	4.0E-66	AW965473.1	EST_HUMAN	EST377548 MAGE resequences, MAGI Homo sapiens cDNA
6132	15316	24749	6.3	4.0E-66	U78188.1	NT	Homo sapiens cAMP-regulated guanine nucleotide exchange factor I (cAMP-GEFI) mRNA, complete cds
6347	14692	24045	2.06	4.0E-66	11428643	NT	Homo sapiens methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyclohydrolase (MTHFD2), mRNA
6491	15698	25154	10.1	4.0E-66	11421638	NT	Homo sapiens hypothetical protein FLJ20116 (FLJ20116), mRNA
1430	10643	19814	37.87	3.0E-66	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1430	10643	19815	37.87	3.0E-66	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1951	11155	20357	0.92	3.0E-66	N55323.1	EST_HUMAN	yz27g12.r1 Soares_multiple_sclerosis_2NBH-MSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612;
1951	11155	20358	0.92	3.0E-66	N55323.1	EST_HUMAN	yz27g12.r1 Soares_multiple_sclerosis_2NBH-MSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612;
1951	11155	20359	0.92	3.0E-66	N55323.1	EST_HUMAN	yz27g12.r1 Soares_multiple_sclerosis_2NBH-MSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612;
2668	11849	21064	3.9	3.0E-66	11141880	NT	Homo sapiens TGF-beta-induced transcription factor 2 (TGIF2), mRNA
3081	12317	21439	7.06	3.0E-66	7662223	NT	Homo sapiens KIAA00649 gene product (KIAA00649), mRNA
5552	14785	24155	2.1	3.0E-66	11417946	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA

Page 239 of 382
Table 4
Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5562	14785	24156	2.1	3.0E-68	11417848	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
8043	17179	28718	7.97	3.0E-68	5453949	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A) mRNA
53	9350	18464	1.32	2.0E-66	7657334	NT	Homo sapiens Misshapen/NIK-related kinase (MINK), mRNA
53	9350	18465	1.32	2.0E-66	7657334	NT	Homo sapiens Misshapen/NIK-related kinase (MINK), mRNA
428	9293	18395	1.17	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L) mRNA, and translated products
428	9293	18396	1.17	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L) mRNA, and translated products
1794	11003	20198	4.01	2.0E-66	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
3747	12987	22081	0.75	2.0E-68	AL117233.1	NT	Novel human gene mapping to chromosome 1
4041	13251	22352	0.92	2.0E-68	AF108389.1	NT	Homo sapiens sodium/calcium exchanger isoform NaCa3 (NCX1) mRNA, complete cds
4247	13450	22541	1.08	2.0E-66	8923768	NT	Homo sapiens histone deacetylase 8 (HDAC8 gene) (HSA277724), mRNA
4658	13852	22948	30.43	2.0E-68	AJ133267.2	NT	Homo sapiens HLA-B gene for human leucocyte antigen B
4658	13852	22949	30.43	2.0E-68	AJ133267.2	NT	Homo sapiens HLA-B gene for human leucocyte antigen B
8762	18335		2.62	2.0E-66	11418318	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
1858	10871		6.34	1.0E-68	BE887173.1	EST_HUMAN	601508376F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909931-5'
2846	12085	21213	1.61	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
2846	12085	21214	1.61	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4378	12085	21213	3.84	1.0E-68	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4379	12085	21214	3.84	1.0E-68	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
5387	14616	23728	5.7	1.0E-66	BF673088.1	EST_HUMAN	602152986F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4294151 5'
7516	16721	28211	2.06	1.0E-68	AF111167.2	NT	Homo sapiens Jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
9114	17932		1.35	1.0E-68	BE894192.1	EST_HUMAN	601437130F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922303 5'
8530	17558		2.6	9.0E-67	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
385	9679	18816	2.26	7.0E-67	AW162232.1	EST_HUMAN	au75602.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gbM37104 ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
1389	10603	19788	1.83	7.0E-67	AA383416.1	EST_HUMAN	EST86812 Testis 1 Homo sapiens cDNA 5' end similar to similar to C. elegans hypothetical protein, cosmid
1539	10752	18925	1.19	7.0E-67	W85947.1	EST_HUMAN	ZK353
1539	10752	18926	1.19	7.0E-67	W85947.1	EST_HUMAN	zh56805.1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
2001	11204	20414	1.12	7.0E-67	7657243	NT	zh56805.1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
2001	11204	20415	1.12	7.0E-67	7657243	NT	Homo sapiens inositol 1,3,4-trisphosphate 5/6 kinase (ITPK1), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2762	9879	18816	2.8	7.0E-67	AW162232.1	EST_HUMAN	au75d02.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gb:M37104
5777	14995	24395	1.87	7.0E-67	11425572	NT	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
5777	14995	24396	1.87	7.0E-67	11425572	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
8176	17308	26851	2.1	7.0E-67	U82486.1	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
8300	17408	26933	1.92	7.0E-67	11430460	NT	Human cytochrome oxidase subunit Via (COX6A1P) pseudogene, complete cds
8300	17408	26934	1.92	7.0E-67	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8789	17716	23961	1.98	7.0E-67	AB011399.1	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
566	8816	18938	2.14	6.0E-67	X68968.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
805	10044	18195	1.06	6.0E-67	Z17227.1	NT	Homo sapiens mRNA for transmembrane receptor protein
1280	10495	19854	0.98	6.0E-67	Y14320.1	NT	Homo sapiens PMP69 gene, exons 3,4,5,6 & 7
3133	12368	21499	1.21	6.0E-67	4506434	NT	Homo sapiens retinoblastoma 1 (including osteosarcoma) (RB1) mRNA
3416	12841	21770	1.29	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products
3416	12841	21771	1.29	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products
4107	13314	22411	0.79	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4107	13314	22412	0.79	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4716	13907	23008	4.23	6.0E-67	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
4716	13907	23009	4.23	6.0E-67	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
3187	12422	21555	2.95	5.0E-67	AF009660.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
1338	10551	18716	0.74	4.0E-67	R80819.1	EST_HUMAN	yn02d11.r1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:167253 5'
7630	16831		2.29	4.0E-67	AA714294.1	EST_HUMAN	hw08a01.s1 NCL_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1238472 3' similar to TR:O10385 O10385
2765	9894	19009	1.15	3.0E-67	AA333768.1	EST_HUMAN	PRO-POL-DUTPASE POLYPROTEIN;
3431	12656	21786	1.11	3.0E-67	BE084410.1	EST_HUMAN	EST37803 Embryo, 9 week Homo sapiens cDNA 5' end
4704	13895	22894	3.38	3.0E-67	AW969159.1	EST_HUMAN	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
4734	13925		1.01	3.0E-67	AL163279.2	NT	MR3-SN0068-040500-008-r01 SN0068 Homo sapiens cDNA
6522	16718	26163	2.27	3.0E-67	BF196068.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C079
7811	17004		24.32	3.0E-67	AA927874.1	EST_HUMAN	hw16f05.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134913 3' similar to SW:RHOP_MOUSE
193	9473	18604	1.21	2.0E-67	BE348354.1	EST_HUMAN	Q61085 GTP-RHO BINDING PROTEIN 1;
855	10091	19253	5.63	2.0E-67	AW818405.1	EST_HUMAN	om18b07.s1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1541385 3'
1113	10337		1.73	2.0E-67	AF167460.1	NT	hw16f09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183138 3' similar to WP:F23H11.9 CE09617;
							QV4-ST0234-181199-037-r05 ST0234 Homo sapiens cDNA
							Homo sapiens double stranded RNA activated protein kinase (PKR) gene, exons 2a, 2, 3, and 4

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1849	11058	20248	0.91	2.0E-67	BE303037.1	EST_HUMAN	ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892 KIAA0798 PROTEIN.;
1849	11058	20249	0.91	2.0E-67	BE303037.1	EST_HUMAN	ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892 KIAA0798 PROTEIN.;
2350	11543	20766	1.39	2.0E-67	AF308561.1	NT	Homo sapiens KRAB zinc finger protein ZFOR mRNA, complete cds
2395	11588	20806	3.97	2.0E-67	4758795	NT	Homo sapiens developmentally regulated GTP-binding protein 1 (DRG1), mRNA
3444	12669	21804	4.82	2.0E-67	AA625755.1	EST_HUMAN	zu91g01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:745392 3'
3978	13183	22301	3.33	2.0E-67	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
5720	14938	24334	4.82	2.0E-67	BF240758.1	EST_HUMAN	601875351F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4091893 5'
5785	15002	24405	2.36	2.0E-67	AB051763.1	NT	Homo sapiens mRNA for NADPH-cytochrome P-450 reductase, complete cds
5785	15002	24406	2.36	2.0E-67	AB051763.1	NT	Homo sapiens mRNA for NADPH-cytochrome P-450 reductase, complete cds
7478	16884	26167	1.8	2.0E-67	BF685788.1	EST_HUMAN	602140470F1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4301705 5'
7623	18360		3.79	2.0E-67	11436448	NT	Homo sapiens KIAA0985 protein (KIAA0985), mRNA
7891	18426	25913	2.14	2.0E-67	BF377169.1	EST_HUMAN	PM2-TN0103-04000-001-c02 TN0103 Homo sapiens cDNA
8665	18189	23759	2.99	2.0E-67	11418189	NT	Homo sapiens thyroid autoantigen 70KD (Ku antigen) (G22P1), mRNA
257	9533	18684	7.29	1.0E-67	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
715	9857	19095	1.12	1.0E-67	AA702794.1	EST_HUMAN	z901504.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4722	13913	23014	0.59	1.0E-67	BF439247.1	EST_HUMAN	na681108.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE: 3'
2142	11340	20558	1.2	8.0E-68	BE870732.1	EST_HUMAN	601448558F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852254 5'
3851	13067	22181	5.82	8.0E-68	AA209456.1	EST_HUMAN	zq82h10.r1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:648163 5' similar to SW:SAV_SULAC Q07590 SAV PROTEIN.;
3851	13067	22182	5.82	8.0E-68	AA209456.1	EST_HUMAN	zq82h10.r1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:648163 5' similar to SW:SAV_SULAC Q07590 SAV PROTEIN.;
7197	16374	25856	2.52	6.0E-68	11422086	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
8973	17843	19203	1.37	6.0E-68	BE612554.1	EST_HUMAN	601452067F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'
812	11942	19204	1.04	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
812	11942	19204	1.04	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
829	10067	19220	5.46	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
829	10067	19221	5.46	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
2735	11914	21127	0.97	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3112	12347	21475	3.04	5.0E-68	AB037852.1	NT	Homo sapiens mRNA for KIAA1431 protein, partial cds
4162	13366		0.64	5.0E-68	4828967	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
4489	13887	22778	0.75	5.0E-68	AL157645.1	EST_HUMAN	DKFZp547D207_r1 547 (synonym: htfb1) Homo sapiens cDNA clone DKFZp547D207 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2493	11683	20899	3.92	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
2493	11683	20900	3.92	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
4895	14182		13.93	4.0E-68	P04406	SWISSPROT	GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER
5212	14387	23472	0.72	4.0E-68	7549804	NT	Homo sapiens deiodinase, iodothyronine, type II (DIO2), transcript variant 2, mRNA
5989	15271	24699	5.7	4.0E-68	11055991	NT	Homo sapiens serine carboxypeptidase 1 precursor protein (HSCP1), mRNA
5989	15271	24700	5.7	4.0E-68	11055991	NT	Homo sapiens serine carboxypeptidase 1 precursor protein (HSCP1), mRNA
6777	15972	25428	5.65	4.0E-68	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
6777	15972	25429	5.65	4.0E-68	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
7573	16778	26271	7.1	4.0E-68	4506282	NT	Homo sapiens protein tyrosine phosphatase type IVA, member 1 (PTP4A1), mRNA
7573	16778	26272	7.1	4.0E-68	4506282	NT	Homo sapiens protein tyrosine phosphatase type IVA, member 1 (PTP4A1), mRNA
3641	12862	21980	5.48	3.0E-68	AF236082.1	NT	Mus musculus G-protein coupled receptor GPR73 (Gpr73) mRNA, complete cds
6897	15603		5.45	3.0E-68	A1342323.1	EST_HUMAN	q38h02.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1950291 3' similar to contains THR.12 THR repetitive element ;
9188	18108		1.41	3.0E-68	AW939485.1	EST_HUMAN	QV1-DT0072-010200-058-h08 DT0072 Homo sapiens cDNA
2814	14475		26.8	2.0E-68	D00522.1	NT	Cricetulus longicaudatus mRNA for EF-1 alpha, complete cds
4003	13216	22320	0.89	2.0E-68	BE875788.1	EST_HUMAN	7115f02.x1 NCL CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3294747 3' similar to TR:O80828 O80828 HYPOTHETICAL 88.8 KD PROTEIN ;
4688	13878	22980	1.97	2.0E-68	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
6031	15239		8.84	2.0E-68	R45088.1	EST_HUMAN	Yg38g04.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:34896 3'
6110	15204	24623	4.55	2.0E-68	BF035316.1	EST_HUMAN	601458514F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3882034 5'
79	9372	18502	2.89	1.0E-68	4505222	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
301	9574	18707	11.39	1.0E-68	AW616405.1	EST_HUMAN	QV4-ST0234-181199-037-05 ST0234 Homo sapiens cDNA
2216	11413	20637	2.32	1.0E-68	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
2216	11413	20638	2.32	1.0E-68	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
3986	13200	22308	0.97	1.0E-68	BE296032.1	EST_HUMAN	601177002F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532344 5'
5053	14235	23322	0.64	1.0E-68	AA897343.1	EST_HUMAN	6147g12.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1480518 3'
5346	14576	23653	1.69	1.0E-68	7682349	NT	Homo sapiens cell recognition molecule Caspr2 (KIAA0868), mRNA
7429	16639	26132	2.63	1.0E-68	11418869	NT	Homo sapiens phosphodiesterase 7B (PDE7B), mRNA
7429	16639	26133	2.63	1.0E-68	11418869	NT	Homo sapiens phosphodiesterase 7B (PDE7B), mRNA
7478	16888	26168	2.64	1.0E-68	L78416.1	NT	Homo sapiens MIF2 suppressor (HSM13) mRNA, complete cds
7747	16943	26455	2.44	1.0E-68	11433277	NT	Homo sapiens myosin IC (MYO1C), mRNA
7847	17038	26554	2.74	1.0E-68	U50319.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 4-5
7847	17038	26555	2.74	1.0E-68	U50319.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 4-5
8169	17301	26845	1.88	1.0E-68	11418431	NT	Homo sapiens CGI-78 protein (LOC51632), mRNA

Page 243 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8169	17301	26846	1.88	1.0E-68	11418431	NT	Homo sapiens CGI-78 protein (LOC51632), mRNA
8955	9372	18502	2.07	1.0E-68	4505222	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
9178	18288	23686	1.69	1.0E-68	11430480	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
21	9317	18419	2.67	9.0E-69	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
21	9317	18420	2.67	9.0E-69	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1035	10261	19411	3.32	9.0E-69	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
1035	10261	19412	3.32	9.0E-69	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
4110	13317	22416	0.69	9.0E-69	4757867	NT	Homo sapiens v-rat murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
7465	16673		9.88	9.0E-69	AU117241.1	EST_HUMAN	AU117241 HEMBA1 Homo sapiens cDNA clone HEMBA1000988 5'
3364	12592		1.39	8.0E-69	AJ237744.1	NT	Homo sapiens RIB1R gene (partial), exon 12
5814	15031	24432	5.24	7.0E-69	9966912	NT	Homo sapiens actin-related protein 3-beta (ARP3BETA), mRNA
6415	15612	25075	9.31	6.0E-69	A192784.1	EST_HUMAN	q62h01.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1743601 3' similar to gb:U11566 60S RIBOSOMAL PROTEIN L18 (HUMAN);
6415	15612	25076	9.31	6.0E-69	A192784.1	EST_HUMAN	q62h01.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1743601 3' similar to gb:U11566 60S RIBOSOMAL PROTEIN L18 (HUMAN);
9101	18262		4.5	5.0E-69	AW613417.1	EST_HUMAN	h172e06.x1 NCJ_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968354 3' similar to contains MER29.12
526	9777		1.22	4.0E-69	A1873630.1	EST_HUMAN	MER29 repetitive element;
5589	14813	24187	4.72	4.0E-69	A784973.1	EST_HUMAN	wm26h11.x1 NCJ_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437125 3'
5946	15162	24575	3.11	4.0E-69	4557732	NT	wh57b08.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384819 3' similar to TR.O55137
5946	15162	24576	3.11	4.0E-69	4557732	NT	O55137 ACYL-COA THIOESTERASE;
391	9885	18823	2.37	3.0E-69	BE258012.1	EST_HUMAN	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
618	9863	18963	1.63	3.0E-69	AF221712.1	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
							601110371F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3351352 5'
							Homo sapiens Smad- and Off-interacting zinc finger protein mRNA, partial cds
1540	10763		2.54	3.0E-69	T80514.1	EST_HUMAN	y08a02.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24880 5' similar to SP:A48836
4982	14169	23259	4.28	3.0E-69	AB037732.1	NT	A48836 SPEGF III-EGF REPEAT-CONTAINING FIBROPELIN-LIKE PROTEIN - SEA URCHIN;
5178	13288	22370	1.54	3.0E-69	A1765888.1	EST_HUMAN	Homo sapiens mRNA for KIAA1311 protein, partial cds
5299	14486	26927	2.25	3.0E-69	11418185	NT	wh06g08.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385758 3'
6313	15494	24940	8.1	3.0E-69	AF268075.1	NT	Homo sapiens acetylase 2, mitochondrial (ACO2), mRNA
6929	16122	25589	3.57	3.0E-69	X06233.1	NT	Homo sapiens TRAF8-binding protein T8BP mRNA, complete cds
7235	16456	25944	4.89	3.0E-69	11432120	NT	Human mRNA for calcium-binding protein in macrophages (MRP-14) macrophage migration inhibitory factor (MIF)-related protein
							Homo sapiens ribosomal protein S15a (RPS15A), mRNA

Page 244 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7418	16630		15.56	3.0E-69	AA37698.1	EST_HUMAN	EST88807 HSC172 cells II Homo sapiens cDNA 5' end similar to ribosomal protein S18
8432	17498		5.21	3.0E-69	11419187	NT	Homo sapiens HGC8.2 protein (HGC8.2), mRNA
126	9663	18802	0.98	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
126	9663	18803	0.98	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
410	9663	18802	4.91	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
410	9663	18803	4.91	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
1850	11057	20250	1.85	2.0E-69	BE257857.1	EST_HUMAN	601109444F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350074 5'
2768	12038		3.59	2.0E-69	AA431157.1	EST_HUMAN	2x71902.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781682 5'
1626	10839		11.27	1.0E-69	BF330124.1	EST_HUMAN	RCO-BN0305-200600-031-f05 BN0305 Homo sapiens cDNA
1678	10890	20076	2.07	1.0E-69	AF053788.1	NT	Rattus norvegicus brain specific cortactin-binding protein CBP90 mRNA, partial cds
5934	15150	24560	4.11	1.0E-69	AW393689.1	EST_HUMAN	QV0-TT0010-031199-045-c07 TT0010 Homo sapiens cDNA
6013	15263	24687	3.25	1.0E-69	AB032873.1	NT	Homo sapiens mRNA for KIAA1147 protein, partial cds
6013	15263	24688	3.25	1.0E-69	AB032873.1	NT	Homo sapiens mRNA for KIAA1147 protein, partial cds
7127	16304	25784	4.82	1.0E-69	BE245070.1	EST_HUMAN	TCBAP1E2678 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP2678
7127	16304	25785	4.82	1.0E-69	BE245070.1	EST_HUMAN	TCBAP1E2678 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP2678
7449	16657		25.72	1.0E-69	4504918	NT	Homo sapiens keratin 8 (KRT8) mRNA
8369	17456	26587	1.39	1.0E-69	BF125887.1	EST_HUMAN	601762802F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4025785 5'
8798	17724		3.22	1.0E-69	AB099894.1	EST_HUMAN	wf84e08.x1 Soares_NFL_T_GBC_ST Homo sapiens cDNA clone IMAGE:4025785 5'
2300	12014	20714	1.86	8.0E-70	AA230303.1	EST_HUMAN	repetitive element; contains element MIR repetitive element
4367	13569	22665	1.97	8.0E-70	L77566.1	NT	nc13d12.1 NCL_CGAP_P1 Homo sapiens cDNA clone IMAGE:1008023
1782	10902	20187	1.72	7.0E-70	AI497807.1	EST_HUMAN	Homo sapiens DGS-1 mRNA, 3' end
1782	10992	20188	1.72	7.0E-70	AI497807.1	EST_HUMAN	hm89f01.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165305 3'
1899	11106	20288	1.42	7.0E-70	AA282955.1	EST_HUMAN	hm89f01.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165305 3'
2031	11232		4.62	7.0E-70	5031668	NT	z15h04.1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:713239 5'
4210	13413	22508	4.26	7.0E-70	4757723	NT	Homo sapiens tumor suppressor deleted in oral cancer-related 1 (DOC-1R) mRNA
5433	14660	23789	5.89	7.0E-70	AB032369.1	NT	Homo sapiens adenylate cyclase 3 (ADCY3) mRNA
5433	14660	23800	5.89	7.0E-70	AB032369.1	NT	Homo sapiens MIST mRNA, partial cds
6054	16222	24641	1.72	7.0E-70	AJ000062.1	NT	Homo sapiens MIST mRNA, partial cds
6688	15863	25342	5.2	7.0E-70	M74099.1	NT	Homo sapiens gene encoding splicing factor SF1, exons 2-8
6688	15863	25343	5.2	7.0E-70	M74099.1	NT	Human displacement protein (CCAAT) mRNA
6898	15594	25056	6.49	7.0E-70	AF153715.1	NT	Human displacement protein (CCAAT) mRNA
6898	15594	25056	6.49	7.0E-70	AF153715.1	NT	Homo sapiens phospholipid scramblase 1 gene, exon 1 and 5' flanking region

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8125	17259	26801	2.19	7.0E-70	11528319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
8125	17259	26802	2.19	7.0E-70	11528319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
881	10117	19279	2.56	6.0E-70	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
2106	11305	20519	4.61	6.0E-70	M30838.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
2474	11665	20884	1.66	6.0E-70	8923869	NT	Homo sapiens CMP-N-acetylneuraminic acid synthase (LOC55907), mRNA
2518	12018	20920	88.43	5.0E-70	7682307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
2518	12018	20921	88.43	5.0E-70	7662307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
8378	17463		2.24	5.0E-70	BE166034.1	EST_HUMAN	MR3-HT0487-150200-115-a08 HT0487 Homo sapiens cDNA
1569	10782	19955	2.52	3.0E-70	BE071766.1	EST_HUMAN	RCO-BT0522-071298-011-e12 BT0522 Homo sapiens cDNA
1569	10782	19956	2.52	3.0E-70	BE071766.1	EST_HUMAN	RCO-BT0522-071298-011-e12 BT0522 Homo sapiens cDNA
40	9336	18443	0.74	2.0E-70	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
696	9939	19070	19.57	2.0E-70	N42161.1	EST_HUMAN	y07a10.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HI_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
696	9939	19071	19.57	2.0E-70	N42161.1	EST_HUMAN	y07a10.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HI_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
712	9954	19084	3.59	2.0E-70	A1246896.1	EST_HUMAN	q51H01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2004913 3'
1028	10254	19405	2.8	2.0E-70	8923669	NT	Homo sapiens hypothetical protein FLJ20758 (FLJ20758), mRNA
1192	10412	19566	0.59	2.0E-70	7681983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1192	10412	19567	0.59	2.0E-70	7681983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1413	10626	19792	1.36	2.0E-70	BE497311.1	EST_HUMAN	h284c12.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3212758 3'
1632	10846	20024	0.93	2.0E-70	AA180063.1	EST_HUMAN	zp45h05.r1 Stratagene HeLa cell c3 937216 Homo sapiens cDNA clone IMAGE:612441 5' similar to TR:G1041293 G1041293 D2085.5 ;
1632	10846	20025	0.93	2.0E-70	AA180063.1	EST_HUMAN	zp45h05.r1 Stratagene HeLa cell c3 937216 Homo sapiens cDNA clone IMAGE:612441 5' similar to TR:G1041293 G1041293 D2085.5 ;
1716	10928	20113	1.45	2.0E-70	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
2286	11481		29.63	2.0E-70	AA054010.1	EST_HUMAN	zf49g04.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:380214 5' similar to SW:GAG_HTL1A
2448	11639	20960	2.97	2.0E-70	AB011173.1	NT	P03345 GAG POLYPROTEIN ;
3604	12825	21946	0.8	2.0E-70	H37898.1	EST_HUMAN	Homo sapiens mRNA for KIAA0601 protein, partial cds
3809	13027	22137	1.12	2.0E-70	AL133207.2	NT	yp68b04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:191598 5'
3916	13132	22250	2.14	2.0E-70	AJ246003.1	NT	Novel human gene mapping to chromosome X
							Homo sapiens Spast gene for spastin protein

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4026	13237	22342	3.74	2.0E-70	M89181.1	NT	Human nonmuscle myosin heavy chain-B (MYH10) mRNA, partial cds
5446	14672	23830	8.15	2.0E-70	X72862.1	NT	H.sapiens gene for schwannomin (CS8)
5446	14672	23831	8.15	2.0E-70	X72862.1	NT	H.sapiens gene for schwannomin (CS8)
5949	15165	24578	2.25	2.0E-70	D12625.1	NT	Human mRNA for NF1 protein isoform (neurofibromin isoform), complete cds
5958	15174	24589	10.47	2.0E-70	AF123074.1	NT	Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds
5958	15174	24590	10.47	2.0E-70	AF123074.1	NT	Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds
6087	14533	23557	1.72	2.0E-70	11422842	NT	Homo sapiens elyltransferase 6 (N-acetylcoccamide alpha 2,3-sialyltransferase) (SIAT6), mRNA
6431	15628	25093	4.82	2.0E-70	M21741.1	NT	Human guanine nucleotide-binding protein alpha-subunit gene (G-s-alpha), exons 4 and 5
7638	16838	26334	3.48	2.0E-70	8923420	NT	Homo sapiens hypothetical protein FLJ20450 (FLJ20450), mRNA
7638	16838	26335	3.48	2.0E-70	8923420	NT	Homo sapiens hypothetical protein FLJ20450 (FLJ20450), mRNA
8154	17266	26830	10.05	2.0E-70	4503520	NT	Homo sapiens eukaryotic translation initiation factor 3, subunit 6 (48kD) (EIF3S6) mRNA
8787	17714	23958	2.3	2.0E-70	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8787	17714	23959	2.3	2.0E-70	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
3370	12598		3.37	1.0E-70	4507476	NT	Homo sapiens transglutaminase 3 (E polypeptide, protein-glutamine-gamma-glutamyltransferase) (TGM3) mRNA
7508	16713	26201	19.02	1.0E-70	AV738538.1	EST_HUMAN	AV738538 CB Homo sapiens cDNA clone CBLB3810 5'
5635	14859	24242	7.21	9.0E-71	AI143870.1	EST_HUMAN	qe04101.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1738008 3' similar to TR:O14045
5635	14859	24243	7.21	9.0E-71	AI143870.1	EST_HUMAN	O14045 PHOSPHOTRANSFERASE. ;
6100	15300	24732	2.08	9.0E-71	AI654903.1	EST_HUMAN	qe04101.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1738009 3' similar to TR:O14045
8055	15300	24732	5.42	9.0E-71	AI654903.1	EST_HUMAN	O14045 PHOSPHOTRANSFERASE. ;
6794	15989		4.09	8.0E-71	AA171451.1	EST_HUMAN	wb52c05.x1 NCL_CGAP_G08 Homo sapiens cDNA clone IMAGE:2309288 3' similar to TR:P97213 P97213
6245	15426	24868	8.53	7.0E-71	AA442230.1	EST_HUMAN	CDU2, CDU1, TCDD, TCDB, TCDE, TCDA, TCOC, CDD1, CDD2, CDD3, AND CDD4 GENES. ;
7875	17063	26598	5.4	7.0E-71	AL163210.2	NT	wb52c05.x1 NCL_CGAP_G08 Homo sapiens cDNA clone IMAGE:2309288 3' similar to TR:P97213 P97213
2177	11374	20598	28.52	5.0E-71	AF056322.1	EST_HUMAN	CDU2, CDU1, TCDD, TCDB, TCDE, TCDA, TCOC, CDD1, CDD2, CDD3, AND CDD4 GENES. ;
4099	13307	22407	1.2	5.0E-71	AW816405.1	EST_HUMAN	zp21d11.r1 Strategene neuroepithelium (#237231) Homo sapiens cDNA clone IMAGE:610101 5' similar to
5603	14829	24205	1.82	5.0E-71	AF072810.1	NT	TR:G1143081 G1143081 STRAIN XA34 POL ;
6390	15570	25027	21.73	5.0E-71	AF072810.1	NT	TR:G1143081 G1143081 STRAIN XA34 POL ;
7043	16220		3.25	5.0E-71	X13467.1	NT	z60h06.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:758075 5'
						NT	Homo sapiens chromosome 21 segment HS21C010
						NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
						EST_HUMAN	QV4-S10234-181189-037405 ST0234 Homo sapiens cDNA
						EST_HUMAN	Homo sapiens cyclin-dependent kinase 6 (CDK6) mRNA
						NT	Homo sapiens transcription factor WSTF mRNA, complete cds
						NT	Human PreA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 2)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7553	16758	26252	3.73	5.0E-71	11436514	NT	Homo sapiens pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP), mRNA
7748	16942	26454	2.43	5.0E-71	11438069	NT	Homo sapiens similar to hypothetical protein FLJ20183 (H. sapiens) (LOC633325), mRNA
8692	17680		1.78	5.0E-71	11418039	NT	Homo sapiens RNA binding motif protein 9 (RBM9), mRNA
355	9823	18752	112.04	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
355	9823	18753	112.04	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
2839	12078	21201	1.63	4.0E-71	4505880	NT	Homo sapiens plasminogen (PLG) mRNA
4420	13620	22715	5.57	4.0E-71	AF056322.1	NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
5007	14184	23283	5.98	4.0E-71	7657602	NT	Homo sapiens putative home-binding protein (SOUL), mRNA
7283	16502	25894	4.32	3.0E-71	AA557683.1	EST_HUMAN	in45h10.s1 NC1_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043683 similar to contains PTR5.13 PTR5 repetitive element;
1237	10454	19613	10.52	2.0E-71	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
5344	14574	23651	7.58	2.0E-71	D87462.1	NT	Human mRNA for KIAA0272 gene, partial cds
5344	14574	23652	7.58	2.0E-71	D87462.1	NT	Human mRNA for KIAA0272 gene, partial cds
6072	14519	23561	57.87	2.0E-71	AL042439.1	EST_HUMAN	DKFZp434D1721_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1721 5'
7222	16399	25883	4.68	2.0E-71	AF095703.1	NT	Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
7222	16399	25884	4.66	2.0E-71	AF095703.1	NT	Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
7285	16504	25995	2.75	2.0E-71	BE018477.1	EST_HUMAN	b681a06.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048754 5' similar to SW:R23B_HUMAN P54727 UV EXCISION REPAIR PROTEIN PROTEIN RAD23 HOMOLOG B ;
8112	17246	28786	1.65	2.0E-71	R55626.1	EST_HUMAN	y77c11.r1 Soares breast 2NHBst Homo sapiens cDNA clone IMAGE:154772 5'
8445	17506		7.26	2.0E-71	T65489.1	EST_HUMAN	ye43e09.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:120520 5'
844	9890	19015	1.07	1.0E-71	A1077927.1	EST_HUMAN	cy15e03.s1 Soares senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:1665916 3' similar to contains LOR1.b2 LOR1 repetitive element ;
949	10182	19338	2.43	1.0E-71	7708281	NT	Homo sapiens neuronal cell death-related protein (LOC51616), mRNA
1108	10332	19482	6.48	1.0E-71	AF205890.1	NT	Homo sapiens disabled-2 gene, exons 2 through 15 and complete cds
1348	10563	19728	10.22	1.0E-71	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
2051	11252	20465	2.23	1.0E-71	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2051	11252	20466	2.23	1.0E-71	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2653	11836	21049	4.77	1.0E-71	7657153	NT	Homo sapiens hairy/enhancer-of-split related with YRPW motif-like (HEYL), mRNA
3475	12699	21835	2	1.0E-71	AF119665.1	NT	Homo sapiens inorganic pyrophosphatase mRNA, complete cds
3574	12797	21822	7.32	1.0E-71	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
3574	12797	21823	7.32	1.0E-71	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3627	12848	21966	0.89	1.0E-71	BE122850.1	EST_HUMAN	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
3627	12848	21967	0.89	1.0E-71	BE122850.1	EST_HUMAN	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
3722	12942	22059	1.54	1.0E-71	AF218904.1	NT	Homo sapiens attractin precursor (ATRN) gene, exon 19
4496	13694	22757	2.57	1.0E-71	D28476.1	NT	Human mRNA for KIAA0045 gene, complete cds
4592	13786	22878	0.93	1.0E-71	H23176.1	EST_HUMAN	ym56h10.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:52528 5'
4810	13989		1.9	1.0E-71	AF077188.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
6211	15392	24836	13.82	1.0E-71	U80753.1	NT	Homo sapiens CAGL79 mRNA, partial cds
6613	15809	25264	4.99	1.0E-71	8922811	NT	Homo sapiens hypothetical protein FLJ10998 (FLJ10998), mRNA
6613	15809	25265	4.99	1.0E-71	8922811	NT	Homo sapiens hypothetical protein FLJ10998 (FLJ10998), mRNA
7076	16253	25726	6.32	1.0E-71	AY007643.1	NT	Homo sapiens cytochrome c oxidase subunit VIIe-related protein gene, complete cds
7365	16581		6.66	1.0E-71	AV761217.1	EST_HUMAN	AV761217 MDS Homo sapiens cDNA clone MDSE1A03 5'
7459	16667	26155	2.12	1.0E-71	11418903	NT	Homo sapiens coagulation factor XIII, A1 polypeptide (F13A1), mRNA
7706	16905	26413	2.19	1.0E-71	11417191	NT	Homo sapiens leucylcystinyl aminopeptidase (LNPEP), mRNA
7706	16905	26414	2.19	1.0E-71	11417191	NT	Homo sapiens leucylcystinyl aminopeptidase (LNPEP), mRNA
8836	17746		6.79	1.0E-71	AB011399.1	NT	Homo sapiens gene for AF-8, complete cds
413	9666	18805	0.89	9.0E-72	AI857635.1	EST_HUMAN	w495g03.x1 NCJ CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN.; contains Alu repetitive element;
413	9666	18806	0.89	9.0E-72	AI857635.1	EST_HUMAN	w495g03.x1 NCJ CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN.; contains Alu repetitive element;
4090	13298	22395	2.06	7.0E-72	4501866	NT	Homo sapiens acornase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
4090	13298	22396	2.06	7.0E-72	4501866	NT	Homo sapiens acornase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
4090	13298	22397	2.06	7.0E-72	4501866	NT	Homo sapiens acornase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
6128	15313	24747	2.92	7.0E-72	S41694.1	NT	[pseudogene] PTMAP2-prothymosin alpha [human, Genomic, 1192 nt, segment 2 of 3]
8864	17835		1.43	7.0E-72	F28259.1	EST_HUMAN	HSPD13670 HM3 Homo sapiens cDNA clone s4000031G02
6593	15789		2.97	6.0E-72	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
65	9361	18484	1.3	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
65	9361	18485	1.3	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
66	9361	18484	9	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
66	9361	18485	9	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA

Page 249 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1147	10370		2.72	5.0E-72	L11845.1	NT	Homo sapiens alpha-tubulin mRNA, complete cds
8709	15904	25384	2.48	5.0E-72	AW161274.1	EST_HUMAN	au80c03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782564 5' similar to
7795	16998	28502	3.23	5.0E-72	BF331571.1	EST_HUMAN	TR:Q99785 Q99785 HYPOTHETICAL 32.4 KD PROTEIN ;contains element MSR1 repetitive element ;
7795	16998	28503	3.23	5.0E-72	BF331571.1	EST_HUMAN	MR4-BT0598-010600-005-005 BT0598 Homo sapiens cDNA
8523	18323		2.09	5.0E-72	BE026645.1	EST_HUMAN	MR4-BT0598-010600-005-005 BT0598 Homo sapiens cDNA
4838	14027		1.15	4.0E-72	11034844	NT	QV1-BT0632-280800-342-810 BT0632 Homo sapiens cDNA
8059	17194	28732	6.71	4.0E-72	H79421.1	EST_HUMAN	Homo sapiens hypothetical protein DJ1057B20.2 (DJ1057B20.2), mRNA
8178	17310	28853	3.08	4.0E-72	T81910.1	EST_HUMAN	yu2Ba03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:235084 5'
							yd2Ba09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:109849 3'
8894	17788	23921	9.76	4.0E-72	AJ277546.2	NT	(Homo sapiens WEE1 gene for protein kinase and partial ZNF143 gene for zinc finger transcription factor,
20	9316	18418	1.29	3.0E-72	5031978	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
913	10148		2.08	3.0E-72	AA723823.1	EST_HUMAN	ah63a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1310290 3'
1163	10385	19535	13.92	3.0E-72	U16308.1	NT	Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds
1163	10385	19538	13.92	3.0E-72	U16308.1	NT	Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds
1201	10421	19574	0.73	3.0E-72	U80226.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1201	10421	19575	0.73	3.0E-72	U80226.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1507	10720	19892	1.41	3.0E-72	BE242161.1	EST_HUMAN	TCAAP1E1252 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project-TCAA Homo
3040	12277	21405	11.09	3.0E-72	AJ229043.1	NT	sapiens cDNA clone TCAAP1252
3248	12479	21811	3.48	3.0E-72	8923548	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
3813	13031	22141	2.14	3.0E-72	S77589.1	NT	Homo sapiens hypothetical protein FLJ20585 (FLJ20585), mRNA
4542	13737	22835	3.48	3.0E-72	11416188	NT	TCR V delta 2-C alpha T-cell receptor delta and C alpha fusion gene (alternatively spliced, splice junction)
5848	14869	24254	1.78	3.0E-72	AF073367.1	NT	[human, precursor B-cell line REH, mRNA Partial, 211 nt]
5848	14869	24255	1.78	3.0E-72	AF073367.1	NT	Homo sapiens hypothetical protein (FLJ11127), mRNA
5738	14957	24356	4.53	3.0E-72	AB029004.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 5
5738	14957	24357	4.53	3.0E-72	AB029004.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 5
5940	15150	24568	3.84	3.0E-72	4828987	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
6327	15508	24954	1.78	3.0E-72	U80017.1	NT	Homo sapiens ribosomal protein L3-like (RPL3L) mRNA
							Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory
							protein (nalp) and survival motor neuron protein (smn) genes, complete cds

Page 250 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7326	16542	26031	2.65	2.0E-72	AA789277.1	EST_HUMAN	qj28b09.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391609 3' similar to gb:X02067 H.sapiens mRNA for TSL RNA pseudogene (HUMAN);
8889	17784	23918	0.91	2.0E-72	AF182714.1	NT	Rattus norvegicus putative phosphate/phosphoenolpyruvate translocator mRNA, complete cds
2043	11244	20453	0.99	1.0E-72	AA846225.1	EST_HUMAN	ai83d02.s1 Soares_papillary_thyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1387395 3'
5559	14782	24151	4.02	1.0E-72	7657678	NT	Homo sapiens vacuolar protein sorting 41 (yeast homolog) (VPS41), mRNA
6350	15530	24880	3.92	1.0E-72	BE175434.1	EST_HUMAN	RC4-HT0578-170300-012-g02 HT0578 Homo sapiens cDNA
6350	15530	24881	3.92	1.0E-72	BE175434.1	EST_HUMAN	RC4-HT0578-170300-012-g02 HT0578 Homo sapiens cDNA
6957	16135	25605	9.43	1.0E-72	AF222742.1	NT	Homo sapiens synaptic glycoprotein SC2 (SC2) mRNA, complete cds
6957	16135	25606	9.43	1.0E-72	AF222742.1	NT	Homo sapiens synaptic glycoprotein SC2 (SC2) mRNA, complete cds
1458	10671	18943	1.06	8.0E-73	AW374988.1	EST_HUMAN	MRD-C10063-071098-002-h11 CT0063 Homo sapiens cDNA
7524	16729		34.92	9.0E-73	11424099	NT	Homo sapiens ribosomal protein L13a (RPL13A), mRNA
1045	10270	19421	1.6	8.0E-73	AW071755.1	EST_HUMAN	ws5506.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2501098 3' similar to TR-Q59050
3262	12495	21625	0.82	8.0E-73	11435180	NT	Q59050 HYPOTHETICAL PROTEIN MJ1658. ;
5912	15129	24538	5.01	8.0E-73	11428469	NT	Homo sapiens lysosome homolog (LOC57151), mRNA
8493	15690	25155	3.2	8.0E-73	AF113129.1	NT	Homo sapiens vacuolar ATPase isoform VA68 mRNA, complete cds
8949	17824	23904	5.07	8.0E-73	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
1142	10365	19518	0.74	7.0E-73	8923280	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
3270	12503	21634	1.44	7.0E-73	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
4963	14150		1.27	7.0E-73	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
161	9443		2.72	6.0E-73	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
6152	15336	24773	3.59	6.0E-73	BE166574.1	EST_HUMAN	QV0-HT0494-020300-137-d03 HT0494 Homo sapiens cDNA
5303	14535	23539	2.11	4.0E-73	11422159	NT	Homo sapiens HELG protein (FAM441), mRNA
1830	11038	20234	1.22	3.0E-73	11435913	NT	Homo sapiens heme-binding protein (HEBP), mRNA
1830	11038	20235	1.22	3.0E-73	11435913	NT	Homo sapiens heme-binding protein (HEBP), mRNA
9195	17882		1.8	3.0E-73	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
9198	17894		1.4	3.0E-73	AW898081.1	EST_HUMAN	RC3-NN0096-270400-011-c04 NN0096 Homo sapiens cDNA
861	10097	19259	3.36	2.0E-73	AF139897.1	NT	Homo sapiens BASS1 (BASS1) mRNA, partial cds
1915	11120		3.14	2.0E-73	AW898081.1	EST_HUMAN	RC3-NN0096-270400-011-c04 NN0096 Homo sapiens cDNA
2280	11455		1.58	2.0E-73	U01317.1	NT	Human beta globin region on chromosome 11
3148	12381	21513	3.5	2.0E-73	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3525	12749	21880	0.94	2.0E-73	7669539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3525	12749	21881	0.94	2.0E-73	7669539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA
4428	13828		2.51	2.0E-73	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
5864	15082	24495	6.18	2.0E-73	AB049811.1	NT	Homo sapiens mRNA for KIAA1591 protein, partial cds
7622	16825	26321	3.96	2.0E-73	4557612	NT	Homo sapiens galactosylceramidase (Krabbe disease) (GALC), mRNA
7622	16825	26322	3.96	2.0E-73	4557612	NT	Homo sapiens galactosylceramidase (Krabbe disease) (GALC), mRNA
7849	16849	26347	1.94	2.0E-73	AB028882.1	NT	Homo sapiens mRNA for KIAA1059 protein, partial cds
8728	11120		2.66	2.0E-73	AB028882.1	EST_HUMAN	RC3-NN0086-270400-011-c04 NN0086 Homo sapiens cDNA
1753	10965	20150	2.16	1.0E-73	AW898081.1	EST_HUMAN	AU121585 MAMMA1 Homo sapiens cDNA clone MAMMA1000490 5'
7886	16421	25908	3.76	1.0E-73	AU121585.1	EST_HUMAN	60127607F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3617105 5'
748	9689	19132	1.05	8.0E-74	4557428	NT	Homo sapiens CD39-like 4 (CD39L4) mRNA
5623	14847	24228	2	8.0E-74	S83194.1	NT	Ca2+/calmodulin-dependent protein kinase IV kinase isoform [rats, brain, mRNA, 3429 nt]
5623	14847	24228	2	8.0E-74	S83194.1	NT	Ca2+/calmodulin-dependent protein kinase IV kinase isoform [rats, brain, mRNA, 3429 nt]
1919	11123	20318	4.93	7.0E-74	AJ001089.1	NT	Homo sapiens NKG2D gene, exon 10
3301	12532	21664	1.74	7.0E-74	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
8948	17823	23903	4.04	7.0E-74	BE266305.1	EST_HUMAN	601191927F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535855 5'
1130	10354	19506	4.82	6.0E-74	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
1604	10818	19993	1.07	6.0E-74	AW263177.1	EST_HUMAN	xn78g07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2700636 3'
2282	11477	20698	45.19	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2282	11477	20699	45.19	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2816	12055	21179	1.03	6.0E-74	AW014039.1	EST_HUMAN	UI-H-B10-aah-h-03-Q-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
2816	12055	21180	1.03	6.0E-74	AW014039.1	EST_HUMAN	UI-H-B10-aah-h-03-Q-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
3694	12914	22032	1.63	6.0E-74	BE048846.1	EST_HUMAN	hr54e11.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:3132332 3'
3694	12914	22033	1.63	6.0E-74	BE048846.1	EST_HUMAN	hr54e11.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:3132332 3'
5052	14234	23320	0.98	6.0E-74	4758135	NT	Homo sapiens DEADH (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
5052	14234	23321	0.98	6.0E-74	4758135	NT	Homo sapiens DEADH (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
5377	14608	23716	3.17	6.0E-74	11056013	NT	Homo sapiens actin filament associated protein (AFAP), mRNA
915	10150	18310	2.7	5.0E-74	AW020986.1	EST_HUMAN	df17c09.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2483704 5'
2663	11844		8.98	5.0E-74	AW362756.1	EST_HUMAN	PMO-CT0289-271099-001-N07 CT0289 Homo sapiens cDNA
5399	14627	23741	2.11	5.0E-74	11425417	NT	Homo sapiens phosphatidylinositol glycan, class L (PIGL), mRNA
5568	14763	24196	12.05	6.0E-74	X89670.1	NT	H.sapiens mRNA for TPCR18 protein

Page 252 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5587	14811	24185	7.5	5.0E-74	4507888	NT	Homo sapiens VAMP (vesicle-associated membrane protein)-associated protein A (33kD) (VAPA) mRNA, and translated products
5620	14843	24221	1.93	5.0E-74	11431471	NT	Homo sapiens Interleukin 4 receptor (IL4R), mRNA
5620	14843	24222	1.93	5.0E-74	11431471	NT	Homo sapiens Interleukin 4 receptor (IL4R), mRNA
6038	15246	24688	3.76	5.0E-74	7682283	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
6476	15673	25144	3.84	5.0E-74	11345483	NT	Homo sapiens hypothetical protein FLJ13222 (FLJ13222), mRNA
7321	16538	26026	2.02	5.0E-74	Y09420.1	NT	H. sapiens mRNA for HIP-1
7321	16538	26027	2.02	5.0E-74	Y09420.1	NT	H. sapiens mRNA for HIP-1
284	9558	18692	3.08	4.0E-74	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
862	10098	18260	4.6	4.0E-74	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
1832	11136	20331	2.56	4.0E-74	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1832	11136	20332	2.56	4.0E-74	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
2040	11241	20449	8.89	4.0E-74	4508192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2040	11241	20450	8.89	4.0E-74	4508192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2102	11302	20516	1.2	4.0E-74	AB032994.1	NT	Homo sapiens mRNA for KIAA1168 protein, partial cds
3056	12292	21418	4.63	4.0E-74	AJ006976.1	NT	Homo sapiens PLP gene
3501	12725	21861	1.5	4.0E-74	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4040	13250	22351	0.92	4.0E-74	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4554	13749	22848	2.01	4.0E-74	7682183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
4816	13810	22901	0.75	4.0E-74	Z17227.1	NT	Homo sapiens mRNA for transmembrane receptor protein
6840	15835		21.31	3.0E-74	AA300378.1	EST_HUMAN	EST13131 Thymus tumor III Homo sapiens cDNA 5' end similar to similar to ribosomal protein L37
965	10198	19353	156.49	2.0E-74	7689491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
965	10198	19354	156.49	2.0E-74	7689491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
1183	10404	19558	1.38	2.0E-74	AF020092.1	NT	Human endogenous retrovirus HERV-K-T47D
1251	10467	19631	2.13	2.0E-74	A1950528.1	EST_HUMAN	wx51607.x1 NCI_CGAP Lu28 Homo sapiens cDNA clone IMAGE:2547204 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95; contains element MER22 repetitive element;
1576	10788	19963	1.77	2.0E-74	4885188	NT	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
1576	10788	19964	1.77	2.0E-74	4885188	NT	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
2562	11748	20988	11.6	2.0E-74	A1557280.1	EST_HUMAN	PT2.1_15_G11.r.tumor2 Homo sapiens cDNA 3'
5030	14215	23299	2.54	2.0E-74	AL355092.1	NT	Novel human gene mapping to chromosome 22

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5030	14215	23300	2.54	2.0E-74	AL355092.1	NT	Novel human gene mapping to chromosome 22
5034	14219	23304	5.01	2.0E-74	J02863.1	NT	Human platelet glycoprotein IIB mRNA, 3' end
5571	18058	24169	1.84	2.0E-74	BE711134.1	EST_HUMAN	RC6-H10678-220500-011-C03 HT0878 Homo sapiens cDNA
5613	18059	24212	2.23	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38), mRNA
5613	18059	24213	2.23	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38), mRNA
5638	18059	24212	2.91	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38), mRNA
5638	18059	24213	2.91	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38), mRNA
6871	16083	25591	11.58	2.0E-74	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
6884	17641		2.32	2.0E-74	AA196181.1	EST_HUMAN	zp98a08.s1 Strategene muscle 937209 Homo sapiens cDNA clone IMAGE:628018 3'
9223	18002	23868	1.34	2.0E-74	BF686568.1	EST_HUMAN	802121428F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4278559 5'
55	9352	18468	1.67	1.0E-74	7657334	NT	Homo sapiens Missipen/NIK-related kinase (MINK), mRNA
342	9610	18737	3.64	1.0E-74	AW816405.1	EST_HUMAN	QV4-S10234-181199-037-05 ST0234 Homo sapiens cDNA
506	9758	18885	0.96	1.0E-74	8922829	NT	Homo sapiens hypothetical protein FLJ11026 (FLJ11026), mRNA
513	9784	18890	17.5	1.0E-74	X02344.1	NT	Homo sapiens beta 2 gene
608	9855	18974	2.28	1.0E-74	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259), mRNA
1007	10238	18390	1.74	1.0E-74	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2193	11390	20613	4.9	1.0E-74	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
3104	12339	21467	2.47	1.0E-74	4758897	NT	Homo sapiens mannosidase, alpha, class 2A, member 1 (MAN2A1), mRNA
3945	13161	22277	6	1.0E-74	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
5228	14400	23483	1.28	1.0E-74	8659564	NT	Homo sapiens collagen, type IV, alpha 5 (Alport syndrome) (COL4A5), mRNA
5228	14400	23484	1.29	1.0E-74	8659564	NT	Homo sapiens collagen, type IV, alpha 5 (Alport syndrome) (COL4A5), mRNA
6719	15914	25374	2.79	1.0E-74	AF214562.1	NT	Homo sapiens tracheal epithelium enriched protein (PLUNC) gene, complete cds
8285	17401	26930	2.1	1.0E-74	11417856	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
8370	17457		4.1	1.0E-74	11417856	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
8519	11390	20613	1.42	1.0E-74	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
							Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
9020	17872		1.62	1.0E-74	AF240786.1	NT	Homo sapiens DNA cytosine-5 methyltransferase 3B (DNMT3B) mRNA, complete cds
2607	11781		3.57	8.0E-75	AF176228.1	NT	Homo sapiens chromosome 21 segment HS21C002
8686	17655		1.83	8.0E-75	AL163202.2	NT	wk38a08.x1 NCI CGAP_P722 Homo sapiens cDNA clone IMAGE:2417864 3' similar to gb:M14123_cds4
2287	11482	20703	3.62	8.0E-75	AI817415.1	EST_HUMAN	RETROVIRUS-RELATED POL POLYPROTEIN (HUMAN);
7144	16321	25802	4.05	5.0E-75	AI638023.1	EST_HUMAN	tt31c12.x1 NCI CGAP_GC08 Homo sapiens cDNA clone IMAGE:2242390 3' similar to TR:P97361 P97361
112	9400	18529	4.44	4.0E-75	BE081333.1	EST_HUMAN	HYPOTHETICAL 20.1 KO PROTEIN;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
465	9718		0.83	4.0E-75	N38757.1	EST_HUMAN	y90108.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:269055 5'
1736	10948	20131	1.15	4.0E-75	AW897230.1	EST_HUMAN	CMO-NN0057-150400-335-e11 NN0057 Homo sapiens cDNA
2801	12041	21162	5.26	4.0E-75	BE409484.1	EST_HUMAN	601303866F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638344 5'
3474	12698	21834	1.02	4.0E-75	8922637	NT	Homo sapiens hypothetical protein FLJ10747 (FLJ10747), mRNA
5776	14994	24394	5.66	4.0E-75	5579457	NT	Homo sapiens eukaryotic translation initiation factor 3, subunit 8 (110kD) (EIF3S8), mRNA
5983	15195	24612	2.08	4.0E-75	11417946	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
5983	15195	24613	2.08	4.0E-75	11417946	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
7277	16496	25988	8.7	4.0E-75	7689505	NT	Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA
8241	17370	26906	1.67	4.0E-75	AF039699.1	NT	Homo sapiens antigen NY-CO-37 (NY-CO-38) mRNA, complete cds
1010	10241	18393	3.38	3.0E-75	AF157823.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1011	10241	18393	2.18	3.0E-75	AF157823.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1804	11013	20206	2.02	3.0E-75	AB011153.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
2082	11282	20498	28.14	3.0E-75	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
2387	11580	20797	5.08	3.0E-75	4759153	NT	Homo sapiens synaptosomal-associated protein, 29kD (SNAP29) mRNA
2986	12223	21356	0.91	3.0E-75	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3152	12387	21519	1.02	3.0E-75	AB011153.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
3324	12553	21688	1.08	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
3324	12553	21689	1.08	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
3720	12940	22057	0.89	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4150	13356	22459	3.01	3.0E-75	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4429	13629	22723	0.77	3.0E-75	7682421	NT	Homo sapiens KIAA0871 protein (KIAA0871), mRNA
5215	14390		0.96	3.0E-75	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
5986	15268	24694	1.82	3.0E-75	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
5986	15268	24695	1.82	3.0E-75	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
6134	15318	24751	4.66	3.0E-75	7662208	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
6134	15318	24752	4.66	3.0E-75	7662208	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
6344	15525	24972	2.76	3.0E-75	4885632	NT	Homo sapiens Oncogene TIM (TIM) mRNA
6344	15525	24973	2.76	3.0E-75	4885632	NT	Homo sapiens Oncogene TIM (TIM) mRNA
2267	11482	20682	11.09	1.0E-75	AW168135.1	EST_HUMAN	yg60d02.x1 NCI_CGAP_U4 Homo sapiens cDNA clone IMAGE:2632707 3' similar to contains PTR7.11
2897	12135	21272	3.26	1.0E-75	X52221.1	NT	PTR7 repetitive element;
4898	13889	22889	1.48	1.0E-75	BE279301.1	EST_HUMAN	H.sapiens ERCC2 gene, exons 1 & 2 (partial)
							601157633F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3504272 5'

Page 255 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6805	15801		7.18	1.0E-75	AA399270.1	EST_HUMAN	z57h03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728485 3' similar to gb:M13892 40S
6887	16078	25547	5.15	1.0E-75	BF1313645.1	EST_HUMAN	RIBOSOMAL PROTEIN S17 (HUMAN);
6887	16078	25548	5.15	1.0E-75	BF1313645.1	EST_HUMAN	601900294F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129678 5'
7460	16668		5.8	1.0E-75	AA684377.1	EST_HUMAN	601900294F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129678 5'
7658	16858	26359	4.06	1.0E-75	AF223391.1	NT	ac77b08.s1 Stragene lung (#337210) Homo sapiens cDNA clone IMAGE:968599 3'
8574	14503	23588	2.38	1.0E-75	BE994182.1	EST_HUMAN	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
48	9343	18452	2.66	9.0E-76	AI852648.1	EST_HUMAN	601437130F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922303 5'
48	9343	18453	2.66	9.0E-76	AI852648.1	EST_HUMAN	w630b10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2307163 3' similar to TR:O75235 O75235
7041	16218	25693	55.5	9.0E-76	MI2637.1	NT	TRAP1;
145	9427	18561	7.27	8.0E-76	AF154830.1	NT	Human ferritin Heavy subunit mRNA, complete cds
946	10179	18334	5.48	8.0E-76	4504374	NT	Homo sapiens carbamyl phosphate synthetase I mRNA, complete cds
946	10179	19335	5.48	8.0E-76	4504374	NT	Homo sapiens H factor 1 (complement) (HF1) mRNA
2862	12100	21231	1.47	8.0E-76	7708724	NT	Homo sapiens H factor 1 (complement) (HF1) mRNA
5739	14958	24358	5.1	8.0E-76	11421442	NT	Homo sapiens mediator (Sur2), mRNA
7259	16479	25971	8.45	8.0E-76	10442821	NT	Homo sapiens LIM domain kinase 1 (LIMK1), mRNA
8934	17815		1.97	8.0E-76	11417862	NT	Homo sapiens baculoviral IAP repeat-containing 6 (BIRC6), mRNA
9030	18233	23702	1.41	8.0E-76	AL365515.1	NT	Homo sapiens calcineurin binding protein 1 (KIA0330), mRNA
							Novel human gene mapping to chromosome 22
785	10024	19174	1.91	7.0E-76	5016092	NT	Homo sapiens dihydrolipoamide dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo-
3263	12486	21626	3.4	7.0E-76	AF056490.1	NT	glutarate complex, branched chain keto acid dehydrogenase complex) (DLD) mRNA
3269	12502	21633	8.15	7.0E-76	4505052	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4365	13567	22662	6.55	7.0E-76	4507184	NT	Homo sapiens lymphocyte antigen 75 (L75) mRNA, and translated products
4365	13567	22663	6.55	7.0E-76	4507184	NT	Homo sapiens sepiapterin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
1241	10457		8.89	6.0E-76	BE396253.1	EST_HUMAN	Homo sapiens sepiapterin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
8001	18438	25923	3.25	6.0E-76	BE273201.1	EST_HUMAN	601312019F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3658757 5'
1912	11117	20312	11.44	5.0E-76	D63874.1	NT	601142253F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506029 5'
1912	11117	20313	11.44	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
1912	11117	20314	11.44	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
3173	12408	21543	0.7	4.0E-76	BE814098.1	EST_HUMAN	QV3-BN0047-270700-283-g06 BN0047 Homo sapiens cDNA

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7082	16259	25734	3.98	4.0E-76	D81625.1	EST_HUMAN	HUM178G01B Human fetal brain (Tfujiwara) Homo sapiens cDNA clone GEN-178G01 5'
7082	16259	25735	3.98	4.0E-76	D81625.1	EST_HUMAN	HUM178G01B Human fetal brain (Tfujiwara) Homo sapiens cDNA clone GEN-178G01 5'
635	9880	18003	1.54	3.0E-76	BF516262.1	EST_HUMAN	UI-H-BW 1-anz-b-04-0-UI.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
635	9880	18004	1.54	3.0E-76	BF516262.1	EST_HUMAN	UI-H-BW 1-anz-b-04-0-UI.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
1579	10792	19868	10.99	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
1579	10792	19869	10.99	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
3407	12633	21763	5.18	3.0E-76	BF375689.1	EST_HUMAN	RC5-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
3407	12633	21764	5.18	3.0E-76	BF375689.1	EST_HUMAN	RC5-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
5294	14483	26926	2.14	3.0E-76	Z41314.1	EST_HUMAN	HSC2D042 normalized infant brain cDNA Homo sapiens cDNA clone c-zqd04 3'
5820	15037	24438	8.16	3.0E-76	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
5996	18174	25645	2.8	3.0E-76	AW299353.1	EST_HUMAN	xs-49h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2773009 3'
8276	18148	23752	1.8	3.0E-76	AW967994.1	EST_HUMAN	EST380059 MAGE resequences, MAGJ Homo sapiens cDNA
8382	18365	23592	4.03	3.0E-76	AW959455.1	EST_HUMAN	EST380825 MAGE resequences, MAGJ Homo sapiens cDNA
286	9560	18684	1.1	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
347	9615	18741	2.93	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
347	9615	18742	2.93	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
467	9720		1.48	2.0E-76	4557662	NT	Homo sapiens immunoglobulin (CD79A) binding protein 1 (IGBP1) mRNA
597	9844	18963	1.03	2.0E-76	4503944	NT	Homo sapiens glucagon (GCG) mRNA
1038	10264	19417	0.71	2.0E-76	4798053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
1522	10736	19908	2.17	2.0E-76	4504028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA
1522	10736	19909	2.17	2.0E-76	4504028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA
1897	11104	20296	1.05	2.0E-76	AA253954.1	EST_HUMAN	zs60h11.s1 Stragene schizo brain S11 Homo sapiens cDNA clone IMAGE:701925 3'
2794	12034	21158	3.2	2.0E-76	P23268	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN F5
3268	12489	21630	1.85	2.0E-76	AA445992.1	EST_HUMAN	zw64e02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:780986 3' similar to SW:ITB5_HUMAN
3268	12499	21631	1.85	2.0E-76	AA445992.1	EST_HUMAN	P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR ;
4117	9560	18694	0.61	2.0E-76	D84295.1	NT	P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR ;
4495	13683	22787	1.14	2.0E-76	11545921	NT	Human mRNA for possible protein TPRDII, complete cds
4968	14153	23245	6.42	2.0E-76	AW879618.1	EST_HUMAN	Homo sapiens melanoma differentiation associated protein-5 (MDA5) mRNA
5155	14334	23424	1.04	2.0E-76	5031660	NT	QV3-OT0028-220300-132-b11 OT0028 Homo sapiens cDNA
5500	14726	24086	5.97	2.0E-76	AB028004.1	NT	Homo sapiens EGF-like repeats and discoidin I-like domains 3 (EDIL3), mRNA
7162	16339	25819	4.12	2.0E-76	11437211	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
7495	16702	26187	2.68	2.0E-76	7549807	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC63150), mRNA
							Homo sapiens HIRA interacting protein 4 (dnaj-like) (HIRIP4), mRNA

Page 257 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4285	13488	22587	4.6	1.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
4285	13488	22588	4.6	1.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
5418	14646	23779	5.46	1.0E-76	BE798537.1	EST_HUMAN	601589886F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944302 5'
6053	15221	24640	4.38	9.0E-77	BE889525.1	EST_HUMAN	601512435F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913737 5'
6058	17914		1.36	9.0E-77	BE410354.1	EST_HUMAN	601302333F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638753 5'
192	9471	18602	2.94	8.0E-77	R83144.1	EST_HUMAN	yp11h02.r1 Soares breast 3NbHBst Homo sapiens cDNA clone IMAGE:187155 5' similar to SP:ANKB_HUMAN Q01484 ANKYRIN, BRAIN VARIANT 1;
4522	13718	22813	1.3	8.0E-77	BF205181.1	EST_HUMAN	601866928F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4109503 5'
5420	14648	23782	2.57	8.0E-77	4508230	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog) (PSMD7) mRNA
7925	17138	26669	2.71	8.0E-77	AA019770.1	EST_HUMAN	ze62602.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:363578 5'
7925	17138	26670	2.71	8.0E-77	AA019770.1	EST_HUMAN	ze62602.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:363578 5'
9076	17901	23901	8.5	8.0E-77	R00245.1	EST_HUMAN	ye6904.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:123007 3' similar to contains MER10 repetitive element;
1898	11105	20297	2.31	7.0E-77	AA825755.1	EST_HUMAN	zu91g01.s1 Soares testis NHT Homo sapiens cDNA clone IMAGE:745392 3'
2374	11567	20788	12.68	7.0E-77	4505944	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA
2374	11567	20789	12.68	7.0E-77	4505944	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA
267	9542	18672	8.02	6.0E-77	4504000	NT	Homo sapiens interferon (alpha, beta and omega) receptor 2 (IFNAR2) mRNA
1150	10373	18524	0.7	6.0E-77	AW957753.1	EST_HUMAN	EST368823 MAGE resequences, MAGE Homo sapiens cDNA
1529	10743	19916	2.44	6.0E-77	AI204086.1	EST_HUMAN	ge77h12.x1 Soares fetal lung NbhL19W Homo sapiens cDNA clone IMAGE:1745063 3'
4949	14136	23229	0.72	6.0E-77	4557752	NT	Homo sapiens midline 1 (Optic/BBB syndrome) (MID1) mRNA
4949	14136	23230	0.72	6.0E-77	4557752	NT	Homo sapiens midline 1 (Optic/BBB syndrome) (MID1) mRNA
147	9429	18563	2.84	5.0E-77	AF154830.1	NT	Homo sapiens carbamyl phosphate synthetase I mRNA, complete cds
147	9429	18564	2.84	5.0E-77	AF154830.1	NT	Homo sapiens carbamyl phosphate synthetase I mRNA, complete cds
1243	10459	18618	1.8	5.0E-77	AF041015.1	NT	7 Homo sapiens glucokinase (GCK) gene, exon 2
1388	10592	19749	2.11	5.0E-77	4557250	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
2845	11828	21043	1.52	5.0E-77	AF162666.1	NT	Homo sapiens toulou-like kinase 1 (TLK1) mRNA, complete cds
2719	11898	21114	1.44	5.0E-77	4503160	NT	Homo sapiens cullin 1 (CUL1) mRNA
3495	12719	21856	1.39	5.0E-77	8394518	NT	Homo sapiens ubiquitin specific protease 18 (USP18) mRNA
4714	13905	23005	1.88	5.0E-77	5031660	NT	Homo sapiens EGF-like repeats and discoidin-like domains 3 (EDIL3) mRNA
4714	13905	23006	1.88	5.0E-77	5031660	NT	Homo sapiens EGF-like repeats and discoidin-like domains 3 (EDIL3) mRNA
4956	14143	23238	2.29	5.0E-77	AL043953.1	EST_HUMAN	DKFZp434G1728_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434G1728 5'
6220	16401	24842	10.02	5.0E-77	X98296.1	NT	H. sapiens mRNA for ubiquitin hydrolase
6847	16105	25571	4.08	5.0E-77	11421828	NT	Homo sapiens sorting nexin 5 (SNX5) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6947	16105	25572	4.08	5.0E-77	11421828	NT	Homo sapiens sorting nexin 5 (SNX5), mRNA
3682	12903	22023	0.89	4.0E-77	AL449758.1	EST_HUMAN	AL449758 Homo sapiens fetal brain (Starvrides GS) Homo sapiens cDNA
1942	11146	20345	1.54	3.0E-77	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
1942	11146	20346	1.54	3.0E-77	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
7452	16660	28149	4.55	3.0E-77	BF359917.1	EST_HUMAN	PM3-MIT0078-080800-005-g03 MIT0078 Homo sapiens cDNA
1360	10575	18740	1.54	2.0E-77	AV764617.1	EST_HUMAN	AV764617 MDS Homo sapiens cDNA clone MDSBF10 5'
1435	10849	19823	8.06	2.0E-77	AW997712.1	EST_HUMAN	RC3-BN0053-170200-011-h01 BN0053 Homo sapiens cDNA
2060	11281	20475	1.8	2.0E-77	L41826.1	NT	Homo sapiens CYP17 gene, 5' end
2073	11273	20498	2.86	2.0E-77	7708315	NT	Homo sapiens CGI-78 protein (LOC51634), mRNA
2554	12019	20958	1.51	2.0E-77	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2554	12019	20959	1.51	2.0E-77	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
4010	13222	22323	1.48	2.0E-77	BE044316.1	EST_HUMAN	hs43b05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040113 3' similar to SW:GAG2_HUMAN P10284 RETROVIRUS-RELATED GAG POLYPROTEIN ;
4566	13780		1.8	2.0E-77	4504088	NT	Homo sapiens glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2) (GOT2), nuclear gene encoding mitochondrial protein, mRNA
4779	13968	23070	6.61	2.0E-77	AA653025.1	EST_HUMAN	ns68g12.s1 NCI_CGAP_P12 Homo sapiens cDNA clone IMAGE:1188838 similar to SW:RL29_HUMAN P47914 60S RIBOSOMAL PROTEIN L29. [1]:contains element MSR1 repetitive element ;
5037	14861	24246	1.99	2.0E-77	BE298940.1	EST_HUMAN	601119852F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029435 5'
5740	14959	24359	1.66	2.0E-77	BE787143.1	EST_HUMAN	601478802F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3878505 5'
6153	15337	24774	15.25	2.0E-77	AB833003.1	EST_HUMAN	at74a09.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2377720 3' similar to TR:Q13311 Q13311 TAX1-BINDING PROTEIN TXBP151. [1];
6928	16119	25586	4.1	2.0E-77	U50321.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 7
6928	16119	25587	4.1	2.0E-77	U50321.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 7
45	8341	19448	1	1.0E-77	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
45	8341	19449	1	1.0E-77	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
277	8552	18683	3.78	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
277	8552	18684	3.78	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
885	11980	19284	6.39	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
885	11980	19285	6.39	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1885	11092	20283	1.21	1.0E-77	AW058118.1	EST_HUMAN	ww83e05.x1 Soares_thymus_NHFT.Homo sapiens cDNA clone IMAGE:2538160 3'
2407	11599	20820	2.84	1.0E-77	AB028024.1	NT	Homo sapiens mRNA for KIAA1101 protein, complete cds
3010	12246	21375	2.95	1.0E-77	4503300	NT	Homo sapiens 2,4-dienoyl CoA reductase 1, mitochondrial (DECR1), mRNA
4346	13548	22640	3.77	1.0E-77	7706289	NT	Homo sapiens CGI-60 protein (LOC51628), mRNA
4523	13719	22814	20.64	1.0E-77	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4652	13846	22837	2.36	1.0E-77	6552322	NT	Homo sapiens breast cancer 1, early onset (BRCA1), transcript variant BRCA1-exon4, mRNA
4702	13893	22892	1.01	1.0E-77	AJ273014.1	EST_HUMAN	qv09g04.x1 NCI_CGAP_Kid8 Homo sapiens cDNA clone IMAGE:1981110 3'
4900	14088	23181	1.31	1.0E-77	11418424	NT	Homo sapiens collagen, type XI, alpha 1 (COL12A1), mRNA
5101	14281	23365	2.43	1.0E-77	7681849	NT	Homo sapiens KIAA0005 gene product (KIAA0005), mRNA
5101	14281	23366	2.43	1.0E-77	7681849	NT	Homo sapiens KIAA0005 gene product (KIAA0005), mRNA
5627	14851	24233	1.91	1.0E-77	AF086944.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, exons 27 and 28
5627	14851	24234	1.91	1.0E-77	AF086944.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, exons 27 and 28
5848	15065	24475	1.68	1.0E-77	AF086944.1	NT	Homo sapiens diaphanous (Drosophila, homolog) 1 (DIAPH1), mRNA
6105	15199	24617	12.1	1.0E-77	5881412	NT	Homo sapiens elastin (supravalvular aortic stenosis, Williams-Beuren syndrome) (ELN), mRNA
5847	15064	24473	2.45	8.0E-78	AW947081.1	EST_HUMAN	RC2-E T0023-080500-012-e05 ET0023 Homo sapiens cDNA
5847	15064	24474	2.45	8.0E-78	AW947081.1	EST_HUMAN	RC2-E T0023-080500-012-e05 ET0023 Homo sapiens cDNA
85	9378	18508	1.94	6.0E-78	AU118789.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
85	9378	18509	1.94	6.0E-78	AU118789.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
3286	12517	21648	1.45	6.0E-78	BF344101.1	EST_HUMAN	602016928F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4152511 5'
5905	15122		2.51	6.0E-78	11432710	NT	Homo sapiens GDNF family receptor alpha 1 (GFRA1), mRNA
222	9501	18632	1.24	5.0E-78	11422486	NT	Homo sapiens hypothetical protein FLJ11318 (FLJ11318), mRNA
2528	11716	20933	8.37	5.0E-78	AW673424.1	EST_HUMAN	ba54h03.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800405 5' similar to WP:Y4856A.6
3363	12591	21731	4.41	5.0E-78	ME55586.1	NT	CE22121 ;
5401	14628	23742	2.51	5.0E-78	AF038536.1	NT	Human collagenase type IV (CLG4) gene, exon 6
5478	14705	24059	10.31	5.0E-78	11416585	NT	Homo sapiens Best's macular dystrophy related protein mRNA, partial cds
6143	15327	24763	2.23	5.0E-78	AW953120.1	EST_HUMAN	Homo sapiens transforming growth factor, beta-induced, 68kD (TGFB1), mRNA
6787	15992	25450	8.12	5.0E-78	U60889.1	NT	EST365190 MAGE resequences, MAGB Homo sapiens cDNA
6788	15993	25451	5.58	5.0E-78	BE680836.1	EST_HUMAN	Human lysosomal alpha-mannosidase (manB) gene, exon 7
1145	10368	19518	1.2	4.0E-78	AL043314.2	EST_HUMAN	601648081F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:3931887 5'
1506	10719	19891	1.36	4.0E-78	AL355841.1	NT	DKFZp434N0323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
2284	11479	22701	19.91	4.0E-78	AF107405.1	NT	Novel human gene mapping to chromosome 22
4313	13514	22607	1.61	4.0E-78	7658878	NT	Homo sapiens pre-mRNA splicing factor (SPRS3) mRNA, complete cds
7184	16371	25851	2.19	4.0E-78	11560151	NT	Homo sapiens syncytin (LOC30816), mRNA
							Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7194	16371	25852	2.19	4.0E-78	11560151	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
7346	16562	26051	1.92	4.0E-78	11426610	NT	Homo sapiens regulatory factor X-associated ankyrin-containing protein (RFXANK), mRNA
7957	17096	26626	2.18	4.0E-78	AF168148.1	NT	Homo sapiens s-CaBP1 (CABP1) mRNA, complete cds
8092	17226	26763	3.42	4.0E-78	X05844.1	NT	Human transforming growth factor-beta precursor gene exons 4-5 (and joined mature peptide)
8961	17633	23910	3.24	4.0E-78	AB011398.1	NT	Homo sapiens gene for AF-6, complete cds
184	9446	18576	2.52	3.0E-78	AF095901.1	NT	Homo sapiens eRF1 gene, complete cds
184	9446	18577	2.52	3.0E-78	AF095901.1	NT	Homo sapiens eRF1 gene, complete cds
2268	11463	20683	2.07	3.0E-78	4502142	NT	Homo sapiens apoptosis inhibitor 3 (API3) mRNA
2380	11573	20792	1.23	3.0E-78	7706705	NT	Homo sapiens SH3 and PX domain-containing protein SH3PX1 (SH3PX1), mRNA
3748	12668		1.62	3.0E-78	AU140604.1	EST_HUMAN	AU140604 PLACE3 Homo sapiens cDNA clone PLACE3000373 5'
3805	13023	22134	0.77	3.0E-78	4507334	EST	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
4082	13023	22134	0.69	3.0E-78	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
5082	14282	23347	1.05	3.0E-78	AF098810.1	NT	Homo sapiens neurxin III-alpha gene, partial cds
7166	16343		6.59	3.0E-78	BE144758.1	EST_HUMAN	CMO-HT0180-041099-065-c07 HT0180 Homo sapiens cDNA
7554	16759	26253	6.1	3.0E-78	BE156318.1	EST_HUMAN	QV0-HT0367-150200-114-g09 HT0367 Homo sapiens cDNA
3085	12321		5.97	2.0E-78	U04489.1	NT	Homo sapiens type IV collagen alpha 5 chain (COL4A5) gene, exon 20
3990	13204		2.23	2.0E-78	AA311872.1	EST_HUMAN	EST182583 Jurkat T-cells V1 Homo sapiens cDNA 5' end
6389	15569	25026	3.78	2.0E-78	BF689800.1	EST_HUMAN	602186529F1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4298599 5'
6478	15675	25146	2.79	2.0E-78	AV714177.1	EST_HUMAN	AV714177 DCB Homo sapiens cDNA clone DCBAWF09 5'
6615	15811	25267	2.8	2.0E-78	AI557509.1	EST_HUMAN	P12.1_16_B07.r tumor2 Homo sapiens cDNA 3'
6615	15811	25268	2.8	2.0E-78	AI557509.1	EST_HUMAN	P12.1_16_B07.r tumor2 Homo sapiens cDNA 3'
7648	16846	26344	3.63	2.0E-78	AI197837.1	EST_HUMAN	q150h05.x1 NCI_CGAP_Brm25 Homo sapiens cDNA clone IMAGE:1859961 3' similar to WP.R90.1
7684	16983	26381	6.13	2.0E-78	N66951.1	EST_HUMAN	CE00325 PROTEIN KINASE ; za48f12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:295823 3'
5229	14403	23486	1.73	1.0E-78	4758843	NT	Homo sapiens nucleoporin 159kD (NUP155) mRNA
5333	14564	23638	3.18	1.0E-78	11417304	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
8452	17510	24019	1.3	1.0E-78	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8556	17578	23998	1.28	1.0E-78	11435903	NT	Homo sapiens similar to lymphocyte activation-associated protein (H. sapiens) (LOC63140), mRNA
8920	18203	23692	1.72	1.0E-78	AI650919.1	EST_HUMAN	wa20b08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2298615 3'
4709	13900	22899	4.24	9.0E-79	11525891	NT	Homo sapiens peptide YY (PYY), mRNA
4880	14068	23164	3.22	9.0E-79	BE000837.1	EST_HUMAN	RC2-BN0074-090300-014-c12 BN0074 Homo sapiens cDNA
5408	14636	23764	15.25	9.0E-79	AB026070.1	NT	Homo sapiens mRNA for activator of S phase Kinase, complete cds

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5807	15024	24424	2.48	9.0E-79	5454145	NT	Homo sapiens ubiquitin-conjugating enzyme E2E 3 (homologous to yeast UBC4/5) (UBE2E3) mRNA
6792	15987	25447	4.89	9.0E-79	J02853.1	NT	Homo sapiens casein kinase II alpha subunit mRNA, complete cds
6792	15987	25448	4.89	9.0E-79	J02853.1	NT	Homo sapiens casein kinase II alpha subunit mRNA, complete cds
7635	16836	26332	1.73	9.0E-79	AY008273.1	NT	Homo sapiens TRAF6-regulated IKK activator 1 beta Uev1A mRNA, complete cds
8045	17181	26720	3.28	9.0E-79	11423827	NT	Homo sapiens suppressor of white apricot homolog 2 (SWAP2), mRNA
8045	17181	26721	3.28	9.0E-79	11423827	NT	Homo sapiens suppressor of white apricot homolog 2 (SWAP2), mRNA
8093	17227	26784	3.83	9.0E-79	11417260	NT	Homo sapiens threonyl-RNA synthetase (TARS), mRNA
8093	17227	26785	3.83	9.0E-79	11417260	NT	Homo sapiens threonyl-RNA synthetase (TARS), mRNA
9170	17965	23865	1.48	9.0E-79	11417877	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
3723	12943	22060	0.82	8.0E-79	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4482	13690	22782	1.36	8.0E-79	D28478.1	NT	Human mRNA for KIAA0045 gene, complete cds
4482	13690	22783	1.36	8.0E-79	D28478.1	NT	Human mRNA for KIAA0045 gene, complete cds
3219	12453	21588	20.38	7.0E-79	BE619648.1	EST_HUMAN	601472766T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875657 3'
8301	17409		5.63	6.0E-79	AA699829.1	EST_HUMAN	z9404.81 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:462558 3' similar to
8029	17166	26704	4.48	5.0E-79	AL163282.2	NT	TR:Q15408 Q15408 NEUTRAL PROTEINASE LARGE SUBUNIT ;
3141	12376		1.06	4.0E-79	8922325	NT	Homo sapiens chromosome 21 segment HS21C082
318	9589	18720	1.21	3.0E-79	AF114488.1	NT	Homo sapiens hypothetical protein FLJ10283 (FLJ10283), mRNA
985	10216	19372	3.68	3.0E-79	AF232708.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3084	12300	21424	2.34	3.0E-79	U09410.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
5149	14328	23417	0.78	3.0E-79	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
5149	14328	23418	0.78	3.0E-79	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
6374	14803	23712	4.61	3.0E-79	AF110322.1	NT	Homo sapiens MSTP016 (MST016) mRNA, complete cds
5544	14768	24134	1.75	3.0E-79	AB020689.1	NT	Homo sapiens mRNA for KIAA0892 protein, partial cds
5560	14783	24152	3.47	3.0E-79	11426770	NT	Homo sapiens netrin 1 (NTN1), mRNA
5560	14783	24153	3.47	3.0E-79	11426770	NT	Homo sapiens netrin 1 (NTN1), mRNA
6108	15202	24619	3.01	3.0E-79	AB014520.1	NT	Homo sapiens mRNA for KIAA0620 protein, partial cds
6108	15202	24620	3.01	3.0E-79	AB014520.1	NT	Homo sapiens Bcl-2-associated transcription factor short form mRNA, complete cds
7437	16846	26138	1.89	3.0E-79	AF249273.1	NT	Homo sapiens Bcl-2-associated transcription factor short form mRNA, complete cds
7437	16846	26139	1.89	3.0E-79	AF249273.1	NT	Homo sapiens Bcl-2-associated transcription factor short form mRNA, complete cds
292	9566		0.81	2.0E-79	H03128.1	EST_HUMAN	yr48f03.s1 Soares fetal liver spleen_1NFLS Homo sapiens cDNA clone IMAGE:208541 3'
840	9886	19011	1.14	2.0E-79	BE379926.1	EST_HUMAN	601158415F2 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3511107 5'
836	10169	19328	1.04	2.0E-79	4757841	NT	Homo sapiens BCL2-like 2 (BCL2L2) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1042	10288		1.66	2.0E-79	AI523747.1	EST_HUMAN	th18h07.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:2118685 3'
2116	11315	20531	5.52	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2116	11315	20532	5.52	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2159	11357	20575	3.99	2.0E-79	AJ271408.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
2279	11474	20697	3.2	2.0E-79	AF244138.1	NT	Homo sapiens hepatocellular carcinoma-associated antigen 88 (HCA88) mRNA, complete cds
4051	13261	22364	1.07	2.0E-79	AA341538.1	EST_HUMAN	EST46988 Fetal kidney II Homo sapiens cDNA 5' end
4147	13353	22455	1.24	2.0E-79	AJ271408.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
4697	13888	22988	0.66	2.0E-79	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
6149	15333	24770	2.41	2.0E-79	7382479	NT	Homo sapiens Rho GTPase activating protein 8 (ARHGAP8), transcript variant 4, mRNA
6149	15333	24771	2.41	2.0E-79	7382479	NT	Homo sapiens Rho GTPase activating protein 8 (ARHGAP8), transcript variant 4, mRNA
6827	15823	25285	3.2	2.0E-79	11427428	NT	Homo sapiens hypothetical protein FLJ11008 (FLJ11008), mRNA
7598	16801	26293	4.64	2.0E-79	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-410 BT0310 Homo sapiens cDNA
7598	16801	26294	4.64	2.0E-79	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-410 BT0310 Homo sapiens cDNA
8339	14501	23586	2.95	2.0E-79	7662357	NT	Homo sapiens KIAA0879 protein (KIAA0879), mRNA
8439	17494	24011	4.83	2.0E-79	AB020840.1	NT	Homo sapiens mRNA for KIAA0833 protein, partial cds
8668	17644	23978	3.11	2.0E-79	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
5925	18066		3.21	1.0E-79	BF363071.1	EST_HUMAN	MRO-NN0087-260800-017-b10 NN0087 Homo sapiens cDNA
8143	17275	26819	4.11	1.0E-79	BF087405.1	EST_HUMAN	QV2-HT0540-120900-358-a05 HT0540 Homo sapiens cDNA
8454	18289		1.35	1.0E-79	AI480115.1	EST_HUMAN	ar79e04.x1 Barstead cdon HPLRB7 Homo sapiens cDNA clone IMAGE:2131438 3'
3111	12348	21473	15.25	9.0E-80	AA725848.1	EST_HUMAN	al23e05.s1 Soares_testis_NHT Homo sapiens cDNA clone 1343648 3'
3111	12348	21474	15.25	9.0E-80	AA725848.1	EST_HUMAN	al23e05.s1 Soares_testis_NHT Homo sapiens cDNA clone 1343648 3'
7615	16818		1.66	9.0E-80	AI498666.1	EST_HUMAN	hm47408.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2161263 3'
7825	17017	26532	12.17	9.0E-80	11433924	NT	Homo sapiens solute carrier family 7 (cationic amino acid transporter, y+ system), member 8 (SLC7A8), mRNA
7825	17017	26533	12.17	9.0E-80	11433924	NT	Homo sapiens solute carrier family 7 (cationic amino acid transporter, y+ system), member 8 (SLC7A8), mRNA
3580	12802		4.51	8.0E-80	U94387.1	NT	Homo sapiens Y chromosome spermatogenesis candidate protein (RBM) pseudogene mRNA, partial cds
6337	15517	24964	2.95	8.0E-80	11422847	NT	Homo sapiens KIAA0724 gene product (KIAA0724), mRNA
6337	15517	24965	2.95	8.0E-80	11422847	NT	Homo sapiens KIAA0724 gene product (KIAA0724), mRNA
4974	14161	23252	0.82	7.0E-80	H04619.1	EST_HUMAN	yf9d02.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:152087 5'
910	10145	18308	2.29	6.0E-80	AI422197.1	EST_HUMAN	if58d02.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2103459 3' similar to SW:NUEM_HUMAN Q16795 NADH-UBIQUINONE OXIDOREDUCTASE 39 KD SUBUNIT PRECURSOR;

Page 263 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1620	10833	20008	3.71	6.0E-80	U84898.1	NT	Homo sapiens NRD convertase mRNA, complete cds
2281	11458	20873	6.76	6.0E-80	6631094	NT	Homo sapiens mitochondriome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
2281	11458	20874	6.76	6.0E-80	6631094	NT	Homo sapiens mitochondriome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
4270	13473	22568	2.1	6.0E-80	AB032981.1	NT	Homo sapiens mRNA for KIAA1155 protein, partial cds
4270	13473	22569	2.1	6.0E-80	AB032981.1	NT	Homo sapiens mRNA for KIAA1155 protein, partial cds
5701	14920	24314	3.22	6.0E-80	AJ404468.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
5764	14983	24362	3.97	6.0E-80	11430736	NT	Homo sapiens tubby like protein 3 (TULP3), mRNA
7515	16720	26210	2.93	6.0E-80	11427366	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
7777	16972	28485	21.54	6.0E-80	AF226730.1	NT	Homo sapiens Cx19 mRNA, complete cds
8232	17361	26899	2.16	6.0E-80	AF102265.1	NT	Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds
8308	10145	19306	1.46	6.0E-80	AI422197.1	EST_HUMAN	h56d02.x1 NCI CGAP Bm23 Homo sapiens cDNA clone IMAGE:2103459 3' similar to SW-NUEM_HUMAN Q16795 NADH-UBIQUINONE OXIDOREDUCTASE 39 KD SUBUNIT PRECURSOR ;
8436	18173		2.28	6.0E-80	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
8648	17631		6.14	6.0E-80	AB029900.1	NT	Homo sapiens CST gene for ceramidase sulfotransferase, exon 1, 2, 3, 4, 5
9165	18307		1.69	6.0E-80	AJ133127.1	NT	Homo sapiens mRNA for sodium-glucose cotransporter (SGLT2 gene)
595	9842	18962	2.27	5.0E-80	4508228	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 3 (PSMD3) mRNA
845	10082	19241	1.45	5.0E-80	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
845	10082	19242	1.45	5.0E-80	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
1197	10417		5.59	5.0E-80	X91647.1	NT	H. sapiens ncx1 gene (exon 12)
1455	10668		2.61	5.0E-80	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
2329	11522	20744	1	5.0E-80	U89358.1	NT	Human K3mbt protein homolog mRNA, complete cds
2394	11587	20805	7.09	5.0E-80	AB037855.1	NT	Homo sapiens mRNA for KIAA1434 protein, partial cds
2747	11928	21140	2.06	5.0E-80	4504282	NT	Homo sapiens H3 histone family, member J (H3FJ) mRNA
4016	13228	22330	1.08	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4016	13228	22331	1.08	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4973	14160	23251	1.16	5.0E-80	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
5237	14411	23491	2.76	5.0E-80	AL163265.2	NT	Homo sapiens chromosome 21 segment HS21C085
6841	16046	25511	8.8	4.0E-80	F25915.1	EST_HUMAN	HSPD13155 HM3 Homo sapiens cDNA clone e4000045F03
221	9500		17.47	3.0E-80	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4719	13910	23012	1.02	3.0E-80	BF085009.1	EST_HUMAN	PMO-GN0018-040800-002-E03 GN0018 Homo sapiens cDNA
4929	14117		12.26	3.0E-80	BE817465.1	EST_HUMAN	QV4-BN0263-040600-241-g10 BN0263 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5578	14803	24176	2	3.0E-80	A081675.1	EST_HUMAN	aa23e12.x1 Soares NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1567054 3' similar to TR:O35790 O35790 PIG-L.;
1767	10977	20163	6.28	2.0E-80	R35321.1	EST_HUMAN	yg65a08.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:38060 5'
1828	11036	20232	1.53	2.0E-80	A144482.1	EST_HUMAN	RET4B7 subtracted retina cDNA library Homo sapiens cDNA clone RET4B7
2022	11223	20431	5.67	2.0E-80	AL043116.2	EST_HUMAN	DKFZp434D1323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1323 5'
6818	16012	25478	2.2	2.0E-80	AW064270.1	EST_HUMAN	EST376343 MAGE resequences, MAGH Homo sapiens cDNA
7446	16654	26145	6.59	2.0E-80	AA393362.1	EST_HUMAN	zt70f12.r1 Soares testis NIH-H19W Homo sapiens cDNA clone IMAGE:727727 5' similar to TR:G191315
345	9613		2.45	1.0E-80	AL163303.2	NT	G191315 ANDROGEN-DEPENDENT EXPRESSED PROTEIN.;
809	10048	18199	1.37	1.0E-80	AF231920.1	NT	Homo sapiens chromosome 21 segment HS21C103
1924	11128		2.84	1.0E-80	A1732656.1	EST_HUMAN	Homo sapiens chromosome 21 unknown mRNA
4458	13654	22748	1.36	1.0E-80	AF077188.1	NT	nm01112.x5 NCI_CGAP_Co9 Homo sapiens cDNA clone IMAGE:1076495 3' similar to contains OFR.11 OFR repetitive element;
4835	14024	23118	0.6	1.0E-80	N09520.1	EST_HUMAN	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
5350	14580		3.73	1.0E-80	BE380615.1	EST_HUMAN	za39g07.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:264972 5' similar to contains Alu repetitive element;
5841	14865	24248	5.71	1.0E-80	L10347.1	NT	6011274305F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615433 5'
6323	15504	24950	2.87	1.0E-80	A1948731.1	EST_HUMAN	Human pro-alpha1 type II collagen (COL2A1) gene exons 1-54, complete cds
6323	15504	24951	2.87	1.0E-80	A1948731.1	EST_HUMAN	wq25c05.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2472286 3'
7245	16465	25955	2.04	1.0E-80	A1948731.1	EST_HUMAN	wq25c05.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2472286 3'
7245	16465	25956	2.04	1.0E-80	11641276	NT	Homo sapiens similar to rat myomesalin (LOC64182), mRNA
8724	17676	23950	2.02	1.0E-80	11417901	NT	Homo sapiens similar to rat myomesalin (LOC64182), mRNA
7276	16495	25986	3.34	8.0E-81	A1251752.1	EST_HUMAN	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
7276	16495	25987	3.34	8.0E-81	A1251752.1	EST_HUMAN	qh90g05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854296 3'
7713	16912	28420	6.93	8.0E-81	BE394525.1	EST_HUMAN	qh90g05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854296 3'
							601310631F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632070 5'
							za21d10.r1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:359635 5' similar to SW:KRHA_RABIT_Q02857 KERATIN, GLYCINE/TYROSINE-RICH OF HAIR, [1]; contains element MER22 repetitive element;
2173	11370	20591	1.83	7.0E-81	AA011080.1	EST_HUMAN	repetitive element;
6186	15368	24808	2.88	7.0E-81	A1822115.1	EST_HUMAN	za91c08.x5 Soares_fetal_lung_NbH19W Homo sapiens cDNA clone IMAGE:289918 3'
4381	13582	22983	5.13	6.0E-81	BE256829.1	EST_HUMAN	601111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352840 5'
4381	13582	22984	5.13	6.0E-81	BE256829.1	EST_HUMAN	601111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352840 5'
5316	14548	23617	1.74	6.0E-81	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
5316	14548	23618	1.74	6.0E-81	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
8867	17767	23637	1.88	6.0E-81	BF678022.1	EST_HUMAN	602153668F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294601 5'

Page 265 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8667	17767	23938	1.88	6.0E-81	BF879022.1	EST_HUMAN	602153666F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4284601 5'
2183	11380	20604	4.15	5.0E-81	BE268042.1	EST_HUMAN	601125503F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345480 5'
8113	17247	26787	2.92	5.0E-81	9506634	NT	Homo sapiens hypothetical protein (FLJ11045), mRNA
225	9504	18634	0.69	4.0E-81	AF252257.1	NT	Homo sapiens CRP2 binding protein mRNA, partial cds
709	9951	19090	0.66	4.0E-81	AI521435.1	EST_HUMAN	th80e12.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2122702 3' similar to TR:Q85560 Q85560
3135	12370	21501	4.19	4.0E-81	AB037766.1	NT	Homo sapiens mRNA for KIAA1345 protein, partial cds
4142	13348	22447	2.53	4.0E-81	AF263306.1	NT	Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
4142	13348	22448	2.53	4.0E-81	AF263306.1	NT	Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
6554	15750	25211	2.36	4.0E-81	X06989.1	NT	Human mRNA for amyloid A4(751) protein
6638	15833	25294	3.01	4.0E-81	U20197.1	NT	Human cone photoreceptor cGMP-phosphodiesterase alpha' subunit gene, exons 2 and 3
6638	15833	25295	3.01	4.0E-81	U20197.1	NT	Human cone photoreceptor cGMP-phosphodiesterase alpha' subunit gene, exons 2 and 3
6635	16028	25494	3.59	4.0E-81	AB018001.1	NT	Homo sapiens mRNA for Death-associated protein kinase 2, complete cds
7740	16936	26444	3.01	4.0E-81	4759085	NT	Homo sapiens vesicle trafficking protein sec22b (SEC22B) mRNA
7740	16936	26445	3.01	4.0E-81	4759085	NT	Homo sapiens vesicle trafficking protein sec22b (SEC22B) mRNA
8331	18239	23706	4.54	4.0E-81	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8331	18239	23707	4.54	4.0E-81	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9055	17887	23897	4.02	4.0E-81	11417874	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
1274	10489	19648	12.21	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
1274	10489	19647	12.21	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
2339	11532	20755	11.44	3.0E-81	AF077188.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
2948	12186	21318	6.63	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA
2948	12186	21319	6.63	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA
2786	12026	21152	2.43	2.0E-81	BE784636.1	EST_HUMAN	60147072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
2786	12026	21153	2.43	2.0E-81	BE784636.1	EST_HUMAN	60147072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
3755	12874	22090	0.83	2.0E-81	AW611542.1	EST_HUMAN	hg85c01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2852384 3'
4682	13874	22874	1.91	2.0E-81	5453871	NT	Homo sapiens platelet-derived growth factor receptor-like (PDGFR) mRNA
9207	12874	22090	2.67	2.0E-81	AW611542.1	EST_HUMAN	hg85c01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2852384 3'
3632	12853	21972	1.31	1.0E-81	AW980658.1	EST_HUMAN	EST1372728 IMAGE resequences, MAGF Homo sapiens cDNA
4516	13712	22805	2.89	1.0E-81	AA040370.1	EST_HUMAN	zk45h09.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:485825 5' similar to
4646	13840	22830	7.9	1.0E-81	BE047896.1	EST_HUMAN	PIR:S52437 S52437 CDP-diacylglycerol synthase - fruit fly;
							tz45c04.y1 NCI_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2291626 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5184	14343	23432	3.88	1.0E-81	9968844	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
5293	14482	26925	3.55	1.0E-81	U87928.1	NT	Human acetylcholinesterase (ACHE) gene, exon 3
5367	14597	23674	3.93	1.0E-81	11432968	NT	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
5367	14597	23675	3.93	1.0E-81	11432968	NT	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
5511	14736	24099	3.39	1.0E-81	U52351.1	NT	Homo sapiens arm-repeat protein NIPRA1/neurotrophin (CTNND2) mRNA, partial cds
5511	14736	24100	3.39	1.0E-81	U52351.1	NT	Homo sapiens arm-repeat protein NIPRA1/neurotrophin (CTNND2) mRNA, partial cds
6403	15584	25041	7.33	1.0E-81	11432968	NT	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
7008	16186	25659	2.87	1.0E-81	BE98278.1	EST_HUMAN	601845031F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3930228 5'
7008	16186	25660	2.87	1.0E-81	BE98278.1	EST_HUMAN	601845031F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3930228 5'
7061	16238	25711	6.11	1.0E-81	BE594397.1	EST_HUMAN	601343180F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685483 5'
							act1406.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:856427 3' similar to
							SW:YB36_YEAST P38128 HYPOTHETICAL 60.5 KD PROTEIN IN RPS101-RPS13 INTERGENIC
7114	16281	25772	2.9	1.0E-81	AA630784.1	EST_HUMAN	REGION:
7514	16719	26209	2.12	1.0E-81	8923698	NT	Homo sapiens golgin-like protein (GLP), mRNA
7655	16855	26354	2.19	1.0E-81	AW844986.1	EST_HUMAN	MRO-CT0008-250599-019 CT0008 Homo sapiens cDNA
7655	16855	26355	2.19	1.0E-81	AW844986.1	EST_HUMAN	MRO-CT0008-250599-019 CT0008 Homo sapiens cDNA
7821	12853	21972	3.15	1.0E-81	AW960658.1	EST_HUMAN	EST372729 MAGC resequences, MAGF Homo sapiens cDNA
8054	17190	26730	2.23	1.0E-81	BF204253.1	EST_HUMAN	601887714F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4110459 5'
8550	17573	23994	3.86	1.0E-81	11418138	NT	Homo sapiens phospholipase (similar to apolipoprotein B mRNA editing protein) (DJ742C19.2), mRNA
12	9308	18410	4.82	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
108	9308	18410	3.64	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
268	9543	18673	1.81	8.0E-82	U08998.1	NT	Human CRFB4 gene, partial cds
824	10062	19214	2.49	8.0E-82	U08998.1	NT	Human CRFB4 gene, partial cds
897	10132	19294	0.74	8.0E-82	U08998.1	NT	Human CRFB4 gene, partial cds
1482	10695	19870	1.56	8.0E-82	AB037748.1	NT	Homo sapiens mRNA for KIAA1327 protein, partial cds
1633	10847	20026	1.59	8.0E-82	671560.1	NT	Homo sapiens glutathione peroxidase 5 (epididymal androgen-related protein) (GPX5), transcript variant 2, mRNA
4229	13432	22528	0.76	8.0E-82	8923432	NT	Homo sapiens hypothetical protein FLJ20461 (FLJ20461), mRNA
1451	10864		1.61	7.0E-82	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
2722	11601	21117	1.57	7.0E-82	AU144050.1	EST_HUMAN	AU144050 HEMBA1 Homo sapiens cDNA clone HEMBA1000762 3'
4105	13312	22410	0.71	5.0E-82	AA515512.1	EST_HUMAN	nt89e11.s1 NC1_CGAP_C03 Homo sapiens cDNA clone IMAGE:925186 3'
1646	10860	20041	59.84	4.0E-82	AF061484.1	NT	Homo sapiens alpha-tubulin isoform 1 mRNA, complete cds
8207	17338	26878	5.01	4.0E-82	AI637300.1	EST_HUMAN	wip75e08.x1 NC1_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2467624 3' similar to TR:O75276

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8807	17728		6.52	4.0E-82	AF028701.2	NT	Homo sapiens presenilin-1 gene, exons 1 and 2
282	9557	18090	20.38	3.0E-82	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease neprilysin, Alzheimer disease) (APP), mRNA
710	9852	18091	2.58	3.0E-82	BE005705.1	EST_HUMAN	RC2-BN0120-010400-013-02 BN0120 Homo sapiens cDNA
797	10036	18187	4.71	3.0E-82	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
880	10116	19278	4.98	3.0E-82	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease neprilysin, Alzheimer disease) (APP), mRNA
1068	10294		38.43	3.0E-82	AA725848.1	EST_HUMAN	ai23e05 s1 Soares testis_NHT Homo sapiens cDNA clone 1343848 3'
1363	10578	19745	0.98	3.0E-82	AW875073.1	EST_HUMAN	RC6-PT0001-190100-021-802 PT0001 Homo sapiens cDNA
1482	10675	19848	2.85	3.0E-82	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1885	11072	20283	1.69	3.0E-82	BE813232.1	EST_HUMAN	RC1-BN0005-280700-018-004 BN0005 Homo sapiens cDNA
3238	12473		2.36	3.0E-82	5453811	NT	Homo sapiens neurotrophic tyrosine kinase, receptor, type 2 (NTRK2) mRNA
6508	15704	25170	2.99	3.0E-82	11425206	NT	Homo sapiens anklyrin-like with transmembrane domains 1 (ANKTM1), mRNA
604	9851	18969	1.37	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
604	9851	18970	1.37	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
1861	10874	20058	1.4	2.0E-82	AL046390.1	EST_HUMAN	DKFZp434M117_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434M117 5'
2035	12173	21307	0.79	2.0E-82	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3831	13048	22158	1.43	2.0E-82	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
3999	13212	22316	0.87	2.0E-82	U76833.1	NT	Human integral membrane serine protease Seprase mRNA, complete cds
4218	13421	22516	0.99	2.0E-82	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4555	13750	22849	1.56	2.0E-82	AB028019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
4555	13750	22850	1.56	2.0E-82	AB028019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
4886	14074	23172	2.13	2.0E-82	AF045555.1	NT	Homo sapiens wbscr1 (WBSOR1) and wbscr5 (WBSOR5) genes, complete cds, alternatively spliced and replication factor C subunit 2 (RFC2) gene, complete cds
5110	14280	23376	1.23	2.0E-82	4507580	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
5110	14290	23377	1.23	2.0E-82	4507580	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
5427	14854	23791	2.59	2.0E-82	AB018270.1	NT	Homo sapiens mRNA for KIAA0727 protein, partial cds
5741	14960	24360	5.35	2.0E-82	AF234882.1	NT	Homo sapiens FAM4A1 splice variant a (FAM4A1) mRNA, complete cds
7824	17016	26531	1.74	2.0E-82	11417105	NT	Homo sapiens 3-hydroxy-3-methylglutaryl-Coenzyme A reductase (HMGCR), mRNA
7858	17046	26584	5.18	2.0E-82	U80736.1	NT	Homo sapiens CAGF9 mRNA, partial cds
7858	17046	26585	5.18	2.0E-82	U80736.1	NT	Homo sapiens CAGF9 mRNA, partial cds
8361	17452		2.21	2.0E-82	NS4950.1	EST_HUMAN	zb31d10.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone IMAGE:305203 3'
8927	17810		3.69	2.0E-82	AA011276.1	EST_HUMAN	zb01g09.r1 Soares_fetal_liver_S1 Homo sapiens cDNA clone IMAGE:429568 5'
9241	18012		1.88	2.0E-82	11418097	NT	Homo sapiens SRY (sex determining region Y)-box 10 (SOX10), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
599	9848	18064	1.53	1.0E-82	11545921	NT	Homo sapiens melanoma differentiation associated protein-5 (MDA5), mRNA
1216	10434		1.61	1.0E-82	BE885106.1	EST_HUMAN	601510859F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912207 5'
1292	10507	19666	1.54	1.0E-82	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
1293	10508	19667	1.26	1.0E-82	AB011110.2	NT	Homo sapiens mRNA for KIAA0538 protein, partial cds
7331	16547	26037	2.65	1.0E-82	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
7578	16783	26276	1.95	1.0E-82	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
6685	15980	25339	4.85	9.0E-83	BF672220.1	EST_HUMAN	602150403F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4281561 5'
1418	10631	19799	8.92	8.0E-83	BE383973.1	EST_HUMAN	601273346F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614362 5'
1656	11947	20052	10.45	8.0E-83	N66951.1	EST_HUMAN	ze4812.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:295823 3'
1365	10580	19746	1.65	7.0E-83	AW385528.1	EST_HUMAN	QV4-LT0016-271298-068-h11 LT0016 Homo sapiens cDNA
2817	12056		1.46	7.0E-83	AA594655.1	EST_HUMAN	nc02h01.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100497 3' similar to contains Alu repetitive element;
4830	14019		7.39	7.0E-83	BF221813.1	EST_HUMAN	7p37a07.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3647893 3' similar to TR:Q9Y316 Q9Y316
409	9662	18801	1.41	6.0E-83	M33320.1	NT	DJ207H1.1 ;
1757	10968	20153	2.7	6.0E-83	AW573088.1	EST_HUMAN	Human platelet Glycoprotein IIb (GPIIb) gene, exons 2-29
2982	12218	21354	0.72	6.0E-83	AW816405.1	EST_HUMAN	h31h03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2933525 3' similar to SW:YBEB_HAEIN_P44471 HYPOTHETICAL PROTEIN HI0034. ;
3016	12252		1.47	6.0E-83	AF231919.1	NT	QV4-S10234-181199-037-005 ST0234 Homo sapiens cDNA
3537	12780	21891	0.91	6.0E-83	11430241	NT	Homo sapiens chromosome 21 unknown mRNA
5323	14555	23625	1.89	6.0E-83	4507866	NT	Homo sapiens VAMP (vesicle-associated membrane protein)-associated protein A (33kD) (VAPA) mRNA, and translated products
6291	15472	24913	1.99	6.0E-83	11422024	NT	Homo sapiens met proto-oncogene (hepatocyte growth factor receptor) (MET), mRNA
6984	16162	25633	3.82	6.0E-83	4505314	NT	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
7007	16185	25657	3.15	6.0E-83	11430647	NT	Homo sapiens pre-mRNA splicing factor similar to S. cerevisiae Prp18 (PRP18), mRNA
7007	16185	25658	3.15	6.0E-83	11430647	NT	Homo sapiens pre-mRNA splicing factor similar to S. cerevisiae Prp18 (PRP18), mRNA
8062	17197		6.3	6.0E-83	AA486105.1	EST_HUMAN	ab14e10.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:840810 3' similar to contains THR.L2 THR repetitive element ;
8311	17416		4.29	6.0E-83	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
954	10187		2.23	5.0E-83	U17893.1	NT	Human succinate dehydrogenase iron-protein subunit (sdhB) gene, exon 5
2017	11950		19.94	5.0E-83	AF006305.1	NT	Homo sapiens 26S proteasome regulatory subunit (SUG2) mRNA, complete cds
3617	12838	21957	1.19	5.0E-83	AL133207.2	NT	Novel human gene mapping to chromosome X
3864	13100	22217	0.67	5.0E-83	4885180	NT	Homo sapiens deoxycytidylase 1 (DNASE1), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4425	13625	22720	0.89	5.0E-83	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
5109	14289	23374	12.48	5.0E-83	4557013	NT	Homo sapiens catalase (CAT) mRNA
5109	14289	23375	12.48	5.0E-83	4557013	NT	Homo sapiens catalase (CAT) mRNA
5177	14355	23442	1.07	5.0E-83	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
646	9892	19017	3.73	4.0E-83	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
1005	10236		4.72	3.0E-83	AA368311.1	EST_HUMAN	EST179542 Placenta Homo sapiens cDNA similar to similar to endogenous retrovirus ERV9
2732	11911		1.22	3.0E-83	AA632854.1	EST_HUMAN	np87c07 s1 NC1_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:1133292 similar to contains THR12 THR
1769	10979	20168	1.36	2.0E-83	AA993492.1	EST_HUMAN	o164g05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1621592 3' similar to TR:Q92614
1769	10979	20169	1.36	2.0E-83	AA993492.1	EST_HUMAN	Q92614 MYELOBLAST KIAA0216 ;
1893	11100	20291	7.4	2.0E-83	N66951.1	EST_HUMAN	Q92614 MYELOBLAST KIAA0216 ;
2803	12043	21164	1.24	2.0E-83	BE828694.1	EST_HUMAN	za48f12.s1 Soares fetal liver spleen TNFSL Homo sapiens cDNA clone IMAGE:295823 3'
3236	12470		2.65	2.0E-83	11430834	NT	RC8-ET0046-280600-013-H12 ET0046 Homo sapiens cDNA
3759	12975		0.63	2.0E-83	AL163202.2	NT	Homo sapiens sad (Drosophila)-like 1 (SALL1), mRNA
4329	13530	22624	4.29	2.0E-83	AF202879.1	NT	Homo sapiens chromosome 21 segment HS21C002
4653	13847	22938	5.89	2.0E-83	7706398	NT	Homo sapiens hematopoietic progenitor cell antigen CD34 precursor (CD34) mRNA, partial cds
4653	13847	22939	5.89	2.0E-83	7706398	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51876), mRNA
6266	15447	24896	5.44	2.0E-83	AF129533.1	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51876), mRNA
6565	15761	25223	3.51	2.0E-83	AF011920.1	NT	Homo sapiens F-box protein FBX3b (FBX3B) mRNA, partial cds
6565	15761	25224	3.51	2.0E-83	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
7426	16636	26129	4.43	2.0E-83	11436448	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
7500	16707	26193	2.3	2.0E-83	AL134452.1	EST_HUMAN	Homo sapiens KIAA0985 protein (KIAA0985), mRNA
7500	16707	26194	2.3	2.0E-83	AL134452.1	EST_HUMAN	DKFZp547J135_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547J135 5'
8966	17836		4.39	2.0E-83	AB011399.1	NT	DKFZp547J135_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547J135 5'
1416	10629	19796	2.16	1.0E-83	4504328	NT	Homo sapiens gene for AF-6, complete cds
1416	10629	19797	2.16	1.0E-83	4504328	NT	Homo sapiens hydroxacyl-Coenzyme A dehydrogenase3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
1987	11190	20400	1.81	1.0E-83	4503652	NT	Homo sapiens hydroxacyl-Coenzyme A dehydrogenase3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
2618	11802	21019	1.72	1.0E-83	BE883690.1	EST_HUMAN	Homo sapiens fatty-acid-Coenzyme A ligase, very long-chain 1 (FACVL1) mRNA
3850	13066	22180	5.44	1.0E-83	AF053798.1	NT	601507375F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908754 5'
							Rattus norvegicus brain specific cortactin-binding protein CBP90 mRNA, partial cds

Page 270 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4230	13433	22527	3.15	1.0E-83	Z25822.1	NT	H.sapiens gene for mitochondrial dodecenyl-CoA delta-isomerase, exon 3
4908	14096	23189	2.7	1.0E-83	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
5963	15178	24595	1.87	1.0E-83	A1027614.1	EST_HUMAN	ov88b08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1645431 3' similar to gb:M64241 QM
3779	12897	22113	4.49	7.0E-84	BE901208.1	EST_HUMAN	PROTEIN (HUMAN);
1302	10517	18674	3.88	6.0E-84	BE838884.1	EST_HUMAN	601676023F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958853 5'
1302	10517	18675	3.88	6.0E-84	BE838884.1	EST_HUMAN	RC2-FN0119-200600-011-g05 FN0119 Homo sapiens cDNA
2362	11555	20777	3.64	6.0E-84	AA776574.1	EST_HUMAN	RC2-FN0119-200600-011-g05 FN0119 Homo sapiens cDNA
5298	14484		3.16	6.0E-84	AL042863.2	EST_HUMAN	ee88d03.s1 Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:971020 3'
5449	14875	23834	1.65	6.0E-84	AA897339.1	EST_HUMAN	DKFZp434H0322_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434H0322 5'
6282	15463	24905	3.1	6.0E-84	BE810371.1	EST_HUMAN	ai47g03.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1460500 3' similar to gb:M14338
6490	15687	25153	2.42	6.0E-84	BE770189.1	EST_HUMAN	VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);
8067	17202		2.15	6.0E-84	AW369812.1	EST_HUMAN	PM0-LT0019-190600-004-F02 LT0019 Homo sapiens cDNA
721	9893	19102	3.3	5.0E-84	AA382811.1	EST_HUMAN	PM4-F0054-180600-004-s10 F0054 Homo sapiens cDNA
2978	12213		2.48	5.0E-84	AF109718.1	NT	IL0-BT0168-091189-139-e08 BT0168 Homo sapiens cDNA
8078	17213	26745	2.34	5.0E-84	11428740	NT	EST96094 Testis I Homo sapiens cDNA 5' end
1415	10828	19795	3.31	4.0E-84	A1885321.1	EST_HUMAN	Homo sapiens chromosome 3 subtelomeric region
4968	14156	23248	1.1	4.0E-84	4505928	NT	Homo sapiens regulatory factor X, 3 (influences HLA class II expression) (RFX3), mRNA
4970	14157	23249	1.59	4.0E-84	AF069601.2	NT	wa78c04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2302088 3' similar to
5775	14993	24393	2.02	4.0E-84	AF068650.1	NT	SW:NRDC_HUMAN_O43847 NARDILYSIN PRECURSOR;
6355	15535	24989	14.25	4.0E-84	AB032866.1	NT	Homo sapiens polymerase (DNA-directed), alpha (70kD) (POLA2), mRNA
7492	16699	26184	5.64	4.0E-84	AF026200.1	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
321	9592	18723	1.54	3.0E-84	AF026200.1	NT	Homo sapiens histone deacetylase 3 (HDAC3) gene, complete cds
1930	11134	20329	1.3	3.0E-84		NT	Homo sapiens KIAA0783 gene product (KIAA0783), mRNA
1975	11178	20386	2.89	3.0E-84	AL096880.1	NT	Homo sapiens mRNA for KIAA1130 protein, partial cds
3568	12791	21917	1.11	3.0E-84	AB026898.1	NT	Homo sapiens Bact1 protein homolog mRNA, partial cds
3730	12949	22067	5.34	3.0E-84	AF014459.1	NT	Homo sapiens pericentriolar material 1 (PCM1) mRNA
7455	16663		11.6	3.0E-84	A1883801.1	EST_HUMAN	Novel human mRNA containing Zinc finger C2H2 type domains
2075	11275	20491	7.28	2.0E-84	BE695397.1	EST_HUMAN	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
						NT	Homo sapiens X-linked juvenile retinoschisis precursor protein (XLR51) mRNA, complete cds
						NT	wu20405.x1 Soares_Dieckgraebe_colon_NHCD Homo sapiens cDNA clone IMAGE:2520585 3' similar to
						EST_HUMAN	gb:L06063 60S RIBOSOMAL PROTEIN L18A (HUMAN);
						EST_HUMAN	CM1-BT0795-190600-272-b08 BT0795 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2075	11275	20492	7.28	2.0E-84	BE985397.1	EST_HUMAN	CM1-BT0795-190800-272-b08 BT0795 Homo sapiens cDNA
2894	12132	21268	10.41	2.0E-84	AF036943.1	NT	Homo sapiens myelin transcription factor 1-like (MYT1-L) mRNA, complete cds
2816	12154	21269	1.58	2.0E-84	X89211.1	NT	H sapiens DNA for endogenous retroviral like element
8593	17595	24003	3.31	2.0E-84	BF448000.1	EST_HUMAN	nae30a02.x1 Lupskl, sympathetic_trunk Homo sapiens cDNA clone IMAGE:4090251 3' similar to TR:Q8UGS3 Q8UGS3 DJ758G23.1 ;
8583	17595	24004	3.31	2.0E-84	BF448000.1	EST_HUMAN	nae30a02.x1 Lupskl, sympathetic_trunk Homo sapiens cDNA clone IMAGE:4090251 3' similar to TR:Q8UGS3 Q8UGS3 DJ758G23.1 ;
317	9588	18719	1.58	1.0E-84	AF114488.1	NT	Homo sapiens interseclin short isoform (ITSN) mRNA, complete cds
558	9808	18931	12.69	1.0E-84	4507952	NT	Homo sapiens tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YVHAZ) mRNA
727	9869		1.24	1.0E-84	11427831	NT	Homo sapiens complement component 5 (C5), mRNA
1300	10515	19872	2.6	1.0E-84	AA984379.1	EST_HUMAN	am85b11.s1 Striatagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1628885 3'
2021	11222	20430	2.87	1.0E-84	BE392137.1	EST_HUMAN	601308006F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3628257 5'
2190	11387	20609	2.2	1.0E-84	11427197	NT	Homo sapiens pericentriolar material 1 (PCM1), mRNA
3732	12852	22009	3.02	1.0E-84	AA720851.1	EST_HUMAN	nwl12e06.s1 NC1_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1239106 3'
4410	13810	22707	5.57	1.0E-84	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 1/3
4710	13901	23000	3.61	1.0E-84	AL043314.2	EST_HUMAN	DKFZp434N0323_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
4710	13901	23001	3.61	1.0E-84	AL043314.2	EST_HUMAN	DKFZp434N0323_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
4833	13610	22707	3.37	1.0E-84	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 1/3
6124	15308	24741	2.57	1.0E-84	AL048784.1	NT	Novel human gene mapping to chromosome 13
6334	15500	24945	2.39	1.0E-84	11430846	NT	Homo sapiens NGF-A binding protein 1 (ERG1 binding protein 1) (NAB1), mRNA
6931	16124		4.77	1.0E-84	5031884	NT	Homo sapiens nuclear transport factor 2 (placental protein 15) (PP15) mRNA
7013	14492	23581	2.88	1.0E-84	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
7013	14492	23582	2.88	1.0E-84	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
8453	17511		2.18	1.0E-84	11417812	NT	Homo sapiens purinergic receptor P2X-like 1, orphan receptor (P2RXL1), mRNA
8573	17500	23999	4.24	1.0E-84	11418185	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), mRNA
974	10206		1.55	9.0E-85	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1080	10305	19455	2.99	9.0E-85	U51432.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1080	10305	19456	2.99	9.0E-85	U51432.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1557	10771	19943	8.88	9.0E-85	M33282.1	NT	Human plasminogen gene, exon 7
1557	10771	19944	8.88	9.0E-85	M33282.1	NT	Human plasminogen gene, exon 7
1649	10883	20045	2.34	9.0E-85	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZp434P211), mRNA
3785	13003	22118	1.05	9.0E-85	7019418	NT	Homo sapiens nuclear GTPase (HUMAUNTIQ), mRNA
4238	13441	22533	1.04	9.0E-85	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4794	13983	23087	1.89	9.0E-85	M33784.1	NT	Human ornithine decarboxylase gene, complete cds
4794	13983	23088	1.89	9.0E-85	M33784.1	NT	Human ornithine decarboxylase gene, complete cds
4897	14085	23178	1.12	9.0E-85	5901979	NT	Homo sapiens heat shock transcription factor 2 binding protein (HSF2BP), mRNA
4934	14121	23216	1.2	9.0E-85	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
1144	10367	19518	10.12	7.0E-85	L05094.1	NT	Homo sapiens ribosomal protein L27 mRNA, complete cds
8156	17298		11.81	7.0E-85	AF113210.1	NT	Homo sapiens MSTP030 mRNA, complete cds
7954	17093	26823	3.24	8.0E-85	11438573	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 10 (RNA helicase) (DDX10), mRNA
7954	17093	26824	3.24	8.0E-85	11438573	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 10 (RNA helicase) (DDX10), mRNA
2301	11485	20715	5.3	5.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5419	14647	23780	2.26	5.0E-85	BF035674.1	EST_HUMAN	601458646F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862402 5'
5419	14647	23781	2.26	5.0E-85	BF035674.1	EST_HUMAN	601458646F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862402 5'
7879	16876	26384	2.18	5.0E-85	AF224699.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
9205	14497		3.22	5.0E-85	AF211189.1	NT	Homo sapiens T-type calcium channel alpha1 subunit Alpha11-a isoform (CACNA11) mRNA, complete cds
7220	16397		2.61	4.0E-85	BE079283.1	EST_HUMAN	RC1-BT0623-120200-011-c07 BT0623 Homo sapiens cDNA
1306	10522	19381	0.77	3.0E-85	AF096157.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 6
1750	10962	20144	35.52	3.0E-85	T97495.1	EST_HUMAN	ye53g09.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:121504 5'
4305	13506	22602	1.15	3.0E-85	BE267189.1	EST_HUMAN	601189704F2 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3533618 5'
4920	14108	23203	1.43	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
4920	14108	23204	1.43	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
4987	14174	23264	1.03	3.0E-85	7363442	NT	Homo sapiens olfactory receptor, family 12, subfamily D, member 2 (OR12D2), mRNA
5727	14945	24341	5.2	3.0E-85	7682308	NT	Homo sapiens KIAA0793 gene product (KIAA0793), mRNA
5727	14945	24342	5.2	3.0E-85	7682309	NT	Homo sapiens KIAA0793 gene product (KIAA0793), mRNA
6095	15255		7.81	3.0E-85	AJ404468.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
6758	15953	25411	5.03	3.0E-85	11430889	NT	Homo sapiens phospholipase C, epsilon (PLCE), mRNA
8039	17175	26715	2.38	3.0E-85	5031660	NT	Homo sapiens EGF-like repeats and discolidin-like domains 3 (EDIL3), mRNA
9094	17910		3.91	3.0E-85	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
970	10202	19358	0.64	2.0E-85	7657266	NT	Homo sapiens KIAA0929 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
1047	10273	19425	2.37	2.0E-85	AF248540.1	NT	Homo sapiens intersein 2 (SH3D1B) mRNA, complete cds
1408	10621	19785	1.02	2.0E-85	7706205	NT	Homo sapiens CGI-201 protein (LOC51340), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1424	10637	19806	10.87	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
1424	10637	19807	10.87	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
2197	11394	20616	1.78	2.0E-85	U10525.1	NT	Human DNA polymerase beta gene, exons 12 and 13
2775	10560		7.76	2.0E-85	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2987	12224	21357	2.02	2.0E-85	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4326	13527	22621	6.55	2.0E-85	4505880	NT	Homo sapiens plasminogen (PLG) mRNA
4932	14120	23215	1.04	2.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
6845	16034	25498	2.59	2.0E-85	A1760820.1	EST_HUMAN	w187h08.x1 NCI_CGAP_K1d12 Homo sapiens cDNA clone IMAGE:2398431 3' similar to contains element
2251	11448		2.28	1.0E-85	BE794308.1	EST_HUMAN	MSR1 repetitive element;
2357	11550	20771	8.25	1.0E-85	BE618392.1	EST_HUMAN	601591416F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945818 5'
2357	11550	20772	8.25	1.0E-85	BE618392.1	EST_HUMAN	601462817F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866021 5'
7009	16187	25681	3.36	1.0E-85	BE257917.1	EST_HUMAN	601462817F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866021 5'
7498	16705	26190	2.91	1.0E-85	AA778785.1	EST_HUMAN	601109738F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350553 5'
7498	16705	26191	2.91	1.0E-85	AA778785.1	EST_HUMAN	z45f03.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:453245 3'
7668	16773	26285	2.74	1.0E-85	BF311552.1	EST_HUMAN	z45f03.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:453245 3'
7568	16773	26266	2.74	1.0E-85	BF311552.1	EST_HUMAN	601897003F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126440 5'
7631	16832	26329	2.84	1.0E-85	Y00052.1	EST_HUMAN	601897003F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126440 5'
8458	17679	23951	3.47	1.0E-85	11417862	NT	Human mRNA for T-cell cyclophilin
8730	17679	23951	4.77	1.0E-85	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1432	10845		36.13	9.0E-86	BE274217.1	EST_HUMAN	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
5722	14940	24338	2.69	8.0E-86	11424140	NT	Homo sapiens similar to CDC28 protein kinase 1 (H. sapiens) (LOC63041), mRNA
945	10178	18332	1.29	7.0E-86	AA860801.1	EST_HUMAN	Homo sapiens similar to CDC28 protein kinase 1 (H. sapiens) (LOC63041), mRNA
945	10178	18333	1.29	7.0E-86	AA860801.1	EST_HUMAN	aj88f08.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1403559 3'
6076	14522	23565	6.39	7.0E-86	11421737	NT	aj88f08.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1403559 3'
6898	15893	25354	3.63	7.0E-86	L38557.1	NT	Homo sapiens Tax1 (human T-cell leukemia virus type I) binding protein 1 (TAX1BP1), mRNA
7533	16736	26228	2.69	7.0E-86	11417012	NT	Homo sapiens galactose oxidase (GALC) gene, exon 15
7533	16738	26228	2.69	7.0E-86	11417012	NT	Homo sapiens similar to transcription factor CA150 (H. sapiens) (LOC63170), mRNA
1301	10516	19673	3.14	6.0E-86	4505492	NT	Homo sapiens oxoglutarate dehydrogenase (lipoamide) (OGDH) mRNA
216	9495	18629	1.96	4.0E-86	BE547173.1	EST_HUMAN	601072594F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458830 5'
5675	14895	24287	11.54	4.0E-86	BE265843.1	EST_HUMAN	601176805F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531933 5'
7793	9495	18628	1.88	4.0E-86	BE547173.1	EST_HUMAN	601072594F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458830 5'
4276	13479	22577	1.06	3.0E-86	BE867703.1	EST_HUMAN	601443282F1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:3847455 5'
5487	14713	24070	7.08	3.0E-86	AW340946.1	EST_HUMAN	x282h12.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:281719 3'

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7141	16318	25800	2.86	3.0E-86	BE886479.1	EST_HUMAN	601508989F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911303 5'
7141	16318	25801	2.86	3.0E-86	BE886479.1	EST_HUMAN	601508989F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911303 5'
7973	16408	25893	10.4	3.0E-86	AI659240.1	EST_HUMAN	tut18b02.xt NCI_CGAP_P728 Homo sapiens cDNA clone IMAGE:2251371 3'
8427	18171		2.01	3.0E-86	BE410354.1	EST_HUMAN	601302333F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636753 5'
271	9548	18675	2.25	2.0E-86	AA308264.1	EST_HUMAN	EST1177232 Jurkat T-cells V1 Homo sapiens cDNA 5' end
420	9673		2.72	2.0E-86	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1198	10418	19571	2.57	2.0E-86	N59977.1	EST_HUMAN	Y219a08.r1 Soares multiple sclerosis 2N5HMSP Homo sapiens cDNA clone IMAGE:283478 5'
2158	11356	20574	18.73	2.0E-86	9835487	NT	Human endogenous retrovirus, complete genome
3393	12620	21751	1.49	2.0E-86	AW968142.1	EST_HUMAN	EST378215 MAGE resequences, MAGI Homo sapiens cDNA
3727	12846	22063	3.14	2.0E-86	AF158776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3727	12846	22064	3.14	2.0E-86	AF158776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
4017	13229		2.83	2.0E-86	AW515742.1	EST_HUMAN	hdb7g08.xt NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2916542 3'
4789	13688	23095	4.21	2.0E-86	AF058490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
5083	14273	23356	0.94	2.0E-86	4505778	NT	Homo sapiens phosphoribosyl transferase, alpha 1 (muscle) (PHKA1), mRNA
6848	15841	25301	3.57	2.0E-86	11437135	NT	Homo sapiens butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase) (BBOX), mRNA
6848	15841	25302	3.57	2.0E-86	11437135	NT	Homo sapiens butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase) (BBOX), mRNA
7196	16373	25854	3.87	2.0E-86	11545848	NT	Homo sapiens basic-helix-loop-helix-PAS protein (NPAS3), mRNA
7196	16373	25855	3.87	2.0E-86	11545848	NT	Homo sapiens basic-helix-loop-helix-PAS protein (NPAS3), mRNA
7479	16687	26169	1.82	2.0E-86	4759051	NT	Homo sapiens ribosomal protein S6 kinase, 90kD, polypeptide 5 (RPS6KA5) mRNA
8900	17793	23924	4.33	2.0E-86	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
9077	17802		2.84	2.0E-86	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
1577	10780	19868	2.82	1.0E-86	4828855	NT	Homo sapiens NADH dehydrogenase (ubiquinone) Fe-S protein 1 (75kD) (NADH-coenzyme Q reductase) (NDUFS1) mRNA
3126	12361	21490	1.41	1.0E-86	5453649	NT	Homo sapiens fibulin 5 (FBLN5) mRNA
3201	12436	21571	2.53	1.0E-86	AL20482.1	NT	Human gamma-glutamyl transpeptidase mRNA, complete cds
3265	12498	21628	1.13	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3265	12498	21628	1.13	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3921	13137	22255	0.97	1.0E-86	7706161	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
4251	13454	22546	6.26	1.0E-86	AL163300.2	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
4623	13817	22807	0.62	1.0E-86	4607334	NT	Homo sapiens chromosome 21 segment HS21C100
4937	14124	23219	1.42	1.0E-86	AF100751.1	NT	Homo sapiens synaptotagmin 1 (SYN1), mRNA
							Homo sapiens FK506-binding protein FKBP23 isoform mRNA, complete cds

Page 275 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5468	14694	24047	3.81	1.0E-96	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
8132	14694	24047	2.91	1.0E-96	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5370	14600		1.74	9.0E-87	AI150703.1	EST_HUMAN	qb77c09.x1 Soares fetal heart_NbHH19W Homo sapiens cDNA clone IMAGE:1706128 3' similar to SW:K1CJ_MOUSE P02535 KERATIN, TYPE I CYTOSKELETAL 10;
6272	15452	24891	2.05	9.0E-87	4757721	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
6272	15452	24892	2.05	9.0E-87	4757721	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
486	9738	18871	78.74	8.0E-87	X62245.1	NT	O. cuniculus mRNA for elongation factor 1 alpha
2258	11453	20671	2.01	7.0E-87	BF063211.1	EST_HUMAN	7h85f02.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:3322779 3'
2258	11453	20672	2.01	7.0E-87	BF063211.1	EST_HUMAN	7h85f02.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:3322779 3'
7096	16273	25750	3.8	7.0E-87	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hbas3) Homo sapiens cDNA clone DKFZp434N0323 5'
7096	16273	25751	3.8	7.0E-87	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hbas3) Homo sapiens cDNA clone DKFZp434N0323 5'
7468	16874	26156	11.33	7.0E-87	K03002.1	NT	Human mRNA from chromosome 15 gene with homology to MHC-HLA-SB-1 intron A
7468	16874	26157	11.33	7.0E-87	K03002.1	NT	Human mRNA from chromosome 15 gene with homology to MHC-HLA-SB-1 intron A
3500	12724	21860	0.67	6.0E-87	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
7312	16530		8.07	6.0E-87	11432444	NT	Homo sapiens similar to SET translocation (myeloid leukemia-associated) (H. sapiens) (LOC63102), mRNA
1166	10388	19539	6.71	5.0E-87	AA382811.1	EST_HUMAN	EST96094 Testis 1 Homo sapiens cDNA 5' end
8732	10388	19539	2.59	6.0E-87	AA382811.1	EST_HUMAN	EST96094 Testis 1 Homo sapiens cDNA 5' end
973	10205	19360	1.04	4.0E-87	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1180	10401	19554	18.34	4.0E-87	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1998	11202	20413	2.08	4.0E-87	AB007925.1	NT	Homo sapiens mRNA for KIAA0456 protein, partial cds
2049	11250	20461	0.99	4.0E-87	R78133.1	EST_HUMAN	Y180F10.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145579 5' similar to contains Alu repetitive element
2049	11250	20462	0.99	4.0E-87	R78133.1	EST_HUMAN	Y180F10.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145579 5' similar to contains Alu repetitive element
2386	11579	20785	1.87	4.0E-87	7706299	NT	Homo sapiens CGI-80 protein (LOC51626), mRNA
2386	11579	20786	1.87	4.0E-87	7706299	NT	Homo sapiens CGI-80 protein (LOC51626), mRNA
3441	12696	21800	1.43	4.0E-87	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q23;q24) translocation; translocated to, 4 (MLLT4) mRNA
5416	14644	23776	6.4	4.0E-87	O00321	SWISSPROT	ETS-RELATED PROTEIN 71 (ETS TRANSLLOCATION VARIANT 2)
5685	14905	24298	4.8	4.0E-87	BE247284.1	EST_HUMAN	TCBAP1E4051 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project-TCBA Homo sapiens cDNA clone TCBAP4051
7724	16923	28432	3.91	4.0E-87	M60676.1	NT	Human von Willebrand factor pseudogene corresponding to exons 23 through 34
8256	17385	26918	3.1	4.0E-87	11417339	NT	Homo sapiens similar to heat shock 70kD protein 9B (mortalin-2) (H. sapiens) (LOC63184), mRNA

Page 276 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8831	18223	23695	1.46	4.0E-87	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8831	18223	23698	1.46	4.0E-87	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8994	17855		21.93	4.0E-87	11417812	NT	Homo sapiens purinergic receptor P2X-like 1, orphan receptor (P2RXL1), mRNA
2731	11910	21124	5.33	2.0E-87	4885420	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 4 (HMG4), mRNA
2900	12138		1.12	2.0E-87	BF327920.1	EST_HUMAN	QV0-BN0148-050800-254-a03 BN0148 Homo sapiens cDNA
3767	12985	22101	0.7	2.0E-87	AU116935.1	EST_HUMAN	AU116935 HEMBA1 Homo sapiens cDNA clone HEMBA1000307 5'
5517	14742	24108	10.95	2.0E-87	BE734180.1	EST_HUMAN	601569041F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843730 5'
5517	14742	24109	10.95	2.0E-87	BE734180.1	EST_HUMAN	601569041F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843730 5'
5800	15017		5.29	2.0E-87	BE567183.1	EST_HUMAN	601341383F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3683348 5'
6276	15456	24897	30.73	2.0E-87	N48128.1	EST_HUMAN	y21e07.1 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:243398 5'
6370	15550	25008	34.06	2.0E-87	N48128.1	EST_HUMAN	y21e07.1 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:243398 5'
6598	15794	25252	14.69	2.0E-87	X52851.1	NT	Human cyclophilin gene for cyclophilin (EC 5.2.1.8)
1190	11945		2.22	1.0E-87	7705883	NT	Homo sapiens putative glycolipid transfer protein (LOC51054), mRNA
1434	10647	19819	2.01	1.0E-87	AW361977.1	EST_HUMAN	PM2-CT0265-141099-001-g04 CT0265 Homo sapiens cDNA
1434	10647	19820	2.01	1.0E-87	AW361977.1	EST_HUMAN	PM2-CT0265-141099-001-g04 CT0265 Homo sapiens cDNA
3690	12911	22030	16.53	1.0E-87	Y00052.1	NT	Human mRNA for T-cell cyclophilin
3714	12934	22052	2.67	1.0E-87	4758827	NT	Homo sapiens neuraxin III (NRXN3), mRNA
5762	14981	24379	2	1.0E-87	AF073371.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10), gene, exon 8
5762	14981	24380	2	1.0E-87	AF073371.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10), gene, exon 8
6499	15696	25160	12.4	1.0E-87	AF214562.1	NT	Homo sapiens tracheal epithelium enriched protein (PLUNC) gene, complete cds
6874	16152	25623	2.81	1.0E-87	BE818183.1	EST_HUMAN	RC8-BN0276-050700-012-E02 BN0276 Homo sapiens cDNA
6874	16152	25624	2.81	1.0E-87	BE818183.1	EST_HUMAN	RC8-BN0276-050700-012-E02 BN0276 Homo sapiens cDNA
7570	16775		1.86	1.0E-87	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
7608	16811	26306	1.86	1.0E-87	5031660	NT	Homo sapiens EGF-like repeats and discoidin like domains 3 (EDIL3), mRNA
7608	16811	26307	1.86	1.0E-87	5031660	NT	Homo sapiens EGF-like repeats and discoidin like domains 3 (EDIL3), mRNA
8827	18371		1.67	1.0E-87	7657832	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA
1114	10338	19488	7.21	9.0E-88	AF167465.1	NT	Homo sapiens double stranded RNA activated protein kinase (PKR), gene, exon 12
1357	10572	19737	2.4	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
1357	10572	19738	2.4	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
2091	11291	20503	2.43	9.0E-88	7681701	NT	Homo sapiens DKFZP586P1522 protein (DKFZP586P1522), mRNA
3608	12827	21847	1.22	9.0E-88	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C008
4255	13458	22550	3.4	9.0E-88	X91929.1	NT	H. sapiens ECE-1 gene (exon 9)
4255	13458	22551	3.4	9.0E-88	X91929.1	NT	H. sapiens ECE-1 gene (exon 9)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5028	14213	23297	1.01	9.0E-88	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1798	11005		3.42	5.0E-88	7661887	NT	Homo sapiens KIAA0083 gene product (KIAA0083), mRNA
2803	11787	21008	6.14	5.0E-88	N89399.1	EST_HUMAN	K9719F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K9719 5' similar to ZINC FINGER PROTEIN HZF1
2958	12198	21330	0.76	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2972	12209	21346	1.02	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2972	12209	21347	1.02	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3367	12595		2.76	5.0E-88	AI683217.1	EST_HUMAN	wd88h08.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338799 3' similar to contains Alu repetitive element; contains element MER22 MER22 repetitive element
3509	12733	21871	0.66	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
4748	13938	23043	0.74	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
5887	15269	24698	2.41	5.0E-88	HI0832.1	EST_HUMAN	ym08b10.r1 Soares Infant brain INIB Homo sapiens cDNA clone IMAGE:47129 5'
8572	11005		1.59	5.0E-88	7661887	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
9214	11005		1.4	5.0E-88	7661887	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
1337	10552	19717	1.15	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050900-004-f10 TN0028 Homo sapiens cDNA
1337	10552	19718	1.16	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050900-004-f10 TN0028 Homo sapiens cDNA
6181	15363	24803	1.71	4.0E-88	11416585	NT	Homo sapiens transforming growth factor, beta-induced, 68kD (TGFB1), mRNA
7484	16691	26174	1.8	4.0E-88	4502694	NT	Homo sapiens cell division cycle 10 (homologous to CDC10 of S. cerevisiae) (CDC10) mRNA
8023	17160	26696	2.52	4.0E-88	7661847	NT	Homo sapiens KIAA0152 gene product (KIAA0152), mRNA
8023	17160	26697	2.52	4.0E-88	7661847	NT	Homo sapiens KIAA0152 gene product (KIAA0152), mRNA
739	9980	19121	0.91	3.0E-88	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
1781	10991		2.73	3.0E-88	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259) mRNA
2899	12137	21275	6.07	3.0E-88	N66951.1	EST_HUMAN	za48f12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:295823 3'
4226	13429	22520	0.91	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23) mRNA
4226	13429	22521	0.91	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23) mRNA
4474	13672		4.18	3.0E-88	11428300	NT	Homo sapiens hypothetical protein FLJ20220 (FLJ20220), mRNA
5328	14580	23632	2.81	3.0E-88	11428567	NT	Homo sapiens valosin-containing protein (VCP), mRNA
5483	14709	24085	3.48	3.0E-88	9968888	NT	Homo sapiens polycythemia rubra vera 1; cell surface receptor (PRV1), mRNA
5538	14782	24129	3.92	3.0E-88	11420697	NT	Homo sapiens viral simian leukemia viral oncogene homolog A (ras related) (RALA), mRNA
6111	15205	24624	14.23	3.0E-88	AF278265.1	NT	Homo sapiens putative anion transporter 1 mRNA, complete cds
6308	15489	24934	6.98	3.0E-88	11436400	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2), mRNA
8432	15629	25084	15.11	3.0E-88	11421726	NT	Homo sapiens growth differentiation factor 5 (cartilage-derived morphogenetic protein-1) (GDF5), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8558	17580		3.87	3.0E-88	11417974	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
1043	10269	19419	1.37	2.0E-88	7305198	NT	Homo sapiens Caldesin, presenilin-binding protein, EF hand transcription factor (CSEN), mRNA
1801	10815	18991	1.56	2.0E-88	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
1722	10934	20117	5.7	2.0E-88	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
4417	13617	22713	2.08	2.0E-88	5031868	NT	Homo sapiens dydin, axonemal, light polypeptide 4 (DNAL4), mRNA
5621	14844	24223	5.34	1.0E-88	AW139565.1	EST_HUMAN	UI-H-B11-aaa-d-04-0-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718750 3'
5621	14844	24224	5.34	1.0E-88	AW139565.1	EST_HUMAN	UI-H-B11-aaa-d-04-0-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718750 3'
5953	15169	24582	23.77	1.0E-88	AB007877.1	NT	Homo sapiens KIAA0417 mRNA, complete cds
5953	15169	24583	23.77	1.0E-88	AB007877.1	NT	Homo sapiens KIAA0417 mRNA, complete cds
6188	18341	24778	4.02	1.0E-88	AA488981.1	EST_HUMAN	aa54a11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:824732 3' similar to WP-B0272.2
6950	16128	25596	2.94	1.0E-88	AL043314.2	EST_HUMAN	CE00851
7981	18418	25903	3.87	1.0E-88	AA981478.1	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0323 5'
8790	17717		5.85	1.0E-88	AL163248.2	NT	os91g03.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1612756 3' similar to gb:M16042
7525	16730	26220	8.72	9.0E-89	11421238	NT	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEINS C7/C2 (HUMAN);
2892	11872	21087	0.96	8.0E-89	BE311557.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
439	9693	18831	1.05	7.0E-89	7657213	NT	Homo sapiens transgelin 2 (TAGLN2), mRNA
439	9693	18832	1.05	7.0E-89	7657213	NT	601142409F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506186 5'
4904	14092	23185	2.94	7.0E-89	4557390	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
4951	14138	23232	6.21	7.0E-89	AL045748.1	EST_HUMAN	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
7781	16985	26500	2.86	7.0E-89	M59783.1	NT	Homo sapiens complement component 8, beta polypeptide (C8B) mRNA
9240	18011		1.78	7.0E-89	U87927.1	NT	DKFZp434E246_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434E246 5'
1030	10256	19407	1.83	6.0E-89	5803114	NT	Human aldose reductase (AR) gene, segment 2
2180	11377	20599	4.97	6.0E-89	4506124	NT	Human aconitate hydratase (ACO2) gene, exon 2
2397	11590	20807	7.83	6.0E-89	4507788	NT	Homo sapiens inner membrane protein, mitochondrial (IMMT), mRNA
2397	11590	20808	7.83	6.0E-89	4507788	NT	Homo sapiens serine/threonine-protein kinase PRP4 homolog (PRP4) mRNA
3498	12722	21858	0.65	6.0E-89	7661817	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3) mRNA
4478	13676	22765	1.37	6.0E-89	7661737	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3) mRNA
4639	13833	22921	3.22	6.0E-89	AB007866.2	NT	Homo sapiens HSPC159 protein (HSPC159), mRNA
4639	13833	22922	3.22	6.0E-89	AB007866.2	NT	Homo sapiens HSPC019 protein (HSPC019), mRNA
5214	14389	23474	1.53	6.0E-89	8806918	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
5214	14389	23475	1.53	6.0E-89	8806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
							Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA

Page 279 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLASTE Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5105	14285	23369	2.93	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia BAYor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
5105	14285	23370	2.93	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia BAYor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
7700	16899	28408	1.84	4.0E-89	A1788872.1	EST_HUMAN	w691c03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2348452 3'
2830	12089	21191	2.07	3.0E-89	AW976181.1	EST_HUMAN	EST388290 MAGC resequences; MAGN Homo sapiens cDNA
8985	17849	23886	2.42	3.0E-89	AV705749.1	EST_HUMAN	AV705749 ADB Homo sapiens cDNA clone ADBBGA01 5'
125	9687	18807	1.11	2.0E-89	7706870	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
125	9687	18808	1.11	2.0E-89	7706870	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
414	9687	18807	0.69	2.0E-89	7706870	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
414	9687	18808	0.69	2.0E-89	7706870	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
536	9787	18910	0.78	2.0E-89	AB037763.1	NT	Homo sapiens mRNA for KIAA1342 protein, partial cds
2834	12073	21195	1.58	2.0E-89	A122095.1	EST_HUMAN	qg96c08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131
3527	12751	21883	0.64	2.0E-89	AA759149.1	EST_HUMAN	GAMMA-GLUTAMYLTRANSPETIDASE 1 PRECURSOR (HUMAN); contains Alu repetitive element;
3527	12751	21884	0.64	2.0E-89	AA759149.1	EST_HUMAN	ah70d03.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320988 3'
4127	13333	22431	1.26	2.0E-89	AF089897.1	NT	ah70d03.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320988 3'
4135	13341	22441	5.58	2.0E-89	X58742.1	NT	Homo sapiens topoisomerase-related function protein (TRF4-2) mRNA, partial cds
4135	13341	22442	5.58	2.0E-89	X58742.1	NT	H.sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4342	13544	22635	1.7	2.0E-89	AL163203.2	NT	H.sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4500	13698	22782	1.09	2.0E-89	AJ007378.1	NT	Homo sapiens chromosome 21 segment HS21C003
5040	14224	23308	0.95	2.0E-89	11545921	NT	Homo sapiens GGT gene, exon 5
5361	14591	23798	58	2.0E-89	BE541744.1	EST_HUMAN	Homo sapiens melanoma differentiation associated protein-5 (MDA5), mRNA
5432	14659	23798	2.85	2.0E-89	AB007546.1	NT	601085996F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452423 5'
6364	15544	24999	4.77	2.0E-89	U81004.1	NT	Homo sapiens gene for LEGT2, complete cds
6436	15633	25098	2.36	2.0E-89	11428801	NT	Human GT24 (GT24) mRNA, partial cds
7913	17128	26658	3.35	2.0E-89	11434411	NT	Homo sapiens solute carrier family 24 (sodium/potassium/calcium exchanger), member 2 (SLC24A2), mRNA
8104	17238	26776	5.65	2.0E-89	11433673	NT	Homo sapiens integrin, alpha 3 (antigen CD49C, alpha 3 subunit of VLA-3 receptor) (ITGA3), mRNA
8208	17339	26879	2.84	2.0E-89	U10092.1	NT	Homo sapiens cell adhesion molecule with homology to L1CAM (close homologue of L1) (CHL1), mRNA
8259	17388		2.22	2.0E-89	11417260	NT	Human MAGE-7 antigen (MAGE7) pseudogene, complete cds
							Homo sapiens threonyl-tRNA synthetase (TARS), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8107	17241	26780	6.99	1.0E-89	BF196052.1	EST_HUMAN	hr81d09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134897 3' similar to TR:O54778 O54778
8107	17241	26781	6.98	1.0E-89	BF196052.1	EST_HUMAN	SOLUTE CARRIER FAMILY 22_LIKE 2 PROTEIN ;
1070	10296	19445	2.31	8.0E-90	AL163246.2	NT	hr81d09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134897 3' similar to TR:O54778 O54778
1071	10296	19445	2.97	8.0E-90	AL163246.2	NT	SOLUTE CARRIER FAMILY 22_LIKE 2 PROTEIN ;
1338	11991	19719	3.38	8.0E-90	BE670561.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
1338	11991	19720	3.38	8.0E-90	BE670561.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
846	10083		2.87	7.0E-90	AF223391.1	NT	7c3808.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284583 3'
3032	12268	21395	1.22	8.0E-90	X91928.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3032	12268	21396	1.22	8.0E-90	X91928.1	NT	H sapiens ECE-1 gene (exon 6)
4212	13415	22510	8.66	6.0E-90	8922398	NT	H sapiens ECE-1 gene (exon 6)
4212	13415	22511	8.66	6.0E-90	8922398	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
5647	14870	24256	3.59	6.0E-90	U77700.1	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
5647	14870	24257	3.59	6.0E-90	U77700.1	NT	Homo sapiens HsGCGN1 mRNA, partial cds
6570	15766	25227	6.84	8.0E-90	4504784	NT	Homo sapiens HsGCGN1 mRNA, partial cds
6570	15766	25228	6.84	8.0E-90	4504784	NT	Homo sapiens inositol 1,4,5-trisphosphate receptor, type 3 (ITPR3) mRNA
158	9440		24.41	5.0E-90	AB035344.1	NT	Homo sapiens inositol 1,4,5-trisphosphate receptor, type 3 (ITPR3) mRNA
1200	10420	19573	1.75	5.0E-90	U80228.1	NT	Homo sapiens TGL6 gene, exon 1-10b
2521	11709	20925	1.83	5.0E-90	AF114487.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
4537	13732	22830	2.47	5.0E-90	4506354	NT	Homo sapiens intersectin long isoform (ITSN) mRNA, complete cds
4537	13732	22830	2.47	5.0E-90	4506354	NT	Homo sapiens pregnancy-zone protein (PZP) mRNA
4812	13806	22897	1.1	5.0E-90	AA705222.1	EST_HUMAN	Homo sapiens intersectin long isoform (ITSN) mRNA, complete cds
4812	13806	22898	1.1	5.0E-90	AA705222.1	EST_HUMAN	Homo sapiens pregnancy-zone protein (PZP) mRNA
5486	14712	24069	3.24	5.0E-90	Z16411.1	NT	z82g10.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:461442 3'
5558	14712	24069	2.51	5.0E-90	Z16411.1	NT	z82g10.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:461442 3'
6171	15353	24791	2.22	5.0E-90	AF113708.1	NT	H sapiens mRNA encoding phospholipase c
6171	15353	24792	2.22	5.0E-90	AF113708.1	NT	H sapiens mRNA encoding phospholipase c
6318	15499	24944	7.67	5.0E-90	4557258	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
6557	15753	25216	4.78	5.0E-90	11345483	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
7195	16372	25853	4.96	5.0E-90	11433721	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
9048	17921		1.36	5.0E-90	AB011399.1	NT	Homo sapiens adenylylase 9 (ADCY9) mRNA
6095	17911		1.72	5.0E-90	AI523868.1	EST_HUMAN	Homo sapiens adenylylase 9 (ADCY9) mRNA
							Homo sapiens hypothetical protein FLJ13222 (FLJ13222), mRNA
							Homo sapiens ATPase, aminophospholipid transporter-like, Class I, type 8A, member 2 (ATP8A2), mRNA
							Homo sapiens gene for AF-6, complete cds
							ar78h05.x1 Barstead sorts HPLR86 Homo sapiens cDNA clone IMAGE:2128761 3'

Page 281 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
307	9580	18712	1.78	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
307	9580	18713	1.78	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
1094	10318	19470	2.85	4.0E-90	4505316	NT	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
1664	10877	20062	8.83	4.0E-90	X99033.1	NT	H. sapiens gene encoding discordin receptor tyrosine kinase, exon 16
2813	12053	21175	1.1	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2813	12053	21176	1.1	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2888	12225	21358	1.5	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2888	12225	21359	1.5	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4659	13853	22950	4.47	4.0E-90	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4809	13998	23104	1.63	4.0E-90	AB033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
4833	14022	23116	1.9	4.0E-90	M95867.1	NT	Human prohormone converting enzyme (NEC2) gene, exon 8
5231	14025	23488	1.03	4.0E-90	5729777	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
8984	12053	21175	1.35	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8984	12053	21176	1.35	4.0E-90	6800918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8148	17280	26825	52.24	3.0E-90	BE663833.1	EST_HUMAN	601335244F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3689147.5'
218	8497	18631	3.74	2.0E-90	BE537913.1	EST_HUMAN	601067378F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453834.5'
1181	10402	19556	8.41	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1181	10402	19556	8.41	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
3630	13047	22157	2.29	2.0E-90	A1138213.1	EST_HUMAN	qc54c02.x1 Scores_placenta_8to9weeks_2NBP8t89W Homo sapiens cDNA clone IMAGE:1713410.3'
4894	13885	22886	1.12	2.0E-90	AB006827.1	NT	similar to SW-OLF3_MOUSE P23275 OLFACTORY RECEPTOR OR3.;
4831	14119	23214	9.77	2.0E-90	5729855	NT	Homo sapiens mRNA for KIAA0289 gene, partial cds
5586	14791	24163	4.95	2.0E-90	AW872686.1	EST_HUMAN	Homo sapiens GRB2-related adaptor protein (GRAP) mRNA
7012	16190	25663	6.27	2.0E-90	11427320	NT	ba49d05.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2899881.5' similar to TR:075208 O75208 HYPOTHETICAL 35.5 KD PROTEIN.;
7012	16190	25663	6.27	2.0E-90	11427320	NT	Homo sapiens similar to laminin receptor 1 (67kD, ribosomal protein SA) (H. sapiens) (LOC63484), mRNA
8008	18441	25928	3.86	2.0E-90	11024711	NT	Homo sapiens similar to laminin receptor 1 (67kD, ribosomal protein SA) (H. sapiens) (LOC63484), mRNA
281	9556	18689	4.74	1.0E-90	4502166	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
379	11839	18779	1.31	1.0E-90	AF231920.1	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
380	11839	18779	1.24	1.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
702	9944	18078	1.92	1.0E-90	AJ237569.1	NT	Homo sapiens chromosome 21 unknown mRNA
							Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
702	9944	19080	1.92	1.0E-90	AJ237589.1	NT	Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial
737	9978	19118	11.4	1.0E-90	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
737	9978	19119	11.4	1.0E-90	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1118	10342		1.49	1.0E-90	4507828	NT	Homo sapiens Kruppel-like factor 7 (ubiquitous) (KLF7), mRNA
1313	10529	19690	3.36	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1313	10529	19691	3.36	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1843	10857		3.06	1.0E-90	BE379884.1	EST_HUMAN	601159563F2 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3511118 5'
1868	11073	20264	2.95	1.0E-90	11420514	NT	Homo sapiens similar to SALL1 (sal (Drosophila)-like (LOC57107), mRNA
2805	12045	21187	6.75	1.0E-90	6005720	NT	Homo sapiens chromosome 8 open reading frame 2 (C8ORF2), mRNA
3835	13052	22163	1.47	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
3835	13052	22164	1.47	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
4415	13615	22711	1.76	1.0E-90	AF167340.1	NT	Homo sapiens soluble interleukin 1 receptor accessory protein (IL1RAP) gene, exon 8, alternative exons 8 and complete cds, alternatively spliced
5262	14435	23509	1.28	1.0E-90	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
5262	14435	23510	1.28	1.0E-90	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
5523	14748	24115	2.09	1.0E-90	AB014533.1	NT	Homo sapiens mRNA for KIAA0633 protein, partial cds
6365	15545	25000	2.56	1.0E-90	11426758	NT	Homo sapiens solute carrier family 1 (high affinity aspartate/glutamate transporter), member 8 (SLC1A6), mRNA
6725	15920	25379	3.54	1.0E-90	11422080	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
6859	16049	25514	2.42	1.0E-90	11422109	NT	Homo sapiens GGI-15 protein (LOC51006), mRNA
6859	16049	25515	2.42	1.0E-90	11422109	NT	Homo sapiens GGI-15 protein (LOC51006), mRNA
9036	17880	23894	1.51	1.0E-90	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
9036	17880	23895	1.51	1.0E-90	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
4178	13392	22483	5.53	8.0E-91	D12234.1	EST_HUMAN	HUM000S381 Liver HepG2 cell line. Homo sapiens cDNA clone s381 3'
3451	12676	21811	1.9	5.0E-91	AA702794.1	EST_HUMAN	z890504.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4822	14011	23109	1.46	5.0E-91	7110834	NT	Homo sapiens chromosome 22 open reading frame 5 (C22ORF5), mRNA
4822	14011	23110	1.46	5.0E-91	7110834	NT	Homo sapiens chromosome 22 open reading frame 5 (C22ORF5), mRNA
9068	17895		1.23	5.0E-91	AI193568.1	EST_HUMAN	qe70f11.xt Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1744365 3' similar to contains MIR.b2 MIR repetitive element:
3168	12401	21535	1.56	4.0E-91	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3168	12401	21536	1.56	4.0E-91	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
7504	18711	26199	6.21	4.0E-91	AL183294.2	NT	Homo sapiens chromosome 21 segment HS21C084
8509	17545	23983	2.28	4.0E-91	MT7694.1	EST_HUMAN	EST01579 Hippocampus, Striatum (cat. #36203) Homo sapiens cDNA clone HHCMC60 similar to Retrovirus-related gag polyprotein

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8509	17545	24031	2.28	4.0E-91	M77894.1	EST_HUMAN	EST01579 Hippocampus, Striatum (cat. #936205) Homo sapiens cDNA clone HHCMB80 similar to
1595	10809	19885	1.4	3.0E-91	11430193	NT	Retrovirus-related gag polyprotein
1595	10809	19886	1.4	3.0E-91	11430193	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
3313	12543	21677	1.41	3.0E-91	AL163283.2	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
3439	12684	21797	3.24	3.0E-91	AB033104.1	NT	Homo sapiens chromosome 21 segment HS21C083
3439	12684	21798	3.24	3.0E-91	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3770	12988	22104	0.97	3.0E-91	AF084530.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
4590	13784	22875	5.52	3.0E-91	M30938.1	NT	Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds
4999	14186	23275	3.31	3.0E-91	AL163285.2	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4999	14186	23276	3.31	3.0E-91	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5789	15006		3.05	3.0E-91	4502740	NT	Homo sapiens chromosome 21 segment HS21C085
5921	15138	24549	3.58	3.0E-91	11497811	NT	Homo sapiens cyclin-dependent kinase 6 (CDK6) mRNA
5921	15138	24550	3.58	3.0E-91	11497811	NT	Homo sapiens gamma-aminobutyric acid (GABA) B receptor, 1 (GABBR1), transcript variant 2, mRNA
6351	15531	24982	4.48	3.0E-91	U8959.1	NT	Homo sapiens gamma-aminobutyric acid (GABA) B receptor, 1 (GABBR1), transcript variant 2, mRNA
6351	15531	24983	4.48	3.0E-91	U8959.1	NT	Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exons 10 and 11
							Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exons 10 and 11
							Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
8768	17704	23955	1.33	3.0E-91	AF240786.1	NT	Homo sapiens beta-ureidopropionase (BUP1) gene, exon 6
9124	14490	23535	4.48	3.0E-91	AF169555.1	NT	Homo sapiens beta-ureidopropionase (BUP1) gene, exon 6
50	9347	18460	2.75	1.0E-91	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1262	10468	19632	9.01	1.0E-91	AW449746.1	EST_HUMAN	UI-H-B13-aks-d-01-Q-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2755280 3'
6015	15285	24889	1.89	1.0E-91	BF348182.1	EST_HUMAN	602022088F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4157804 5'
6015	15285	24890	1.89	1.0E-91	BF348182.1	EST_HUMAN	602022088F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4157804 5'
8675	18308		1.69	1.0E-91	H15212.1	EST_HUMAN	ym30e03.r1 Soares infant brain INIB Homo sapiens cDNA clone IMAGE:49587 5'
1248	10465	19626	19.2	9.0E-92	AJ001689.1	NT	Homo sapiens NKX2D gene, exon 10
1248	10465	19627	19.2	9.0E-92	AJ001689.1	NT	Homo sapiens NKX2D gene, exon 10
5426	14653	23790	3.81	9.0E-92	J03007.1	NT	Human Na ⁺ K ⁺ ATPase alpha-subunit mRNA, partial cds
5493	14719	24076	1.9	9.0E-92	11427149	NT	Homo sapiens hypothetical protein FLJ20260 (FLJ20260), mRNA
5850	15068	24478	3.95	9.0E-92	AF310105.1	NT	Homo sapiens NALP1 mRNA, complete cds
6846	16035	25496	2.27	9.0E-92	11422088	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
92	9385	18514	3.46	8.0E-92	W26367.1	EST_HUMAN	2673 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA

Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
290	9564	18897	6.09	8.0E-92	BE38363.1	EST_HUMAN	601273513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614667 5'
1790	11000	20195	1.06	8.0E-92	11434722	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG), mRNA
1790	11000	20196	1.06	8.0E-92	11434722	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG), mRNA
4207	13410	22504	0.94	8.0E-92	AA909157.1	EST_HUMAN	om13e02.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1540922 3' similar to contains L1,b2 L1 repetitive element ;
5132	14310	23401	0.77	8.0E-92	AW157571.1	EST_HUMAN	au83h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782911 3' similar to TR:O60302 O60302 KIAA0555 PROTEIN ; contains element MER22 repetitive element ;
6608	15804	25260	4.9	8.0E-92	L04193.1	NT	Human lens membrane protein (mp19) gene, exon 11
6608	15804	25261	4.9	8.0E-92	L04193.1	NT	Human lens membrane protein (mp19) gene, exon 11
8791	15988	25446	3.28	8.0E-92	AB014511.1	NT	Homo sapiens mRNA for KIAA0611 protein, partial cds
7382	16597	26085	5.33	8.0E-92	AF074393.1	NT	Homo sapiens nuclear ribogen- and stress-activated protein kinase-1 (MSK1) mRNA, complete cds
7900	17116	26648	2.27	8.0E-92	4503340	NT	Homo sapiens dihydropyrimidine S-succinyltransferase (E2 component of 2-oxo-glutarate complex) (DLST) mRNA
8859	17762	23935	1.7	8.0E-92	11434704	NT	Homo sapiens fragile X mental retardation, autosomal homolog 1 (FXR1), mRNA
26	9322	18425	1.35	7.0E-92	AB031007.1	NT	Homo sapiens DNA, MHC class I region, 7.1 ancestral haplotype
241	11963	18649	0.97	7.0E-92	AB018301.1	NT	Homo sapiens mRNA for KIAA0758 protein, partial cds
241	11963	18650	0.97	7.0E-92	AB018301.1	NT	Homo sapiens mRNA for KIAA0758 protein, partial cds
598	9845		1.47	7.0E-92	AF007822.1	NT	Homo sapiens cytoplasmic Sepase truncated isoform mRNA, complete cds
1287	10502	19663	1.21	7.0E-92	4502384	NT	Homo sapiens B-cell CLL/lymphoma 7b (BCL7B) mRNA
2153	11351	20567	6.03	7.0E-92	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2153	11351	20568	6.03	7.0E-92	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2530	11718	20935	9.05	7.0E-92	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
2684	11866	21078	6.58	7.0E-92	6005738	NT	Homo sapiens NRAS-related gene (D1S155E), mRNA
2709	11888	21105	2.57	7.0E-92	AB031007.1	NT	Homo sapiens DNA, MHC class I region, 7.1 ancestral haplotype
3319	14467	21681	0.74	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
3319	14467	21682	0.74	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4586	13780	22872	1.34	7.0E-92	S71824.1	NT	N-CAM=145 kDa neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2960 nt]
4586	13780	22873	1.34	7.0E-92	S71824.1	NT	N-CAM=145 kDa neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2960 nt]
5194	14370	23457	0.95	7.0E-92	4506118	NT	Homo sapiens prospero-related homeobox 1 (PROX1) mRNA
5305	14537	23541	5.59	7.0E-92	AA446206.1	EST_HUMAN	2w66d12.f1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781175 5'
1567	10780		1.21	5.0E-92	BE390882.1	EST_HUMAN	601283012F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605018 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2721	11900	21116	2.78	3.0E-02	BE09714.1	EST_HUMAN	601501242F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902839 5'
5603	14827	24203	5.34	3.0E-02	AA378336.1	EST_HUMAN	EST01020 Synovial sarcoma Homo sapiens cDNA 5' end similar to ribosomal protein S13
7349	16565	26054	4.3	3.0E-02	X15804.1	NT	Human mRNA for alpha-actinin
7349	16565	26055	4.3	3.0E-02	X15804.1	NT	Human mRNA for alpha-actinin
27	9323	18426	1.34	2.0E-02	4501898	NT	Homo sapiens activin A receptor, type IIB (ACVR2B) mRNA
144	9428	18560	13.1	2.0E-02	AF154830.1	NT	Homo sapiens carbamyl phosphate synthetase I mRNA, complete cds
183	9462	18592	3.22	2.0E-02	11422848	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
183	9462	18593	3.22	2.0E-02	11422848	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
757	9898	19144	3.85	2.0E-02	BE299190.1	EST_HUMAN	601118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'
757	9898	19145	3.85	2.0E-02	BE299190.1	EST_HUMAN	601118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'
1889	10901		1.47	2.0E-02	S78653.1	NT	mrg-mas-related (human, Genomic, 2416 nt)
1805	11111	20305	1.45	2.0E-02	AB181119.1	EST_HUMAN	wk27d07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413549 3' similar to TR:Q12844
1805	11111	20306	1.45	2.0E-02	AB181119.1	EST_HUMAN	Q12844 BREAKPOINT CLUSTER REGION PROTEIN ;
2015	11217	20426	6.59	2.0E-02	4506880	NT	Q12844 BREAKPOINT CLUSTER REGION PROTEIN ;
2821	11805	21022	24.63	2.0E-02	6912457	NT	Homo sapiens syndecan 4 (amphiglycan, ryudocan) (SDC4) mRNA
2782	10844	20022	2.37	2.0E-02	11418424	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
2782	10844	20023	2.37	2.0E-02	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
3591	12812	21832	1.29	2.0E-02	AF231919.1	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
3591	12812	21833	1.29	2.0E-02	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3666	12887	22008	5.14	2.0E-02	5803180	NT	Homo sapiens stress-induced-phosphoprotein 1 (Hsp70/Hsp60-organizing protein) (STIP1), mRNA
4274	13477	22574	1.37	2.0E-02	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete proviral segment
4788	13955	23056	0.84	2.0E-02	AF136523.1	NT	Homo sapiens bile salt export pump (BSEP) mRNA, complete cds
5017	14204		3.73	2.0E-02	AL040437.1	EST_HUMAN	DKFZp344C0414_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp344C0414 5'
5248	14421		0.95	2.0E-02	4759169	NT	Homo sapiens steroid regulatory element binding transcription factor 2 (SREBF2) mRNA
5941	15157	24569	2.81	2.0E-02	AB028991.1	NT	Homo sapiens mRNA for KIAA1068 protein, partial cds
7344	16560	26048	7.05	2.0E-02	11434800	NT	Homo sapiens thyroid stimulating hormone receptor (TSHR), mRNA
7703	16902	28410	1.75	2.0E-02	AW836290.1	EST_HUMAN	CM4-LT0028-161299-062-g08 L70028 Homo sapiens cDNA
7703	16902	28411	1.75	2.0E-02	AW836290.1	EST_HUMAN	CM4-LT0028-161299-062-g08 L70028 Homo sapiens cDNA
8878	17774	23943	2.73	2.0E-02	AB029016.1	NT	Homo sapiens mRNA for KIAA1083 protein, partial cds
8897	17791	23923	1.35	2.0E-02	AF106656.1	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
9163	11805	21022	29.98	2.0E-02	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9269	18312	23600	1.48	2.0E-92	AF106658.1	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
1817	11025	20219	1.38	1.0E-92	R78078.1	EST_HUMAN	y80c08.r1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:145574 5'
1817	11025	20220	1.36	1.0E-92	R78078.1	EST_HUMAN	y80c08.r1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:145574 5'
2041	11242	20451	68.35	1.0E-92	4506868	NT	Homo sapiens ribosomal protein, large, P1 (RPLP1) mRNA
1998	11201	20412	3.07	9.0E-93	AU121681.1	EST_HUMAN	AU121681 MAMMA1 Homo sapiens cDNA clone MAMMA1000738 5'
2009	11212		43.7	9.0E-93	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
2609	11783		1.25	9.0E-93	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3593	12814	21835	1.08	9.0E-93	BE38571.1	EST_HUMAN	601281887F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603832 5'
4328	13529	22623	1.11	9.0E-93	AU121681.1	EST_HUMAN	AU121681 MAMMA1 Homo sapiens cDNA clone MAMMA1000738 5'
8167	17289		18.88	9.0E-93	11418528	NT	Homo sapiens ribosomal protein L10a (RPL10A), mRNA
5929	15145	24556	2.46	8.0E-93	BF036384.1	EST_HUMAN	601460521F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863908 5'
250	9526	18856	7.52	7.0E-93	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3041	12278	21408	0.65	8.0E-93	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
1388	10602	19787	1.49	5.0E-93	AB014511.1	NT	Homo sapiens mRNA for KIAA0611 protein, partial cds
1411	10624	19789	11.61	5.0E-93	AB74184.1	EST_HUMAN	wc09c08.x1 NCI CGAP P128 Homo sapiens cDNA clone IMAGE:2314670 3'
1411	10624	19780	11.61	5.0E-93	AB74184.1	EST_HUMAN	wc09c08.x1 NCI CGAP P128 Homo sapiens cDNA clone IMAGE:2314670 3'
3199	12434	21569	5.83	5.0E-93	X04201.1	NT	Human skeletal muscle 1.3 kb mRNA for tropomyosin
6382	15562	25018	3.42	5.0E-93	AF067136.1	NT	Homo sapiens protein phosphatase-1 regulatory subunit 7 (PPP1R7) gene, exon 11, complete cds and alternatively spliced product
6971	16149	25820	2.22	5.0E-93	AF274863.1	NT	Homo sapiens secretory pathway component Sec3B-1 mRNA, alternatively spliced, complete cds
7402	16615	26105	2.16	5.0E-93	11439599	NT	Homo sapiens nucleobindin 2 (NUCB2), mRNA
8774	18037	23844	2.01	5.0E-93	11417877	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
87	8380		5.23	4.0E-93	AA459933.1	EST_HUMAN	z50c09.g1 Soares testis NIH Homo sapiens cDNA clone IMAGE:795688 3' similar to SW:CLPA_RAT P37397 CALPONIN, ACIDIC ISOFORM;
451	9704	18841	0.84	4.0E-93	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
451	9704	18842	0.84	4.0E-93	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
781	10020	19169	3.31	4.0E-93	7657454	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PEST), mRNA
781	10020	19170	3.31	4.0E-93	7657454	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PEST), mRNA
1191	10411	19565	2.02	4.0E-93	8923658	NT	Homo sapiens hypothetical protein FLJ20731 (FLJ20731), mRNA
1946	11150	20352	4.6	4.0E-93	AF047877.1	NT	Homo sapiens dydrophin (DMD) gene, deletion breakpoints 1-3 in intron 5
2209	11406	20630	1.21	4.0E-93	AF157478.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds

Page 287 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3542	12765	21898	0.92	4.0E-93	7705398	NT	Homo sapiens tumor antigen SLP-8p (HCC8), mRNA
4025	13238	22341	1.62	4.0E-93	4504654	NT	Homo sapiens Interleukin 18 receptor 1 (IL18R1), mRNA
5047	12765	21898	0.65	4.0E-93	7705398	NT	Homo sapiens tumor antigen SLP-8p (HCC8), mRNA
5508	14733	24095	4.77	4.0E-93	T48984.1	EST_HUMAN	y684c12.1 Stratagene liver (#8377224) Homo sapiens cDNA clone IMAGE:78838 5' similar to similar to SP:A44391 A44391 SERUM RESPONSE ELEMENT-BINDING PROTEIN SRE-ZBP - HUMAN ,
7693	16892	26401	18.41	4.0E-93	AV692051.1	EST_HUMAN	AV692051 GKC Homo sapiens cDNA clone GKDRF07 5'
3631	12852	21970	15.64	3.0E-93	BF690630.1	EST_HUMAN	602246554F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:4332036 5'
3631	12852	21971	15.64	3.0E-93	BF690630.1	EST_HUMAN	602246554F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:4332036 5'
4220	13423		1.43	3.0E-93	AF226896.1	NT	Homo sapiens tensin mRNA, complete cds
5103	14283		1.05	3.0E-93	AF231981.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
7379	16595	26082	5.39	3.0E-93	AI824829.1	EST_HUMAN	w602d05.x1 NCI CGAP_G08 Homo sapiens cDNA clone IMAGE:2304489 3'
195	9476	18608	50.31	2.0E-93	AB015610.1	NT	Chlorocebus aethiops mRNA for ribosomal protein S4X, complete cds
185	9475	18607	50.31	2.0E-93	AB015610.1	NT	Chlorocebus aethiops mRNA for ribosomal protein S4X, complete cds
328	9599	18728	9.26	2.0E-93	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
329	9599	18729	8.05	2.0E-93	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
2100	11300	20514	2.1	2.0E-93	U40763.1	NT	Human Ctk-associated RS cyclophilin CARS-Cyp mRNA, complete cds
2449	11640	20861	3.05	2.0E-93	BE252982.1	EST_HUMAN	601117589F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3358220 5'
5175	14353	23441	0.97	2.0E-93	BE253201.1	EST_HUMAN	601116810F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3357243 5'
5403	14631	23743	4.26	2.0E-93	AW964385.1	EST_HUMAN	EST378458 IMAGE resequences, MAGH Homo sapiens cDNA
8663	17640		1.69	2.0E-93	AA126735.1	EST_HUMAN	Z129c10.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503346 3'
8749	17692		1.73	2.0E-93	L41825.1	NT	Homo sapiens CYP17 gene, 5' end
9025	17875		4.17	2.0E-93	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
103	9396	18525	2.46	1.0E-93	AF238997.1	NT	Homo sapiens CTR1 pseudogene
103	9396	18526	2.46	1.0E-93	AF238997.1	NT	Homo sapiens CTR1 pseudogene
524	9775	18900	11.32	1.0E-93	7657016	NT	Homo sapiens hypothetical protein (D3328E19.C1.1), mRNA
607	9854	18973	4.39	1.0E-93	AI146755.1	EST_HUMAN	cy84b08.x1 NCI CGAP_CLL1 Homo sapiens cDNA clone IMAGE:1672503 3' similar to TR:Q62384 Q62384
882	10118	19280	10.07	1.0E-93	D87675.1	NT	ZINC FINGER PROTEIN ;
1244	10490	19619	8.18	1.0E-93	8923270	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
1244	10490	19620	8.18	1.0E-93	8923270	NT	Homo sapiens hypothetical protein FLJ20281 (FLJ20281), mRNA
1353	10568	19732	2.25	1.0E-93	AF167708.1	NT	Homo sapiens hypothetical protein FLJ20281 (FLJ20281), mRNA
						NT	Homo sapiens cysteine-rich repeat-containing protein S62 precursor, mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2306	11500	20721	5.96	1.0E-93	AF231981.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
2426	11617	20839	12.19	1.0E-93	AF035086.1	NT	Homo sapiens MHC class 1 region
2472	11653		2.57	1.0E-93	AL137200.1	NT	Novel human gene mapping to chromosome 1
2774	10518	19676	2.75	1.0E-93	BE267368.1	EST_HUMAN	601177686F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532865 5'
2774	10518	19677	2.75	1.0E-93	BE267368.1	EST_HUMAN	601177686F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532865 5'
2884	12122	21255	3.73	1.0E-93	D87075.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
3182	12417		2.24	1.0E-93	AF231981.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
4421	13621	22716	3.49	1.0E-93	AL103284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5474	14701	24055	1.97	1.0E-93	U78509.1	NT	Homo sapiens glucocorticoid receptor (GRL) gene, intron D, exon 5, and intron E
5474	14701	24056	1.97	1.0E-93	U78509.1	NT	Homo sapiens glucocorticoid receptor (GRL) gene, intron D, exon 5, and intron E
5624	14848	24230	10.31	1.0E-93	4557792	NT	Homo sapiens neurofibromin 1 (neurofibromatosis, von Recklinghausen disease, Watson disease) (NF1) mRNA
5994	15277	24707	2.01	1.0E-93	11431590	NT	Homo sapiens protein kinase C, beta 1 (PRKCB1), mRNA
6185	15397	24807	3.71	1.0E-93	D42072.1	NT	Human mRNA for NF1 N-isoform-exon11, complete cds
6547	15743	25204	2.45	1.0E-93	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
6894	15600	25066	2.82	1.0E-93	AB040818.1	NT	Homo sapiens mRNA for KIAA1485 protein, partial cds
6954	16132	25600	4.68	1.0E-93	X13474.1	NT	Human PreA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 9)
6954	16132	25601	4.68	1.0E-93	X13474.1	NT	Human PreA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 9)
8312	18101	23807	2.74	1.0E-93	AI288262.1	EST_HUMAN	gm03c12.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1880758 3' similar to WP:T19B4.4 CE13742
8930	17812		1.26	1.0E-93	AI230125.1	NT	Homo sapiens GGT1 gene, exon 1
9018	17870		3.25	1.0E-93	11417856	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
9200	18353		1.46	1.0E-93	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
9399	13155	22272	2.41	6.0E-94	AF142482.1	NT	Homo sapiens transcription enhancer factor-5 mRNA, complete cds
9143	17849		1.5	6.0E-94	11418351	NT	Homo sapiens mitogen-activated protein kinase 12 (MAPK12), mRNA
5378	14608	23719	4.05	5.0E-94	AB014512.1	NT	Homo sapiens mRNA for KIAA0812 protein, partial cds
5379	14608	23720	4.05	5.0E-94	AB014512.1	NT	Homo sapiens mRNA for KIAA0812 protein, partial cds
5687	14807	24300	4.88	5.0E-94	AA722434.1	EST_HUMAN	zg87g06.s1 Soares_fetal_NBHH19W Homo sapiens cDNA clone IMAGE:409594 3'
6092	15293	24725	1.76	5.0E-94	AI015800.1	EST_HUMAN	o183405.s1 Soares_fetal_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1623369 3'
7544	16749	28242	2.23	5.0E-94	11423962	NT	Homo sapiens adenylate kinase 2 (AK2), mRNA
7544	16749	28243	2.23	5.0E-94	11423962	NT	Homo sapiens adenylate kinase 2 (AK2), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8638	18356	23608	6.17	5.0E-04	T89398.1	EST_HUMAN	yd98b04.s1 Soares fetal liver spleen tNfLs Homo sapiens cDNA clone IMAGE:116239 3'
9227	18005		1.86	5.0E-04	9558724	NT	Homo sapiens cleavage and polyadenylation specific factor 1, 160kD subunit (CPSF1), mRNA
1809	11018		17.14	4.0E-04	L05094.1	NT	Homo sapiens ribosomal protein L27 mRNA, complete cds
2819	11803	21020	1.96	4.0E-04	4508008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
3652	12873	21991	1.02	4.0E-04	AW197851.1	EST_HUMAN	xn89f12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701679 3'
3652	12873	21992	1.02	4.0E-04	AW197851.1	EST_HUMAN	xn89f12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701679 3'
4728	13920	23023	4.08	4.0E-04	AI591312.1	EST_HUMAN	hw11f10.x1 NCI_CGAP_Bim52 Homo sapiens cDNA clone IMAGE:2259403 3' similar to TR:Q15265 Q15265 PROTEIN TYROSINE PHOSPHATASE ;
5856	15074	24486	1.89	4.0E-04	11440670	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1-like (SLC22A1L), mRNA
5856	15074	24487	1.89	4.0E-04	11440670	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1-like (SLC22A1L), mRNA
7899	16424	25911	1.88	4.0E-04	11545792	NT	Homo sapiens hypothetical protein FLJ12455 (FLJ12455), mRNA
817	9862	18982	1.1	3.0E-04	AB022785.1	NT	Homo sapiens ASH2L gene, complete cds, similar to Drosophila ash2 gene
728	9970	19108	0.9	3.0E-04	4502508	NT	Homo sapiens complement component 5 (C5) mRNA
1713	10825	20109	2.41	3.0E-04	AF167708.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1713	10825	20110	2.41	3.0E-04	AF167708.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1742	10954	20137	3.37	3.0E-04	4557558	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
4171	13375	22474	0.66	3.0E-04	AA464805.1	EST_HUMAN	zw63g08.r1 Soares_tetral_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:774782 5'
4308	13509	22604	1.2	3.0E-04	AA781836.1	EST_HUMAN	ai59h06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1375183 3'
5528	14750	24117	3.33	3.0E-04	11498288	NT	Homo sapiens zinc finger protein 277 (ZNF277), mRNA
5849	15066	24476	5.57	3.0E-04	11526228	NT	Homo sapiens chromosome 21 open reading frame 18 (C21ORF18), mRNA
6849	15844	25305	5.17	3.0E-04	AB014579.1	NT	Homo sapiens mRNA for KIAA0679 protein, partial cds
6958	16136	25607	3.97	3.0E-04	AF087942.1	NT	Homo sapiens glycogenin-1L mRNA, complete cds
7665	16864	26368	1.79	3.0E-04	4757821	NT	Homo sapiens axonal transport of synaptic vesicles (ATSV) mRNA
151	9433	18567	1.86	1.0E-04	BE295714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
3054	12290	21415	2.17	1.0E-04	BE253433.1	EST_HUMAN	60111696F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352559 5'
3054	12290	21416	2.17	1.0E-04	BE253433.1	EST_HUMAN	60111696F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352559 5'
4352	13554	22650	1.54	1.0E-04	9506892	NT	Homo sapiens hypothetical protein (FLJ20746), mRNA
7010	18188	25662	2.51	1.0E-04	BE780478.1	EST_HUMAN	601488748F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872099 5'
7634	16835	26331	3.18	1.0E-04	U65590.1	NT	Homo sapiens IL-1 receptor antagonist IL-1Ra (IL-1RN) gene, alternatively spliced forms, complete cds
7864	17054	26575	2.47	1.0E-04	AI272244.1	EST_HUMAN	ap22a02.x1 Schiller oligodendrogloma Homo sapiens cDNA clone IMAGE:1956122 3' similar to TR:Q62845 Q62845 NEURAL CELL ADHESION PROTEIN BIG-2 PRECURSOR ;

Page 290 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8763	9433	18567	1.42	1.0E-04	BE205714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
9064	9433	18567	1.69	1.0E-04	BE205714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
1471	10684	19859	6.53	9.0E-05	AF027302.1	NT	Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA, complete cds
3119	12354	21482	1.11	9.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
3119	12354	21483	1.11	9.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
6544	15740	25201	2.66	9.0E-05	AF274753.1	NT	Homo sapiens progressive ankylosis-like protein (ANK) mRNA, complete cds
146	9428	18562	8.86	8.0E-05	AF154830.1	NT	Homo sapiens carbamyl phosphate synthetase 1 mRNA, complete cds
4533	13728	22825	1.87	8.0E-05	AI700998.1	EST_HUMAN	we09e04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340608 3' similar to gb:K00558
4533	13728	22826	1.87	8.0E-05	AI700998.1	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN); we09e04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340608 3' similar to gb:K00558
6180	15362	24801	1.86	8.0E-05	11426529	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11), mRNA
6180	15362	24802	1.86	8.0E-05	11426529	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11), mRNA
6528	15724	25189	2.69	8.0E-05	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
6869	16091	25558	2.63	8.0E-05	11420944	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
6869	16091	25559	2.63	8.0E-05	11420944	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
7024	16201	25679	2.45	8.0E-05	5174844	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
7033	16210		3.18	8.0E-05	AB037816.1	NT	Homo sapiens mRNA for KIAA1395 protein, partial cds
7302	16521	26012	1.85	8.0E-05	AF112152.1	NT	Homo sapiens developmental arteries and neural crest EGF-like protein mRNA, complete cds
8018	17157	26693	2.51	8.0E-05	10884024	NT	Homo sapiens HCF-binding transcription factor Zhangfai (ZF), mRNA
8886	17850		15.84	8.0E-05	AA028056.1	EST_HUMAN	zu84b01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:744849 3' similar to contains L1.11 L1
280	9555	18687	9.96	7.0E-05	D87875.1	NT	repetitive element ; Homo sapiens DNA for amyloid precursor protein, complete cds
280	9555	18688	9.96	7.0E-05	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4360	13562	22658	7.94	7.0E-05	M95708.1	NT	Homo sapiens Ly-6-like protein (CD58) mRNA, complete cds
4407	13607		1.32	7.0E-05	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
7456	16864	28153	1.9	3.0E-05	R83190.1	EST_HUMAN	yp87g11.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:194468 5'
1621	10834	20009	3.28	2.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1621	10834	20010	3.28	2.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1910	11115	20311	3.87	2.0E-05	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3) mRNA
1913	11118	20315	1.83	2.0E-05	BE383873.1	EST_HUMAN	601312161F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3658862 5'
2390	11583	20800	1.13	2.0E-05	6453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA
2390	11583	20801	1.13	2.0E-05	6453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA

Page 291 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2428	11619	20840	3.71	2.0E-95	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2479	11669	20887	11.4	2.0E-95	4758423	NT	Homo sapiens glycine cleavage system protein H (aminomethyl carrier) (GCSH) mRNA
3121	12356	21485	3.34	2.0E-95	AF015452.1	NT	Homo sapiens Usurpin-gamma mRNA, complete cds
3539	12762	21892	2.98	2.0E-95	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51168), mRNA
3539	12762	21893	2.98	2.0E-95	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51168), mRNA
3595	12816	21938	1.25	2.0E-95	AB037807.1	NT	Homo sapiens mRNA for KIAA1386 protein, partial cds
3731	12951	22068	0.85	2.0E-95	AI290264.1	EST_HUMAN	qm01c02.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1880546 3' similar to WP:T23G7.4
4355	13557	22652	1.79	2.0E-95	7657185	NT	CE03705 ;
5094	14244	23331	3.37	2.0E-95	7681979	NT	Homo sapiens hypothetical protein (HS322B1A), mRNA
5121	14300	23388	1.7	2.0E-95	AA447931.1	EST_HUMAN	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
5121	14300	23389	1.7	2.0E-95	AA447931.1	EST_HUMAN	z11d07.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:786157 5'
5431	14658	23796	4.23	2.0E-95	7705764	NT	z11d07.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:786157 5'
5431	14658	23797	4.23	2.0E-95	7705764	NT	Homo sapiens CGI-48 protein (LOC51096), mRNA
5731	14850	24349	4.34	2.0E-95	M59724.1	NT	Homo sapiens CGI-48 protein (LOC51096), mRNA
5910	15127	24536	2.53	2.0E-95	AF257737.1	NT	Human muscle-type phosphofructokinase (PFK-M) gene, exon 7
6815	18010	25473	3.61	2.0E-95	11421795	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
7311	18529	26020	2.34	2.0E-95	4757853	NT	Homo sapiens ribophorin II (RPN2), mRNA
8735	17681	23953	2.2	2.0E-95	AF240786.1	NT	Homo sapiens bone morphogenetic protein receptor, type IA (BMPRI1A) mRNA
8154	17956	23984	5.88	2.0E-95	11418164	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
5498	14724	24082	7.75	1.0E-95	AA284651.1	EST_HUMAN	Homo sapiens adenylosuccinate lyase (ADSL), mRNA
5498	14724	24083	7.75	1.0E-95	AA284651.1	EST_HUMAN	Homo sapiens adenylosuccinate lyase (ADSL), mRNA
6296	15477	24918	3.3	1.0E-95	BF370000.1	EST_HUMAN	Homo sapiens ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
6296	15477	24920	3.3	1.0E-95	BF370000.1	EST_HUMAN	z123h04.r1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
6527	15723	25188	2.63	9.0E-96	BE897259.1	EST_HUMAN	TR:G1087084 G1087084 F59H2.6 ;
448	11967	18838	1.84	8.0E-96	BE907607.1	EST_HUMAN	z123h04.r1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
448	11967	18839	1.84	8.0E-96	BE907607.1	EST_HUMAN	TR:G1087084 G1087084 F59H2.6 ;
5444	14870	22220	0.88	7.0E-96	AF231920.1	EST_HUMAN	TR:G1087084 G1087084 F59H2.6 ;
3887	13103	20647	1.36	6.0E-96	BE171984.1	EST_HUMAN	RC8-FN0019-290600-011-G11 FN0019 Homo sapiens cDNA
2225	11421	20647	1.36	6.0E-96	BE171984.1	EST_HUMAN	RC8-FN0019-290600-011-G11 FN0019 Homo sapiens cDNA

Page 292 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3290	12521	21652	0.88	6.0E-96	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3457	12682	21816	19.61	6.0E-96	M26873.1	NT	Human glyceraldehyde-3-phosphate dehydrogenase pseudogene 3'end
8078	17214	26746	1.88	6.0E-96	7682289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
8078	17214	26747	1.88	6.0E-96	7682289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
8118	17252	26793	2.29	6.0E-96	8923839	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
325	9596	18725	2.91	5.0E-96	AB032988.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
852	10088	19248	3.55	5.0E-96	AB032988.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
852	10088	19249	3.55	5.0E-96	AB032988.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
2581	11767		6.37	5.0E-96	11416767	NT	Homo sapiens phosphodiesterase 9A, cGMP-specific, rod, alpha (PDE6A), mRNA
2892	12228	21361	0.65	5.0E-96	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
4925	14113		1.74	5.0E-96	X60812.1	NT	H. sapiens DNA for monomine oxidase type A (7) (partial)
5992	15274	24703	3.98	5.0E-96	11424399	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
5992	15274	24704	3.98	5.0E-96	11424399	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
6495	15692	25156	2.69	5.0E-96	M68347.1	NT	Human type IV collagenase (CLG4B) gene, exon 5
6495	15692	25157	2.69	5.0E-96	M68347.1	NT	Human type IV collagenase (CLG4B) gene, exon 5
4173	13377		18.09	3.0E-96	H08956.1	EST_HUMAN	yr87h12.1 Soares fetal liver spleen 1N1LS Homo sapiens cDNA clone IMAGE:212327 5'
421	9674		2.93	2.0E-96	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
755	9696	19141	2.39	2.0E-96	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
4769	13958	23059	1.96	2.0E-96	BE148074.1	EST_HUMAN	RC3-H1T0230-040500-110-g02 HT0230 Homo sapiens cDNA
6759	15954		6.71	2.0E-96	AV689481.1	EST_HUMAN	AV689481 GKC Homo sapiens cDNA clone GKCFMD07 5'
8416	17489		2.01	2.0E-96	AW249440.1	EST_HUMAN	2818351.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2818351 5'
677	9921	19052	2.96	1.0E-96	Y18690.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
1751	10983	20145	3.39	1.0E-96	AW955054.1	EST_HUMAN	EST367124 MAGC resequences, MAGC Homo sapiens cDNA
1751	10983	20146	3.39	1.0E-96	AW955054.1	EST_HUMAN	EST367124 MAGC resequences, MAGC Homo sapiens cDNA
2231	11851	20653	1.03	1.0E-96	U51472.2	NT	Felis catus superfast myosin heavy chain (sMYHC) mRNA, complete cds
6888	15881	25340	28.75	1.0E-96	11419429	NT	Homo sapiens similar to ectonucleotide pyrophosphatase/phosphodiesterase 3 (H. sapiens) (LOC83214), mRNA
8403	14488	23533	1.38	1.0E-96	4826863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
8403	14488	23534	1.38	1.0E-96	4826863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
6315	15495		3.65	6.0E-97	BE141849.1	EST_HUMAN	IL5-HT0117-011099-004-D07 HT0117 Homo sapiens cDNA
7844	17084	26613	2.09	6.0E-97	X15804.1	NT	Human mRNA for alpha-actinin
6497	15664	25135	2.41	5.0E-97	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hbas3) Homo sapiens cDNA clone DKFZp434N0323 5'
6506	16702	25168	13.07	5.0E-97	AA418026.1	EST_HUMAN	z097a12.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:767768 3' similar to TR:G1304125 G1304125 PMS4 MRNA;

Page 293 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6983	16161	25632	3.44	5.0E-97	BF154912.1	EST_HUMAN	RCO-BT0812-250900-032-a09 BT0812 Homo sapiens cDNA
8080	17215	26748	2.4	5.0E-97	BE148597.1	EST_HUMAN	MRO-HT0241-150500-010-b02 HT0241 Homo sapiens cDNA
8080	17215	26749	2.4	5.0E-97	BE148597.1	EST_HUMAN	MRO-HT0241-150500-010-b02 HT0241 Homo sapiens cDNA
947	10180	19336	1.09	4.0E-97	BE004436.1	EST_HUMAN	CMD-BN0106-170300-293-a06 BN0106 Homo sapiens cDNA
1874	11081	20271	1.08	4.0E-97	5453572	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
6007	15257	24681	6.08	4.0E-97	Y11339.2	NT	Homo sapiens mRNA for GalNAc alpha-2, 6-sialyltransferase 1, long form
6007	15257	24682	6.08	4.0E-97	Y11339.2	NT	Homo sapiens mRNA for GalNAc alpha-2, 6-sialyltransferase 1, long form
7722	16921	26429	1.74	4.0E-97	11863122	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), transcript variant 1, mRNA
7722	16921	26430	1.74	4.0E-97	11863122	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), transcript variant 1, mRNA
8806	17604		6	4.0E-97	11418318	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
247	9524	18654	0.96	3.0E-97	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
884	10120	19282	8.01	3.0E-97	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
884	10120	19283	8.01	3.0E-97	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1443	11995	19832	2.27	3.0E-97	4758813	NT	Homo sapiens N-myc (and STAT) interactor (NMI), mRNA
2402	11982	20813	3.91	3.0E-97	U36255.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 7
3227	12461	21593	1.34	3.0E-97	5174478	NT	Homo sapiens pericentriin (PCNT) mRNA
4789	13978	23082	31.26	1.0E-97	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
5840	15057	24464	2.46	1.0E-97	BE566486.1	EST_HUMAN	601339520F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3681821 5'
7294	16513	26005	4.29	1.0E-97	11427757	NT	Homo sapiens KIAA0849 gene product (KIAA0849), mRNA
7294	16513	26006	4.29	1.0E-97	11427757	NT	Homo sapiens KIAA0849 gene product (KIAA0849), mRNA
7857	17047	26566	3.58	1.0E-97	AA553761.1	EST_HUMAN	nk29g02.s1 NCI_CGAP_Cot1 Homo sapiens cDNA clone IMAGE:1014962 3'
8004	16439	25926	18.38	1.0E-97	11426272	NT	Homo sapiens ribosomal protein S15 (RPS15), mRNA
8004	16439	25927	18.38	1.0E-97	11426272	NT	Homo sapiens ribosomal protein S15 (RPS15), mRNA
911	10146	19307	3.5	9.0E-98	BE080973.1	EST_HUMAN	PM4-BT0724-010400-008-a12 BT0724 Homo sapiens cDNA
1283	10498	19658	0.87	9.0E-98	8393092	NT	Homo sapiens cat eye syndrome critical region gene 1 (CECR1), mRNA
5247	14420	23497	1.46	9.0E-98	11418594	NT	Homo sapiens FSH primary response (LPR1, rat) homolog 1 (FSHPRI1), mRNA
8434	15631	25096	11.48	9.0E-98	4758119	NT	Homo sapiens death-associated protein (DAP), mRNA
8434	15631	25097	11.48	9.0E-98	4758119	NT	Homo sapiens death-associated protein (DAP), mRNA
7574	16779	26273	2.66	9.0E-98	AB023222.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
7574	16779	26274	2.66	9.0E-98	AB023222.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
8621	10146	19307	2.6	9.0E-98	BE080973.1	EST_HUMAN	PM4-BT0724-010400-008-a12 BT0724 Homo sapiens cDNA

Page 294 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
25	9321		1.5	8.0E-98	AJ251158.1	NT	Homo sapiens partial MICB gene for MHC class I chain-related protein B, exons 2-3 and joined CDS
1701	10913	20100	3.45	8.0E-98	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
1701	10913	20101	3.45	8.0E-98	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
3778	12996	22112	7.09	8.0E-98	J04469.1	NT	Human mitochondrial creatine kinase (CKMT) gene, complete cds
2144	11342	20560	1.34	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone l8
2568	11753	20973	3.5	3.0E-98	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
2708	11855		6.43	3.0E-98	AA077498.1	EST_HUMAN	7B18H01 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B18H01
6062	15252	24675	1.94	3.0E-98	11418210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
6062	15252	24676	1.94	3.0E-98	11418210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
7035	16212	25688	2.7	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone l8
7035	16212	25689	2.7	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone l8
7528	16731	26221	2.58	3.0E-98	U59309.1	NT	Human fumarate precursor (FH) mRNA, nuclear gene encoding mitochondrial protein, complete cds
9213	17994		3.36	3.0E-98	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
743	9984	19127	0.75	2.0E-98	BE261694.1	EST_HUMAN	601149486F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502245 5'
2047	11248	20458	3.98	2.0E-98	BE264281.1	EST_HUMAN	601172658F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3528134 5'
2204	11401	20626	2.69	2.0E-98	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
2342	11535	20758	0.91	2.0E-98	AF248540.1	NT	Homo sapiens Intersectin 2 (SH3D1B) mRNA, complete cds
2342	11535	20759	0.91	2.0E-98	AF248540.1	NT	Homo sapiens Intersectin 2 (SH3D1B) mRNA, complete cds
3096	12332	21458	1.3	2.0E-98	AB032377.1	NT	Homo sapiens hCHK1 gene for checkpoint kinase, exon 2
3096	12332	21459	1.3	2.0E-98	AB032377.1	NT	Homo sapiens hCHK1 gene for checkpoint kinase, exon 2
4084	13293	22392	1.45	2.0E-98	8923308	NT	Homo sapiens hypothetical protein FLJ20333 (FLJ20333), mRNA
4284	13487	22586	0.64	2.0E-98	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
4333	13534	22625	3.89	2.0E-98	4758331	NT	Homo sapiens fatty-acid-Coenzyme A ligase, long-chain 4 (FACL4) mRNA
4843	14032	23123	1.04	2.0E-98	AF218902.1	NT	Homo sapiens attractin precursor (ATRN) gene, exon 16
4843	14032	23124	1.04	2.0E-98	AF218902.1	NT	Homo sapiens attractin precursor (ATRN) gene, exon 16
5394	14613	23726	5.47	2.0E-98	7706512	NT	Homo sapiens PDZ domain-containing guanine nucleotide exchange factor 1 (LOC51735), mRNA
6658	15853	25312	3.8	2.0E-98	11428813	NT	Homo sapiens SH3-domain GRB2-like 2 (SH3GL2), mRNA
6658	15853	25313	3.8	2.0E-98	11428813	NT	Homo sapiens SH3-domain GRB2-like 2 (SH3GL2), mRNA
8926	17619	23971	4.63	2.0E-98	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
411	9684	18904	50.73	1.0E-98	A1862007.1	EST_HUMAN	W38804.x1 NCJ CGAP_U11 Homo sapiens cDNA clone IMAGE:2261743 3' similar to SW:RL28_HUMAN
461	9714	18849	2.16	1.0E-98	AW998611.1	EST_HUMAN	P29316 60S RIBOSOMAL PROTEIN L23A. ;
							PMO-BN0085-100300-001-c06 BN0065 Homo sapiens cDNA

Page 295 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1768	10978	20165	45.72	1.0E-98	N49818.1	EST_HUMAN	y2305.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243585 5' similar to PIR:S54204 S54204 ribosomal protein L29 - human ;
5342	14572	23848	3.57	1.0E-98	AA195854.1	EST_HUMAN	z088c09.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:628240 5' similar to TR:G806562
6764	15959	25413	3.58	1.0E-98	AF141349.1	NT	G806582 NEBULIN ;
6764	15959	25414	3.58	1.0E-98	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
5680	14900	24294	4.01	9.0E-99	AW868635.1	EST_HUMAN	Homo sapiens beta-tubulin mRNA, complete cds
7682	16881	26388	2.79	9.0E-99	AI478828.1	EST_HUMAN	EST380711 MAGE resequences, MAGJ Homo sapiens cDNA
7682	16881	26389	2.79	9.0E-99	AI478828.1	EST_HUMAN	tm69h07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163421 3' similar to SW:BIID_HUMAN
7952	17091	26621	2.22	9.0E-99	AA134604.1	EST_HUMAN	P55957 BH3 INTERACTING DOMAIN DEATH AGONIST ;
5585	14809	24183	9.29	7.0E-99	AF035808.1	NT	tm69h07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163421 3' similar to SW:BIID_HUMAN
8134	17287	26811	2.64	7.0E-99	AF001888.1	NT	P55957 BH3 INTERACTING DOMAIN DEATH AGONIST ;
478	9730	18604	0.66	6.0E-99	U10991.1	NT	tm69h07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163421 3' similar to SW:BIID_HUMAN
2097	11297	20509	2.73	6.0E-99	11430555	NT	z088c09.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565443 5' similar to
2097	11297	20510	2.73	6.0E-99	11430555	NT	z088c09.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565443 5' similar to
4760	13951	23052	1.05	6.0E-99	4502860	NT	TR:G862894 G862894 GPI-ANCHORED PROTEIN P137 ;
5228	14402	23485	0.95	6.0E-99	8923244	NT	Homo sapiens oscillin (hLn) gene, exon 5
6705	15900	25381	2.55	6.0E-99	AB036428.1	NT	Homo sapiens NK-receptor (KIR-G2) gene, linker region exon
6735	15930	25389	4.2	6.0E-99	AF080255.1	NT	Homo sapiens G2 protein mRNA, partial cds
6735	15930	25390	4.2	6.0E-99	AF080255.1	NT	Homo sapiens G2 protein mRNA, partial cds
7307	16525	26016	4.46	6.0E-99	11526289	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, (LOC51232), mRNA
929	10163	19319	0.59	5.0E-99	U35484.1	NT	Homo sapiens CD34 antigen (CD34) mRNA
929	10163	19320	0.59	5.0E-99	U35484.1	NT	Homo sapiens hypothetical protein FLJ20272 (FLJ20272), mRNA
1834	11139	20334	1.39	5.0E-99	Y11365.1	NT	Homo sapiens NDST4 mRNA for N-deacetylase/sulfotransferase 4, complete cds
4582	13756	22854	1.41	5.0E-99	AF009680.1	EST_HUMAN	Homo sapiens boister protein mRNA, complete cds
8637	17626		2.18	5.0E-99	BE890177.1	EST_HUMAN	Homo sapiens boister protein mRNA, complete cds
6569	15765		8.7	3.0E-99	M85586.1	NT	Homo sapiens boister protein mRNA, complete cds
1248	10463		13.38	2.0E-99	AW274792.1	EST_HUMAN	H. sapiens IMPA gene, exon 8
3225	12459	21592	1.56	2.0E-99	M30938.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
4498	13698	22769	0.82	2.0E-99	BE612554.1	EST_HUMAN	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
							601513157F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914391 5'
							Human E2AHLA fusion protein (E2AHLF) mRNA, complete cds
							xp09e06.x1 NCI_CGAP_JH9 Homo sapiens cDNA clone IMAGE:2739874 3' similar to gb:M31212 MYOSIN
							LIGHT CHAIN ALKALI, NON-MUSCLE ISOFORM (HUMAN);
							Human Ku (p70/p80) subunit mRNA, complete cds
							601452067F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'

Page 296 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4498	13696	22780	0.82	2.0E-99	BE612554.1	EST_HUMAN	601452067F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'
4540	13735	22833	2.2	2.0E-99	AF095703.1	NT	Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
6683	15978	25337	2.24	2.0E-99	W23507.1	EST_HUMAN	zb48408.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:306635 5' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
7670	18969	26372	4.48	2.0E-99	AF247457.2	NT	Homo sapiens myosin X (MYO10) mRNA, complete cds
320	9591	18722	1.48	1.0E-99	AF114487.1	NT	Homo sapiens intercalin long isoform (ITSN) mRNA, complete cds
384	9648	18783	0.88	1.0E-99	11528150	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (80kD) (GABPA), mRNA
1425	10638	19808	5	1.0E-99	M30838.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
1541	10754	19927	1.5	1.0E-99	AF192523.1	NT	Homo sapiens truncated Niemann-Pick C3 protein (NPC3) mRNA, complete cds
1541	10754	19928	1.5	1.0E-99	AF192523.1	NT	Homo sapiens truncated Niemann-Pick C3 protein (NPC3) mRNA, complete cds
1895	11102	20283	1.21	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
1895	11102	20284	1.21	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
3050	12286	21412	1.22	1.0E-99	J03171.1	NT	Human interferon-alpha receptor (HuIFN-alpha-Rec) mRNA, complete cds
4374	13576	22672	2.53	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
4374	13576	22673	2.53	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
6922	16115	25581	2.58	1.0E-99	AW340174.1	EST_HUMAN	h02h02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2808371 3' similar to TR:O02711
7741	16837	26446	1.78	1.0E-99	5901978	NT	O02711 PRO-POL-DUTPASE POLYPROTEIN ;
7916	17131	26661	2.7	1.0E-99	AB023222.1	NT	Homo sapiens heat shock transcription factor 2 binding protein (HSF2BP), mRNA
8288	17393	26923	1.78	1.0E-99	AF223391.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
8387	17488						Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
1	9299	18401	4.43	1.0E-99	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2	9299	18401	2.49	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
68	9363	18487	4.78	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
68	9363	18488	1.69	1.0E-100	11418230	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
88	9379	18510	1.69	1.0E-100	11418230	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
172	9453	18594	0.69	1.0E-100	AW275237.1	EST_HUMAN	xv78b11.x1 NCI_CGAP_Brm53 Homo sapiens cDNA clone IMAGE:2824605 3'
322	9593	18724	0.83	1.0E-100	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
348	9616	18743	1.06	1.0E-100	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
443	9697		2.37	1.0E-100	T05087.1	EST_HUMAN	EST02975 Fetal brain, Stratagene (cat#836208) Homo sapiens cDNA clone HFBOR32
			1.92	1.0E-100	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
496	9749		6.33	1.0E-100	X85631.1	NT	G.gorilla DNA for ZNF80 gene homolog
516	9767	18993	1.06	1.0E-100	BE180609.1	EST_HUMAN	RC3-H10625-040500-022-b09 HT0825 Homo sapiens cDNA
1026	10252	19402	2.26	1.0E-100	7681885	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1026	10252	19403	2.26	1.0E-100	7681885	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1532	10746		1.36	1.0E-100	AW207555.1	EST_HUMAN	UI-H-B11-efk-c-07-0-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722164 3'
1536	10749	19922	1.26	1.0E-100	AI200857.1	EST_HUMAN	qf82108.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1754633 3' similar to SW:CYT_COTJA P81061 CYSTATIN 1
2207	11404		1.09	1.0E-100	D83349.1	NT	Rat mRNA for short type PB-cadherin, complete cds
2401	11594	20812	0.99	1.0E-100	X62468.1	NT	H.sapiens mRNA for IFN-gamma (pKC-Q)
2667	11848	21063	1.08	1.0E-100	11418976	NT	Homo sapiens KIAA0957 protein (KIAA0957), mRNA
2883	12220		5.64	1.0E-100	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
4183	13397	22497	1.68	1.0E-100	AF057354.1	NT	Homo sapiens myotubularin-related protein 1a mRNA, partial cds
4221	13424	22517	2.1	1.0E-100	4503762	NT	Homo sapiens follicle stimulating hormone receptor (FSHR) mRNA
5123	14302	23390	3.15	1.0E-100	5032104	NT	Homo sapiens small optic lobes (Drosophila) homolog (SOLH) mRNA
5123	14302	23391	3.15	1.0E-100	5032104	NT	Homo sapiens small optic lobes (Drosophila) homolog (SOLH) mRNA
5319	14551	23621	1.73	1.0E-100	BF244218.1	EST_HUMAN	601863184F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4080999 5'
5536	14760	24127	1.98	1.0E-100	AU118182.1	EST_HUMAN	AU118182 HEMBA1 Homo sapiens cDNA clone HEMBA1003046 5'
5875	15093	24506	5.22	1.0E-100	AU140214.1	EST_HUMAN	AU140214 PLAGE2 Homo sapiens cDNA clone PLAGE2000137 5'
6037	15245	24697	5.68	1.0E-100	X04571.1	NT	Human mRNA for kidney epidermal growth factor (EGF) precursor
6631	15627	25269	10.17	1.0E-100	BF103853.1	EST_HUMAN	601647357F1 NIH_MGC_61 Homo sapiens cDNA clone IMAGE:3931310 5'
6843	15838		8.14	1.0E-100	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
6837	16031	25496	2.53	1.0E-100	AB040918.1	NT	Homo sapiens mRNA for KIAA1485 protein, partial cds
6952	16130	25598	2.6	1.0E-100	AB046846.1	NT	Homo sapiens mRNA for KIAA1628 protein, partial cds
6952	16130	25599	2.6	1.0E-100	AB046846.1	NT	Homo sapiens mRNA for KIAA1628 protein, partial cds
7343	16559	26047	6.66	1.0E-100	BF327292.1	EST_HUMAN	MRO-BN0070-270300-008-h11 BN0070 Homo sapiens cDNA
7834	17026	26542	3.59	1.0E-100	X94633.1	NT	H.sapiens CD97 gene exon 4
7834	17026	26543	3.59	1.0E-100	X94633.1	NT	H.sapiens CD97 gene exon 4
7893	17109	26638	4.35	1.0E-100	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
7893	17109	26639	4.35	1.0E-100	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
7922	9299	18401	2.41	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
8179	17311		2.07	1.0E-100	AF268285.1	NT	Homo sapiens golgin-like protein (GLP) gene, complete cds
8309	17414	26936	8.55	1.0E-100	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8439	18237		1.33	1.0E-100	BF449549.1	EST_HUMAN	7q89h03.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3' similar to TR:Q21997 Q21997
8627	17620	23972	2.51	1.0E-100	11545732	NT	COSMID R151. [2] TR:Q8UA08;
8875	17772	23941	1.51	1.0E-100	11418123	NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
9262	18028	23854	4.18	1.0E-100	11417874	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
77	9371	18500	0.89	1.0E-101	7110714	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
77	9371	18501	0.89	1.0E-101	7110714	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
693	9836	19068	1.7	1.0E-101	AB007915.2	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
711	9953	19092	5.91	1.0E-101	7110734	NT	Homo sapiens mRNA for KIAA0448 protein, partial cds
711	9953	19093	5.91	1.0E-101	7110734	NT	Homo sapiens ventral anterior homeobox 2 (VAX2), mRNA
780	10019	19168	2.81	1.0E-101	7657454	NT	Homo sapiens ventral anterior homeobox 2 (VAX2), mRNA
863	10099	19261	2.61	1.0E-101	4503914	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
894	10167	19324	1	1.0E-101	Z20656.1	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminimidazole synthetase (GART) mRNA
992	10223	19360	8.49	1.0E-101	BF681218.1	EST_HUMAN	Homo sapiens of cardiac alpha-myosin heavy chain gene
1059	10285	19435	1.86	1.0E-101	AJ221876.1	EST_HUMAN	602156474F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4297291 5'
1582	10776	19951	1.09	1.0E-101	5921460	NT	q999609.X1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:1843336 3'
1582	10776	19952	1.09	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1914	11119	20316	2.15	1.0E-101	4502998	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
2023	11224	20432	5.82	1.0E-101	BE843070.1	EST_HUMAN	Homo sapiens carboxypeptidase A1 (pancreatic) (CPA1) mRNA
2316	12015	20732	1.12	1.0E-101	5728892	NT	RC3-ST0281-160600-018-h08 ST0281 Homo sapiens cDNA
2577	11763	20984	6.68	1.0E-101	X72993.1	NT	Homo sapiens A kinase (PRKA) anchor protein 6 (AKAP6), mRNA
2700	11879	21094	12.23	1.0E-101	AJ237744.1	NT	H. sapiens EWS gene, exon 5
2700	11879	21095	12.23	1.0E-101	AJ237744.1	NT	Homo sapiens RIBIIR gene (partial), exon 12
2808	12146		15.41	1.0E-101	AJ252312.1	NT	Homo sapiens RIBIIR gene (partial), exon 12
3167	12402	21537	2.87	1.0E-101	4885270	NT	Homo sapiens genomic downstream Rhesus box
3207	12441		2.4	1.0E-101	BF035327.1	EST_HUMAN	Homo sapiens gamma-glutamyltransferase 1 (GGT1) mRNA
3359	12587	21726	1.72	1.0E-101	AW965556.1	EST_HUMAN	601459531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862086 5'
3378	11879	21094	3.41	1.0E-101	AJ237744.1	NT	EST377029 MAGI resequences, MAGI Homo sapiens cDNA
3378	11879	21095	3.41	1.0E-101	AJ237744.1	NT	Homo sapiens RIBIIR gene (partial), exon 12
3658	13074	22189	5.17	1.0E-101	AB022785.1	NT	Homo sapiens RIBIIR gene (partial), exon 12
5058	14238	23327	1.2	1.0E-101	5921460	NT	Homo sapiens ASH2L gene, complete cds, similar to Drosophila ash2 gene
5058	14238	23328	1.2	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
5170	14349	23437	0.73	1.0E-101	BE612554.1	EST_HUMAN	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
							601452087F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5170	14349	23438	0.73	1.0E-101	BE612554.1	EST_HUMAN	601452067F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'
5654	14877	24265	4.27	1.0E-101	7427512	NT	Homo sapiens cytoplasmic linker 2 (CYLN2), mRNA
5654	14877	24266	4.27	1.0E-101	7427512	NT	Homo sapiens cytoplasmic linker 2 (CYLN2), mRNA
6218	15399	24840	4.91	1.0E-101	AF208970.1	NT	Homo sapiens Kruppel-type zinc finger protein (PEG3) mRNA, alternative splice form 4, partial cds
6218	15399	24841	4.91	1.0E-101	AF208970.1	NT	Homo sapiens Kruppel-type zinc finger protein (PEG3) mRNA, alternative splice form 4, partial cds
6283	15464	24906	4.88	1.0E-101	AW008475.1	EST_HUMAN	w55f12.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2533487 3'
6324	15505		1.73	1.0E-101	BE257384.1	EST_HUMAN	601109217F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3349601 5'
6385	15665	25022	6.59	1.0E-101	BF330759.1	EST_HUMAN	RC1-BT0313-220700-018-f12 BT0313 Homo sapiens cDNA
6483	15680	25149	4.94	1.0E-101	BF029174.1	EST_HUMAN	601764689F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3958637 5'
6899	15805	25070	25.34	1.0E-101	X60068.1	NT	Human mRNA for pancreatic gamma-glutamyltransferase
6899	15805	25071	25.34	1.0E-101	X60068.1	NT	Human mRNA for pancreatic gamma-glutamyltransferase
6904	16081	25528	16.87	1.0E-101	9845492	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), transcript variant 3, mRNA
7003	16181	25653	4.96	1.0E-101	BE619687.1	EST_HUMAN	601472803T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875953 3'
7003	16181	25654	4.96	1.0E-101	BE619687.1	EST_HUMAN	601472808T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875953 3'
7188	16365	25845	2.7	1.0E-101	11429127	NT	Homo sapiens Janus kinase 2 (a protein tyrosine kinase) (JAK2), mRNA
7192	16369	25848	4.46	1.0E-101	AI570283.1	EST_HUMAN	to77d11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2184309 3' similar to gb:M26326 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
7192	16369	25849	4.46	1.0E-101	AI570283.1	EST_HUMAN	to77d11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2184309 3' similar to gb:M26326 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
8805	17796		5.23	1.0E-101	AW639051.1	EST_HUMAN	QV1-DT0068-240200-085-401 DT0068 Homo sapiens cDNA
41	9337	18444	0.9	1.0E-102	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
346	9614	18740	3.75	1.0E-102	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
626	9871	18993	1.28	1.0E-102	BE252470.1	EST_HUMAN	601108292F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3344328 5'
784	10023	19173	1.51	1.0E-102	4557534	NT	Homo sapiens down-regulated in adenoma (DRA) mRNA
1125	10349	19500	2.13	1.0E-102	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete proviral segment
1275	10490	19548	1.26	1.0E-102	11437148	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1275	10490	19549	1.26	1.0E-102	11437148	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1423	10636	19805	387.84	1.0E-102	BE408447.1	EST_HUMAN	601269982F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3628601 5'
2275	11470	20691	4.52	1.0E-102	AI124669.1	EST_HUMAN	am60c10.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95.;
2275	11470	20692	4.52	1.0E-102	AI124669.1	EST_HUMAN	am60c10.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95.;
3029	12265	21393	1.55	1.0E-102	7681979	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
3098	12334	21460	3.08	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLACE4 Homo sapiens cDNA clone PLACE400650 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3098	12334	21481	3.08	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLACE4 Homo sapiens cDNA clone PLACE4000650 5'
4217	13420	22515	1.84	1.0E-102	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
4406	13608	22705	1.96	1.0E-102	BE251310.1	EST_HUMAN	601107843F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3343882 5'
5145	14324	23415	0.87	1.0E-102	R66488.1	EST_HUMAN	y32c04.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:140834 5'
5550	14774		5.79	1.0E-102	AB034951.1	NT	Homo sapiens HSC64 mRNA for heat shock cognate protein 54, complete cds
5567	14792	24164	3.16	1.0E-102	7705398	NT	Homo sapiens histone deacetylase 7 (HDAC7), mRNA
5567	14792	24165	3.16	1.0E-102	7705398	NT	Homo sapiens histone deacetylase 7 (HDAC7), mRNA
5783	15001	24404	2.82	1.0E-102	AI459825.1	EST_HUMAN	ar62f09.x1 Barrethead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2151785 3' similar to TR:Q13137
6233	15414	24855	8.1	1.0E-102	AJ238994.1	NT	Q13137 NDP52.
6345	15526	24974	2.87	1.0E-102	AV710738.1	EST_HUMAN	Homo sapiens mRNA for Centaurin-alpha2 protein
6860	16050	25516	2.68	1.0E-102	I70393.1	EST_HUMAN	AV710738 Cu Homo sapiens cDNA clone CuAAKD03 5'
6860	16050	25517	2.68	1.0E-102	I70393.1	EST_HUMAN	y413d07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:67021 5'
6862	16073	25542	3.85	1.0E-102	AU124629.1	EST_HUMAN	y413d07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:67021 5'
7205	16382	25862	3.09	1.0E-102	AI905037.1	EST_HUMAN	AU124629 NT2RM4 Homo sapiens cDNA clone NT2RM4000309 5'
7205	16382	25863	3.09	1.0E-102	AI905037.1	EST_HUMAN	RC-BT074-260499-014 BT074 Homo sapiens cDNA
7840	16840	26337	2.15	1.0E-102	4507822	NT	RC-BT074-260499-014 BT074 Homo sapiens cDNA
7840	16840	26338	2.15	1.0E-102	4507822	NT	Homo sapiens UDP glycosyltransferase 2 family, polypeptide B11 (UGT2B11) mRNA
7842	17082	26810	3.51	1.0E-102	BF359243.1	EST_HUMAN	Homo sapiens UDP glycosyltransferase 2 family, polypeptide B11 (UGT2B11) mRNA
8200	17332	26875	4.71	1.0E-102	U41302.1	NT	RC8-ET0072-150600-011-F01 ET0072 Homo sapiens cDNA
8315	17419		3.74	1.0E-102	AL163280.2	NT	Human chromosome 16 creatine transporter (SLC6A8) and (CDM) paralogous genes, complete cds
8890	17785	23919	5.19	1.0E-102	AW300862.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
89	9364	18489	3.08	1.0E-103	BE908158.1	EST_HUMAN	xx07c12.x1 NCJ_CGAP_Co20 Homo sapiens cDNA clone IMAGE:2666038 3'
89	9364	18490	3.08	1.0E-103	BE908158.1	EST_HUMAN	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
100	9393	18522	9.97	1.0E-103	D87078.2	NT	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
213	9493	18625	3.08	1.0E-103		NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
988	10219	19373	0.89	1.0E-103	AJ278348.1	NT	Homo sapiens nuclear protein (KKEID repeat) (NOP56) mRNA
1250	10466	19630	7.51	1.0E-103	BE877541.1	EST_HUMAN	Homo sapiens mRNA for pregnancy-associated plasma protein-E (PAPPE gene)
1576	10789	19965	2.39	1.0E-103	AF012872.1	NT	601495388F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3887876 5'
1879	11086	20276	1.08	1.0E-103		NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
1944	11148	20348	1.12	1.0E-103	4502428	NT	Homo sapiens smg GDS-ASSOCIATED PROTEIN (SMAP), mRNA
1944	11148	20349	1.12	1.0E-103	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
2270	11465	20866	2.26	1.0E-103	AU134991.1	EST_HUMAN	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2414	11605	20827	1.88	1.0E-103	AF060568.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
2583	11789	20989	2.7	1.0E-103	N32770.1	EST_HUMAN	yw91d08.s1 Scores_placenta_8tc9weeks_2N6HP8tc9W Homo sapiens cDNA clone IMAGE:258599 3'
3033	12269		2.84	1.0E-103	BE744722.1	EST_HUMAN	601573113F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834315 5'
3358	12586	21725	3.16	1.0E-103	AW268245.1	EST_HUMAN	UI-H-BW0-qit-h-11-O-UI.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2733165 3'
3418	12643	21772	1.28	1.0E-103	AB040892.1	NT	Homo sapiens mRNA for KIAA1459 protein, partial cds
3737	12957		24.88	1.0E-103	AF023861.1	NT	Macaca mulatta cyclophilin A mRNA, complete cds
3776	12894	22110	1.05	1.0E-103	AA485883.1	EST_HUMAN	ab10d12.s1 Strategene lung (#6937210) Homo sapiens cDNA clone IMAGE:840407 3' similar to contains element LTR10 repetitive element;
3980	13194	22302	2.68	1.0E-103	T23883.1	EST_HUMAN	seq340 b4HB3MA-Cot109+10-Bio Homo sapiens cDNA clone b4HB3MA-Cot109+10-Bio-7 3'
4838	14025	23119	0.83	1.0E-103	BE900203.1	EST_HUMAN	601673135F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3955953 5'
5972	15186	24604	1.63	1.0E-103	AI590071.1	EST_HUMAN	Im58805.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.
5972	15186	24605	1.63	1.0E-103	AI590071.1	EST_HUMAN	Im58805.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.
6017	14507	23575	1.62	1.0E-103	6032282	NT	Homo sapiens dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS142, DXS164, DXS208, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272 (DMD); transcript variant Dp427m, mRNA
6017	14507	23576	1.62	1.0E-103	5032282	NT	Homo sapiens dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS142, DXS164, DXS208, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272 (DMD); transcript variant Dp427m, mRNA
6224	15405	24848	3.42	1.0E-103	BE748158.1	EST_HUMAN	601571537F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3838545 5'
6404	15585	25042	3.78	1.0E-103	AI590071.1	EST_HUMAN	Im58805.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.
6404	15585	25043	3.78	1.0E-103	AI590071.1	EST_HUMAN	Im58805.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.
6809	16004	25464	3.8	1.0E-103	6005921	NT	Homo sapiens triple functional domain (P-TPRF interacting) (TRIO), mRNA
6809	16004	25465	3.8	1.0E-103	6005921	NT	Homo sapiens triple functional domain (P-TPRF interacting) (TRIO), mRNA
7093	16270	25747	2.45	1.0E-103	Z37878.1	NT	H. sapiens mRNA for latent transforming growth factor-beta binding protein (LTBP-2)
7112	16289	25770	2.96	1.0E-103	AW963878.1	EST_HUMAN	EST375749 IMAGE resequences, MAGH Homo sapiens cDNA
7146	16323	25805	14.27	1.0E-103	AI878856.1	EST_HUMAN	au51g04.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518328 5' similar to TR:O15046 O15046 KIAA0338;
7319	16538	26024	7.29	1.0E-103	AI792759.1	EST_HUMAN	d02d005.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1522283 5' similar to TR:Q62084 Q62084 PHOSPHOLIPASE C NEIGHBORING;

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7410	16822	26115	1.75	1.0E-103	11424081	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), mRNA
7410	16822	26116	1.75	1.0E-103	11424081	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), mRNA
7421	16832	26124	2.86	1.0E-103	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
7421	16832	26125	2.86	1.0E-103	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
7814	17128	26659	2.86	1.0E-103	AU136283.1	EST_HUMAN	AU136283 PLACE1 Homo sapiens cDNA clone PLACE1003923 5'
7862	16417	23904	5.33	1.0E-103	L43610.1	NT	Homo sapiens polycystic kidney disease (PKD1) gene, exons 27-30
8230	17359	26898	3.38	1.0E-103	BE644611.1	EST_HUMAN	7668a10.x1 Soares_NSF_F8_GW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3287610 3' similar to contains MER26.13 MER28 repetitive element:
8310	17415		2.27	1.0E-103	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
8340	17437		2.53	1.0E-103	11528281	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
8546	17571	23992	2.56	1.0E-103	AB011399.1	NT	Homo sapiens gene for AF-8, complete cds
239	9518	18647	2.5	1.0E-104	AL037549.3	EST_HUMAN	DKFZp564H1072_r1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZp564H1072 5'
239	9518	18648	2.5	1.0E-104	AL037549.3	EST_HUMAN	DKFZp564H1072_r1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZp564H1072 5'
1853	11060	20251	1.92	1.0E-104	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteoinductive protein 2) (BMP8) mRNA
2160	11358	20578	23.83	1.0E-104	AA132975.1	EST_HUMAN	2022006.s1 Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:587626 3' similar to gb:Z14116.maf1 CD59 GLYCOPROTEIN PRECURSOR (HUMAN);
2170	11367	20588	10.72	1.0E-104	BE744628.1	EST_HUMAN	601577460F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926438 5'
2337	11530	20752	10.57	1.0E-104	BF334221.1	EST_HUMAN	RC1-CT0249-110900-214-f12 CT0249 Homo sapiens cDNA
2337	11530	20753	10.57	1.0E-104	BF334221.1	EST_HUMAN	RC1-CT0249-110900-214-f12 CT0249 Homo sapiens cDNA
2400	11593	20811	7.19	1.0E-104	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2467	11658	20878	4.12	1.0E-104	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2467	11658	20878	4.12	1.0E-104	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2823	12062	21185	13.3	1.0E-104	M34671.1	NT	Human lymphocyte antigen CD59/ME43 mRNA, complete cds
2867	12105		2.26	1.0E-104	Y11151.1	NT	H. sapiens gene encoding phenylpyruvate tautomerase II
3230	12464	21596	1.01	1.0E-104	AU133928.1	EST_HUMAN	AU133928 OVARC1 Homo sapiens cDNA clone OVARC1000938 5'
3368	12596		2.12	1.0E-104	AA319436.1	EST_HUMAN	EST121658 Adrenal gland tumor Homo sapiens cDNA 5' and
3579	12801	21927	0.91	1.0E-104	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
3579	12801	21928	0.91	1.0E-104	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
3918	13134	22251	1.03	1.0E-104	AB032898.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
4112	13319	22419	0.85	1.0E-104	F11745.1	EST_HUMAN	HSC31A071 normalized infant brain cDNA Homo sapiens cDNA clone c-31407
4371	13573	22669	4.33	1.0E-104	X02701.1	NT	Human mRNA for fibronectin (FN precursor)
4610	13804	22894	0.94	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
4610	13804	22895	0.94	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5855	15073	24484	8.42	1.0E-104	AI768797.1	EST_HUMAN	w03b12.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2401727 3' similar to TR:Q14145 Q14145 KIAA0132 PROTEIN, contains element LTR7 repetitive element
5855	15073	24485	8.42	1.0E-104	AI768797.1	EST_HUMAN	w03b12.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2401727 3' similar to TR:Q14145 Q14145 KIAA0132 PROTEIN, contains element LTR7 repetitive element
5899	15281	24713	2.3	1.0E-104	BE314182.1	EST_HUMAN	601150451F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503220 5'
5899	15281	24714	2.3	1.0E-104	BE314182.1	EST_HUMAN	601150451F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503220 5'
6176	15358	24798	1.82	1.0E-104	11425572	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
6858	16048	25512	7.16	1.0E-104	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
6858	16048	25513	7.16	1.0E-104	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
6890	15598	25059	5.48	1.0E-104	BF352841.1	EST_HUMAN	IL3-HT0819-080900-249-F07 HT0819 Homo sapiens cDNA
6890	15598	25060	5.48	1.0E-104	BF352841.1	EST_HUMAN	IL3-HT0819-080900-249-F07 HT0819 Homo sapiens cDNA
7108	16283	25763	5.13	1.0E-104	BE781713.1	EST_HUMAN	601581503F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3935977 5'
7108	16283	25764	5.13	1.0E-104	BE781713.1	EST_HUMAN	601581503F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3935977 5'
7193	16370	25850	4.72	1.0E-104	AU130765.1	EST_HUMAN	AU130765 NT2RP3 Homo sapiens cDNA clone NT2RP3001388 5'
7218	16395	25879	5.56	1.0E-104	U66535.1	NT	Human beta4-integrin (ITGB4) gene, exons 19,20,21,22,23,24 and 25
7844	17036	26551	1.89	1.0E-104	BE720191.1	EST_HUMAN	RCO-HT0885-310700-021-B09 HT0885 Homo sapiens cDNA
7844	17038	26552	1.89	1.0E-104	BE720191.1	EST_HUMAN	RCO-HT0885-310700-021-B09 HT0885 Homo sapiens cDNA
7872	17061	26585	5.29	1.0E-104	BF684288.1	EST_HUMAN	602141215F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4302507 5'
9159	17858		1.43	1.0E-104	BE393892.1	EST_HUMAN	601312181F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3688676 5'
283	11937	18691	4.46	1.0E-105	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease resistant), Alzheimer disease (APP), mRNA
431	9298	18398	17.77	1.0E-105	4505150	NT	Homo sapiens Meis1 (mouse) homolog (MEIS1) mRNA
601	9848	18966	8.49	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
601	9848	18967	8.49	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
1054	10898		3.22	1.0E-105	AB020981.1	NT	Homo sapiens mRNA for cyclin B2, complete cds
1789	10999	20194	1.66	1.0E-105	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
1894	11101	20292	2.84	1.0E-105	D50918.1	NT	Human mRNA for KIAA0128 gene, partial cds
2158	11354	20572	5.87	1.0E-105	AA318369.1	EST_HUMAN	EST20609 Spleen 1 Homo sapiens cDNA 5' end similar to autoimmunity antigen Ku, p70/p80 subunit
2290	11485		0.92	1.0E-105	BE691766.1	EST_HUMAN	601434491F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918511 5'
2680	11862		0.89	1.0E-105	AA584808.1	EST_HUMAN	no1005.61 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:100265 3'
2686	12204		3.44	1.0E-105	AJ220041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
3298	12530	21661	1.73	1.0E-105	BF347753.1	EST_HUMAN	602022595F1 NCI_CGAP_Brm87 Homo sapiens cDNA clone IMAGE:4158143 5'
3298	12530	21662	1.73	1.0E-105	BF347753.1	EST_HUMAN	602022595F1 NCI_CGAP_Brm87 Homo sapiens cDNA clone IMAGE:4158143 5'
3325	12554	21690	1.01	1.0E-105	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA

Page 304 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3325	12554	21691	1.01	1.0E-105	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4075	13285	22383	2.88	1.0E-105	AW961688.1	EST_HUMAN	EST373761 IMAGE resequences, MAGG Homo sapiens cDNA
4755	13946	23046	0.64	1.0E-105	BE868881.1	EST_HUMAN	601445823F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850156 5'
4755	13946	23047	0.64	1.0E-105	BE868881.1	EST_HUMAN	601445823F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850156 5'
4957	14144		5.22	1.0E-105	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
5137	14315	23406	0.98	1.0E-105	AB018339.1	NT	Homo sapiens mRNA for KIAA0796 protein, partial cds
5195	14371	23458	0.69	1.0E-105	AW968015.1	EST_HUMAN	EST378088 IMAGE resequences, MAGI Homo sapiens cDNA
6079	14525	23546	3.33	1.0E-105	11419196	NT	Homo sapiens GTPase activating protein-like (GAPL), mRNA
6079	14525	23547	3.33	1.0E-105	11419196	NT	Homo sapiens GTPase activating protein-like (GAPL), mRNA
6473	15870	25141	8.43	1.0E-105	T05087.1	EST_HUMAN	EST02875 Fetal brain, Striatum (cat#336206) Homo sapiens cDNA clone HFBGR32
6785	15980	25440	3.95	1.0E-105	AW016879.1	EST_HUMAN	U1-H-B10p-ab1-b-12-O-U1.s1 NCI_CGAP_Sub2 Homo sapiens cDNA clone IMAGE:2711782 3'
7508	16712	26200	6.92	1.0E-105	AF254822.1	NT	Homo sapiens SMARCA4 isoform (SMARCA4) gene, complete cds, alternatively spliced
7782	16977	26490	2.18	1.0E-105	D63548.1	NT	Homo sapiens COL4A6 gene for α (IV) collagen, exon 31
7830	17022	26537	2.26	1.0E-105	7705936	NT	Homo sapiens Ran binding protein 11 (LOC51194), mRNA
8115	17249	26789	2.41	1.0E-105	AW027554.1	EST_HUMAN	w7407.x1 Soares_thymus_NHFT Homo sapiens cDNA clone IMAGE:2535301 3' similar to TR:P87892
154	9436		1.85	1.0E-106	AW503208.1	EST_HUMAN	P87992 PROTEASE.
210	9490	18623	1.58	1.0E-106	A1565065.1	EST_HUMAN	U1-HF-BNO-akt-g-07-O-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
548	9799	18924	1.98	1.0E-106	AW965556.1	EST_HUMAN	q79c01.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2216008 3'
611	9858	18977	1.87	1.0E-106	J00146.1	NT	EST377628 IMAGE resequences, MAGI Homo sapiens cDNA
612	9858	18977	2.89	1.0E-106	J00146.1	NT	Human dihydrofolate reductase pseudogene (psd-hd1)
1511	10725	19897	1.01	1.0E-106	AF145712.1	NT	Human dihydrofolate reductase pseudogene (psd-hd1)
1678	10888	20074	4.47	1.0E-106	U48724.1	NT	Homo sapiens soluble neuropilin-1 mRNA, complete cds
1694	10906	20092	1.72	1.0E-106	U04510.1	NT	Human epidermal growth factor receptor (EGFR) precursor-mRNA, exon 4, partial cds
1772	10982	20172	5.79	1.0E-106	AA527446.1	EST_HUMAN	Homo sapiens type IV collagen alpha 5 chain (COL4A5) gene, exon 41
1772	10982	20173	5.79	1.0E-106	AA527446.1	EST_HUMAN	ng41c05.s1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:937352 3' similar to contains element
2283	11478	20700	7.27	1.0E-106	4504184	NT	LTR3 repetitive element
2489	11650	20881	4.02	1.0E-106	AF003528.1	NT	LTR3 repetitive element
2561	11747	20907	1.21	1.0E-106	U04075.2	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2563	11749	20969	1.18	1.0E-106	BE260201.1	EST_HUMAN	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2713	11892	21110	9.2	1.0E-106	A1276526.1	EST_HUMAN	Homo sapiens sperm membrane protein BS-63 mRNA, complete cds
							601149783F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502481 5'
							q178h10.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878307 3'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2777	10648	19821	2.45	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2777	10648	19822	2.45	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2828	12067	21188	2.2	1.0E-106	BE384296.1	EST_HUMAN	601272675F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3613818 5'
2892	12129	21263	6.26	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1326 protein, partial cds
2892	12129	21264	6.26	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1326 protein, partial cds
3145	12380	21511	2.8	1.0E-106	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11273), mRNA
3145	12380	21512	2.8	1.0E-106	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11273), mRNA
3352	12580	21720	0.65	1.0E-106	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
3790	13008	22123	0.99	1.0E-106	AF001445.1	NT	Homo sapiens core binding factor alpha1 subunit (CBFA1) gene, exon 2
4015	13227	22328	10.33	1.0E-106	AW974850.1	EST_HUMAN	EST386875 MAGC resequences, MAGN Homo sapiens cDNA
4015	13227	22329	10.33	1.0E-106	AW974850.1	EST_HUMAN	EST386875 MAGC resequences, MAGN Homo sapiens cDNA
4034	13244	22347	1.34	1.0E-106	5729729	NT	Homo sapiens API5-like 1 (API5L), mRNA
4601	13795	22865	0.73	1.0E-106	BE144286.1	EST_HUMAN	MRO-HT0165-140200-008-d10 HT0165 Homo sapiens cDNA
4918	14106	23200	1.48	1.0E-106	U31520.1	NT	Human alpha mannosidase II mRNA, complete cds
5381	14810	23722	2.35	1.0E-106	AA781155.1	EST_HUMAN	a24b09.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391225 3' similar to gb:X12433 PROTEIN PHPS1-2 (HUMAN);
5708	14927	24322	14.75	1.0E-106	BF679574.1	EST_HUMAN	602154012F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4295067 5'
5836	15053	24460	18.72	1.0E-106	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
5836	15053	24461	18.72	1.0E-106	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
6243	15424	24865	4.9	1.0E-106	AA663779.1	EST_HUMAN	ae72e07.s1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:969732 3' similar to gb:X65873 KINESIN HEAVY CHAIN (HUMAN);
6261	15442	24861	4.59	1.0E-106	11423617	NT	Homo sapiens XPMC2 protein (LOC57109), mRNA
6341	15521	24968	8.36	1.0E-106	11425503	NT	Homo sapiens sorting nexin 11 (SNX11), mRNA
6341	15521	24969	8.36	1.0E-106	11425503	NT	Homo sapiens sorting nexin 11 (SNX11), mRNA
6458	15655	25125	6.43	1.0E-106	BE741408.1	EST_HUMAN	601594331F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948463 5'
6458	15655	25126	6.43	1.0E-106	BE741408.1	EST_HUMAN	601594331F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948463 5'
6517	15713	25178	2.23	1.0E-106	A1523066.1	EST_HUMAN	ar88a07.x1 Barslead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2127732 3' similar to gb:X06233 CALGRANULIN B (HUMAN);
6582	15877	25336	2.64	1.0E-106	A1854123.1	EST_HUMAN	ly62a05.x1 NCI_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2283632 3' similar to SW:ICA6_HUMAN Q05084 69 KD ISLET CELL AUTOANTIGEN ;
6816	16011	25474	2.41	1.0E-106	AA825307.1	EST_HUMAN	oc67e08.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1354790 3'
6816	16011	25475	2.41	1.0E-106	AA825307.1	EST_HUMAN	oc67e08.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1354790 3'
7148	16325	25808	6.74	1.0E-106	AA604417.1	EST_HUMAN	np57b10.s1 NCI_CGAP_B12 Homo sapiens cDNA clone IMAGE:1130395 3'
7148	16325	25809	6.74	1.0E-106	AA604417.1	EST_HUMAN	np57b10.s1 NCI_CGAP_B12 Homo sapiens cDNA clone IMAGE:1130395 3'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7165	16342	25821	2.68	1.0E-106	AW363299.1	EST_HUMAN	RCO-CT0318-201199-031-e11 CT0318 Homo sapiens cDNA
7221	16388	25882	2.79	1.0E-106	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
7472	16680	26182	6.77	1.0E-106	BF032755.1	EST_HUMAN	601453461F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857368 5'
7472	16680	26163	6.77	1.0E-106	BF032755.1	EST_HUMAN	601453461F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857368 5'
7629	16830	26327	2.56	1.0E-106	J05200.1	NT	Human ryanodine receptor mRNA, complete cds
7629	16830	26328	2.56	1.0E-106	J05200.1	NT	Human ryanodine receptor mRNA, complete cds
7946	17086	26615	2.41	1.0E-106	BE257385.1	EST_HUMAN	601109219F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3349697 5'
8077	17212	26743	1.82	1.0E-106	BE010882.1	EST_HUMAN	RC5-BN0192-100500-021-B02 BN0192 Homo sapiens cDNA
8077	17212	26744	1.82	1.0E-106	BE010882.1	EST_HUMAN	RC5-BN0192-100500-021-B02 BN0192 Homo sapiens cDNA
8384	18151		4.43	1.0E-106	AW410405.1	EST_HUMAN	h05h11.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2861644 5'
8618	17615	23968	2.49	1.0E-106	BE894488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
8618	17615	23969	2.49	1.0E-106	BE894488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
8843	17752		5.27	1.0E-106	BE695905.1	EST_HUMAN	RC1-CT0249-090800-024-405 CT0249 Homo sapiens cDNA
240	9518		3.86	1.0E-107	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
269	9544		1.37	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
636	9881	19005	1.99	1.0E-107	AF155103.1	NT	Homo sapiens NY-REN-25 antigen mRNA, partial cds
823	10081	19213	1.06	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
898	10131	19293	1.89	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
978	10208	19363	11.69	1.0E-107	AF154121.1	NT	Homo sapiens sodium-dependent high-affinity dicarboxylate transporter (NADC3) mRNA, complete cds
1265	10500	19661	1.31	1.0E-107	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
1550	10764	19638	4.8	1.0E-107	BF087405.1	EST_HUMAN	QV2-HT0540-120800-359-e05 HT0540 Homo sapiens cDNA
1724	10836	20119	5.89	1.0E-107	AF136275.1	NT	Homo sapiens cathepsin Z precursor (CTS2) gene, exon 3
2175	11372	20594	1.07	1.0E-107	U13729.1	NT	Human dipeptidyl peptidase IV (CD26) gene, exon 20
2330	11523	20745	10.58	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-403 CN0031 Homo sapiens cDNA
2330	11523	20746	10.58	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-403 CN0031 Homo sapiens cDNA
2500	11689	20909	2.56	1.0E-107	BE732460.1	EST_HUMAN	601567618F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
2500	11689	20910	2.56	1.0E-107	BE732460.1	EST_HUMAN	601567618F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
2867	12205	21340	3.76	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-403 CN0031 Homo sapiens cDNA
2867	12205	21341	3.78	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-403 CN0031 Homo sapiens cDNA
3065	12301	21425	3.94	1.0E-107	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
3816	13034	22145	4.53	1.0E-107	AF020871.1	NT	Homo sapiens myotubularin (MTMT1) gene, exon 9
5597	14821	24188	2.68	1.0E-107	BE867469.1	EST_HUMAN	601442558F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846494 5'
6239	15420	24860	1.82	1.0E-107	AW503913.1	EST_HUMAN	U1HF-BN0-alf-c-08-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078310 5'

Page 307 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6239	15420	24861	1.82	1.0E-107	AW503913.1	EST_HUMAN	UI-HF-BNO-af-c-08-0-UI.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079310 5'
7293	16512	26004	3.78	1.0E-107	A1392850.1	EST_HUMAN	ig10d06.x1 NCL_CGAP_OLL1 Homo sapiens cDNA clone IMAGE:2108363 3' similar to SW:AACT_DICD1
7520	16725	26216	1.91	1.0E-107	L49141.1	NT	P05095 ALPHA-ACTININ 3, NON MUSCULAR
7531	16736	26228	2.86	1.0E-107	BF666511.1	EST_HUMAN	Homo sapiens neuroendocrine-specific protein (NSP) gene, exon 4
7868	17038	26579	4.19	1.0E-107	BE540550.1	EST_HUMAN	802123963F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4281039 5'
7931	16407	25891	4.65	1.0E-107	11419701	NT	80108681F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452828 5'
7931	16407	25892	4.65	1.0E-107	11419701	NT	Homo sapiens HSPC049 protein (HSPC049), mRNA
8450	18293		5.84	1.0E-107	AA001415.1	EST_HUMAN	Homo sapiens HSPC049 protein (HSPC049), mRNA
8476	18147		1.52	1.0E-107	11418318	NT	z045e01.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:361844 3' similar to contains THR.b1
181	9461		1.35	1.0E-108	AA341934.1	EST_HUMAN	THR repetitive element
982	10195	19350	1.48	1.0E-108	BE296042.1	EST_HUMAN	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
1272	10487	18645	3.83	1.0E-108	Y148000.1	NT	EST47363 Fetal muscle Homo sapiens cDNA 5' end
2046	11247	20457	2.49	1.0E-108	BF028728.1	EST_HUMAN	601177018F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532348 5'
							Homo sapiens NF2 gene
							601671914F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954939 5'
2391	11584	20802	107.38	1.0E-108	BE206894.1	EST_HUMAN	bb25b10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2963899 3' similar to gb:X53777 60S
3323	12552	21686	0.71	1.0E-108	AF032897.1	NT	RIBOSOMAL PROTEIN L23 (HUMAN); gb:J05277 Mouse hexokinase mRNA, complete cds (MOUSE);
3323	12552	21687	0.71	1.0E-108	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
3802	13020	22132	1.04	1.0E-108	5453855	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
							Homo sapiens pericentriolar material 1 (PCM1) mRNA
4139	13345	22445	1.37	1.0E-108	AW684438.1	EST_HUMAN	h112a11.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2872060 3' similar to SW:3BP1_MOUSE
4525	13721	22816	6.72	1.0E-108	U72981.1	NT	P55184 SH3-BINDING PROTEIN 3BP-1;
4525	13721	22817	6.72	1.0E-108	U72981.1	NT	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4818	14007	23107	3.11	1.0E-108	7661979	NT	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4839	14126	23222	0.77	1.0E-108	AW504799.1	EST_HUMAN	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
4888	14155	23247	2.17	1.0E-108	AJ008005.1	NT	UI-HF-BNO-af-c-04-0-UI.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3080168 5'
5165	14344	23433	0.99	1.0E-108	5031624	NT	Homo sapiens PSN1 gene, alternative transcript
5197	14373	23460	1.06	1.0E-108	Y12490.1	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
5454	14680	23840	3.03	1.0E-108	BE869016.1	EST_HUMAN	Homo sapiens mRNA for Golgi-associated microtubule-binding protein (GMAP-210)
5454	14680	23841	3.03	1.0E-108	BE869016.1	EST_HUMAN	601444922F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3948980 5'
							601444922F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3948980 5'
5729	14948	24346	5.76	1.0E-108	AF284717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds

Page 308 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5729	14948	24347	5.76	1.0E-108	AF264717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
6148	15330	24766	5.4	1.0E-108	11431857	NT	Homo sapiens G protein-coupled receptor, family C, group 5, member B (GPCR5B), mRNA
6269	15449	24888	2.13	1.0E-108	4758333	NT	Homo sapiens delta-6 fatty acid desaturase (FADS6) mRNA
6485	15882		2.74	1.0E-108	AF083500.1	NT	Homo sapiens connective tissue growth factor-like protein precursor, mRNA, complete cds
7260	15991	25052	2.23	1.0E-108	BE535227.1	EST_HUMAN	601058769F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3445381 5'
7404	14373	23460	1.9	1.0E-108	Y12490.1	NT	Homo sapiens mRNA for Golgi-associated microtubule-binding protein (GNAP-210)
7632	16833	26330	1.64	1.0E-108	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
7820	17013	26527	5.69	1.0E-108	AW968185.1	EST_HUMAN	EST378258 IMAGE resequences, MAGI Homo sapiens cDNA
7910	17125		2.41	1.0E-108	11441465	NT	Homo sapiens G protein-coupled receptor 48 (GPR48), mRNA
7966	17145	26679	1.7	1.0E-108	D63539.1	NT	Homo sapiens COL4A8 gene for $\alpha 2(V)$ collagen, exon 23
8633	17623	23973	3.18	1.0E-108	AK024447.1	NT	Homo sapiens mRNA for FLJ00037 protein, partial cds
9040	17882		6.89	1.0E-108	BF346356.1	EST_HUMAN	602018571F1 NCJ_CGAP_Br67 Homo sapiens cDNA clone IMAGE:4154297 5'
44	9340	19447	1.37	1.0E-109	AW803116.1	EST_HUMAN	IL2-UM0077-260400-079-D06 UM0077 Homo sapiens cDNA
67	9362	19486	2.74	1.0E-109	D86974.1	NT	Human mRNA for KIAA0220 gene, partial cds
223	9502	18633	0.83	1.0E-109	11422486	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
232	9510	18638	6.14	1.0E-109	11438391	NT	Homo sapiens reticulocalbin 1, EF-hand calcium binding domain (RCN1), mRNA
473	9726	18658	3.14	1.0E-109	4507712	NT	Homo sapiens tetratricopeptide repeat domain 2 (TTC2) mRNA
605	9852	18971	16.2	1.0E-109	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
605	9852	18972	16.2	1.0E-109	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
1210	10429	19585	41.99	1.0E-109	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
1211	10429	19585	22.4	1.0E-109	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
1528	10742	19914	1.35	1.0E-109	BE283673.1	EST_HUMAN	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859638 5'
1528	10742	19915	1.35	1.0E-109	BE283673.1	EST_HUMAN	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859638 5'
1840	11048	20238	5.02	1.0E-109	D13643.2	NT	Homo sapiens mRNA for KIAA0018 protein, partial cds
2206	11403	20628	4.37	1.0E-109	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2215	11412	20638	2.87	1.0E-109	Y17123.1	NT	Homo sapiens SNF5/INI1 gene, exon 6
2585	11771	20991	3.53	1.0E-109	A022328.1	EST_HUMAN	ow65a01.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:002197 002197 CIRCULATING CATHODIC ANTIGEN. ;
2585	11771	20992	3.53	1.0E-109	A022328.1	EST_HUMAN	ow65a01.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:002197 002197 CIRCULATING CATHODIC ANTIGEN. ;
2586	11772	20993	2.15	1.0E-109	4504206	NT	Homo sapiens guanylate cyclase activator 1A (retina) (GUCA1A) mRNA

Page 309 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3023	12259	21387	1.32	1.0E-109	N85180.1	EST_HUMAN	J2816F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2816 5' similar to ZINC
3366	12594	21733	1.33	1.0E-109	AW893182.1	EST_HUMAN	FINGER PROTEIN ZNF43
3368	12594	21734	1.33	1.0E-109	AW893182.1	EST_HUMAN	CM3-NN0009-190400-150-f10 NN0009 Homo sapiens cDNA
3491	12715	21851	1.1	1.0E-109	AF240898.1	NT	CM3-NN0009-190400-150-f10 NN0009 Homo sapiens cDNA
3828	13046		1.43	1.0E-109	BE146144.1	EST_HUMAN	Homo sapiens retinol dehydrogenase homolog isoform-1 (RDH) mRNA, complete cds
							MRO-H10209-110400-108-e04 H10209 Homo sapiens cDNA
							ts98e06.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2293330 3' similar to WP.F53A2.8
4129	13335	22434	4.35	1.0E-109	AI655417.1	EST_HUMAN	CE18100 ;
4144	13350	22450	1.02	1.0E-109	AA682274.1	EST_HUMAN	nu83c12.s1 NCI_CGAP_P122 Homo sapiens cDNA clone IMAGE:1218262 3' similar to SW:GTT2_HUMAN
4144	13350	22451	1.02	1.0E-109	AA682274.1	EST_HUMAN	P30712 GLUTATHIONE S-TRANSFERASE THETA 2 ;
4398	13599	22700	2.55	1.0E-109	4504208	NT	nu83c12.s1 NCI_CGAP_P122 Homo sapiens cDNA clone IMAGE:1218262 3' similar to SW:GTT2_HUMAN
4600	13794	22884	1.26	1.0E-109	BE283673.1	EST_HUMAN	P30712 GLUTATHIONE S-TRANSFERASE THETA 2 ;
5094	14284	23350	0.72	1.0E-109	BE283673.1	EST_HUMAN	Homo sapiens glutamate cyclase activator 1A (retina) (GUCA1A) mRNA
5094	14284	23351	0.72	1.0E-109	BE283673.1	EST_HUMAN	Homo sapiens KIAA0377 gene product (KIAA0377), mRNA
5340	14570	23645	3.5	1.0E-109	5174822	NT	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959636 5'
6319	15501	24948	3.53	1.0E-109	11432574	NT	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959636 5'
6320	15502	24947	5.4	1.0E-109	BF182707.1	EST_HUMAN	Homo sapiens placental protein 11 (serine proteinase) (P11) mRNA
6320	15502	24948	5.4	1.0E-109	BF182707.1	EST_HUMAN	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
6692	15887	25346	12.39	1.0E-109	BE787540.1	EST_HUMAN	601809495F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040279 5'
6692	15887	25347	12.39	1.0E-109	BE787540.1	EST_HUMAN	601809495F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040279 5'
7365	16589	26087	25.47	1.0E-109	BF694831.1	EST_HUMAN	601479417F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882124 5'
7539	16744	26237	2.35	1.0E-109	7662279	NT	601479417F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882124 5'
7539	16744	26238	2.35	1.0E-109	7662279	NT	601479417F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882124 5'
7685	16884	26392	1.97	1.0E-109	AU121370.1	EST_HUMAN	602080724F2 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245341 5'
7809	17124	26655	2.23	1.0E-109	4502838	NT	Homo sapiens KIAA0744 gene product, histone deacetylase 7 (KIAA0744), mRNA
7945	17085	26614	6.23	1.0E-109	W16510.1	EST_HUMAN	Homo sapiens KIAA0744 gene product, histone deacetylase 7 (KIAA0744), mRNA
8529	11412	20636	2.3	1.0E-109	Y17123.1	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1) mRNA
8761	11412	20636	1.98	1.0E-109	Y17123.1	NT	z08b12.11 Soares_fetal_lung NbhL19W Homo sapiens cDNA clone IMAGE:301439 5' similar to
8883	17778	23944	3.23	1.0E-109	AB011399.1	NT	PIR-S43969 S43969 p54-beta stress-activated protein kinases - rat ;
3	9300	18402	1.41	1.0E-110	7549804	NT	Homo sapiens SNF5/INI1 gene, exon 6
39	9335	18441	4.02	1.0E-110	5803073	NT	Homo sapiens SNF5/INI1 gene, exon 6
							Homo sapiens SNF5/INI1 gene, exon 6
							Homo sapiens gene for AF-6, complete cds
							Homo sapiens deiodinase, Iodothyronine, type II (DIO2), transcript variant 2, mRNA
							Homo sapiens leucine zipper-like transcriptional regulator, 1 (LZTR1), mRNA

PCT/US01/00670

Page 310 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
39	9335	18442	4.02	1.0E-110	5803073	NT	Homo sapiens leucine-zipper-like transcriptional regulator, 1 (LZTR1), mRNA
109	9300	18402	1.41	1.0E-110	7549804	NT	Homo sapiens deiodinase, iodothyronine, type II (DIO2), transcript variant 2, mRNA
299	9572	18705	0.65	1.0E-110	D87291.1	NT	Human mRNA for inward rectifier potassium channel, complete cds
533	9784	18907	0.95	1.0E-110	U84550.1	NT	Human dystrobrevin (DTN) gene, exon 20
1188	10409	19563	0.6	1.0E-110	5031620	NT	Homo sapiens calcitonin receptor-like (CALCRL) mRNA
1286	10501	19662	2.39	1.0E-110	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
1889	11096	20287	1.11	1.0E-110	BE379477.1	EST_HUMAN	601237545F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609683 5'
2025	11226		1.68	1.0E-110	BF508896.1	EST_HUMAN	UI-H-B14-aos-b-05-Q-UJ.s1 NCJ_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085784 3'
2793	12033		0.97	1.0E-110	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
2996	10501	19662	1.14	1.0E-110	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
3052	12288		1.19	1.0E-110	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
3158	12393	21527	2.68	1.0E-110	11436041	NT	Homo sapiens pregnancy-zone protein (PZP), mRNA
3158	12393	21528	2.68	1.0E-110	11436041	NT	Homo sapiens pregnancy-zone protein (PZP), mRNA
4185	13389	22488	2.18	1.0E-110	M15918.1	NT	Human autoimmune antigen small nuclear ribonucleoprotein E pseudogene
4636	13830	22917	2.23	1.0E-110	AI017213.1	EST_HUMAN	ou32b10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627963 3' similar to SW/N121_RAT P52591 NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 ;
4656	13850	22945	2.83	1.0E-110	AU117812.1	EST_HUMAN	AU117812 HEMBA1 Homo sapiens cDNA clone HEMBA1002241 5'
4993	14180		1.54	1.0E-110	7662441	NT	Homo sapiens KIAA1002 protein (KIAA1002), mRNA
5324	14556	23626	2.32	1.0E-110	BE299406.1	EST_HUMAN	601118710F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028538 5'
5548	14772	24139	7.74	1.0E-110	11419323	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
5548	14772	24140	7.74	1.0E-110	11419323	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
5971	18068	24603	4.49	1.0E-110	M55112.1	NT	Human cystic fibrosis transmembrane conductance regulator (CFTR) gene, exon 7
6262	15443	24882	9.01	1.0E-110	AV714276.1	EST_HUMAN	AV714276 DCB Homo sapiens cDNA clone DCBCGE01 5'
6262	15443	24883	9.01	1.0E-110	AV714276.1	EST_HUMAN	AV714276 DCB Homo sapiens cDNA clone DCBCGE01 5'
6278	15458	24899	2.8	1.0E-110	AB020675.1	NT	Homo sapiens mRNA for KIAA0868 protein, partial cds
6949	16127	25595	3.81	1.0E-110	AW838394.1	EST_HUMAN	QV2-LT0053-020400-119-e04 LT0053 Homo sapiens cDNA
7176	16353	25831	4.68	1.0E-110	11432732	NT	Homo sapiens galactokinase 2 (GALK2), mRNA
7333	16549	26039	4.23	1.0E-110	Y12337.1	NT	H. sapiens mRNA for myotonic dystrophy protein kinase like protein
7538	16743	26235	4.26	1.0E-110	BE734357.1	EST_HUMAN	601565604F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3840433 5'
7538	16743	26236	4.26	1.0E-110	BE734357.1	EST_HUMAN	601565604F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3840433 5'
7979	16414	25901	2.82	1.0E-110	AA446529.1	EST_HUMAN	zw67g02.11 Soares_NHT Homo sapiens cDNA clone IMAGE:781298 5' similar to TR:G1145816
8342	17439		3.73	1.0E-110	BE897218.1	EST_HUMAN	601439784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924548 5'

Page 311 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8469	17522		8.6	1.0E-110	AW062258.1	EST_HUMAN	IL0-BT0163-040899-094-g10 BT0163 Homo sapiens cDNA
8725	17677		2.64	1.0E-110	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
8866	18305		3.72	1.0E-110	BF364546.1	EST_HUMAN	PM3-NN1082-140300-005-f12 NN1082 Homo sapiens cDNA
9158	11226		1.83	1.0E-110	BF508896.1	EST_HUMAN	UIH-B14-aos-b-05-0-UJ.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085784 3'
178	9458		27.48	1.0E-111	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
201	9481	18614	0.76	1.0E-111	4758807	NT	Homo sapiens ras GTPase activating protein-like (NGAP) mRNA
742	9683		2.19	1.0E-111	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
751	9992	19136	4.09	1.0E-111	8393092	NT	Homo sapiens cat eye syndrome critical region gene 1 (OECR1), mRNA
935	10168	19325	3.28	1.0E-111	M25142.1	NT	Homo sapiens alpha-myosin heavy chain (MYH6) gene, exons 32 to 34
3678	12899	22019	0.93	1.0E-111	6912841	NT	Homo sapiens sex comb on midleg homolog 1 (SCMH1), mRNA
3678	12899	22020	0.93	1.0E-111	6912841	NT	Homo sapiens sex comb on midleg homolog 1 (SCMH1), mRNA
4153	13359	22460	1.68	1.0E-111	7661569	NT	Homo sapiens DKFZP434D156 protein (DKFZP434D156), mRNA
4321	13522	22617	4.54	1.0E-111	K02268.1	NT	Human enkephalin B (enkeB) gene, exon 4 and 3' flank and complete cds
4752	13943	23045	1.01	1.0E-111	4505778	NT	Homo sapiens phosphorylase kinase, alpha 1 (muscle) (PHKA1), mRNA
6271	15451	24890	2.93	1.0E-111	BF366228.1	EST_HUMAN	IL2-NT0101-280700-114-E03 NT0101 Homo sapiens cDNA
6538	15734	25198	3.4	1.0E-111	U66533.1	NT	Human beta4-integrin (ITGB4) gene, exon 13
6720	15915		6.85	1.0E-111	BF214902.1	EST_HUMAN	601847132F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4078303 5'
6740	15935	25395	18.91	1.0E-111	X17033.1	NT	Human mRNA for integrin alpha-2 subunit
6740	15935	25396	18.91	1.0E-111	X17033.1	NT	Human mRNA for integrin alpha-2 subunit
6800	15965	25453	4.59	1.0E-111	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
7124	16301	25782	2.56	1.0E-111	AA504160.1	EST_HUMAN	aa58g02.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:925170 3' similar to gb.L09235
7158	16335	25818	7.75	1.0E-111	AA131248.1	EST_HUMAN	VACUOLAR ATP SYNTHASE CATALYTIC SUBUNIT A, UBIQUITOUS (HUMAN);
7613	16816	26312	5.35	1.0E-111	U68159.1	NT	Z31101.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503545 5'
8299	17407	26932	4.66	1.0E-111	11417901	NT	Human thrombolectin receptor (MPL) gene, exons 1,2,3,4,5 and 6
8860	17763	23936	1.5	1.0E-111	AV708482.1	EST_HUMAN	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
8862	18096	23804	2.08	1.0E-111	W22562.1	EST_HUMAN	AV708482 ADC Homo sapiens cDNA clone ADCA0808 5'
9128	14505	23589	1.53	1.0E-111	AB035356.1	NT	72C9 Human retina cDNA Tsp509-cleaved sublibrary Homo sapiens cDNA not directional
614	9859	18978	0.98	1.0E-112	4501854	NT	Homo sapiens mRNA for neurodin alpha protein, complete cds
616	9861	18980	0.43	1.0E-112	U29103.1	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
638	9883	19007	1.7	1.0E-112	U29103.1	NT	Human steroidogenic acute regulatory protein (STAR) gene, exon 5
638	9883	19008	1.7	1.0E-112	BF509039.1	EST_HUMAN	Human steroidogenic acute regulatory protein (STAR) gene, exon 5
1009	10240	19392	3.97	1.0E-112	AF157623.1	NT	UIH-B14-aot-g-04-0-UJ.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
							UIH-B14-aot-g-04-0-UJ.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
							Homo sapiens HTRA serine protease (PRSS11) gene, complete cds

Page 312 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1069	10295	19444	1.67	1.0E-112	P52742	SWISSPROT	ZINC FINGER PROTEIN 135
1659	10872	20054	4.44	1.0E-112	7682125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
1659	10872	20055	4.44	1.0E-112	7682125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2473	11664	20883	3.23	1.0E-112	BE866859.1	EST_HUMAN	601442674F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846858 5'
3043	12280		0.82	1.0E-112	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
3211	12445	21577	1.35	1.0E-112	BE083092.1	EST_HUMAN	RC2-BT0642-030400-021-c09 BT0642 Homo sapiens cDNA
3211	12445	21578	1.35	1.0E-112	BE083092.1	EST_HUMAN	RC2-BT0642-030400-021-c09 BT0642 Homo sapiens cDNA
3336	12565	21703	0.81	1.0E-112	AB28511.1	EST_HUMAN	wk45b12.x1 NCI_CGAP_P22 Homo sapiens cDNA clone IMAGE:2418335 3' similar to gb:M81650_ma1
3863	13079	22195	0.78	1.0E-112	BE076073.1	EST_HUMAN	SEMN0GELIN 1 PROTEIN PRECURSOR (HUMAN);
4604	13798	22888	0.62	1.0E-112	4504116	NT	MR2-BT0590-090300-113-09 BT0590 Homo sapiens cDNA
4763	13953	23053	5	1.0E-112	AB037832.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4763	13953	23054	5	1.0E-112	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
5521	14746	24114	37.86	1.0E-112	NA46046.1	EST_HUMAN	Homo sapiens mRNA for KIAA1411 protein, partial cds
6526	15722	25187	3.4	1.0E-112	AU118051.1	EST_HUMAN	y93d07.r1 Soares melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:273229 5'
6756	15951	25408	3.08	1.0E-112	BE067635.1	EST_HUMAN	AU118051 HEMBA1 Homo sapiens cDNA clone HEIMBA1002773 5'
6756	15951	25409	3.08	1.0E-112	BE067635.1	EST_HUMAN	601443151F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847285 5'
7359	16575	26067	2.68	1.0E-112	AW863327.1	EST_HUMAN	601443151F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847285 5'
7522	16727	26218	5.43	1.0E-112	AJ249900.1	NT	MR3-SN0009-100400-108-b12 SN0009 Homo sapiens cDNA
7682	16882	26364	1.98	1.0E-112	BE280479.1	EST_HUMAN	Homo sapiens mRNA for secreted modular calcium-binding protein (smoc1 gene)
7739	16935	26443	4.55	1.0E-112	AW377870.1	EST_HUMAN	601155323F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138989 5'
8850	17757		1.37	1.0E-112	AF106656.1	NT	PMO-CT0237-141099-001-h02 CT0237 Homo sapiens cDNA
750	9991	19134	5.03	1.0E-113	AI385586.1	EST_HUMAN	Homo sapiens adenylosuccinate lyase gene, complete cds
750	9991	19135	5.03	1.0E-113	AI385586.1	EST_HUMAN	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
950	10183	19339	17.13	1.0E-113	M11865.1	NT	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
1527	10741	19913	3.46	1.0E-113	AI385586.1	EST_HUMAN	Human X-linked phosphoglycerate kinase gene, exon 8
1908	11949	20309	1.11	1.0E-113	AF240775.1	NT	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
2094	11265	20478	0.98	1.0E-113	BF515218.1	EST_HUMAN	Homo sapiens eIF4E-transcripter mRNA, complete cds
3084	12330	21458	1.75	1.0E-113	AJ223948.1	NT	UI-H-BW1-ant1-03-0-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3082876 3'
5301	18134		3.33	1.0E-113	BE780858.1	EST_HUMAN	Homo sapiens mRNA for putative RNA helicase, 3' end
5439	14666	23919	6.09	1.0E-113	AU127214.1	EST_HUMAN	601469465F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872536 5'
5625	14849	24231	4.06	1.0E-113	AU140291.1	EST_HUMAN	AU127214 NT2RP2 Homo sapiens cDNA clone NT2RP2000807 5'
5698	14918	24312	2.36	1.0E-113	11525737	NT	AU140291 PLACE2 Homo sapiens cDNA clone PLACE2000274 5'
							Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylglucosaminyltransferase 8 (GalNAc-T8) (GALNT8), mRNA

Page 313 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6803	15988	25456	3.64	1.0E-113	BE382842.1	EST_HUMAN	601287709F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3627554 5'
6803	15988	25457	3.94	1.0E-113	BE382842.1	EST_HUMAN	601287709F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3627554 5'
7683	16882	26360	1.75	1.0E-113	AW600519.1	EST_HUMAN	UI-HF-BN0-akb-12-O-UI.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077326 5'
7691	16890	26397	3.01	1.0E-113	AW630281.1	EST_HUMAN	hh81a03.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968176 5' similar to TR:O60327 O60327 KIAA0594 PROTEIN ;
7691	16890	26398	3.01	1.0E-113	AW630281.1	EST_HUMAN	hh81a03.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968176 5' similar to TR:O60327 O60327 KIAA0594 PROTEIN ;
7812	17005	26518	3.6	1.0E-113	BE292868.1	EST_HUMAN	601105529F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2988368 5'
8031	17168	26706	3.34	1.0E-113	AA580720.1	EST_HUMAN	nc80b03.1 NCI_CGAP_GC1 Homo sapiens cDNA clone IMAGE:797059 5' similar to SW:FEN1_HUMAN P39748 FLAP ENDONUCLEASE-1 ;
8031	17168	26707	3.34	1.0E-113	AA580720.1	EST_HUMAN	nc80b03.1 NCI_CGAP_GC1 Homo sapiens cDNA clone IMAGE:797059 5' similar to SW:FEN1_HUMAN P39748 FLAP ENDONUCLEASE-1 ;
60	9356	18474	1.21	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
60	9356	18475	1.21	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
60	9356	18476	1.21	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
651	9897	19023	8.43	1.0E-114	T70551.1	EST_HUMAN	yd15cd1.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:108288 3' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN); contains Alu repetitive element;
1078	10303	19454	1.39	1.0E-114	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1320	10535	19699	4.23	1.0E-114	7657528	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1619	10832	20007	4.87	1.0E-114	6631094	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
1647	10881	20042	8.45	1.0E-114	6678073	NT	Homo sapiens nucleoporin-like protein 1 (NLP_1), mRNA
2220	11417	20642	1.26	1.0E-114	AB002374.1	NT	Human mRNA for KIAA0376 gene, partial cds
2756	9342	18450	1.22	1.0E-114	AB033102.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
2756	9342	18451	1.22	1.0E-114	AB033102.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3085	12331	21457	2.27	1.0E-114	X04086.1	NT	Human gene for catalase (EC 1.11.1.6) exon 2 mapping to chromosome 11, band p13
3136	12371	21502	1.26	1.0E-114	BF208374.1	EST_HUMAN	601869932F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4100214 5'
3892	13208	22312	1.54	1.0E-114	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
4385	13586	22688	0.77	1.0E-114	J03171.1	NT	Human interferon-alpha receptor (HuIFN-alpha-Rec) mRNA, complete cds
5168	14347	23435	1.03	1.0E-114	BE275324.1	EST_HUMAN	601122173F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346059 5'
5208	14381	23467	0.94	1.0E-114	AF004849.1	NT	Homo sapiens PKY protein kinase mRNA, complete cds
6201	15382	24823	9.02	1.0E-114	Y18000.1	NT	Homo sapiens NF2 gene
6201	15382	24824	9.02	1.0E-114	Y18000.1	NT	Homo sapiens NF2 gene
6425	15822	25086	2.57	1.0E-114	4557600	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 2 (GABRA2) mRNA

Page 314 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6680	15875	25334	4.26	1.0E-114	U63041.1	NT	Human neural cell adhesion molecule CD56 mRNA, complete cds
6706	15901	25362	7.86	1.0E-114	AB011133.1	NT	Homo sapiens mRNA for KIAA0561 protein, partial cds
6706	15901	25363	7.86	1.0E-114	AB011133.1	NT	Homo sapiens mRNA for KIAA0561 protein, partial cds
6884	16075		10.62	1.0E-114	AW327455.1	EST_HUMAN	dq0305.x1 NIH_MGC_2 Homo sapiens cDNA clone IMAGE:2846744 5'
6900	15606	25072	4.01	1.0E-114	AF077754.1	NT	Homo sapiens tyrosine kinase pp60c-src (SRC) gene, exon 12 and partial cds
							ba73g12.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2908086 5' similar to gb:X17206 40S RIBOSOMAL PROTEIN S4 (HUMAN); gb:M20632 Mouse LLRep3 protein mRNA from a repetitive element, complete (MOUSE);
7368	16584		15.17	1.0E-114	BE302666.1	EST_HUMAN	
7745	16941	26452	3.76	1.0E-114	AV733454.1	EST_HUMAN	AV733454 cda Homo sapiens cDNA clone cdABA08 5'
7745	16941	26453	3.76	1.0E-114	AV733454.1	EST_HUMAN	AV733454 cda Homo sapiens cDNA clone cdABA08 5'
8767	18368		2.74	1.0E-114	11418041	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
9033	17878	23891	3.22	1.0E-114	11034850	NT	Homo sapiens hypothetical protein (DJ1042K10.2), mRNA
9033	17878	23892	3.22	1.0E-114	11034850	NT	Homo sapiens hypothetical protein (DJ1042K10.2), mRNA
23	9319	18423	5.81	1.0E-115	4758111	NT	Homo sapiens HLA-B associated transcript-1 (D6S81E) mRNA
127	9410	18544	2.5	1.0E-115	4505938	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220KD) (POLR2A) mRNA
131	9414		16.52	1.0E-115	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
297	9570	18702	2.23	1.0E-115	AW804759.1	EST_HUMAN	QV4-UM0094-300300-156-b08 UM0094 Homo sapiens cDNA
							q06f01.x1 NCI_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1946809 3' similar to TR:O00536 O00536 TTF-1 INTERACTING PEPTIDE 5';
542	9793	18916	0.6	1.0E-115	AI339206.1	EST_HUMAN	
							q06f01.x1 NCI_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1946809 3' similar to TR:O00536 O00536 TTF-1 INTERACTING PEPTIDE 5';
542	9793	18917	0.6	1.0E-115	AI339206.1	EST_HUMAN	
796	10035	19185	1.09	1.0E-115	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
796	10035	19186	1.09	1.0E-115	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
798	10037	19188	349.13	1.0E-115	4503794	NT	Homo sapiens ferritin, heavy polypeptide 1 (FTH1) mRNA
							Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
1808	11017	20210	1.36	1.0E-115	U78027.1	NT	
2048	11249	20459	1.05	1.0E-115	BE745469.1	EST_HUMAN	601579838F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928832 5'
2048	11249	20460	1.05	1.0E-115	BE745469.1	EST_HUMAN	601579838F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928832 5'
2054	11255	20468	0.94	1.0E-115	AB007902.1	NT	Homo sapiens KIAA0442 mRNA, partial cds
2264	11459	20678	1.92	1.0E-115	AF231124.1	NT	Homo sapiens testican-1 mRNA, complete cds
3079	12315	21437	5.51	1.0E-115	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
3079	12315	21438	5.51	1.0E-115	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
3449	12674	21809	2.12	1.0E-115	AJ277892.1	NT	Homo sapiens partial TTN gene for titin
4019	13231	22334	3.93	1.0E-115	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4253	13456	22548	1.31	1.0E-115	AL137163.1	NT	Novel human gene mapping to chromosome X
4395	13596	22697	3.42	1.0E-115	6912669	NT	Homo sapiens sir2-like 3 (SIRT3), mRNA
4428	13628	22722	4.3	1.0E-115	4758279	NT	Homo sapiens EphA4 (EPHA4), mRNA
4591	13785	22876	1.84	1.0E-115	8922435	NT	Homo sapiens hypothetical protein FLJ10468 (FLJ10468), mRNA
4591	13785	22877	1.84	1.0E-115	8922435	NT	Homo sapiens hypothetical protein FLJ10468 (FLJ10468), mRNA
4879	13872	22971	2.9	1.0E-115	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4879	13872	22972	2.9	1.0E-115	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4927	14115	23210	3.92	1.0E-115	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
4927	14115	23211	3.92	1.0E-115	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
5363	14593	23670	1.74	1.0E-115	AW970335.1	EST_HUMAN	EST1382416 IMAGE resequences, MAGK Homo sapiens cDNA
5463	14689	24040	1.79	1.0E-115	11425128	NT	Homo sapiens similar to ER to nucleus signalling 1 (H. sapiens) (LOC63433), mRNA
5463	14689	24041	1.79	1.0E-115	11425128	NT	Homo sapiens similar to ER to nucleus signalling 1 (H. sapiens) (LOC63433), mRNA
5828	15045	24448	14.79	1.0E-115	11426038	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC63436), mRNA
5990	15107	24517	1.86	1.0E-115	7681883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
5990	15107	24518	1.86	1.0E-115	7681883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
6255	15436	24875	7.4	1.0E-115	ABD23212.1	NT	Homo sapiens mRNA for KIAA0995 protein, partial cds
6511	15707	25172	6.99	1.0E-115	BE830187.1	EST_HUMAN	RC8-ET0081-130700-011-G01 ET0081 Homo sapiens cDNA
6511	15707	25173	6.99	1.0E-115	BE830187.1	EST_HUMAN	RC8-ET0081-130700-011-G01 ET0081 Homo sapiens cDNA
6722	15917	25376	9.46	1.0E-115	11434772	NT	Homo sapiens eukaryotic translation initiation factor 4B (EIF4B), mRNA
							xx3208.x1 NCI CGAP_U11 Homo sapiens cDNA clone IMAGE:2839239 3' similar to SW:CAYP_CANFA
7305	16523	26014	3.52	1.0E-115	AW571544.1	EST_HUMAN	P10483 CALYPHOSINE:
7836	17076	26904	2.64	1.0E-115	4502628	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1E subunit (CACNA1E) mRNA
8252	17380	26914	4.29	1.0E-115	BF361984.1	EST_HUMAN	QV2-NN0044-210800-308-610 NN0044 Homo sapiens cDNA
							Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
8324	17425		1.78	1.0E-115	AF240786.1	NT	601121347F1 NH_MGC_20 Homo sapiens cDNA clone IMAGE:288875 5'
579	9828	18947	0.93	1.0E-116	BE275502.1	EST_HUMAN	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
810	10049	19200	1.33	1.0E-116	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
869	10105		0.8	1.0E-116	4507334	NT	Homo sapiens pericentrin (PCNT) mRNA
1966	11170	20375	2.57	1.0E-116	5174478	NT	Homo sapiens pericentrin (PCNT) mRNA
1966	11170	20376	2.57	1.0E-116	5174478	NT	Homo sapiens pericentrin (PCNT) mRNA
1985	11198	20408	1.19	1.0E-116	AU133080.1	EST_HUMAN	AU133080 NT2RP4 Homo sapiens cDNA clone NT2RP4001228 5'
2067	12009	20480	1	1.0E-116	M19824.1	NT	Human apolipoprotein B-100 (apoB) gene, exons 17 and 18
2067	12009	20481	1	1.0E-116	M19824.1	NT	Human apolipoprotein B-100 (apoB) gene, exons 17 and 18
2273	11468	20689	1.85	1.0E-116	5453941	NT	Homo sapiens protein phosphatase, EF hand calcium-binding domain 1 (PPEF1) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2309	11503		4.25	1.0E-116	U79308.1	NT	Human olfactory receptor olfr17-201-1 (OR17-201-1) gene, olfactory receptor olfr17-32 (OR17-32) gene and olfactory receptor pseudo_olfr17-01 (OR17-01) pseudogene, complete cds
2419	11610	20832	2.52	1.0E-116	AB018333.1	NT	Homo sapiens mRNA for KIAA0780 protein, partial cds
2691	11856	21086	6.81	1.0E-116	BE889256.1	EST_HUMAN	601513337F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914600 5'
3130	12365		6.84	1.0E-116	T07515.1	EST_HUMAN	EST05405 Fetal brain, Stratagene (cat#936206) Homo sapiens cDNA clone HFBK28 similar to EST containing L1 repeat
3139	12374	21504	6.18	1.0E-116	L77570.1	NT	Homo sapiens DGeorge syndrome critical region, centromeric end
3139	12374	21505	6.18	1.0E-116	L77570.1	NT	Homo sapiens DGeorge syndrome critical region, centromeric end
4372	13574	22670	2.17	1.0E-116	5031854	NT	Homo sapiens sodium phosphate transporter 3 (NPT3) mRNA
4470	13668	22759	1.39	1.0E-116	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4872	14060	23154	1.55	1.0E-116	AI907096.1	EST_HUMAN	PM-BT135-070499-016 BT135 Homo sapiens cDNA
5644	14867	24252	2.81	1.0E-116	W42822.1	EST_HUMAN	zc24407.r1 Soares_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:323245 5' similar to SW:MDHM_MOUSE P08249 MALATE DEHYDROGENASE, MITOCHONDRIAL PRECURSOR;
5757	14976	24374	1.87	1.0E-116	AB046956.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
5757	14976	24375	1.87	1.0E-116	AB046958.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
5881	15098		2.13	1.0E-116	BE158133.1	EST_HUMAN	MR2-HT0379-210200-102-504 HT0379 Homo sapiens cDNA
6060	15250	24672	1.77	1.0E-116	C02844.1	EST_HUMAN	C02844 Human heart cDNA (YNKamure) Homo sapiens cDNA clone 3NHCO567
6167	15349	24787	8.61	1.0E-116	AV716314.1	EST_HUMAN	AV716314 DCB Homo sapiens cDNA clone DCBBG06 5'
6596	15782	25242	2.68	1.0E-116	AA354258.1	EST_HUMAN	EST62885 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to keratin 2
6596	15782	25243	2.68	1.0E-116	AA354256.1	EST_HUMAN	EST62885 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to keratin 2
6805	16000	25459	6.64	1.0E-116	AI216352.1	EST_HUMAN	qf09c05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844168 3' similar to gb:X53741_ma1 FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
7279	16498	25990	4.18	1.0E-116	BF335949.1	EST_HUMAN	GM2-CT0482-300800-349-e06 CT0482 Homo sapiens cDNA
7695	16894	26403	3.79	1.0E-116	A1367140.1	EST_HUMAN	qq41e04.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1935102 3' similar to WP:B0495.7 CE01765;
8253	17381	26915	3.84	1.0E-116	D44816.1	EST_HUMAN	HUMSUPY287 Human brain cDNA Homo sapiens cDNA clone NF187-S
8880	18361		1.69	1.0E-116	BE258569.1	EST_HUMAN	601108350F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3344580 5'
9081	18225		2.02	1.0E-116	AL134889.1	EST_HUMAN	DKFp762L1110_1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFp762L1110 5'
985	9815	18937	1.67	1.0E-117	4826636	NT	Homo sapiens acetyl-Coenzyme A carboxylase alpha (ACACA), mRNA
1085	11985	19492	2.51	1.0E-117	AF124393.1	NT	Mus musculus fragile-X-related protein 1 (Fxr1h) gene, exons 13a through 15
1725	10937	20120	1.74	1.0E-117	AF123320.1	NT	Homo sapiens lymphocyte activation-associated protein mRNA, complete cds
1769	11008	20201	2.17	1.0E-117	M10816.1	NT	Human apolipoprotein B-100 (apoB) gene, exon 10

Page 317 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2178	11375	20597	3.14	1.0E-117	AW857699.1	EST_HUMAN	EST369769 IMAGE:resequences, IMAGE Homo sapiens cDNA
2572	11757	20977	4.99	1.0E-117	M63468.1	NT	Human alpha-5 collagen type IV gene, exon 5
3235	12469	21601	2.35	1.0E-117	AA978114.1	EST_HUMAN	op32c11.s1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1578548 3'
3688	13183	22293	10.3	1.0E-117	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) Homo sapiens cDNA 5' and similar to ribosomal protein L29
4000	13213	22317	0.69	1.0E-117	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
4337	13538	22829	3.11	1.0E-117	8659584	NT	Homo sapiens collagen, type IV, alpha 5 (Alport syndrome) (COL4A5), mRNA
4575	13769	22864	2.19	1.0E-117	AL042120.1	EST_HUMAN	DKFZp434C1120_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1120 5'
4736	13927	23030	0.99	1.0E-117	X89870.1	NT	H. sapiens mRNA for TPCR16 protein
4736	13927	23031	0.99	1.0E-117	X89870.1	NT	H. sapiens mRNA for TPCR16 protein
4824	14013	23112	10.37	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4824	14013	23113	10.37	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4885	14073	23170	1.62	1.0E-117	U58109.1	NT	Mus musculus nebulin mRNA, partial cds
4885	14073	23171	1.62	1.0E-117	U58109.1	NT	Mus musculus nebulin mRNA, partial cds
4958	14146	23237	3.13	1.0E-117	AB020673.1	NT	Homo sapiens mRNA for KIAA0866 protein, complete cds
5274	14446	23518	0.81	1.0E-117	6912461	NT	Homo sapiens atrophin-1 interacting protein 1; activin receptor interacting protein 1 (KIAA0705), mRNA
5285	14456	23525	15.42	1.0E-117	6997248	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
5364	14584	23671	3.1	1.0E-117	BE730508.1	EST_HUMAN	901562657F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3932214 5'
6273	15453	24893	5.21	1.0E-117	L76571.1	NT	Homo sapiens nuclear hormone receptor (shp) gene, 3' end of cds
6273	15453	24894	5.21	1.0E-117	L76571.1	NT	Homo sapiens nuclear hormone receptor (shp) gene, 3' end of cds
6311	15492	24937	4.74	1.0E-117	AV717788.1	EST_HUMAN	AV717788 DGB Homo sapiens cDNA clone DCBBAE01 5'
6311	15492	24938	4.74	1.0E-117	AV717788.1	EST_HUMAN	AV717788 DGB Homo sapiens cDNA clone DCBBAE01 5'
6454	15851	25119	8.33	1.0E-117	AI950145.1	EST_HUMAN	wp86b07.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2468629 3' similar to TR-O75065
7434	16643	26135	1.68	1.0E-117	D83776.1	NT	O75085 KIAA0477 PROTEIN.;
7822	17014	26528	2.73	1.0E-117	AB011541.1	NT	Human mRNA for KIAA0191 gene, partial cds
7822	17014	26529	2.73	1.0E-117	AB011541.1	NT	Homo sapiens mRNA for MEGF8, partial cds
7892	17072	26768	32.7	1.0E-117	BE269856.1	EST_HUMAN	Homo sapiens mRNA for MEGF8, partial cds
8121	17255	26768	2.27	1.0E-117	4501848	NT	601186203F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3544298 5'
8121	17255	26769	2.27	1.0E-117	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
8567	18304		1.98	1.0E-117	AF224669.1	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
9277	11685	19462	1.98	1.0E-117	AF124363.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
							Mus musculus fragile-X-related protein 1 (Fxr1h) gene, exons 13a through 15

Page 318 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
70	9365	18491	3.8	1.0E-118	AF161500.1	NT	Homo sapiens HSPC151 mRNA, complete cds
85	9388	18517	0.66	1.0E-118	AL045854.1	EST_HUMAN	DKFZp434I056_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434I056 5'
523	9774	18899	7.45	1.0E-118	7657018	NT	Homo sapiens hypothetical protein (DJ328E19.C1.1), mRNA
924	11981	19316	0.92	1.0E-118	5174680	NT	Homo sapiens sine oculis homeobox (Drosophila) homolog 1 (SIX1) mRNA
2199	11396	20618	4.13	1.0E-118	BE389705.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2198	11396	20619	4.13	1.0E-118	BE389705.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2199	11396	20620	4.13	1.0E-118	BE389705.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2298	11493	21081	12.88	1.0E-118	AW951728.1	EST_HUMAN	EST363799 MAGE resequences, MAGB Homo sapiens cDNA
2697	11877	21091	4.25	1.0E-118	U07000.1	NT	Human breakpoint cluster region (BCR) gene, complete cds
2697	11877	21092	4.25	1.0E-118	U07000.1	NT	Human breakpoint cluster region (BCR) gene, complete cds
3068	12304	21529	4.86	1.0E-118	Y13932.1	NT	Homo sapiens PRKY exon 7
3159	12394	21529	5.35	1.0E-118	AI347694.1	EST_HUMAN	qp01f05.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1916769 3'
3159	12394	21530	5.35	1.0E-118	AI347694.1	EST_HUMAN	qp01f05.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1916769 3'
3925	13141	22258	1.12	1.0E-118	AB024469.1	NT	Pongo pygmaeus DNA, similar to pd gene of HERV-W and MSRV, isolate ORW3-3
4064	13274	22374	7.45	1.0E-118	D23960.1	NT	Human mRNA for ribosomal protein, complete cds
4718	13909	23011	1.6	1.0E-118	11425763	NT	Homo sapiens KIAA0478 gene product (KIAA0478), mRNA
5405	14633	23744	1.89	1.0E-118	AF142624.1	NT	Homo sapiens calcium channel gamma 4 subunit (CACNG4) gene, exon 3
5405	14633	23745	1.89	1.0E-118	AF142624.1	NT	Homo sapiens calcium channel gamma 4 subunit (CACNG4) gene, exon 3
5634	14658	24241	1.65	1.0E-118	11420764	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
6333	15514	24961	4.89	1.0E-118	11431050	NT	Homo sapiens chromosome 2 open reading frame 3 (C2ORF3), mRNA
6592	15788	25247	7.57	1.0E-118	BE062855.1	EST_HUMAN	QV0-BT0263-090200-097-h03 BT0263 Homo sapiens cDNA
6592	15788	25248	7.57	1.0E-118	BE062855.1	EST_HUMAN	QV0-BT0263-090200-097-h03 BT0263 Homo sapiens cDNA
6595	15791	25249	3.03	1.0E-118	AA443024.1	EST_HUMAN	z08d07.r1 Soares_NHMPU_S1 Homo sapiens cDNA clone IMAGE:811789 5'
6595	15791	25250	3.03	1.0E-118	AA443024.1	EST_HUMAN	z08d07.r1 Soares_NHMPU_S1 Homo sapiens cDNA clone IMAGE:811789 5'
6775	15970	25426	3.19	1.0E-118	BE263134.1	EST_HUMAN	601144863F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160502 5'
7626	17018	26534	5.5	1.0E-118	AA315007.1	EST_HUMAN	EST186814 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to dynein, light chain 1, cytoplasmic
8096	17230	26768	1.71	1.0E-118	BF063687.1	EST_HUMAN	QV0-UM0091-120900-385-b12 UM0091 Homo sapiens cDNA
8096	17230	26769	1.71	1.0E-118	BF063687.1	EST_HUMAN	QV0-UM0091-120900-385-b12 UM0091 Homo sapiens cDNA
8219	17349	19154	1.97	1.0E-118	6325465	NT	Homo sapiens flap structure-specific endonuclease 1 (FEN1), mRNA
765	10005	19154	0.77	1.0E-119	AF170492.1	NT	Homo sapiens chloride channel CLCA4 (CLCA4) mRNA, complete cds
1044	11984	19420	1.98	1.0E-119	7705607	NT	Homo sapiens CGI-105 protein (LOC51011), mRNA
1802	11108	20301	2.49	1.0E-119	AB023147.1	NT	Homo sapiens mRNA for KIAA0930 protein, partial cds

Page 319 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3206	12440		0.74	1.0E-119	AA918760.1	EST_HUMAN	on10b05.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1556241 3' similar to WP.E04F8.2
3929	13145	22762	0.87	1.0E-119	4504116	NT	CE01214 ;
5357	14587	23684	2.81	1.0E-119	AU133399.1	EST_HUMAN	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
5365	14595	23672	10.86	1.0E-119	M89914.1	NT	AU133399 NT2RP4 Homo sapiens cDNA clone NT2RP4001891 5'
5368	14598	23678	3.46	1.0E-119	BE936121.1	EST_HUMAN	Human neurofibromin (NF1) gene, complete cds
5409	14637	23765	1.8	1.0E-119	AV693731.1	EST_HUMAN	RC1-NN0073-250800-018-g06 NN0073 Homo sapiens cDNA
5723	14941	24337	6.85	1.0E-119	AI150703.1	EST_HUMAN	AV693731 GKC Homo sapiens cDNA clone GKGDH03 5'
5852	15070	24480	2.4	1.0E-119	X06282.1	NT	qb77c09.x1 Soares fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1706128 3' similar to
5858	15076	24489	4.25	1.0E-119	AW974183.1	EST_HUMAN	SW:K1CJ_MOUSE P02535 KERATIN, TYPE I CYTOSKELETAL 10 ;
7150	16327	25810	3.05	1.0E-119	AA465124.1	EST_HUMAN	Human c-fes/fps proto-oncogene
7225	16402	25887	5.18	1.0E-119	AB032281.1	NT	EST1366298 MAGC resequences, MAGM Homo sapiens cDNA
7755	16951		11.08	1.0E-119	BF569571.1	EST_HUMAN	aa3205.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:814977 5'
8624	18291		7.48	1.0E-119	AW847519.1	EST_HUMAN	Homo sapiens Sed mRNA for stearoyl-CoA desaturase, complete cds
306	9579	18711	0.7	1.0E-120	4507334	NT	602186072F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310633 5'
1048	10274	19428	5.48	1.0E-120	AF248540.1	NT	RC3-CT0212-240998-011-f03 CT0212 Homo sapiens cDNA
1048	10274	19427	5.48	1.0E-120	AF248540.1	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
1429	10842	19813	3.03	1.0E-120	N44873.1	EST_HUMAN	Homo sapiens intersecin 2 (SH3D1B) mRNA, complete cds
1581	10784	19971	4.29	1.0E-120	AF167708.1	NT	Homo sapiens intersecin 2 (SH3D1B) mRNA, complete cds
1775	10985	20177	1.78	1.0E-120	4557250	NT	Y40g12.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:273768 5'
2077	11277	20493	1.44	1.0E-120	AB011398.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
2077	11277	20494	1.44	1.0E-120	AB011398.1	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
3278	9579	18711	0.95	1.0E-120	4507334	NT	Homo sapiens gene for AF-6, complete cds
4351	13553	22648	1.8	1.0E-120	AF058490.1	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
4351	13553	22649	1.8	1.0E-120	AF058490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4666	13860	22961	1.74	1.0E-120	AF098463.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
5179	14356		0.69	1.0E-120	BE298720.1	EST_HUMAN	Homo sapiens stanniocalcin (STC) gene, partial cds
5200	14378	23463	1.38	1.0E-120	AI904151.1	EST_HUMAN	Homo sapiens stanniocalcin (STC) gene, partial cds
5545	14769	24135	13.47	1.0E-120	BF568222.1	EST_HUMAN	600944362F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2860414 5'
5545	14769	24136	13.47	1.0E-120	BF568222.1	EST_HUMAN	CM-BT043-090299-075 BT043 Homo sapiens cDNA
6426	15623	25087	2.58	1.0E-120	Y00087.1	NT	602183994F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300174 5'
6426	15623	25088	2.58	1.0E-120	Y00087.1	NT	602183994F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300174 5'
							Human gene for neurofilament subunit M (NF-M)
							Human gene for neurofilament subunit M (NF-M)

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6573	15768	25232	2.76	1.0E-120	BF337599.1	EST_HUMAN	602035352F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4183333 5'
6603	15788	25256	2.72	1.0E-120	AB007984.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0495
6803	15798	25257	2.72	1.0E-120	AB007984.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0495
6911	16098	25565	6.03	1.0E-120	BE392102.1	EST_HUMAN	601307739F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3825544 5'
6911	16098	25566	6.03	1.0E-120	BE392102.1	EST_HUMAN	601307739F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3825544 5'
7000	16178	25649	3.59	1.0E-120	BF306541.1	EST_HUMAN	601888956F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122878 5'
7004	16182	25655	12.1	1.0E-120	AU133205.1	EST_HUMAN	AU133205 NT2RP4 Homo sapiens cDNA clone NT2RP4001541 5'
7089	16278	25758	2.56	1.0E-120	AB028000.1	NT	Homo sapiens mRNA for KIAA1077 protein, partial cds
7686	16885	26383	10.02	1.0E-120	BE268387.1	EST_HUMAN	601176727F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532015 5'
7884	17100	26630	1.7	1.0E-120	BE867619.1	EST_HUMAN	601443135F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847281 5'
7884	17100	26631	1.7	1.0E-120	BE867619.1	EST_HUMAN	601443135F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847281 5'
8782	17711	23957	1.24	1.0E-120	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
73	9367	18495	1.62	1.0E-121	Y18000.1	NT	Homo sapiens NF2 gene
383	9847	18782	1.32	1.0E-121	AU134963.1	EST_HUMAN	AU134963 PLACET Homo sapiens cDNA clone PLACE1000899 5'
731	11875	18111	1.23	1.0E-121	5032192	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA
1935	11139	20335	0.96	1.0E-121	4755139	NT	Homo sapiens inositol polyphosphate-4-phosphatase, type I, 107KD (INPP4A), splice variant a, mRNA
1935	11139	20336	0.96	1.0E-121	4755139	NT	Homo sapiens inositol polyphosphate-4-phosphatase, type I, 107KD (INPP4A), splice variant a, mRNA
2072	11272	20487	1.12	1.0E-121	L76831.1	NT	Homo sapiens metabotropic glutamate receptor 1 beta (mGluR1beta) mRNA, complete cds
2540	11728	20945	1.42	1.0E-121	BF344378.1	EST_HUMAN	602014759F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4150286 5'
2540	11728	20946	1.42	1.0E-121	BF344378.1	EST_HUMAN	602014759F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4150286 5'
3046	12282	21409	4.6	1.0E-121	Y19208.1	NT	Homo sapiens hHB3 gene for hair keratin, exons 1 to 9
3046	12282	21410	4.5	1.0E-121	Y19208.1	NT	Homo sapiens hHB3 gene for hair keratin, exons 1 to 9
3510	12734	21872	1	1.0E-121	AB037758.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3510	12734	21873	1	1.0E-121	AB037758.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3657	12878	21998	8.82	1.0E-121	AF155156.2	NT	Homo sapiens adaptor-related protein complex AP-4 epsilon subunit mRNA, complete cds
3704	12924	22043	0.74	1.0E-121	AB04151.1	EST_HUMAN	CM-B1043-090299-075 BT043 Homo sapiens cDNA
4322	13523	22618	15.63	1.0E-121	AF263284.1	EST_HUMAN	q657601.x1 NCI_CGAP_Pen1 Homo sapiens cDNA clone IMAGE:2005417 3'
4988	14183	23271	3.41	1.0E-121	X91837.1	NT	H. sapiens ECE-1 gene (exon 17)
5138	14318	23409	1.18	1.0E-121	AB04151.1	EST_HUMAN	CM-B1043-090299-075 BT043 Homo sapiens cDNA
6437	15634	25089	2.46	1.0E-121	11438217	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 2 (GABRA2), mRNA
6438	15635	25100	2.34	1.0E-121	D84122.1	NT	Homo sapiens DNA for prostacyclin synthase, exon 8
6438	15635	25101	2.34	1.0E-121	D84122.1	NT	Homo sapiens DNA for prostacyclin synthase, exon 8

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7357	16573	26065	3.21	1.0E-121	11427788	NT	Homo sapiens COX11 (yeast) homolog, cytochrome c oxidase assembly protein (COX11), mRNA
7364	16580	26071	2.22	1.0E-121	AF064200.1	NT	Homo sapiens UDP-glucuronosyltransferase 2B4 precursor (UGT2B4) mRNA, UGT2B4*E458 allele, complete cds
7540	16745	26239	4.58	1.0E-121	7303034	NT	Homo sapiens chloride intracellular channel 4-like (CLIC4L), mRNA
7587	16772	26264	1.92	1.0E-121	N59624.1	EST_HUMAN	W74c01.s1 Soares fetal liver spleen INFILS Homo sapiens cDNA clone IMAGE:248448 3'
272	9547	18676	1.18	1.0E-122	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
341	9609	18738	3.68	1.0E-122	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
363	9629	18761	1.23	1.0E-122	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
892	10127	19260	3.5	1.0E-122	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
1227	10445	19601	4.46	1.0E-122	M20707.1	NT	Human kappa-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
1668	10881	20065	3.77	1.0E-122	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1687	10899	20087	2.46	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1687	10899	20088	2.46	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1783	10993	20189	6.26	1.0E-122	BE906024.1	EST_HUMAN	601497032F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3899358 5'
2454	11645	20865	22.46	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125234 5'
2454	11645	20868	22.45	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125234 5'
2792	12032	21157	1.26	1.0E-122	AF264717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
4863	14051	23145	3.37	1.0E-122	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
5011	14188		1.3	1.0E-122	AW504845.1	EST_HUMAN	U1-HF-BNO-alle-03-Q-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079948 5'
5982	14700	24054	6.1	1.0E-122	BE256039.1	EST_HUMAN	601113567F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3354232 5'
8382	17453		3.75	1.0E-122	11418187	NT	Homo sapiens phosphomannomutase 1 (PMM1), mRNA
777	10018	19164	1.53	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4153670 5'
777	10018	19165	1.53	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4153670 5'
1020	10248	19399	6.17	1.0E-123	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
1029	10255	19408	3.73	1.0E-123	5903114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (MMT), mRNA
1245	10461	19621	4.94	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
1245	10461	19622	4.94	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
2069	11269	20483	2.16	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2069	11269	20484	2.16	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds

Page 322 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2069	11269	20485	2.16	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2281	11478		3.68	1.0E-123	7705982	NT	Homo sapiens RAB9-like protein (LOC51209), mRNA
5417	14045	23777	1.63	1.0E-123	L34219.1	NT	Homo sapiens retinaldehyde-binding protein (CRALBP) gene, complete cds
5417	14845	23778	1.63	1.0E-123	L34219.1	NT	Homo sapiens retinaldehyde-binding protein (CRALBP) gene, complete cds
5857	15075	24488	1.97	1.0E-123	AU118435.1	EST_HUMAN	AU118435 HEMBA1 Homo sapiens cDNA clone HEMBA1003591 5'
6357	15537	24991	1.92	1.0E-123	BE283001.1	EST_HUMAN	60115281F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3509162 5'
6870	16082	25580	3.52	1.0E-123	AB007923.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
6812	16100	25587	31.08	1.0E-123	U09823.1	NT	Oryctolagus cuniculus New Zealand white elongation factor 1 alpha (Rabefla2) mRNA, complete cds
8211	17342	26881	5.75	1.0E-123	BF677292.1	EST_HUMAN	60208678F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4250879 5'
8211	17342	26882	5.75	1.0E-123	BF677292.1	EST_HUMAN	60208678F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4250879 5'
273	9548	18677	1.3	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
273	9548	18678	1.3	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
279	9554		1.47	1.0E-124	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
482	9745	18876	2.98	1.0E-124	AL183246.2	NT	Homo sapiens chromosome 21 segment HS21C048
698	9940	19073	4.88	1.0E-124	AA397551.1	EST_HUMAN	z81b04.r1 Stragene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
698	9940	19074	4.88	1.0E-124	AA397551.1	EST_HUMAN	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT) ;
766	10006	19155	6.95	1.0E-124	AF155654.1	NT	z81b04.r1 Stragene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
818	10056	19208	1.35	1.0E-124	4507500	NT	Human putative ribosomal protein S1 mRNA
914	10149	19309	1.78	1.0E-124	7705448	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
1354	10569	19733	7.35	1.0E-124	AF274892.1	NT	Homo sapiens hypothetical protein (HSPC088), mRNA
1354	10569	19734	7.35	1.0E-124	AF274892.1	NT	Homo sapiens glucose transporter 3 gene, exons 8, 10, and complete cds
1784	10984	20100	4.41	1.0E-124	AJ131712.1	NT	Homo sapiens glucose transporter 3 gene, exons 9, 10, and complete cds
2029	11230	20438	1.28	1.0E-124	BE876524.1	EST_HUMAN	Homo sapiens mRNA for nucleolar RNA-helicase (nolH1 gene)
2420	11611	20833	2.16	1.0E-124	AB024090.1	NT	601491715F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3893954 5'
3341	12570	21709	0.6	1.0E-124	4504116	NT	Homo sapiens gene for B120, exon 11
3465	12650	21826	0.73	1.0E-124	S78684.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
3465	12650	21827	0.73	1.0E-124	S78684.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNU8/BIR1) gene, exon
3628	12849	21868	3.42	1.0E-124	X13794.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNU8/BIR1) gene, exon
3878	13092	22208	0.7	1.0E-124	4507500	NT	H. sapiens lactate dehydrogenase B gene exon 1 and 2 (EC 1.1.1.27) (and joined CDS)
4044	13254	22356	0.6	1.0E-124	4504116	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4053	13263	22366	0.99	1.0E-124	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA

Page 323 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4757	13948	23049	1.91	1.0E-124	AB024059.1	NT	Homo sapiens gene for B120, exon 11
5327	14559	23631	9.25	1.0E-124	8922337	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
5609	14833	24208	6.87	1.0E-124	BF696135.1	EST_HUMAN	602124644F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4281635 5'
6094	15294	24727	3.05	1.0E-124	Y11717.1	NT	M. musculus mRNA for hoxa3 gene
6545	15741	25202	12.36	1.0E-124	4506654	NT	Homo sapiens ribosomal protein L5 (RPL5) mRNA
6909	16097	25563	2.65	1.0E-124	AV645633.1	EST_HUMAN	AV645633 GLC Homo sapiens cDNA clone GLCACE04 3'
6909	16097	25564	2.65	1.0E-124	AV645633.1	EST_HUMAN	AV645633 GLC Homo sapiens cDNA clone GLCACE04 3'
6967	16145	25615	9.53	1.0E-124	AI767133.1	EST_HUMAN	w93f02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400891 3'
6967	16145	25616	9.53	1.0E-124	AI767133.1	EST_HUMAN	w93f02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400891 3'
7877	17065	26589	3.49	1.0E-124	AW665663.1	EST_HUMAN	h105c06.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2980906 3'
8008	16443	25932	3.27	1.0E-124	AI446455.1	EST_HUMAN	h119e03.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141980 3' similar to TR:O31662 O31662 YKRS PROTEIN.;
8008	16443	25933	3.27	1.0E-124	AI446455.1	EST_HUMAN	h119e03.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141980 3' similar to TR:O31662 O31662 YKRS PROTEIN.;
8437	9940	19073	5.82	1.0E-124	AA397551.1	EST_HUMAN	z181b04.r1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482 G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT);
8437	9940	19074	5.82	1.0E-124	AA397551.1	EST_HUMAN	z181b04.r1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482 G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT);
8895	17789	23922	1.72	1.0E-124	AB029016.1	NT	Homo sapiens mRNA for KIAA1093 protein, partial cds
9164	18238	23704	1.62	1.0E-124	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9164	18238	23705	1.62	1.0E-124	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
153	9435	18569	3.63	1.0E-125	BE219510.1	EST_HUMAN	h159a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3177686 3' similar to TR:Q25058 Q25058 FIBROPELLEIN IA;
153	9435	18570	3.63	1.0E-125	BE219510.1	EST_HUMAN	h159a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3177686 3' similar to TR:Q25058 Q25058 FIBROPELLEIN IA;
324	9595		9.19	1.0E-125	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
432	9297	18399	5.96	1.0E-125	BE743922.1	EST_HUMAN	601577981F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926685 5'
650	9896	19021	4.06	1.0E-125	AI110656.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
650	9896	19022	4.06	1.0E-125	AI110656.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
735	9976	19115	1.92	1.0E-125	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
870	10106	19268	1.99	1.0E-125	AA042813.1	EST_HUMAN	z153c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:K65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
1006	10237	19389	1.04	1.0E-125	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1162	10384	19534	1.97	1.0E-125	7662279	NT	Homo sapiens KIAA0744 gene product; histone deacetylase 7 (KIAA0744), mRNA

Page 324 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1780	10990	20185	2.74	1.0E-125	AF015450.1	NT	Homo sapiens Usurpin-alpha mRNA, complete cds
1780	10990	20186	2.74	1.0E-125	AF015450.1	NT	Homo sapiens Usurpin-alpha mRNA, complete cds
2326	11519	20739	4.04	1.0E-125	AA011278.1	EST_HUMAN	z101g09.11 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:429568 5'
2468	11659	20880	3.16	1.0E-125	AA042813.1	EST_HUMAN	zk53c07 s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2556	11743	20961	2.42	1.0E-125	4504696	NT	Homo sapiens inhibin, alpha (INH) mRNA
2556	11743	20962	2.42	1.0E-125	4504696	NT	Homo sapiens inhibin, alpha (INH) mRNA
2971	14464	21345	1.26	1.0E-125	BE018009.1	EST_HUMAN	bb74f06.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048131 5' similar to TR:Q95604 O95604
3841	13058	22173	1.21	1.0E-125	AA042813.1	EST_HUMAN	ZINC FINGER PROTEIN. ;
4547	13742	22842	2.2	1.0E-125	11425114	NT	zk53c07 s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
4547	13742	22843	2.2	1.0E-125	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
4619	13813	22903	1.18	1.0E-125	BE315412.1	EST_HUMAN	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
5056	9435	18569	1.71	1.0E-125	BE219510.1	EST_HUMAN	601141152F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140796 5'
5056	9435	18570	1.71	1.0E-125	BE219510.1	EST_HUMAN	hvs9a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3177686 3' similar to TR:Q25058 Q25058
5629	14853	24236	3.41	1.0E-125	BE892660.1	EST_HUMAN	FIBROPELLIN IA ;
5919	15136	24548	4.5	1.0E-125	BE562526.1	EST_HUMAN	hvs9a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3177686 3' similar to TR:Q25058 Q25058
5919	15136	24547	4.5	1.0E-125	BE562526.1	EST_HUMAN	FIBROPELLIN IA ;
6109	15203	24621	4.08	1.0E-125	X03427.1	NT	601433472F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918952 5'
6109	15203	24622	4.08	1.0E-125	X03427.1	NT	601335826F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3689790 5'
6812	16007	25468	12.48	1.0E-125	BE181640.1	EST_HUMAN	601335826F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3689790 5'
6812	16007	25469	12.48	1.0E-125	BE181640.1	EST_HUMAN	Homo sapiens IGF-II gene, exon 5
7274	16493	25985	3.47	1.0E-125	AF043458.1	NT	Homo sapiens IGF-II gene, exon 5
7696	16895	26404	4.49	1.0E-125	AB014587.1	NT	QV1-HT0638-070500-191-d12 HT0638 Homo sapiens cDNA
7837	17029	26545	1.76	1.0E-125	7689505	NT	QV1-HT0638-070500-191-d12 HT0638 Homo sapiens cDNA
7842	17034	26550	5.99	1.0E-125	AF026029.1	NT	QV1-HT0638-070500-191-d12 HT0638 Homo sapiens cDNA
7939	17079	26607	3.23	1.0E-125	AW812899.1	EST_HUMAN	Homo sapiens I-REL gene, exon 5
8035	17171	26709	5.52	1.0E-125	BE074287.1	EST_HUMAN	Homo sapiens mRNA for KIAA0667 protein, partial cds
8035	17171	26710	5.52	1.0E-125	BE074287.1	EST_HUMAN	Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA
783	10022	19172	1.06	1.0E-126	4758007	NT	Homo sapiens poly(A) binding protein II (PABP2) gene, complete cds
786	10025	19175	1.61	1.0E-126	M61936.1	NT	RC3-ST0186-250200-018-c11 ST0186 Homo sapiens cDNA

Page 325 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2313	11507	20728	1.65	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2313	11507	20728	1.65	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2557	11744	20963	6.17	1.0E-126	6382078	NT	Homo sapiens RAN binding protein 2 (RANBP2), mRNA
3037	12274	21403	11.07	1.0E-126	AA160709.1	EST_HUMAN	2072c03.r1 Stratagene pancreas (#637208) Homo sapiens cDNA clone IMAGE:592420 5'
3037	12274	21404	11.07	1.0E-126	AA160709.1	EST_HUMAN	2072c03.r1 Stratagene pancreas (#637208) Homo sapiens cDNA clone IMAGE:592420 5'
3607	12628	21948	0.94	1.0E-126	X53941.1	NT	H. sapiens DNA for liver cytochrome b5 pseudogene
3635	12858	21975	1.42	1.0E-126	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
4797	13988	23091	1.09	1.0E-126	AF101108.1	NT	Homo sapiens collagen type XI alpha-1 (COL11A1) gene, exon 63
4797	13988	23092	1.09	1.0E-126	AF101108.1	NT	Homo sapiens collagen type XI alpha-1 (COL11A1) gene, exon 63
4851	14040	23133	1.81	1.0E-126	N34078.1	EST_HUMAN	y678c06.r1 Soares melanocyte 2N6HM Homo sapiens cDNA clone IMAGE:267850 5'
5184	14360	23446	0.61	1.0E-126	BE743922.1	EST_HUMAN	601577981F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926885 5'
5767	14986	24386	4.09	1.0E-126	AA480075.1	EST_HUMAN	2x66c03.r1 Soares total_fetus Nb2HF8_9w Homo sapiens cDNA clone IMAGE:786444 5' similar to TR:G1145880 G1145880 TITIN;
5781	14989	24401	3.92	1.0E-126	AB040958.1	NT	Homo sapiens mRNA for KIAA1525 protein, partial cds
5781	14989	24402	3.92	1.0E-126	AB040958.1	NT	Homo sapiens mRNA for KIAA1525 protein, partial cds
8459	15658	25127	3.09	1.0E-126	X18609.1	NT	Human mRNA for arkyrim (variant 2.1)
7435	16844	26136	3.63	1.0E-126	BF683175.1	EST_HUMAN	602139138F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4298240 5'
8049	17185	26724	2.23	1.0E-126	BE261860.1	EST_HUMAN	601149404F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502129 5'
8933	14360	23446	5.06	1.0E-126	BE743922.1	EST_HUMAN	601577981F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926885 5'
175	9456	18588	7.09	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
175	9456	18589	7.09	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
178	9456	18588	6.74	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
178	9456	18589	6.74	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
278	9553	18685	1.51	1.0E-127	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
278	9553	18686	1.51	1.0E-127	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
891	10126	19289	0.9	1.0E-127	AF114498.1	NT	Homo sapiens intercalin short isoform (ITSN) mRNA, complete cds
928	10160	19318	1.07	1.0E-127	U72821.2	NT	Homo sapiens lost on transformation LOT1 mRNA, complete cds
1688	10879	20063	2.02	1.0E-127	4827053	NT	Homo sapiens ubiquitin specific protease 8 (USP8) mRNA
2033	11234	20441	2.82	1.0E-127	5803065	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2033	11234	20442	2.82	1.0E-127	5803065	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2166	11364	20583	85.3	1.0E-127	4506620	NT	Homo sapiens ribosomal protein L26 (RPL26) mRNA
2310	11504	20725	2.49	1.0E-127	AF245505.1	NT	Homo sapiens adipican mRNA, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2569	11754	20974	40.25	1.0E-127	X12891.1	NT	Human mRNA for cyokeratin 18
3870	12891	22012	0.63	1.0E-127	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3799	13017	22130	1.23	1.0E-127	AW161297.1	EST_HUMAN	au80606.V1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782594 5' similar to TR:Q15170 Q15170 TRANSCRIPTION FACTOR S-II-RELATED PROTEIN ;contains element MER22 repetitive element;
4094	13302	22402	0.68	1.0E-127	AF135188.1	NT	Homo sapiens delayed rectifier potassium channel subunit Isk mRNA, complete cds
4241	13444	22534	22.24	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4241	13444	22535	22.24	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4499	13697	22791	0.82	1.0E-127	AF252287.1	NT	Homo sapiens cytochrome P450 retnoid metabolizing protein P450RAL-2 mRNA, complete cds
4603	13797	22887	4.81	1.0E-127	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
4635	13829	22887	2.81	1.0E-127	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21G068
4876	13870	22869	0.96	1.0E-127	8912639	NT	Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
5186	14362	23447	0.88	1.0E-127	AF105999.1	NT	Homo sapiens acetylcholine receptor epsilon subunit (CHRNAE) gene, complete cds
5186	14362	23448	0.88	1.0E-127	AF105999.1	NT	Homo sapiens acetylcholine receptor epsilon subunit (CHRNAE) gene, complete cds
5186	14362	23449	0.88	1.0E-127	AF105999.1	NT	Homo sapiens acetylcholine receptor epsilon subunit (CHRNAE) gene, complete cds
5539	14763	24130	2.03	1.0E-127	W03547.1	EST_HUMAN	z801610.11 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:291258 5' similar to SW:PIP8_RAT P10688 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1;
5573	14797	24171	4.34	1.0E-127	X85784.1	NT	H.sapiens NOS2 gene, exon 6
5737	14956	24355	2.24	1.0E-127	X84060.1	NT	H.sapiens TCF11 gene, exon 3-6
5788	15015	24418	6.1	1.0E-127	4504778	NT	Homo sapiens integrin, beta 8 (ITGB8) mRNA
6978	16156	25627	4.37	1.0E-127	AF274863.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
6978	16156	25628	4.37	1.0E-127	AF274863.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
7178	16356	25834	3.58	1.0E-127	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
7718	16917	26424	6.51	1.0E-127	11417339	NT	Homo sapiens similar to heat shock 70kD protein 0B (mortalin-2) (H. sapiens) (LOC63184), mRNA
7718	16917	26425	6.51	1.0E-127	11417339	NT	Homo sapiens similar to heat shock 70kD protein 0B (mortalin-2) (H. sapiens) (LOC63184), mRNA
8146	17278	26822	1.83	1.0E-127	BE895415.1	EST_HUMAN	601434784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918917 5'
8146	17278	26823	1.83	1.0E-127	BE895415.1	EST_HUMAN	601434784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918917 5'
8074	9456	18588	3.11	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
8074	9456	18589	3.11	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
8884	17779	23945	1.58	1.0E-127	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
468	9719	18851	3.7	1.0E-128	BE3865617.1	EST_HUMAN	601278127F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618822 5'

Page 327 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2038	11239	20446	30.04	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2038	11239	20447	30.04	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2178	11373	20595	153.58	1.0E-128	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
2408	11600		6.88	1.0E-128	11437455	NT	Homo sapiens chromatin-specific transcription elongation factor, 140 kDa subunit (FACTP140), mRNA
3371	12599	21735	1.23	1.0E-128	AB033073.1	NT	Homo sapiens mRNA for KIAA1247 protein, partial cds
4687	13861	22962	4.92	1.0E-128	11426873	NT	Homo sapiens prospero-related homeobox 1 (PROX1), mRNA
5835	15052	24459	1.84	1.0E-128	11420965	NT	Homo sapiens phosphodiesterase 1C, calmodulin-dependent (70K0) (PDE1C), mRNA
6056	15225	24844	6.7	1.0E-128	BF224345.1	EST_HUMAN	7488510.X1 NCJ CGAP_Lu24 Homo sapiens cDNA clone IMAGE: 3
7120	16287	25779	3.35	1.0E-128	AA639188.1	EST_HUMAN	ns04a11.1 NCJ CGAP_Ew1 Homo sapiens cDNA clone IMAGE:1182620 similar to TR:G951338 G951338 CHROMOSOME SEGREGATION GENE HOMOLOG CAS.:
7288	16517	28008	5.1	1.0E-128	11425254	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2D (GRIN2D), mRNA
7308	16524	26015	8.5	1.0E-128	AA928959.1	EST_HUMAN	om88h08.s1 NCJ CGAP_GG4 Homo sapiens cDNA clone IMAGE:1552383 3' similar to gb:X54941 CYCLIN-DEPENDENT KINASES REGULATORY SUBUNIT 1 (HUMAN);
8533	17559		5.07	1.0E-128	AW955290.1	EST_HUMAN	EST387360 MAGE resequences, MAGC Homo sapiens cDNA
419	8672	18814	0.67	1.0E-128	S37722.1	NT	Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1019 nt, segment 2 of 4]
1693	10805	20091	3.35	1.0E-129	AL096880.1	NT	Novel human mRNA containing Zinc finger C2H2 type domains
1698	10910	20096	1.46	1.0E-128	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1698	10910	20097	1.46	1.0E-128	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1813	11021	20214	2.67	1.0E-129	11418522	NT	Homo sapiens zinc finger protein 78 (expressed in testis) (ZNF78), mRNA
3092	12328	21451	1.51	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
3092	12328	21452	1.51	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
3092	12328	21453	1.51	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
4148	13352	22454	2.08	1.0E-129	AB040892.1	NT	Homo sapiens mRNA for KIAA1459 protein, partial cds
4265	13468	22559	2.19	1.0E-129	AW755254.1	EST_HUMAN	CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151835 similar to CMYA5
4265	13468	22560	2.19	1.0E-129	AW755254.1	EST_HUMAN	Cardiomyopathy associated gene 5
5704	14923	24316	4.43	1.0E-129	AJ006345.1	NT	Homo sapiens KVLQT1 gene
6130	15314	24748	4.22	1.0E-129	AJ006345.1	NT	Homo sapiens KVLQT1 gene
6161	15344	24781	9.49	1.0E-129	11420850	NT	Homo sapiens similar to ribosomal protein S28 (H. sapiens) (LOC63694), mRNA
6567	15763		6.3	1.0E-129	AB014534.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds

Page 328 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7776	16971	26484	3.53	1.0E-129	AA625526.1	EST_HUMAN	af7207.r1 Soares_NHIMPu_S1 Homo sapiens cDNA clone IMAGE:1047589 5'
7845	15344	24781	10.01	1.0E-129	11420850	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC63694), mRNA
8520	17551		4.44	1.0E-129	H83155.1	EST_HUMAN	y49d05.r1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:189112 5' similar to
8925	17808		1.73	1.0E-129	AL120739.1	EST_HUMAN	SP:B48150 B48150 HP-25-HIBERNATION-RELATED PROTEIN - TAMIAS ASIATICUS=ASIAN ;
78	9370	18499	3.47	1.0E-130	7705530	NT	DKFZp762K171.r1 762 (synonym: hma2) Homo sapiens cDNA clone DKFZp762K171 5'
1178	10399	19552	0.7	1.0E-130	AB037835.1	NT	Homo sapiens hypothetical protein (HSPC242), mRNA
1642	10856	20037	36.76	1.0E-130	BE275192.1	EST_HUMAN	Homo sapiens mRNA for KIAA1414 protein, partial cds
1842	10856	20038	36.76	1.0E-130	BE275192.1	EST_HUMAN	Homo sapiens mRNA for KIAA1414 protein, partial cds
1952	11166		1.9	1.0E-130	X04092.1	NT	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346386 5'
2726	11905		6.45	1.0E-130	AJ010230.1	NT	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346386 5'
2832	12071	21192	1.26	1.0E-130	BE564219.1	EST_HUMAN	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346386 5'
2832	12071	21193	1.26	1.0E-130	BE564219.1	EST_HUMAN	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346386 5'
3553	12776	21905	1.13	1.0E-130	AF240698.1	NT	Human gene for catalase (EC 1.1.1.6) exon 9 mapping to chromosome 11, band p13
3750	12071	21192	5.98	1.0E-130	BE564219.1	EST_HUMAN	Homo sapiens RET finger protein-like 1 antisense transcript, partial
3750	12071	21193	5.98	1.0E-130	BE564219.1	EST_HUMAN	Homo sapiens RET finger protein-like 1 antisense transcript, partial
3910	13126	22243	1.57	1.0E-130	AW503580.1	NT	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
4048	13258	22381	0.97	1.0E-130	M97710.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
4535	13731	22828	8.08	1.0E-130	AW643963.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
5127	14306	23396	1.16	1.0E-130	AW363299.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
5127	14306	23397	1.16	1.0E-130	AW363299.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
6187	15369	24809	2.09	1.0E-130	11416777	NT	UI-HF-BND-ely-9-06-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078731 5'
6832	16026	25492	2.38	1.0E-130	AB037758.1	NT	Human T-cell receptor (V alpha 22.1, J alpha RPM14265-variant, C alpha 1) mRNA
4	9301	18403	2.48	0.0E+00	AA228126.1	EST_HUMAN	CM4-CN0045-180200-511-f02 CN0045 Homo sapiens cDNA
4	9301	18404	2.48	0.0E+00	AA228126.1	EST_HUMAN	RC0-CT0318-201169-031-a11 CT0318 Homo sapiens cDNA
7	9303	18407	1.29	0.0E+00	4985136	NT	RC0-CT0318-201169-031-a11 CT0318 Homo sapiens cDNA
15	9311	18413	0.72	0.0E+00	8923349	NT	Homo sapiens solute carrier family 9 (neurotransmitter transporter, L-proline), member 7 (SLC8A7), mRNA
15	9311	18414	0.72	0.0E+00	8923349	NT	Homo sapiens mRNA for KIAA1335 protein, partial cds
22	9318	18421	3.45	0.0E+00	D83327.1	NT	Homo sapiens mRNA for KIAA1335 protein, partial cds
22	9318	18422	3.45	0.0E+00	D83327.1	NT	Homo sapiens mRNA for KIAA1335 protein, partial cds
28	9324	18427	23.31	0.0E+00	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds

Page 329 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
38	9332	18437	2.44	0.0E+00	5802987	NT	Homo sapiens Cdc42 effector protein 2 (CEP2), mRNA
38	9334	18440	0.64	0.0E+00	M58800.1	NT	Human heparin cofactor II (HCF2) gene, exons 1 through 5
42	9338	18445	5.64	0.0E+00	6857825	NT	Homo sapiens RNA-binding protein S1, serine-rich domain (RNPS1), mRNA
59	9355	18472	2.5	0.0E+00	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
59	9355	18473	2.5	0.0E+00	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
61	9357	18477	1.28	0.0E+00	D78804.1	EST_HUMAN	HUM516H08B Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516H08 5'
61	9357	18478	1.28	0.0E+00	D78804.1	EST_HUMAN	HUM516H08B Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516H08 5'
62	9358	18479	27.64	0.0E+00	L16558.1	NT	Human ribosomal protein L7 (RPL7) mRNA, complete cds
64	9360	18482	8.6	0.0E+00	AW069534.1	EST_HUMAN	cr48e07.x1 Jia bone marrow stroma Homo sapiens cDNA clone HBMS.C.cr48e07 3'
64	9360	18483	8.6	0.0E+00	AW069534.1	EST_HUMAN	cr48e07.x1 Jia bone marrow stroma Homo sapiens cDNA clone HBMS.C.cr48e07 3'
75	9369	18497	0.73	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
75	9369	18498	0.73	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
78	9369	18497	0.62	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
78	9369	18498	0.62	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
81	9374	18504	0.87	0.0E+00	4501850	NT	Homo sapiens amiloride binding protein 1 (amiline oxidase (copper-containing)) (ABP1), nuclear gene encoding mitochondrial protein, mRNA
82	9375	18504	33.19	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
91	9384	18513	39.94	0.0E+00	5016088	NT	Homo sapiens actin, beta (ACTB) mRNA
94	9387	18516	25.33	0.0E+00	U89277.1	NT	Human polyhomeotic 1 homolog (HPH1) mRNA, partial cds
101	9394	18523	1.41	0.0E+00	A1114743.1	EST_HUMAN	HA1347 Human fetal liver cDNA library Homo sapiens cDNA
102	9395	18524	1.65	0.0E+00	AB037784.1	NT	Homo sapiens mRNA for KIAA1363 protein, partial cds
107	9397	18527	0.88	0.0E+00	X01213.1	NT	H. sapiens next1 gene (exon 2)
116	9404	18533	2.12	0.0E+00	A1623701.1	EST_HUMAN	ts38b05.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2230833 3' similar to TR:Q89551 Q89551 MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR. ;
117	9404	18533	1.15	0.0E+00	A1623701.1	EST_HUMAN	ts38b05.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2230833 3' similar to TR:Q89551 Q89551 MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR. ;
118	11836	18534	2.65	0.0E+00	N36040.1	EST_HUMAN	yy01h08.r1 Soares melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:270017 5'
118	11836	18535	2.65	0.0E+00	N36040.1	EST_HUMAN	yy01h08.r1 Soares melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:270017 5'
128	9411	18545	4.14	0.0E+00	4505938	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA
128	9411	18546	4.14	0.0E+00	4505938	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA
137	9419	18553	1.13	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'
137	9419	18554	1.13	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'
158	9438	18554	34.89	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
160	9442	18575	2.05	0.0E+00	BF036881.1	EST_HUMAN	601490375F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863803 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
736	9977	19116	4.24	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
736	9977	19117	4.24	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
738	9979	19120	13.52	0.0E+00	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
744	9985	19128	2.08	0.0E+00	BE241577.1	EST_HUMAN	TCAAP1D0779 Pediatric acute myelogenous leukemia cell (FAB M1) Bcl-2/HGSC project=TCAA Homo sapiens cDNA clone TCAAP0779
764	10004	19152	1.52	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
764	10004	19153	1.52	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
767	10007	19158	1.76	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
767	10007	19157	1.76	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
770	10010	19158	1.02	0.0E+00	AB037760.1	NT	Homo sapiens mRNA for KIAA1339 protein, partial cds
771	10011	19159	2.04	0.0E+00	8912749	NT	Homo sapiens zinc finger protein 212 (ZNF212), mRNA
773	11977	19161	2.38	0.0E+00	D30812.1	NT	Homo sapiens mRNA for repressor protein, partial cds
774	10013	19162	2.79	0.0E+00	BE969735.1	EST_HUMAN	601445947F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
778	10017	19166	3.29	0.0E+00	R48915.1	EST_HUMAN	Y09908.1 Soares breast 2NBH8t Homo sapiens cDNA clone IMAGE:154046 5'
779	10018	19167	3	0.0E+00	5032086	NT	Homo sapiens splicing factor 3a, subunit 1, 120kD (SF3A1), mRNA
788	10027	19178	1.76	0.0E+00	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
791	10031	19180	3.24	0.0E+00	7681965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
802	10041	19192	0.95	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
802	10041	19193	0.95	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
807	10046	19197	2.72	0.0E+00	X89772.1	NT	H. sapiens mRNA for Interferon alpha/beta receptor (long form)
811	10050	19201	3.81	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
811	10050	19202	3.81	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
816	10054	19208	12.64	0.0E+00	5174478	NT	Homo sapiens pericentrin (PCNT) mRNA
817	10055		10.04	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
834	10072	19229	1.56	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
835	10073	19230	2.71	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
837	10075	19232	2.56	0.0E+00	4557686	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 1 (KCNE1) mRNA
843	10080	19238	1.38	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
843	10080	19239	1.38	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
844	10081	19240	0.85	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
849	10086	19245	1.3	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (50kD) (GABPA), mRNA
853	10089	19250	2.26	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
853	10089	19251	2.26	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
860	10086		1.51	0.0E+00	AF027153.1	NT	Homo sapiens sodium/myo-inositol cotransporter (SLC5A3) gene, complete cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
864	10100	19262	6.12	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
864	10100	19263	8.12	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
865	10101	19264	8.12	0.0E+00	4507182	NT	Homo sapiens SON DNA binding protein (SON) mRNA
866	10102	19265	3.01	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
867	10103	19266	9.06	0.0E+00	4508728	NT	Homo sapiens ribosomal protein S5 (RPS5) mRNA
871	10107	19269	1.67	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
871	10107	19270	1.67	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
872	10108	19271	2.32	0.0E+00	AA533272.1	EST_HUMAN	U66d07.s1 NCL_CGAP_P10 Homo sapiens cDNA clone IMAGE:997453
872	10108	19272	2.32	0.0E+00	AA533272.1	EST_HUMAN	U66d07.s1 NCL_CGAP_P10 Homo sapiens cDNA clone IMAGE:997453
873	10109		8.85	0.0E+00	BF677694.1	EST_HUMAN	602085578F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249915 5'
877	10113	19273	1.37	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
877	10113	19274	1.37	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
878	10114	19275	2.16	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
878	10114	19276	2.16	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
901	10136	19289	1.84	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
908	10143	19304	1.71	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
908	10143	19305	1.71	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
918	10163	19314	2.88	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
928	10162		38.57	0.0E+00	4504958	NT	Homo sapiens lamellipodin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
930	10162		32.73	0.0E+00	4504958	NT	Homo sapiens lamellipodin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
931	10184	19321	0.76	0.0E+00	AF089747.1	NT	Homo sapiens alpha-1-antitrypsin precursor, mRNA, partial cds
932	10185	19322	1.87	0.0E+00	L28101.1	NT	Homo sapiens kallistatin (P14) gene, exons 1-4, complete cds
958	10191	19345	1.41	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
959	10192	19346	8.37	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
960	10193	19347	0.63	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
961	10194	19348	1.68	0.0E+00	4507430	NT	Homo sapiens thymotrophic embryonic factor (TEF), mRNA
961	10194	19349	1.68	0.0E+00	4507430	NT	Homo sapiens thymotrophic embryonic factor (TEF), mRNA
969	11982	19356	2.74	0.0E+00	A1001948.1	EST_HUMAN	cs98e03.s1 NCL_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1813404 3'
969	11982	19357	2.74	0.0E+00	A1001948.1	EST_HUMAN	cs98e03.s1 NCL_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1813404 3'
971	10203	19359	7.12	0.0E+00	7657268	NT	Homo sapiens KIAA0929 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
982	10213	19369	2.97	0.0E+00	AB030568.1	NT	Homo sapiens mRNA for PSP24, complete cds
990	10221	19375	1.29	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA
990	10221	19376	1.29	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA

Page 337 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
990	10221	19377	1.29	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA
991	10222	19378	2.96	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
991	10222	19379	2.96	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
1000	10231	19386	2.42	0.0E+00	4757968	NT	Homo sapiens chromodomain protein, Y chromosome-like (CDYL) mRNA
1012	10242	19394	2.4	0.0E+00	U83668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1013	10243	19395	37.53	0.0E+00	U83668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1014	10243	19395	9.7	0.0E+00	U83668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1017	10246		13.45	0.0E+00	AF108490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1018	10246		12.78	0.0E+00	AF108490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1021	10249	19400	2.19	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1022	10249	19400	2.09	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1023	10249	19400	1.72	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1024	10250	19401	2.81	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1027	10253	19404	3.31	0.0E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1031	10257	19408	4.14	0.0E+00	5803114	NT	Homo sapiens inner membrane protein, mitochondrial (IMMT), mRNA
1033	10259		4.94	0.0E+00	AA456980.1	EST_HUMAN	aa85g07.61 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838236 3' similar to SW:PRS8 HUMAN P47210 28S PROTEASE REGULATORY SUBUNIT 8 ;
1036	10262	19413	0.95	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 51124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1036	10262	19414	0.95	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 51124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1037	10263	19415	2.06	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1037	10263	19416	2.06	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1040	10266		5.28	0.0E+00	8922633	NT	Homo sapiens hypothetical protein FLJ11186 (FLJ11186), mRNA
1054	10280	19431	9.66	0.0E+00	8922633	NT	Homo sapiens heat shock 70kD protein 98 (mortalin-2) (HSPA9B) mRNA
1072	10297	19446	2.84	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1072	10297	19447	2.84	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1076	10301	19451	7.53	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1076	10301	19452	7.53	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1077	10302	19453	88.63	0.0E+00	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
1079	10304		0.78	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1081	10306	19457	3.29	0.0E+00	5174394	NT	Homo sapiens alkylation repair, alkB homolog (ABH), mRNA
1080	10314	19468	10.32	0.0E+00	4758117	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1104	10328	19478	2.49	0.0E+00	BE005208.1	EST_HUMAN	MRO-BN0115-200300-003-h08 BN0115 Homo sapiens cDNA

Page 338 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1127	10351	19502	4.27	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1127	10351	19503	4.27	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1140	10363	19513	1.06	0.0E+00	4828947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1140	10363	19514	1.06	0.0E+00	4828947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1141	10384	19515	18.48	0.0E+00	4508712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1143	10366	19517	0.74	0.0E+00	8923280	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
1146	10369	19520	8.75	0.0E+00	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
1148	10371	19521	27.94	0.0E+00	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
1149	10372	19522	3.79	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1149	10372	19523	3.79	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1153	10375	19526	1.82	0.0E+00	7706500	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51729), mRNA
1154	10378	19527	0.63	0.0E+00	X95826.1	NT	H. sapiens ART4 gene
1154	10378	19528	0.63	0.0E+00	X95826.1	NT	H. sapiens ART4 gene
1155	10377	19528	0.79	0.0E+00	A1147650.1	EST_HUMAN	qb22d10.xt Soares_pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:1697011 3'
1157	10379	19531	1.09	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1164	10388	19537	2.81	0.0E+00	9966844	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
1176	10397	19550	2.31	0.0E+00	7305076	NT	Homo sapiens glutamate decarboxylase 1 (brain, 67kD) (GAD1), transcript variant GAD25, mRNA
1178	10400	19553	0.8	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1186	10407	19562	34.92	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1217	10435		1.33	0.0E+00	7657336	NT	Homo sapiens mult. (E. coli) homolog 3 (MLH3), mRNA
1230	10448	19604	1.02	0.0E+00	8922583	NT	Homo sapiens hypothetical protein FLJ10697 (FLJ10697), mRNA
1233	10451	19607	1.44	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1233	10451	19608	1.44	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1234	10452	19609	1.02	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1235	11988	19610	1.63	0.0E+00	AF264750.1	NT	Homo sapiens chromosome 3 subtelomeric region
1253	10459	19633	5.36	0.0E+00	AF108718.1	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
1254	10470	19634	1.58	0.0E+00	4503098	NT	Homo sapiens prefoldin 4 (PFDN4) mRNA
1264	10479	19640	1.06	0.0E+00	4505740	NT	Homo sapiens NF2 gene
1273	10488		2.95	0.0E+00	Y18000.1	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
1281	10496	19655	97.05	0.0E+00	4506718	NT	Homo sapiens Williams-Beuren syndrome deletion transcript 8 (WBSDEL) mRNA, complete cds
1288	10503	19664	3.96	0.0E+00	AF064478.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1294	10509	19668	3.05	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1294	10509	19669	3.05	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
162	9444		61.78	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
165	9447	18578	0.97	0.0E+00	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
167	9449	18579	0.94	0.0E+00	BE285973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529864 5'
168	9449	18579	0.75	0.0E+00	BE285973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529864 5'
169	9450	18580	3.95	0.0E+00	W73973.1	EST_HUMAN	zf62005.t1 Soares_feetal_NbHH19W Homo sapiens cDNA clone IMAGE:345201 5' similar to gb:X16282_cds1 ZINC FINGER PROTEIN CLONE 847 (HUMAN);
170	9451	18581	0.69	0.0E+00	BE162832.1	EST_HUMAN	QV3-HT0457-140200-088-d04 HT0457 Homo sapiens cDNA
171	9452	18583	2.33	0.0E+00	AF244088.1	NT	QV3-HT0457-140200-088-d04 HT0457 Homo sapiens cDNA
174	9455	18586	7.31	0.0E+00	AL163202.2	NT	Homo sapiens zinc finger protein mRNA, complete cds
174	9455	18587	7.31	0.0E+00	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
185	9464	18594	4.28	0.0E+00	BE018970.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C002
185	9464	18595	4.28	0.0E+00	BE018970.1	EST_HUMAN	bb24e12.y1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2863854 5' similar to WP:Y57A10A.Z
190	9469	18598	2.81	0.0E+00	AB018327.1	NT	CE22831.1
190	9469	18599	2.81	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
191	9470	18600	1.3	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
191	9470	18601	1.3	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
199	9479	18612	122.25	0.0E+00	D50659.1	NT	Human gamma-cytoplasmic actin (ACTGPF9) pseudogene
204	9484	18617	4.3	0.0E+00	AF273045.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
204	9484	18618	4.3	0.0E+00	AF273045.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
206	9488	18620	12.98	0.0E+00	AF167174.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
206	9488	18621	12.98	0.0E+00	AF167174.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
215	11992	18627	28.1	0.0E+00	A1587308.1	EST_HUMAN	Homo sapiens chromosome X MSL3-2 protein mRNA, complete cds
215	11992	18628	28.1	0.0E+00	A1587308.1	EST_HUMAN	tp04f08.x1 NCI_CGAP_Ut3 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb:J03191 PROFILIN I (HUMAN);
217	9496	18630	2	0.0E+00	AF195658.1	NT	tp04f08.x1 NCI_CGAP_Ut3 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb:J03191 PROFILIN I (HUMAN);
219	9498		35.28	0.0E+00	4506632	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
220	9499		11.09	0.0E+00	AF132000.1	NT	Homo sapiens ribosomal protein L31 (RPL31) mRNA
226	9505	18635	1.91	0.0E+00	AB018264.1	NT	Homo sapiens TADA1 protein mRNA, complete cds
227	9505	18635	1.98	0.0E+00	AB018264.1	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds
228	9506	18636	2.02	0.0E+00	6678444	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds
228	9506	18636	2.02	0.0E+00	6678444	NT	Mus musculus testis-specific protein, Y-encoded-like (Tspyl), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
242	9520	18651	6.91	0.0E+00	5453805	NT	Homo sapiens NS1-associated protein 1 (NSAP1) mRNA
244	9522		10.25	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
251	9527	18657	4.08	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
253	9529	18660	1.76	0.0E+00	X89772.1	NT	H. sapiens mRNA for Interferon alpha/beta receptor (long form)
261	9537		9.15	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
274	9549	18679	1.3	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
274	9549	18680	1.3	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
276	9551	18682	2.35	0.0E+00	7706028	NT	Homo sapiens hypothetical protein (LOC51250), mRNA
287	9561		1.27	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
288	9562	18695	3.32	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
288	9562	18698	3.32	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
289	9563		0.81	0.0E+00	AW845293.1	EST_HUMAN	IL2-CT0031-181189-020-803 GT0031 Homo sapiens cDNA
288	9571	18703	8.24	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNU16) mRNA
288	9571	18704	8.24	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNU16) mRNA
309	9582	18714	3.6	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
310	9583	18715	3.82	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
311	11965		14.42	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S5 (RPS5) mRNA
312	9584	18716	0.88	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminimidazole synthetase (GART) mRNA
313	9585		4.5	0.0E+00	AA480002.1	EST_HUMAN	z18c06.1 Soares_Nht-MP_u_S1 Homo sapiens cDNA clone IMAGE:753994 5'
314	9586	18717	21.53	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
315	9588	18717	17.61	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
319	9590	18721	1.63	0.0E+00	AF114488.1	NT	Homo sapiens intersechin short isoform (ITSN) mRNA, complete cds
332	9602	18730	1.09	0.0E+00	O14887	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
332	9602	18731	1.09	0.0E+00	O14887	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
333	9603	18732	3.8	0.0E+00		NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
334	9603	18732	2.51	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
349	9617	18744	1.88	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
350	9618	18745	1.11	0.0E+00	4505256	NT	Homo sapiens moesin (MSN), mRNA
353	9621	18749	22.13	0.0E+00	4827057	NT	Homo sapiens X-box binding protein 1 (XBP1) mRNA
356	9624	18754	1.89	0.0E+00	U71600.1	NT	Human zinc finger protein zfp31 (zfp31) mRNA, partial cds
361	9628	18758	2.54	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
361	9628	18758	2.54	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
362	11988	18760	4.02	0.0E+00	AF231819.1	NT	Homo sapiens chromosome 21 unknown mRNA
364	9630	18762	0.8	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
366	9633	18766	1.94	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60kD) (GABPA), mRNA
367	9634	18767	1.2	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
368	9634	18767	1	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
370	9636	18769	0.69	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
381	9645	18780	2.68	0.0E+00	AU134963.1	EST_HUMAN	AU134963 PLACE1 Homo sapiens cDNA clone PLACE1000899 5'
392	9688	18824	7.13	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
393	9687	18825	2.49	0.0E+00	AI363014.1	EST_HUMAN	qy61h05.x1 NC1_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2018457 3' similar to gb:X54189
397	9652	18787	2.84	0.0E+00	AW754180.1	EST_HUMAN	PHOSPHORIBOSYLAMINE--GLYCINE LIGASE (HUMAN);
400	9654	18790	12.1	0.0E+00	4503680	NT	RC2-C10320-300100-016-a09 CT0320 Homo sapiens cDNA
401	9655	18791	2.32	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
401	9655	18792	2.32	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
402	9656	18793	1.17	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
403	9657	18794	1.6	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
403	9657	18795	1.6	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
404	9658	18796	0.59	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
405	9659	18797	3.48	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
406	9660	18798	0.61	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
407	9661	18799	1.85	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
407	9661	18800	1.85	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
408	9661	18799	1.89	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
408	9661	18800	1.89	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
412	9665		51.35	0.0E+00	4506608	NT	Homo sapiens ribosomal protein L19 (RPL19) mRNA
426	9291	18393	1.21	0.0E+00	R17795.1	EST_HUMAN	yg09a02.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31652 5'
434	9688	18826	1.24	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylamidimidazole synthetase (GART) mRNA
435	9689		18.94	0.0E+00	450728	NT	Homo sapiens ribosomal protein S5 (RPS5) mRNA
436	9690	18827	7.31	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
437	9691	18828	4.64	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
437	9691	18829	4.64	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
438	9692	18830	3.52	0.0E+00	AF163607.1	NT	Mus musculus truncated SON protein (Son) mRNA, complete cds
450	9703		0.92	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001

Page 333 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
452	9705	18843	1.29	0.0E+00	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
457	9710		1.48	0.0E+00	AA324262.1	EST_HUMAN	EST27054 Cerebellum II Homo sapiens cDNA 5' end
458	9711		2.54	0.0E+00	BE254447.1	EST_HUMAN	60111520F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352348 5'
474	9727	18857	6.06	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
474	9727	18857	6.06	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
474	9732	18858	15.14	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
480	9732	18868	15.14	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
480	9732	18867	15.14	0.0E+00	4557887	NT	Homo sapiens chromosome 21 segment HS21C046
480	9743	18873	3.04	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
481	9744	18874	7.23	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
481	9744	18875	7.23	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
491	9744	18875	7.23	0.0E+00	AB033035.1	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
500	9752	18880	2.83	0.0E+00	AB033035.1	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
502	9754	18882	1.88	0.0E+00	AU132898.1	EST_HUMAN	AU132898 NT2RP4 Homo sapiens cDNA clone NT2RP4000837 5'
502	9754	18882	1.88	0.0E+00	AU132898.1	EST_HUMAN	AU132898 NT2RP4 Homo sapiens cDNA clone NT2RP4000837 5'
510	9762	18888	3.47	0.0E+00	BE385144.1	EST_HUMAN	60127405F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615756 5'
511	11969	18889	1.89	0.0E+00	AW698825.1	EST_HUMAN	PMO-DT0095-130400-002-c06 DT0065 Homo sapiens cDNA
514	9765	18891	1.14	0.0E+00	AL117233.1	NT	Novel human gene mapping to chromosome 1
515	9768	18892	1.09	0.0E+00	8923855	NT	Homo sapiens PC328 protein (PC328), mRNA
518	9769		0.75	0.0E+00	BF373403.1	EST_HUMAN	IL2-FT0159-070800-120-F07 FT0159 Homo sapiens cDNA
525	9776	18901	6.28	0.0E+00	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
532	11970	18905	1.5	0.0E+00	BE081527.1	EST_HUMAN	QV2-BT0635-160400-142-h05 BT0635 Homo sapiens cDNA
537	9788	18911	1.08	0.0E+00	BF028005.1	EST_HUMAN	601764859F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3986998 5'
543	9794	18918	1.13	0.0E+00	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
546	9797	18921	9.28	0.0E+00	4504036	NT	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TOEB1L) mRNA
547	9798	18922	4.75	0.0E+00	4504036	NT	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TOEB1L) mRNA
547	9798	18923	4.75	0.0E+00	4504036	NT	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TOEB1L) mRNA
549	9800	18925	1.77	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
550	9801	18928	1.44	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
550	9801	18927	1.44	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
555	9805		5.12	0.0E+00	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
563	9813	18936	1.42	0.0E+00	AW15324.1	EST_HUMAN	UI-H-B11-acb-h-04-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2713951 3'
573	9823		7.59	0.0E+00	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
583	9841	18961	3.94	0.0E+00	5174742	NT	Homo sapiens ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1 (UQCRCF1), nuclear gene encoding mitochondrial protein, mRNA
606	9853		5.9	0.0E+00	J04066.1	NT	Human apolipoprotein A-I (ApoA-I) gene, exon 1

Page 334 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
609	9856	18975	3.34	0.0E+00	BF104898.1	EST_HUMAN	601822627F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4045447 5'
615	9860	18979	1.28	0.0E+00	4501854	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
620	9865	18985	0.9	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
620	9865	18986	0.9	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
628	9873	18994	2.56	0.0E+00	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
630	9875	18997	0.93	0.0E+00	AB037807.1	NT	Homo sapiens mRNA for KIAA1386 protein, partial cds
632	9877	18998	1.99	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
633	9878	18999	2.11	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
633	9878	19000	2.11	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
634	9879	19001	0.94	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
634	9879	19002	0.94	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
641	9887	19012	1.32	0.0E+00	AA399486.1	EST_HUMAN	z680c07.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:726732 5'
645	9891	19016	12.08	0.0E+00	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
649	9895	19019	3.5	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
649	9895	19020	3.5	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
652	9898	19032	3.55	0.0E+00	4885528	NT	Homo sapiens novel SH2-containing protein 3 (NSP3) mRNA
659	9905	19032	2.48	0.0E+00	6008003	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2B (GRIN2B) mRNA
661	9907	19035	1.88	0.0E+00	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
664	9910	19039	1.49	0.0E+00	U05235.1	NT	Human neutral amino acid transporter (ASCT1) gene, exon 8
668	9914	19042	0.87	0.0E+00	AF108389.1	NT	Homo sapiens sodium/calcium exchanger isoform NaCa3 (NCX1) mRNA, complete cds
668	9914	19043	0.87	0.0E+00	AF108389.1	NT	Homo sapiens sodium/calcium exchanger isoform NaCa3 (NCX1) mRNA, complete cds
674	9919	19048	4.8	0.0E+00	4828947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
674	9919	19049	4.8	0.0E+00	4828947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
680	11973		1.26	0.0E+00	X57147.1	NT	Human endogenous retrovirus PHE.1 (ERV9)
689	9932	19063	17.16	0.0E+00	4504424	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 1 (HMG1) mRNA
694	9937	19067	4.7	0.0E+00	AB028012.1	NT	Homo sapiens mRNA for KIAA1089 protein, partial cds
704	9946	19082	3.3	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
716	9958	19096	106.67	0.0E+00	AA814537.1	EST_HUMAN	np49c01.s1 NCI_CGAP_Br1.1 Homo sapiens cDNA clone IMAGE:1128633 3' similar to gb:X57352 INTERFERON-INDUCIBLE PROTEIN 1-8U (HUMAN);
720	9962	19100	4.1	0.0E+00	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
720	9962	19101	4.1	0.0E+00	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
730	9972	19110	1.35	0.0E+00	5032192	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA

Page 339 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1307	10523	19882	2.46	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1307	10523	19883	2.46	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1307	10523	19884	2.46	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1308	10524		3.13	0.0E+00	AF098156.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 5
1318	11990	19898	1.32	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1318	11990	19897	1.32	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1323	10538	19702	1.51	0.0E+00	5803146	NT	Homo sapiens ring finger protein 9 (RNF9), mRNA
1324	10539	19703	2.45	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173) mRNA
1326	10541	19704	0.83	0.0E+00	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
1327	10542	19705	0.88	0.0E+00	5903146	NT	Homo sapiens ring finger protein 9 (RNF9), mRNA
1328	10543	19706	2.48	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173) mRNA
1330	10545	19708	4.21	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
1331	10546	19709	5.75	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1332	10547	19710	5.16	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1333	10548	19711	4.94	0.0E+00	8567387	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1333	10548	19712	4.94	0.0E+00	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
1345	10559	19725	2.1	0.0E+00	M14123.1	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
1402	10616	19780	1.83	0.0E+00	BE257955.1	EST_HUMAN	Human endogenous retrovirus HERV-K10
1402	10616	19781	1.83	0.0E+00	BE257955.1	EST_HUMAN	601109792F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350471 5'
1412	10625	19781	1.3	0.0E+00	AJ250014.1	NT	601109792F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350471 5'
1421	10634	19803	0.91	0.0E+00	AI208756.1	EST_HUMAN	Homo sapiens mRNA for Familial Oylndromatosis cyd gene
1422	10635	19804	44.87	0.0E+00	6042206	NT	qg38506.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1837427 3' similar to WP:127A1.5
1431	10644	19816	2.73	0.0E+00	7705565	NT	CE14213
1431	10644	19817	2.73	0.0E+00	7705565	NT	RAN, member RAS oncogene family/Homo sapiens RAN, member RAS oncogene family (RAN), mRNA
1431	10648	19818	7.39	0.0E+00	AJ238093.1	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1443	10655	19829	3.3	0.0E+00	AF038280.1	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1459	10672	19844	3.25	0.0E+00	AL132999.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
1463	10676	19849	2.09	0.0E+00	D87077.1	NT	Homo sapiens alpha1-6fucosyltransferase (alpha1-6fucT) gene, exon 7
1466	10679	19852	9.32	0.0E+00	6812457	NT	Novel human gene on chromosome 20
1468	10681	19854	2.31	0.0E+00	7661965	NT	Human mRNA for KIAA0240 gene, partial cds
1468	10681	19855	2.31	0.0E+00	7661965	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1500	10713	19885	1.19	0.0E+00	7708434	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
							Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
							Homo sapiens hHDC for homolog of Drosophila headcase (LOC51698), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1512	10726	18988	3.05	0.0E+00	AA481172.1	EST_HUMAN	aa34603.1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:815116 5'
1518	10732	18901	111.38	0.0E+00	AF023860.1	NT	Carcopithecus aethiops cyclophilin A mRNA, complete cds
1518	10732	18902	111.38	0.0E+00	AF023860.1	NT	Carcopithecus aethiops cyclophilin A mRNA, complete cds
1520	10734	18905	1.22	0.0E+00	AW976097.1	EST_HUMAN	EST388208 MAGE resequences, MAGN Homo sapiens cDNA
1520	10734	18908	1.22	0.0E+00	AW976097.1	EST_HUMAN	EST388208 MAGE resequences, MAGN Homo sapiens cDNA
1521	10735	18907	1.09	0.0E+00	D10884.1	NT	Bovine mRNA for neurocalcin
1523	10737		4.77	0.0E+00	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
1524	10738	18910	5.07	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1524	10738	18911	5.07	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1525	10739	18912	2.82	0.0E+00	7662405	NT	Homo sapiens KIAA0857 protein (KIAA0857), mRNA
1526	10740		6.07	0.0E+00	7668972	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
1531	10745	18918	3.68	0.0E+00	M88478.1	NT	Human transglutaminase mRNA, complete cds
1533	10747	18919	0.95	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1533	10747	18920	0.95	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1534	11997		72.34	0.0E+00	4506654	NT	Homo sapiens ribosomal protein L5 (RPL5) mRNA
1535	10748	18921	74.58	0.0E+00	M14169.1	NT	Human laminin receptor (2H5 epitope) mRNA, 5' end
1545	10759	18932	13.15	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
1551	10785		2.44	0.0E+00	D00333.1	NT	human c-yes-2 gene
1559	10773	18946	8.95	0.0E+00	Z83738.1	NT	H. sapiens HH2B/e gene
1560	10774	18947	2.11	0.0E+00	5921480	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1560	10774	18948	2.11	0.0E+00	5921480	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1561	10775	18949	9.8	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKC Homo sapiens cDNA clone GKCB0F02 5'
1561	10775	18950	9.8	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKC Homo sapiens cDNA clone GKCB0F02 5'
1564	11998	18953	3.17	0.0E+00	AB040905.1	NT	Homo sapiens mRNA for KIAA1472 protein, partial cds
1568	10781	18954	1.39	0.0E+00	AF157478.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1570	10783	18957	3.7	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1570	10783	18958	3.7	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1572	10785	18959	43.92	0.0E+00	5729878	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1572	10785	18960	43.92	0.0E+00	5729878	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1574	10787	18962	1.25	0.0E+00	M81803.1	NT	Human sodium channel mRNA
1588	10801	18977	8.91	0.0E+00	H26973.1	EST_HUMAN	yo76c05.s1 Soares adult brain N2b-HB55Y Homo sapiens cDNA clone IMAGE:183848 3'
1598	10810	18987	9.48	0.0E+00	AB046828.1	NT	Homo sapiens mRNA for KIAA1608 protein, partial cds
1598	10810	18988	9.48	0.0E+00	AB046828.1	NT	Homo sapiens mRNA for KIAA1608 protein, partial cds

Page 341 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1615	10828	20003	1.26	0.0E+00	AW444637.1	EST_HUMAN	UI-H-B13-ajw-c-04.0-UI.61 NCL_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733294 3'
1640	10854	20034	1.25	0.0E+00	BE144364.1	EST_HUMAN	MRO-HT0166-191199-004-b11 HT0166 Homo sapiens cDNA
1640	10854	20035	1.25	0.0E+00	BE144364.1	EST_HUMAN	MRO-HT0166-191199-004-b11 HT0166 Homo sapiens cDNA
1644	10858	20039	13.17	0.0E+00	AI768104.1	EST_HUMAN	wg81b07.x1 Soares NSF F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371477 3' similar to TR:Q62788 Q62788 CYS2/HIS2 ZINC FINGER PROTEIN.;
1645	10859	20040	3.17	0.0E+00	AF037177.1	NT	Homo sapiens T-cell receptor gamma V1 gene region
1648	10862	20043	2.18	0.0E+00	M29580.1	NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1648	10862	20044	2.18	0.0E+00	M29580.1	NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1650	10864	20048	39.38	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1651	10865	20047	1.68	0.0E+00	7657085	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
1655	10869	20050	1	0.0E+00	BE222374.1	EST_HUMAN	hu11d05.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:O95147 O95147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1655	10869	20051	1	0.0E+00	BE222374.1	EST_HUMAN	hu11d05.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:O95147 O95147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1657	10870	20053	1.59	0.0E+00	4557610	NT	Homo sapiens gamma-aminobutylic acid (GABA) A receptor, gamma 2 (GABRG2) mRNA
1660	10873	20058	4.91	0.0E+00	H30132.1	EST_HUMAN	yo59e08.r1 Soares breast 3NBHst Homo sapiens cDNA clone IMAGE:182248 5' similar to gb:164099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);
1660	10873	20057	4.61	0.0E+00	H30132.1	EST_HUMAN	yo59e08.r1 Soares breast 3NBHst Homo sapiens cDNA clone IMAGE:182248 5' similar to gb:164099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);
1662	10875	20059	5.52	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
1665	10878	20060	17.97	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
1674	10886	20072	5.65	0.0E+00	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1677	10889	20075	1	0.0E+00	8923841	NT	Homo sapiens FOXJ2 forhead factor (LOC555810), mRNA
1682	10894	20082	2.52	0.0E+00	5453855	NT	Homo sapiens pericentridar material 1 (PCM1) mRNA
1688	10900	20089	5.88	0.0E+00	4826973	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1690	10902	20098	2.24	0.0E+00	AB028542.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds
1699	10911	20098	1.48	0.0E+00	S94400.1	NT	TCR zeta [human, Genomic]mRNA, 365 nt, segment 1 of 8]
1718	10930	20115	2.86	0.0E+00	4557538	NT	Homo sapiens solute carrier family 28 (sulfate transporter), member 2 (SLC28A2) mRNA
1755	12001		57.99	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
1759	10970	20155	1.64	0.0E+00	4508718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
1759	10970	20158	1.64	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1761	10972	20159	2.04	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1764	12002	20163	6.71	0.0E+00	U63963.1	NT	Human CSF-1 receptor (FMS) gene, complete cds, and (SMF) gene, partial cds
					4505332	NT	Homo sapiens nuclear autoantigenic sperm protein (histone-binding) (NASP) mRNA

Page 342 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1765	10975	20184	1.37	0.0E+00	AA113030.1	EST_HUMAN	z165c09.s1 Strategene HeLa cell c3 837218 Homo sapiens cDNA clone IMAGE:583086 3'
1776	10988	20178	19.75	0.0E+00	U14987.1	NT	Human ribosomal protein L21 mRNA, complete cds
1778	10988	20181	16.16	0.0E+00	AB002331.1	NT	Human mRNA for KIAA0333 gene, partial cds
1779	10989	20182	14.48	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1779	10989	20183	14.48	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1779	10989	20184	14.48	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1802	11011	20203	7.84	0.0E+00	6005855	NT	Homo sapiens Retine-derived POU-domain factor-1 (RPF-1), mRNA
1802	11011	20204	7.84	0.0E+00	6005855	NT	Homo sapiens Retine-derived POU-domain factor-1 (RPF-1), mRNA
1811	11020	20212	1.4	0.0E+00	AB032878.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds
1811	11020	20213	1.4	0.0E+00	AB032878.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds
1815	11023	20215	3.22	0.0E+00	4828783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
1815	11023	20216	3.22	0.0E+00	4828783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
1816	11024	20217	7.42	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1816	11024	20218	7.42	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1819	11027	20221	1.23	0.0E+00	AW207280.1	EST_HUMAN	U1H-B11-afn-1-07-0-J1.s1 NCI CGAP Sub3 Homo sapiens cDNA clone IMAGE:272333 3'
1819	11027	20222	1.23	0.0E+00	AW207280.1	EST_HUMAN	U1H-B11-afn-1-07-0-J1.s1 NCI CGAP Sub3 Homo sapiens cDNA clone IMAGE:272333 3'
1841	11049	20239	2.89	0.0E+00	BE277465.1	EST_HUMAN	601178164F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3547239 5'
1841	11049	20240	2.89	0.0E+00	BE277465.1	EST_HUMAN	601178164F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3547239 5'
1859	11066	20257	1.73	0.0E+00	BE006292.1	EST_HUMAN	RC2-BN0128-200300-012-504 BN0128 Homo sapiens cDNA
1858	11095	20285	1.4	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1858	11095	20286	1.4	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1891	11098	20288	3.1	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1891	11098	20289	3.1	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1896	11103	20285	7.07	0.0E+00	AB037788.1	NT	Homo sapiens mRNA for KIAA1367 protein, partial cds
1900	11107		1.45	0.0E+00	AF157478.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1901	12005	20289	1.73	0.0E+00	M89478.1	NT	Human transglutaminase mRNA, complete cds
1901	12005	20300	1.73	0.0E+00	M89478.1	NT	Human transglutaminase mRNA, complete cds
1906	11112	20307	1.52	0.0E+00	4507464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1906	11112	20308	1.52	0.0E+00	4507464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1909	11114	20310	1.16	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
1911	11116		8.63	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1916	11121		3.42	0.0E+00	M56632.1	NT	Human topoisomerase I pseudogene 1
1918	12006	20317	1.68	0.0E+00	5901905	NT	Homo sapiens butyrophilin, subfamily 3, member A2 (BTN3A2), mRNA
1920	11124	20319	1.35	0.0E+00	BE018068.1	EST_HUMAN	bb7311.1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048045 5'
1926	11130	20324	1.24	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL) mRNA
1926	11130	20325	1.24	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL) mRNA
1936	11140		1.01	0.0E+00	AL163252.2	NT	Homo sapiens chromosome 21 segment HS21C052
1938	11142	20338	1.12	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1938	11142	20339	1.12	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1939	11143	20340	7	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4) mRNA
1939	11143	20341	7	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4) mRNA
1949	11153	20355	1.05	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0790 protein, partial cds
1949	11153	20356	1.05	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0790 protein, partial cds
1955	11159	20360	1.34	0.0E+00	M33782.1	NT	Homo sapiens TFEB protein mRNA, partial cds
1955	11159	20361	1.34	0.0E+00	M33782.1	NT	Human TFEB protein mRNA, partial cds
1957	11161	20362	1.72	0.0E+00	AW183024.1	EST_HUMAN	x489b01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2679913 3'
1957	11161	20363	1.72	0.0E+00	AW183024.1	EST_HUMAN	x489b01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2679913 3'
1958	11162	20364	9.82	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1958	11162	20365	9.82	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1960	11164	20367	12.58	0.0E+00	7682095	NT	Homo sapiens KIAA0408 gene product (KIAA0408), mRNA
1961	11165	20368	1.95	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
1962	11166	20369	1.04	0.0E+00	Z47556.1	NT	H. sapiens genes for semenogelin I and semenogelin II
1962	11166	20370	1.04	0.0E+00	Z47556.1	NT	H. sapiens genes for semenogelin I and semenogelin II
1969	11173	20379	4.4	0.0E+00	AB040946.1	NT	Homo sapiens mRNA for KIAA1513 protein, partial cds
1990	11193	20403	1.15	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
1990	11193	20403	1.15	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
2020	11221	20429	1.36	0.0E+00	7706742	NT	Homo sapiens TP53TG3a (TP53TG3a), mRNA
2024	11225	20433	28.23	0.0E+00	BE743215.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
2024	11225	20434	28.23	0.0E+00	BE743215.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
2026	11227	20435	0.95	0.0E+00	4503848	NT	Homo sapiens coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B) (FX) mRNA
2027	11228	20436	1.44	0.0E+00	BF207688.1	EST_HUMAN	601861974F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4081483 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2028	11228	20437	6.57	0.0E+00	AU140831.1	EST_HUMAN	AU140831 PLACE4 Homo sapiens cDNA clone PLACE400321 5'
2030	11231	20439	1.7	0.0E+00	AA077589.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2030	11231	20440	1.7	0.0E+00	AA077589.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2032	11233		4.04	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2034	11235		2.43	0.0E+00	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2035	11236	20443	2.31	0.0E+00	Z42399.1	EST_HUMAN	HSC01C021 normalized infant brain cDNA Homo sapiens cDNA clone c-0602
2037	11238		2.23	0.0E+00	A1244247.1	EST_HUMAN	q60f08.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:188871 3' similar to contains Alu repetitive element
2042	11243	20452	7.59	0.0E+00	BE87725.1	EST_HUMAN	601485146F1 NIH_MGC_59 Homo sapiens cDNA clone IMAGE:3887747 5'
2044	11245	20454	4.44	0.0E+00	BF315325.1	EST_HUMAN	601902804F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2044	11245	20455	4.44	0.0E+00	BF315325.1	EST_HUMAN	601902804F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2050	11251	20463	4.16	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-410 CT0413 Homo sapiens cDNA
2050	11251	20464	4.16	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-410 CT0413 Homo sapiens cDNA
2056	11257	20471	2.15	0.0E+00	L00620.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2056	11257	20472	2.15	0.0E+00	L00620.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2061	11262	20478	1.54	0.0E+00	4758489	NT	Homo sapiens GTP binding protein 1 (GTPBP1) mRNA
2065	11266	20479	1.29	0.0E+00	BE500995.1	EST_HUMAN	7a34c02.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3220810 3' similar to SW:DTD_HUMAN
2084	11284		4.59	0.0E+00	BE767964.1	EST_HUMAN	P50443 SULFATE TRANSPORTER ;
2085	11285		1.21	0.0E+00	AF018963.1	NT	QV1-GN0065-140800-318-c10 GN0065 Homo sapiens cDNA
2087	11287	20500	8.37	0.0E+00	BF027562.1	EST_HUMAN	Homo sapiens X-linked juvenile retinoschisis protein (XLRIS1) gene, exon 6 and complete cds
2088	11288	20501	1.73	0.0E+00	BE072624.1	EST_HUMAN	601672088F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954785 5'
2090	11290	20502	4.32	0.0E+00	AF240788.1	NT	PMO-BT0547-210300-004-F04 BT0547 Homo sapiens cDNA
2092	11292	20504	4.24	0.0E+00	AW752708.1	EST_HUMAN	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2093	11293	20505	4.83	0.0E+00	A1604640.1	EST_HUMAN	IL3-CT0219-271099-022-G10 CT0219 Homo sapiens cDNA
2093	11293	20506	4.83	0.0E+00	A1604640.1	EST_HUMAN	QV-BT065-020399-092 BT065 Homo sapiens cDNA
2146	11344		4.65	0.0E+00	L14787.1	NT	QV-BT085-020399-092 BT085 Homo sapiens cDNA
2152	11350	20566	1.31	0.0E+00	BE274698.1	EST_HUMAN	Human DNA-binding protein mRNA, 3' end
2154	11352	20569	1.28	0.0E+00	D87685.1	NT	601122338F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346888 5'
2155	11353	20570	78.41	0.0E+00	AV738288.1	EST_HUMAN	Human mRNA for KIAA0244 gene, partial cds
2155	11353	20571	78.41	0.0E+00	AV738288.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone CBNBDE08 5'
2157	11355	20573	4.48	0.0E+00	AA931691.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone CBNBDE08 5'
2161	11359	20577	47.03	0.0E+00	BF344434.1	EST_HUMAN	cc32a01.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1567898 3'
							602014820F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4150734 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2162	11360	20578	100.43	0.0E+00	BE748999.1	EST_HUMAN	601572188T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:38390123'
2165	11363	20581	7.55	0.0E+00	BF377897.1	EST_HUMAN	CM1-TND141-250900-439-508 TN0141 Homo sapiens cDNA
2165	11363	20582	7.55	0.0E+00	BF377897.1	EST_HUMAN	CM1-TND141-250900-439-508 TN0141 Homo sapiens cDNA
2169	12012	20587	5.54	0.0E+00	BF313617.1	EST_HUMAN	601900261F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126222 5'
2172	11369	20590	4.03	0.0E+00	BE018750.1	EST_HUMAN	bb84602.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3049082 5' similar to TR:Q15170 Q15170 TRANSCRIPTION FACTOR S-II-RELATED PROTEIN ;
2174	11371	20592	33.41	0.0E+00	AA042813.1	EST_HUMAN	zk53c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2174	11371	20593	33.41	0.0E+00	AA042813.1	EST_HUMAN	zk53c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2181	11378	20600	4.19	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2181	11378	20601	4.19	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2182	11379	20602	11.03	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2182	11379	20603	11.03	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2187	11384		2.34	0.0E+00	U36784.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 18
2188	11385	20608	1.94	0.0E+00	AA282281.1	EST_HUMAN	z12b10.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712891 5'
2195	11392	20614	3.49	0.0E+00	BE887487.1	EST_HUMAN	601432317F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917453 5'
2205	11402	20627	5.93	0.0E+00	4557656	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
2211	11408	20632	11.03	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2217	11414	20639	17.25	0.0E+00	BE895281.1	EST_HUMAN	601433525F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918607 5'
2221	11418	20643	6.39	0.0E+00	BE905563.1	EST_HUMAN	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2221	11418	20644	6.39	0.0E+00	BE905563.1	EST_HUMAN	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2224	11420	20646	3.52	0.0E+00	AB037784.1	NT	Homo sapiens mRNA for KIAA1363 protein, partial cds
2263	11458	20676	2.23	0.0E+00	BF344756.1	EST_HUMAN	602014009F1 NCI_CGAP_Brm64 Homo sapiens cDNA clone IMAGE:4149770 5'
2263	11458	20677	2.23	0.0E+00	BF344756.1	EST_HUMAN	602014009F1 NCI_CGAP_Brm64 Homo sapiens cDNA clone IMAGE:4149770 5'
2265	11460	20679	4.51	0.0E+00	11545748	NT	Homo sapiens differentially expressed in FDCP (mouse homolog) 6 (DEF6), mRNA
2265	11460	20680	4.51	0.0E+00	11545748	NT	Homo sapiens differentially expressed in FDCP (mouse homolog) 6 (DEF6), mRNA
2266	11461	20681	3.23	0.0E+00	AI078404.1	EST_HUMAN	oz08c07.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1674828 3'
2269	11464	20684	3.65	0.0E+00	AA428001.1	EST_HUMAN	z178a11.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:759740 5'
2269	11464	20685	3.65	0.0E+00	AA428001.1	EST_HUMAN	z178a11.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:759740 5'
2271	11468	20687	2.65	0.0E+00	AA680367.1	EST_HUMAN	z11e12.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:430510 3'
2272	11467	20688	3.24	0.0E+00	BF347039.1	EST_HUMAN	602021849F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4157339 5'
2277	11472	20694	1.47	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
2277	11472	20695	1.47	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No:	Top Hit Database Source	Top Hit Descriptor
2278	11473	20698	1.81	0.0E+00	6325468	NT	Homo sapiens flavin containing monooxygenase 3 (FMO3), mRNA
2285	11480	20702	3.99	0.0E+00	BE678095.1	EST_HUMAN	7622602.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3285370 3' similar to TR:094939 O94839 KIAA0857 PROTEIN ;
2288	11483	20704	8.5	0.0E+00	AF044571.1	NT	Homo sapiens phosphorylase kinase alpha subunit (PHKA2) gene, exon 32
2289	11484	20705	2.07	0.0E+00	AI825542.1	EST_HUMAN	Y67608.x1 NCI_CGAP_UJ2 Homo sapiens cDNA clone IMAGE:2283182 3'
2291	11486	20706	2.04	0.0E+00	AB011398.1	NT	Homo sapiens gene for AF-6, complete cds
2294	11489	20708	19.82	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2294	11489	20709	19.82	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2297	11492	20712	7.66	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2297	11492	20713	7.66	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2303	11497	20716	3.58	0.0E+00	7662007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2303	11497	20717	3.58	0.0E+00	7662007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2307	11501	20722	2.32	0.0E+00	D83778.1	NT	Human mRNA for KIAA0194 gene, partial cds
2307	11501	20723	2.32	0.0E+00	D83778.1	NT	Human mRNA for KIAA0194 gene, partial cds
2317	11511	20731	2.36	0.0E+00	5174878	NT	Homo sapiens signal regulatory protein, beta, 1 (SIRP-BETA-1) mRNA
2321	11514	20735	3.85	0.0E+00	AU131142.1	EST_HUMAN	AU131142 NT2RP3 Homo sapiens cDNA clone NT2RP3002064 5'
2322	11515		65.13	0.0E+00	BE794028.1	EST_HUMAN	601585843F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3941003 5'
2323	11518	20738	17.63	0.0E+00	7662017	NT	Homo sapiens KIAA0244 protein (KIAA0244), mRNA
2324	11517	20737	1.62	0.0E+00	4758487	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2324	11517	20738	1.62	0.0E+00	4758487	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2325	11518		18.2	0.0E+00	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
2327	11520	20740	16.29	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2327	11520	20741	16.29	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2327	11520	20742	16.29	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2328	11521	20743	1.72	0.0E+00	8923089	NT	Homo sapiens hypothetical protein FLJ20081 (FLJ20081), mRNA
2345	11538		4.01	0.0E+00	BE814424.1	EST_HUMAN	MR0-BN0070-09000-028-d12 BN0070 Homo sapiens cDNA
2377	11570	20790	1.85	0.0E+00	AU118582.1	EST_HUMAN	AU118582 HEMBA1 Homo sapiens cDNA clone HEMBA1008155 5'
2378	11572		3.76	0.0E+00	AI042035.1	EST_HUMAN	aa60602.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1660683 3' similar to TR:008662 O08662 230KDA PHOSPHATIDYLINOSITOL 4-KINASE ;
2381	11574	20793	4.62	0.0E+00	8923820	NT	Homo sapiens hypothetical protein FLJ20693 (FLJ20693), mRNA
2383	11576	20794	1.68	0.0E+00	AW303998.1	EST_HUMAN	xv1507.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813221 3' similar to TR:054924 O54924 EXO84. ;

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2385	11578		1.46	0.0E+00	BE895605.1	EST_HUMAN	601432608F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918168 5'
2396	11589		30.25	0.0E+00	AB005822.1	EST_HUMAN	AB005822 HeLa cDNA (7.Noma) Homo sapiens cDNA similar to adenylate kinase isozyme 2
2399	11592	20810	4.93	0.0E+00	6008002	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA
2403	11595	20814	1.61	0.0E+00	D85606.1	NT	Homo sapiens gene for cholesteryltransferin type-A receptor, complete cds
2403	11595	20815	1.61	0.0E+00	D85606.1	NT	Homo sapiens gene for cholesteryltransferin type-A receptor, complete cds
2411	11603	20824	2.27	0.0E+00	AF106275.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (IL11c) gene, exon 6
2415	11606	20828	2.38	0.0E+00	BF345274.1	EST_HUMAN	602018038F1 NCI_CGAP_Brr67 Homo sapiens cDNA clone IMAGE:4153670 5'
2422	11613	20838	4.9	0.0E+00	5729777	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
2430	11621	20842	1.25	0.0E+00	U13666.1	NT	Human G protein-coupled receptor (GPR1) gene, complete cds
2430	11621	20843	1.25	0.0E+00	U13666.1	NT	Human G protein-coupled receptor (GPR1) gene, complete cds
2431	11622	20844	131.32	0.0E+00	BF569144.1	EST_HUMAN	602184558T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300383 3'
2440	11631	20852	2.9	0.0E+00	AW469922.1	EST_HUMAN	ha04h04.x1 NCI_CGAP_K412 Homo sapiens cDNA clone IMAGE:2872759 3'
2442	11633	20853	5.93	0.0E+00	AW501010.1	EST_HUMAN	U1HF-BPOp-als-c-07-0-J1.1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3072780 5'
2451	11642		1.22	0.0E+00	A1287878.1	EST_HUMAN	q12306.x1 NCI_CGAP_Lym6 Homo sapiens cDNA clone IMAGE:1982435 3' similar to contains element
2457	11648	20869	1.84	0.0E+00	5453965	NT	MIR repetitive element 1
2457	11648	20870	1.84	0.0E+00	5453965	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2) mRNA
2470	11661	20885	2.3	0.0E+00	AW813853.1	EST_HUMAN	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2) mRNA
2475	11668	20885	70.13	0.0E+00	BE795542.1	EST_HUMAN	RC3-ST0197-300300-016-c04 ST0197 Homo sapiens cDNA
2476	11114	20310	3.29	0.0E+00	7657038	NT	601592530F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3946518 5'
2477	11667	20886	2.58	0.0E+00	BF509482.1	EST_HUMAN	Homo sapiens death receptor 6 (DR6), mRNA
2480	11670	20888	2.03	0.0E+00	Z32684.2	NT	U1-H-B14-acc-b-08-0-J1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085535 3'
2482	11672	20892	3.62	0.0E+00	5453871	NT	Homo sapiens mRNA for membrane transport protein (XK gene)
2485	11675	20892	2.44	0.0E+00	BE910378.1	EST_HUMAN	Homo sapiens platelet-derived growth factor receptor-like (PDGFR) mRNA
2486	11676	20893	6.81	0.0E+00	7657468	NT	601503356F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3905148 5'
2487	11677	20894	2.18	0.0E+00	8923340	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2488	11678	20895	6.81	0.0E+00	U93239.1	NT	Homo sapiens hypothetical protein FLJ20368 (FLJ20368), mRNA
2488	11678	20895	6.81	0.0E+00	U93239.1	NT	Human Sec32 (Sec32) mRNA, complete cds
2494	11684	20901	14.6	0.0E+00	BE886490.1	EST_HUMAN	601508211F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909868 5'
2498	11687	20905	5.8	0.0E+00	BE875511.1	EST_HUMAN	601489241F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3891371 5'
2498	11687	20907	5.8	0.0E+00	BE875511.1	EST_HUMAN	601489241F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3891371 5'
2498	11688	20908	2.64	0.0E+00	AF114027.1	EST_HUMAN	AF114027 Homo sapiens lung fetus Homo sapiens cDNA clone ESF8
2516	11705	20916	1.69	0.0E+00	BE536921.1	EST_HUMAN	601084738F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451161 5'
2522	11710	20928	56.3	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y78AA1 Homo sapiens cDNA clone Y78AA1001673 5'
2522	11710	20927	56.3	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y78AA1 Homo sapiens cDNA clone Y78AA1001673 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2523	11711	20928	35.33	0.0E+00	BE292896.1	EST_HUMAN	601105312F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987855 5'
2523	11711	20929	35.33	0.0E+00	BE292896.1	EST_HUMAN	601105312F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987855 5'
2524	11712	20930	1.33	0.0E+00	BF223041.1	EST_HUMAN	7q27h12.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE: 3' similar to TR:O00248 O00248 HYPOTHETICAL 9.3 KD PROTEIN ;
2527	11715	20932	8.27	0.0E+00	AF245505.1	NT	Homo sapiens adiclin mRNA, complete cds
2558	11954	20964	1.78	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2558	11954	20965	1.78	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2559	11745	20970	3.26	0.0E+00	BF513835.1	EST_HUMAN	UIH-BW1-amp-f-12-QUI.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3070631 3'
2564	11750	20970	1.78	0.0E+00	BF672818.1	EST_HUMAN	602152653F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:423812 5'
2566	11752	20975	2.87	0.0E+00	BE616895.1	EST_HUMAN	6021278873F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3621796 5'
2570	11755	20976	0.91	0.0E+00	BF204131.1	EST_HUMAN	601278873F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111411 5'
2570	11755	20976	0.91	0.0E+00	BF204131.1	EST_HUMAN	601869073F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111411 5'
2574	11759	20979	3.98	0.0E+00	AB037742.1	NT	Homo sapiens mRNA for KIAA1321 protein, partial cds
2575	11760	20980	2.79	0.0E+00	5032150	NT	Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28kD (TAF21) mRNA
2578	11764	20985	6.29	0.0E+00	AB037859.1	NT	Homo sapiens mRNA for KIAA1438 protein, partial cds
2579	11765	20986	2.26	0.0E+00	BE795445.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2579	11765	20987	2.26	0.0E+00	BE795445.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2582	11768	20988	1.03	0.0E+00	BE28328.1	EST_HUMAN	601143722F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051389 5'
2589	11775	20996	11.88	0.0E+00	BE782472.1	EST_HUMAN	601584630F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3939222 5'
2591	11777	20998	0.81	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
2598	11784	21004	3.6	0.0E+00	AF173227.1	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1) mRNA
2608	11792	21011	4.33	0.0E+00	AF173227.1	NT	Homo sapiens quantitate cyclase-activating protein 2 (GUCA1B) gene, exon 1
2612	11796	21012	1.91	0.0E+00	AB011108.1	NT	Homo sapiens mRNA for KIAA0536 protein, partial cds
2613	11797	21013	2.06	0.0E+00	AU133386.1	EST_HUMAN	Homo sapiens mRNA for KIAA0536 protein, partial cds
2614	11798	21014	0.92	0.0E+00	M69225.1	NT	Homo sapiens mRNA for KIAA0536 protein, partial cds
2617	11801	21017	3.04	0.0E+00	AU130403.1	EST_HUMAN	Human bullous pemphigoid antigen (BPAG1) mRNA, complete cds
2617	11801	21018	3.04	0.0E+00	AU130403.1	EST_HUMAN	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2620	11804	21021	1.65	0.0E+00	AW887015.1	EST_HUMAN	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2623	11807	21024	1.42	0.0E+00	BF000018.1	EST_HUMAN	RG1-OT0086-220300-011-407 OT0086 Homo sapiens cDNA
2624	11808	21025	14.04	0.0E+00	BE383165.1	EST_HUMAN	7H15N05.x1 NCI_CGAP_Col16 Homo sapiens cDNA clone IMAGE:3316089 3'
2625	11809	21026	2.6	0.0E+00	BE531263.1	EST_HUMAN	601298714F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628923 5'
2649	11832	21046	0.9	0.0E+00	8922843	NT	601278373F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3810287 5'
2659	11840	21054	1.28	0.0E+00	AB037732.1	NT	Homo sapiens hypothetical protein FLJ11052 (FLJ11052), mRNA Homo sapiens mRNA for KIAA1311 protein, partial cds

Page 349 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2681	11863		33.03	0.0E+00	AA319723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
2682	11864	21076	30.31	0.0E+00	BE794884.1	EST_HUMAN	601589025F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943591 5'
2687	11868	21082	4.57	0.0E+00	U36253.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 5
2689	11870	21084	1.69	0.0E+00	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
2694	11874	21088	80.93	0.0E+00	BE796376.1	EST_HUMAN	601591991F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945983 5'
2695	11875	21089	1.08	0.0E+00	BF680632.1	EST_HUMAN	602155023F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4297132 5'
2698	12025	21093	28.45	0.0E+00	BE563433.1	EST_HUMAN	601335485F1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3889584 5'
2699	11878		3.2	0.0E+00	AV721647.1	EST_HUMAN	AV721647 HTB Homo sapiens cDNA clone HTBBYE09 5'
2701	11880	21096	2.18	0.0E+00	5174488	NT	Homo sapiens spermatogenesis associated PD1 (KIAA0757) mRNA
2701	11880	21097	2.18	0.0E+00	5174488	NT	Homo sapiens spermatogenesis associated PD1 (KIAA0757) mRNA
2702	11881	21098	1.13	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2702	11881	21099	1.13	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2703	11882	21100	2.55	0.0E+00	AF290195.1	NT	Homo sapiens hypertension-related calcium-regulated gene mRNA, complete cds
2704	11883		83.21	0.0E+00	AV651066.1	EST_HUMAN	AV651066 GLC Homo sapiens cDNA clone GLCCLD07 3'
2705	11884	21101	5.42	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2705	11884	21102	5.42	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2712	11891	21109	14.18	0.0E+00	BE747193.1	EST_HUMAN	601580903F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3929472 5'
2724	11903		1.33	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2726	11904	21120	4.31	0.0E+00	BF514110.1	EST_HUMAN	UHL-BW1-amw-e-07-0-J1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071340 3'
2736	11915	21128	4.15	0.0E+00	BF677694.1	EST_HUMAN	602085579F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248915 5'
2741	11920	21135	1.04	0.0E+00	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2744	11923	21137	18.85	0.0E+00	AV725534.1	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 5'
2744	11923	21138	18.85	0.0E+00	AV725534.1	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 6'
2746	11925		13.22	0.0E+00	AI879163.1	EST_HUMAN	au55004.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518663 5' similar to SW:R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A ;
2749	11928	21143	2.75	0.0E+00	BF303661.1	EST_HUMAN	602071957F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4214879 5'
2750	11929	21144	43.65	0.0E+00	BE872768.1	EST_HUMAN	601450912F1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:3854642 5'
2752	11931	21145	3.13	0.0E+00	AU131494.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2752	11931	21146	3.13	0.0E+00	AU131494.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2753	11932	21147	94.45	0.0E+00	BE300344.1	EST_HUMAN	600944794F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2860806 5'
2753	11932	21148	94.45	0.0E+00	BE300344.1	EST_HUMAN	600944794F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2860808 5'
2758	9472	18903	2.6	0.0E+00	S76830.1	NT	glycoprotein D-Duffy group antigen [human, blood, Genomic DNA, 3068 nt]
2761	11938		3.13	0.0E+00	AB033261.1	NT	Homo sapiens BTROP2 mRNA for F-box and WD-repeats protein isoform C, complete cds

Page 350 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2767	9882	19125	2.16	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
2767	9882	19126	2.16	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
2771	10272	19423	5.49	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily 1 (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2771	10272	19424	5.49	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily 1 (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2789	12029	21156	4.21	0.0E+00	X85980.1	NT	H. sapiens serine hydroxymethyltransferase pseudogene
2790	12030		1.28	0.0E+00	AF086824.1	NT	Homo sapiens 5-aminolevulinic synthase 2 (ALAS2) gene, complete cds
2791	12031		1.42	0.0E+00	AB040860.1	NT	Homo sapiens mRNA for KIAA1527 protein, partial cds
2797	12037		1.15	0.0E+00	AJ238852.1	NT	Homo sapiens partial rpl3 gene for ribosomal protein L3, U82 snRNA, U83a snRNA and U83b snRNA genes
2798	12038	21160	2.34	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2802	12042	21163	2.17	0.0E+00	M80602.1	NT	Human ANNAK nucleoprotein mRNA, 5' and
2804	12044	21165	1.42	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281299-003-002 HT0343 Homo sapiens cDNA
2804	12044	21166	1.42	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281299-003-002 HT0343 Homo sapiens cDNA
2806	12046		1.59	0.0E+00	X73428.1	NT	H. sapiens id3 gene for HLH type transcription factor
2808	12048		2.79	0.0E+00	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
2809	12049	21169	1.22	0.0E+00	7019584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2809	12049	21170	1.22	0.0E+00	7019584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2809	12049	21171	1.22	0.0E+00	7019584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2811	12051	21172	1.03	0.0E+00	M98478.1	NT	Human transglutaminase mRNA, complete cds
2815	12054	21177	25.36	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2815	12054	21178	25.36	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2818	12057	21181	3.87	0.0E+00	AL098857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
2819	12058		10.77	0.0E+00	Y10658.1	NT	H. sapiens mRNA for nuclear DNA helicase II
2820	12059		1.01	0.0E+00	AF152303.1	NT	Homo sapiens protocadherin alpha C1 (PCDH-alpha-C1) mRNA, complete cds
2821	12060	21182	125.82	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2821	12060	21183	125.82	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2823	12062	21194	2.66	0.0E+00	4507280	NT	Homo sapiens serine/threonine kinase 9 (STK9) mRNA
2836	12075	21198	1.38	0.0E+00	AL047599.1	EST_HUMAN	DKFZp586G0821_r1 586 (synonym: hube1) Homo sapiens cDNA clone DKFZp586G0821
2837	12076	21199	1.1	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2837	12076	21200	1.1	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2838	12077		1.88	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
2840	12078	21202	6.06	0.0E+00	BE081896.1	EST_HUMAN	QV2-BT0636-130400-138-103 B T0636 Homo sapiens cDNA

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2840	12078	21203	6.06	0.0E+00	BE081866.1	EST_HUMAN	QV2-BT0636-130400-138-h03 BT0636 Homo sapiens cDNA
2845	12084	21211	1.41	0.0E+00	6808918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2845	12084	21212	1.41	0.0E+00	6808918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2848	12087	21216	2.94	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
2848	12087	21217	2.94	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
2849	12088	21218	1.07	0.0E+00	AA215579.1	EST_HUMAN	zr96b11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:683517 3' similar to contains Alu repetitive element
2856	12094		4.27	0.0E+00	Y18210.1	NT	Homo sapiens Hb5 gene for hair keratin, exons 1 to 9
2859	12097	21227	1.07	0.0E+00	4758279	NT	Homo sapiens EphA4 (EPHA4) mRNA
2860	12098	21228	47.89	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2861	12099	21229	2.25	0.0E+00	AI561002.1	EST_HUMAN	h18d07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167881 3' similar to TR:O16247
2861	12099		2.25	0.0E+00	AI561002.1	EST_HUMAN	O16247 F44E7.2 PROTEIN ;
2863	12101	21230	2.25	0.0E+00	AI561002.1	EST_HUMAN	h18d07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167881 3' similar to TR:O16247
2863	12101	21232	1.52	0.0E+00	P52740	SWISSPROT	ZINC FINGER PROTEIN 132
2864	12102	21233	1.33	0.0E+00	AF152338.1	NT	Homo sapiens protocadherin gamma C4 (PCDH-gamma-C4) mRNA, complete cds
2878	12116	21245	2.8	0.0E+00	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2878	12116	21246	2.8	0.0E+00	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2879	12117	21247	5.69	0.0E+00	AB040941.1	NT	Homo sapiens mRNA for KIAA1508 protein, partial cds
2879	12117	21248	5.69	0.0E+00	AB040941.1	NT	Homo sapiens mRNA for KIAA1508 protein, partial cds
2882	12120	21251	6.56	0.0E+00	7661903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2882	12120	21252	6.56	0.0E+00	7661903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2883	12121	21253	3.32	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax) homolog; translocated to, 4 (MLLT4) mRNA
2883	12121	21254	3.32	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax) homolog; translocated to, 4 (MLLT4) mRNA
2888	12125	21258	1.33	0.0E+00	BF110702.1	EST_HUMAN	7n40d03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3587028 3' similar to TR:Q9VLN1
2888	12125		1.33	0.0E+00	BF110702.1	EST_HUMAN	Q9VLN1 CG17293 PROTEIN ;
2888	12125	21259	1.33	0.0E+00	BF110702.1	EST_HUMAN	7n40d03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3587028 3' similar to TR:Q9VLN1
2896	12134	21270	2.63	0.0E+00	4505084	NT	Q9VLN1 CG17293 PROTEIN ;
2896	12134	21271	2.63	0.0E+00	4505084	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2898	12136	21273	1.31	0.0E+00	4885214	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2898	12136	21274	1.31	0.0E+00	4885214	NT	Homo sapiens v-erb-a avian erythroblastic leukemia viral oncogene homolog-like 4 (ERBB4) mRNA
2898	12136		1.31	0.0E+00	4885214	NT	Homo sapiens v-erb-a avian erythroblastic leukemia viral oncogene homolog-like 4 (ERBB4) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2902	12140	21277	1.23	0.0E+00	AB011083.1	NT	Homo sapiens mRNA for KIAA0511 protein, partial cds
2906	12144	21280	1.94	0.0E+00	4758827	NT	Homo sapiens neuroxin III (NRXN3) mRNA
2907	12145		0.98	0.0E+00	X98494.1	NT	H. sapiens mRNA for M phase phosphoprotein 10
2910	12148	21283	1.37	0.0E+00	AB030304.1	NT	Homo sapiens mRNA for KIAA1208 protein, partial cds
2912	12150	21284	1.32	0.0E+00	X15309.1	NT	H. sapiens NF-H gene, exon 4
2912	12150	21285	1.32	0.0E+00	X15309.1	NT	H. sapiens NF-H gene, exon 4
2914	12152	21287	10.32	0.0E+00	AF108275.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (IL1T1c) gene, exon 6
2928	12166		1.27	0.0E+00	AF148880.1	EST_HUMAN	q43f09.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752809 3'
2938	12176	21310	0.91	0.0E+00	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
2938	12176	21311	0.91	0.0E+00	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
2939	12177	21312	3.26	0.0E+00	AB004884.1	NT	Homo sapiens mRNA for PKU-alpha, partial cds
2951	12189	21322	1.83	0.0E+00	7662273	NT	Homo sapiens KIAA0737 gene product (KIAA0737), mRNA
2952	12190	21323	2.25	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNG3), mRNA
2952	12190	21324	2.25	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNG3), mRNA
2963	12201	21335	2.39	0.0E+00	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2963	12201	21336	2.39	0.0E+00	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2991	12228		0.68	0.0E+00	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
2993	12230	21362	1.2	0.0E+00	M74098.1	NT	Human displacement protein (CCAAT) mRNA
3002	12238	21368	0.65	0.0E+00	4506882	NT	Homo sapiens semenogelin I (SEMG1) mRNA
3004	12240	21370	1.08	0.0E+00	AW976288.1	EST_HUMAN	EST388375 MAGC resequences, MAGN Homo sapiens cDNA
3009	12245		4.68	0.0E+00	AF195983.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
3012	12248	21378	10.7	0.0E+00	5579469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3012	12248	21379	10.7	0.0E+00	5579469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3014	12250		7.18	0.0E+00	AL359403.1	NT	Isoform 2 of a novel human mRNA from chromosome 22
3018	12254	21383	3.07	0.0E+00	AF017433.1	NT	Homo sapiens putative transcription factor CR53 (CR53) mRNA, partial cds
3021	12257		2.58	0.0E+00	AF196779.1	NT	Homo sapiens transcription factor GHRM enhancer 3, JM11 protein, JM5 protein, T64 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel alpha
3042	12276	21407	3.54	0.0E+00	X03529.1	NT	Human germine gene 16.1 for Ig lambda L-chain C region (IgL-C16.1)
3047	12283		1.69	0.0E+00	AF196355.1	NT	Homo sapiens F-box protein FBL5 (FBL5) mRNA, complete cds
3051	12287	21413	1.69	0.0E+00	AF004389.1	NT	Homo sapiens melanoma-associated antigen (MAGE-C1) gene, complete cds
3070	12306	21428	4.81	0.0E+00	AF265208.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds
3071	12307	21429	10.45	0.0E+00	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
3076	12312	21433	4.31	0.0E+00	7662139	NT	Homo sapiens KIAA0469 gene product (KIAA0469), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3077	12313	21434	1.49	0.0E+00	AF042075.1	NT	Homo sapiens olfactory receptor-like protein (OLFR 42B) gene, OLFR 42B-9110 allele, partial cds
3106	12341	21469	2.95	0.0E+00	4828783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3113	12348	21476	54.11	0.0E+00	L20941.1	NT	Human ferritin heavy chain mRNA, complete cds
3117	12352	21480	1.3	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3117	12352	21481	1.3	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3124	12359	21488	36.75	0.0E+00	T94870.1	EST_HUMAN	ye3203.s1 Stratagene lung (#637210) Homo sapiens cDNA clone IMAGE:119453 3' similar to SP:S20539
3140	12375	21508	1.17	0.0E+00	BF243336.1	EST_HUMAN	S29539 BASIC PROTEIN, 23K -
3142	12377	21507	1.02	0.0E+00	A098086.1	EST_HUMAN	801878507F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4107433 5'
3147	12382	21514	4.69	0.0E+00	X98922.1	NT	wu12h10.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2516803 3'
3147	12382	21515	4.69	0.0E+00	X98922.1	NT	H. sapiens mRNA for gamma-glutamyltransferase
3156	12391	21525	1.61	0.0E+00	4758927	NT	H. sapiens mRNA for gamma-glutamyltransferase
3156	12391	21526	1.61	0.0E+00	4758927	NT	Homo sapiens neuradin III (NRXN3) mRNA
3164	12399	21534	10.08	0.0E+00	4504658	NT	Homo sapiens neuradin III (NRXN3) mRNA
3183	12418	21552	10.77	0.0E+00	M28699.1	NT	Homo sapiens interukin 1 receptor, type 1 (IL1R1) mRNA
3186	12421	21554	7.27	0.0E+00	4502098	NT	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
3192	12427	21562	0.97	0.0E+00	4758055	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
3192	12427	21563	0.97	0.0E+00	4758055	NT	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3194	12429	21584	7.38	0.0E+00	AA774783.1	EST_HUMAN	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3202	12437	21572	5.8	0.0E+00	AF286598.1	NT	Homo sapiens GREB binding protein (Rubinstein-Taybi syndrome) cDNA clone IMAGE:971133 3'
3202	12437	21573	5.8	0.0E+00	AF286598.1	NT	ee87b11.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971133 3'
3215	12449	21581	1.45	0.0E+00	4557580	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3220	12454	21587	0.96	0.0E+00	4507720	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3228	12462	21594	1.77	0.0E+00	AF019413.1	NT	Homo sapiens fibrillin 1 (Marfan syndrome) (FBN1) mRNA
3231	12465	21597	4.91	0.0E+00	AF055084.1	NT	Homo sapiens titin (TTN) mRNA
3234	12468	21599	1.25	0.0E+00	7662125	NT	Homo sapiens very large G-protein coupled receptor-1 (VLGR1) mRNA, complete cds
3234	12468	21600	1.25	0.0E+00	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3242	14465	21607	3.5	0.0E+00	4502014	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3242	14465	21608	3.5	0.0E+00	4502014	NT	Homo sapiens a kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3259	12492	21623	3.47	0.0E+00	AF265208.1	NT	Homo sapiens a kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3259	12492	21623	3.47	0.0E+00	AF265208.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds

Page 354 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3260	12493	21624	1.11	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
3274	12507	21638	1.28	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
3285	12516	21647	0.74	0.0E+00	4885312	NT	Homo sapiens G protein-coupled receptor 24 (GPR24), mRNA
3296	12527	21658	8.17	0.0E+00	A1589294.1	EST_HUMAN	t58f08.x2 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2222535 3' similar to SW:RL11_RAT
3306	12536	21668	3.01	0.0E+00	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
3308	12538	21669	3.01	0.0E+00	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
3307	12537	21670	0.98	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
3307	12537	21671	0.98	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
3309	12539	21673	1.81	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3309	12539	21674	1.81	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3312	12542	21678	12.9	0.0E+00	AF111163.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
3314	12544	21678	0.83	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
3321	12550	21684	0.79	0.0E+00	BE778039.1	EST_HUMAN	601484995F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868246 5'
3333	12562	21700	0.85	0.0E+00	A1832569.1	EST_HUMAN	wb1004.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305279 3' similar to TR:Q91929 Q91928
3374	12602	21738	2.97	0.0E+00	AU123664.1	EST_HUMAN	ZINC FINGER PROTEIN ;
3381	12608	21741	0.84	0.0E+00	7363436	NT	Homo sapiens diffractory receptor, family 10, subfamily C, member 1 (OR10C1), mRNA
3381	12608	21742	0.84	0.0E+00	7363436	NT	Homo sapiens diffractory receptor, family 10, subfamily C, member 1 (OR10C1), mRNA
3384	12611	21744	1.38	0.0E+00	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
3385	12612	21745	1.16	0.0E+00	AF211189.1	NT	Homo sapiens T-type calcium channel alpha1 subunit Alpha1-a isoform (CACNA1I) mRNA, complete cds
3389	12616		1.19	0.0E+00	AW897015.1	EST_HUMAN	MRI-SN0033-100400-001-c08 SN0033 Homo sapiens cDNA
3403	12628	21759	3.18	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3403	12628	21760	3.18	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3404	12630	21761	0.96	0.0E+00	4502398	NT	Homo sapiens beaded filament structural protein 1, filensin (BFSP1) mRNA
3406	12632	21762	2.09	0.0E+00	5803067	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 2 (LILRA2), mRNA
3415	11870	21084	3.07	0.0E+00	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL-1) gene, complete cds
3419	12844	21773	2.84	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
3422	12847	21777					Bacteriophage P1 replication region including repA, parA, and parB genes and incA, incB, and incC
3424	12849	21779	0.95	0.0E+00	K02380.1	NT	Incompatibility determinants
3427	12852	21782	2.08	0.0E+00	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
					4557748	NT	Homo sapiens met proto-oncogene (hepatocyte growth factor receptor) (MET) mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3432	12657	21787	4.07	0.0E+00	AB95159.1	EST_HUMAN	wp14d10.x1 NCI CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2484819 3' similar to TR:O73634 O73634
3432	12657	21788	4.07	0.0E+00	AB95159.1	EST_HUMAN	NEURAL CELL ADHESION MOLECULE.1
3436	12661	21793	2.57	0.0E+00	AJ276120.1	NT	wp14d10.x1 NCI CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2484819 3' similar to TR:O73634 O73634
3442	12667	21801	2.8	0.0E+00	6552332	NT	NEURAL CELL ADHESION MOLECULE.1
3442	12667	21802	2.8	0.0E+00	6552332	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
3448	12673	21808	1.89	0.0E+00	M14123.1	NT	Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
3452	12677	21812	7.14	0.0E+00	U43293.1	NT	Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
3460	12685	21820	2.98	0.0E+00	AF045452.1	NT	Human endogenous retrovirus HERV-K10
3460	12685	21821	2.98	0.0E+00	AF045452.1	NT	Human MDS1A (AML1/MDS1 fusion) mRNA, partial cds
3468	12693	21830	1.05	0.0E+00	AF231922.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3476	12700	21836	1.23	0.0E+00	4508028	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3478	12703	21838	1.95	0.0E+00	BE304791.1	EST_HUMAN	Homo sapiens chromosome 21 unknown mRNA
3479	12703	21839	1.95	0.0E+00	BE304791.1	EST_HUMAN	Homo sapiens zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide) (ZNF45) mRNA
3482	12706	21842	1.24	0.0E+00	4828795	NT	601143853F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3484	12708	21845	1.98	0.0E+00	O14887	SWISSPROT	601143853F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3488	12712	21848	0.74	0.0E+00	A1384007.1	EST_HUMAN	Homo sapiens potassium voltage-gated channel, Isk-related family, member 2 (KCNE2) mRNA
3508	12730	21867	0.61	0.0E+00	AB032979.1	NT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG-1) (HIA2303)
3508	12730	21868	0.61	0.0E+00	AB032979.1	NT	ta35p12.x1 Soares_NIHMPu_S1 Homo sapiens cDNA clone IMAGE:2088742 3' similar to TR:O00498
3514	12738	21876	0.95	0.0E+00	AB028019.1	NT	O00498 MYASTHENIA GRAVIS AUTOANTIGEN GRAVIN;
3516	12740	21877	0.89	0.0E+00	AV701869.1	EST_HUMAN	Homo sapiens mRNA for KIAA1153 protein, partial cds
3517	12741	21878	5.33	0.0E+00	4506884	NT	Homo sapiens mRNA for KIAA1098 protein, partial cds
3518	12742	21879	2.19	0.0E+00	AF078968.1	NT	AV701869 ADB Homo sapiens cDNA clone ADBDAH06 5'
3526	12750	21892	1.74	0.0E+00	AL133204.1	NT	Homo sapiens semenogelin II (SEMG2) mRNA
3529	12752	21895	0.84	0.0E+00	AB040909.1	NT	Homo sapiens homologous yeast-44.2 protein mRNA, complete cds
3540	12763	21894	0.9	0.0E+00	8923087	NT	Novel human gene mapping to chromosome X
3549	12772	21901	0.96	0.0E+00	6997248	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3550	12773	21904	1.1	0.0E+00	A1081907.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
3552	12775	21904	1.13	0.0E+00	6325463	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
							Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
							ox77c11.x1 Soares_NIHMPu_S1 Homo sapiens cDNA clone IMAGE:1662356 3' similar to WP:11984.4
							CE13742;
							Homo sapiens butyrophilin, subfamily 3, member A3 (BTN3A3), mRNA

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3558	12781		5.31	0.0E+00	AW852217.1	EST_HUMAN	QV0-CT0225-230300-169-e01 CT0225 Homo sapiens cDNA
3562	12785	21815	1.05	0.0E+00	4504294	NT	Homo sapiens H3 histone family, member K (H3FK), mRNA
3566	12789		0.6	0.0E+00	AF118846.1	NT	Homo sapiens gamma-glutamylcysteine synthetase (GLCLC) gene, partial cds
3567	12790	21916	8.26	0.0E+00	BF676393.1	EST_HUMAN	802084583F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248598 5'
							cc94h08.s1 NCI_CGAP_Kid6 Homo sapiens cDNA clone IMAGE:1594043 3' similar to contains MER28.b2
3571	12794		1.08	0.0E+00	AA988715.1	EST_HUMAN	MER29 repetitive element
3581	12803	21929	0.72	0.0E+00	AW937977.1	EST_HUMAN	QV0-DT0047-170200-123-g01 DT0047 Homo sapiens cDNA
3584	12815		1.18	0.0E+00	4826967	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
3598	12817	21937	0.7	0.0E+00	AW694693.1	EST_HUMAN	hi84g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878024 3'
3598	12817	21938	0.7	0.0E+00	AW694693.1	EST_HUMAN	hi84g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878024 3'
3601	12822	21944	0.82	0.0E+00		NT	Homo sapiens KIAA0806 gene product (KIAA0806), mRNA
3608	12829	21949	1.13	0.0E+00	7682318	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3608	12829	21950	1.13	0.0E+00	4557752	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3626	12847	21965	1.9	0.0E+00	D87327.1	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3630	12851		30.7	0.0E+00	7669491	NT	Homo sapiens mRNA for G protein-coupled inward rectifier potassium channel, complete cds
3648	12869	21986	2.32	0.0E+00	AB026542.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds
3650	12871	21988	2.49	0.0E+00	AB007868.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
3651	12872	21989	3.61	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3651	12872	21990	3.61	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3659	12880	21999	1.62	0.0E+00	AL163204.2	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3659	12880	22000	1.62	0.0E+00	AL163204.2	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3660	12881	22001	1.03	0.0E+00	AB002331.1	NT	Homo sapiens chromosome 21 segment HS21C004
3660	12881	22002	1.03	0.0E+00	AB002331.1	NT	Human mRNA for KIAA0333 gene, partial cds
3663	12884	22005	1.57	0.0E+00	AW851714.1	EST_HUMAN	Human mRNA for KIAA0333 gene, partial cds
3665	12886	22007	1.6	0.0E+00	5729928	NT	MR2-CT0222-281099-006-e05 CT0222 Homo sapiens cDNA
3667	12888	22008	1.54	0.0E+00	AB018339.1	NT	Homo sapiens matrix metalloproteinase 24 (membrane-inserted) (MMP24), mRNA
3669	12890	22011	1.67	0.0E+00	O14967	SWISSPROT	Homo sapiens mRNA for KIAA0786 protein, partial cds
3680	12901	22021	1.01	0.0E+00	5729733	NT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
3680	12901	22022	1.01	0.0E+00	5729733	NT	Homo sapiens activator of S phase kinase (ASK) mRNA
3684	12905	22024	5.05	0.0E+00	AW298134.1	EST_HUMAN	Homo sapiens activator of S phase kinase (ASK) mRNA
3684	12905	22025	5.05	0.0E+00	AW298134.1	EST_HUMAN	UI-H-BWO-ejs-e-12-Q-UJ.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2733022 3'
3710	12930	22048	1.27	0.0E+00	AB004630.1	NT	UI-H-BWO-ejs-e-12-Q-UJ.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2733022 3'
							Human gene for Type XIX collagen a1 chain, exon 6
3711	12931	22049	1.11	0.0E+00	AA463659.1	EST_HUMAN	Human gene for Type XIX collagen a1 chain, exon 6
							aa06g01.r1 Soares_NhMHPu_S1 Homo sapiens cDNA clone IMAGE:812498 5' similar to
							SW:KRB4_SHEEP P02445 KERATIN, HIGH-SULFUR MATRIX PROTEIN, IIIB4. [1];

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3715	12835	22053	0.9	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
3718	12838	22055	4.28	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3728	12847	22065	1.04	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
3742	12862	22077	11.29	0.0E+00	7662189	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3745	12865	22080	33.84	0.0E+00	4508718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
3810	13028		0.88	0.0E+00	AF185658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
3811	13029	22138	2.52	0.0E+00	AF179733.1	NT	Human trophoblasts olfactory receptor (PTR208) gene, partial cds
3814	13032	22142	2.35	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3814	13032	22143	2.35	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3818	13038	22148	2.12	0.0E+00	4756011	NT	Homo sapiens RAB9, member RAS oncogene family (RAB9) mRNA
3819	13037	22149	0.99	0.0E+00	10181139	NT	Mus musculus junctional protein 1 (Jp1-pending), mRNA
3820	13038	22150	1.18	0.0E+00	AF127851.1	NT	Gorilla gorilla olfactory receptor (GGOT1) gene, partial cds
3820	13038	22151	1.18	0.0E+00	AF127851.1	NT	Gorilla gorilla olfactory receptor (GGOT1) gene, partial cds
3821	13039	22152	1.3	0.0E+00	AF137689.1	EST_HUMAN	166210.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2091307 3'
3822	13040		1.15	0.0E+00	AF152496.1	NT	Homo sapiens protocadherin beta 3 (PCDH-beta3) mRNA, complete cds
3823	13041	22153	3.87	0.0E+00	4758199	NT	Homo sapiens desmoglein (DPI, DPLI) (DSP) mRNA
3825	13043	22154	15.35	0.0E+00	S78685.1	NT	Homo sapiens A TP-sensitive inwardly rectifying K-channel subunit (KCNJB1R1) gene, complete cds
3828	13044	22155	2.43	0.0E+00	7710148	NT	Homo sapiens methyl CpG binding protein 2 (MECP2), mRNA
3827	13045	22156	1.67	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3833	13050	22160	1.08	0.0E+00	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
3837	13054	22167	6.52	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3837	13054	22168	6.52	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3839	13056	22171	3.62	0.0E+00	U09412.1	NT	Human zinc finger protein ZNF134 mRNA, complete cds
3840	13057	22172	0.92	0.0E+00	AF114488.1	NT	Homo sapiens interseitin short isoform (ITSN) mRNA, complete cds
3843	13060	22174	1.29	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3845	13062	22176	2.53	0.0E+00	4759171	NT	Homo sapiens SC35-interacting protein 1 (SRRP129), mRNA
3847	13064	22178	0.8	0.0E+00	AF099117.1	NT	Homo sapiens amphiphysin gene, partial cds
3856	13072	22187	2.52	0.0E+00	AI864727.1	EST_HUMAN	wk01f01.x1 NCL_GGAP_Lym12 Homo sapiens cDNA clone IMAGE:2411065 3' similar to TR:O43340
3857	13073	22188	1.05	0.0E+00	AL163248.2	NT	O43340 R28830_2: contains element PTR7 repetitive element;
3860	13076	22192	15.3	0.0E+00	4508742	NT	Homo sapiens ribosomal protein S8 (RPS8), mRNA
3862	13078	22194	1.81	0.0E+00	AL040338.1	EST_HUMAN	DKFZp434N0413_r1 434 (synonym: hbs3) Homo sapiens cDNA clone DKFZp434N0413 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3867	13083	22200	0.98	0.0E+00	6005887	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3867	13083	22201	0.98	0.0E+00	6005887	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3868	13084	22202	2.93	0.0E+00	4504138	NT	Homo sapiens glutamate receptor, metabotropic 3 (GRM3), mRNA
3869	13085		1.91	0.0E+00	4505078	NT	Homo sapiens melanoma antigen, family B, 1 (MAGEB1), mRNA
3873	13089	22205	1.28	0.0E+00	AF149412.1	NT	Homo sapiens HBP17 heparin-binding and FGF-binding protein gene, complete cds
3882	13098	22215	1.08	0.0E+00	4506758	NT	Homo sapiens tyrosine receptor 3 (RYR3), mRNA
3888	13102	22219	2.26	0.0E+00	4595842	NT	Homo sapiens zinc finger protein (KIAA0412), mRNA
3893	13109	22227	4	0.0E+00	BF355295.1	EST_HUMAN	RC3-HIT0860-170800-011-a12 HT0860 Homo sapiens cDNA
3899	13115	22232	2.47	0.0E+00	AF129533.1	NT	Homo sapiens F-box protein Fbl3b (FBL3B), mRNA, partial cds
3902	13118	22235	1	0.0E+00	U86281.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3902	13118	22236	1	0.0E+00	U86281.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3908	13122	22240	4.33	0.0E+00	BE378602.1	EST_HUMAN	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3914	13130	22247	0.91	0.0E+00	AW580740.1	EST_HUMAN	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3915	13131	22248	1.01	0.0E+00	BE284998.1	EST_HUMAN	601236869F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608800 5'
3915	13131	22249	1.01	0.0E+00	BE284998.1	EST_HUMAN	PM3-LT0031-100100-003-h09 LT0031 Homo sapiens cDNA
3953	13188	22281	5.87	0.0E+00	AF116195.1	NT	601193827F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537774 5'
3953	13188	22282	5.87	0.0E+00	AF116195.1	NT	601193827F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537774 5'
3963	13178		4.8	0.0E+00	M23910.1	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
3965	13180		5.59	0.0E+00	AL163303.2	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
3974	13188	22296	3.74	0.0E+00	AL163284.2	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
3982	13196	22304	1.95	0.0E+00	AL163288.2	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
3994	13208		82.29	0.0E+00	4503470	NT	Human MHC class II lymphocyte antigen DP- α -beta-2 pseudogene, exon 2
4002	13215		1.09	0.0E+00	AI657076.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
4005	13217	22321	1.87	0.0E+00	U09386.1	NT	Homo sapiens chromosome 21 segment HS21C084
4023	13234	22339	15.84	0.0E+00	AB015610.1	NT	Homo sapiens chromosome 21 segment HS21C068
4032	13242		3.9	0.0E+00	AJ238617.1	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1), mRNA
4042	13252	22353	1.88	0.0E+00	AJ163203.2	NT	tt55g08.x1 NCJ_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2244734 3' similar to TR:O60309 O60309
4043	13253	22354	3.29	0.0E+00	AJ277276.1	NT	KIAA0563 PROTEIN ;
4043	13253	22355	3.29	0.0E+00	AJ277276.1	NT	Human zinc finger protein ZNF133
4050	13260	22362	11.29	0.0E+00	5032026	NT	Chlorococcus aethiops mRNA for ribosomal protein S4X, complete cds
4050	13260	22363	11.29	0.0E+00	5032026	NT	Chlorococcus aethiops mRNA for UGA suppressor RNA-associated antigenic protein (RNA48 gene)
4060	13271	22373	1.03	0.0E+00	4503914	NT	Homo sapiens mRNA for rapa-2 (rapa gene)
							Homo sapiens mRNA for rapa-2 (rapa gene)
							Homo sapiens retinoblastoma-binding protein 4 (RBBP4), mRNA
							Homo sapiens retinoblastoma-binding protein 4 (RBBP4), mRNA
							Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylamidazole synthetase (GART), mRNA

Page 359 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4068	13278	22377	5.4	0.0E+00	4885308	NT	Homo sapiens G protein-coupled receptor 21 (GPR21), mRNA
4067	13277	22378	1.63	0.0E+00	AB006825.1	NT	Homo sapiens mRNA for KIAA0287 gene, partial cds
4070	13280	22379	0.59	0.0E+00	4758907	NT	Homo sapiens ras GTPase activating protein-like (NGAP) mRNA
4071	13281	22380	9.39	0.0E+00	11418287	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1), mRNA
4072	13282	22381	5.92	0.0E+00	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4080	13290	22389	4.73	0.0E+00	AF165527.1	NT	Homo sapiens DGCR8 (DGCR8) mRNA, complete cds
4089	10363	19513	1.01	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
4089	10363	19514	1.01	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
4088	13304	22403	0.99	0.0E+00	5901905	NT	Homo sapiens butyrophilin, subfamily 3, member A2 (BTN3A2), mRNA
4087	13305	22404	1.06	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60kD) (GABPA), mRNA
4097	13305	22405	1.08	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60kD) (GABPA), mRNA
4100	12741	21878	0.59	0.0E+00	4506884	NT	Homo sapiens semenogelin II (SEMG2) mRNA
4102	13309	22408	0.68	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4102	13309	22409	0.68	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4108	13315	22413	0.81	0.0E+00	AB020702.1	NT	Homo sapiens mRNA for KIAA0895 protein, partial cds
4115	13322	22422	6.13	0.0E+00	AI982597.1	EST_HUMAN	wu04d04.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2515975 3'
4115	13322	22423	6.13	0.0E+00	AI982597.1	EST_HUMAN	wu04d04.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2515975 3'
4118	13324	22425	1.2	0.0E+00	BE184856.1	EST_HUMAN	MR1-HT0707-100500-001-e02 HT0707 Homo sapiens cDNA
4118	13324	22426	1.2	0.0E+00	BE184856.1	EST_HUMAN	MR1-HT0707-100500-001-e02 HT0707 Homo sapiens cDNA
4122	13328		5.85	0.0E+00	BE274217.1	EST_HUMAN	601120778F1 NIH_MGC 20 Homo sapiens cDNA clone IMAGE:2867690 5'
4128	13334	22432	0.96	0.0E+00	AB032851.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
4128	13334	22433	0.96	0.0E+00	AB032851.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
4130	13336	22435	2.13	0.0E+00	5728725	NT	Homo sapiens nuclear receptor coactivator 3 (NCOA3), mRNA
4138	13344		6.07	0.0E+00	AW675599.1	EST_HUMAN	ba51f04.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800095 3' similar to SW:TH12_BOVIN
4143	13349	22449	1.61	0.0E+00	AW408788.1	EST_HUMAN	Q95108 MITOCHONDRIAL THIOREDOXIN PRECURSOR ;
4145	13351	22452	1.52	0.0E+00	8922468	NT	UI-HF-BMD-adv-c-02-Q-U1.r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3063147 5'
4145	13351	22453	1.52	0.0E+00	8922468	NT	Homo sapiens hypothetical protein FLJ10498 (FLJ10498), mRNA
							Homo sapiens hypothetical protein FLJ10498 (FLJ10498), mRNA
4154	13360		2.25	0.0E+00	5174632	NT	Homo sapiens polycystic kidney disease (polycystin) and REL (sperm receptor for egg jelly, sea urchin homolog)-like (PKDREJ) mRNA
4165	13369	22468	1.06	0.0E+00	AB037739.1	NT	Homo sapiens mRNA for KIAA1318 protein, partial cds
4174	13378	22477	10.78	0.0E+00	AA401438.1	EST_HUMAN	zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element ;

Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4174	13378	22478	10.79	0.0E+00	AA401438.1	EST_HUMAN	zu68h07.a1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element;
4177	13381	22482	1.36	0.0E+00	AF157476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
4191	13395	22495	1.6	0.0E+00	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
4201	9301	18403	6.72	0.0E+00	AA228126.1	EST_HUMAN	z58c04.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811 G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN.;
4201	9301	18404	6.72	0.0E+00	AA228126.1	EST_HUMAN	z58c04.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811 G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN.;
4206	13409	22502	4.97	0.0E+00	4758199	NT	Homo sapiens desmoplakin (DPI, DPII) (DSP) mRNA
4206	13409	22503	4.97	0.0E+00	4758199	NT	Homo sapiens desmoplakin (DPI, DPII) (DSP) mRNA
4215	13418		0.92	0.0E+00	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
4246	13449	22540	0.96	0.0E+00	AJ010770.1	NT	Homo sapiens hypertension gene, exons 1-50
4259	13462	22554	2.79	0.0E+00	J02610.1	NT	Human apolipoprotein B-100 mRNA, complete cds
4273	13476	22573	0.84	0.0E+00	AW936689.1	EST_HUMAN	PM2-DT0023-080300-004-a08 DT0023 Homo sapiens cDNA
4281	13484	22582	0.83	0.0E+00	4828827	NT	Homo sapiens myelodysplasia syndrome 1 (MDS1) mRNA
4281	13484	22583	0.83	0.0E+00	4828827	NT	Homo sapiens myelodysplasia syndrome 1 (MDS1) mRNA
4283	13486	22585	3.57	0.0E+00	AF174590.1	NT	Homo sapiens F-box protein Fbl4 (FBL4) mRNA, partial cds
4289	13491	22589	1.36	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4289	13491	22590	1.36	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4290	13492		2.48	0.0E+00	A188844.1	EST_HUMAN	qd23f08.x1 Soares_placenta_8tc9weeks_2NbhP8tc9W Homo sapiens cDNA clone IMAGE:1724579 3' similar to contains MER20.b2 MER20 repetitive element;
4294	13495		4.56	0.0E+00	U14520.1	NT	Human CBFA3 (Cbfa3) gene, partial cds
4298	13499	22595	0.84	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q24) (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
4316	13517	22612	1.43	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4316	13517	22613	1.43	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4323	13524	22619	1.16	0.0E+00	U10991.1	NT	Homo sapiens G2 protein mRNA, partial cds
4323	13524	22620	1.16	0.0E+00	U10991.1	NT	Homo sapiens G2 protein mRNA, partial cds
4334	13535	22626	8.99	0.0E+00	6912281	NT	Homo sapiens COMPLEMENT COMPONENT C1q RECEPTOR (C1QR), mRNA
4354	13556		1.34	0.0E+00	AF153047.2	NT	Homo sapiens gap junction protein connexin-36 (CX36) gene, complete cds
4364	13566	22661	4.84	0.0E+00	L14561.1	NT	Homo sapiens plasma membrane calcium ATPase isoform 1 (ATP2B1) gene, alternative splice products, partial cds
4368	13570	22668	6.52	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
4368	13570	22667	6.52	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene

Page 361 of 382
Table 4

Single Exon Probes Expressed In HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4369	13571	22668	1.2	0.0E+00	AW166933.1	EST_HUMAN	xg68e10.x1 NCL_CGAP_U14 Homo sapiens cDNA clone IMAGE:2633514 3' similar to TR:P97365 P97365
4375	13577	22674	1.54	0.0E+00	X60483.1	NT	ZINC FINGER PROTEIN 64 ;
4375	13577	22675	1.54	0.0E+00	X60483.1	NT	H.sapiens H4/d gene for H4 histone
4380	13581	22681	9.12	0.0E+00	7662091	NT	H.sapiens H4/d gene for H4 histone
4380	13581	22682	9.12	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4398	13589	22691	1.03	0.0E+00	X82338.1	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4391	13592	22695	16.08	0.0E+00	4885126	NT	Homo sapiens Menkes disease gene, exon 4
4392	13593	22696	1.77	0.0E+00	AJ271738.1	NT	Homo sapiens caudal type homeo box transcription factor 4 (CDX4), mRNA
4393	13594	22700	0.99	0.0E+00	AL163207.2	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
4396	13597	22698	4.76	0.0E+00	AB037781.1	NT	Homo sapiens chromosome 21 segment HS21C007
4424	13624	22719	1.16	0.0E+00	7019456	NT	Homo sapiens mRNA for KIAA1360 protein, partial cds
4435	13635		8.37	0.0E+00	AF195953.1	NT	Homo sapiens myosin regulatory light chain interacting protein (MIR), mRNA
4442	13642	22733	26.88	0.0E+00	AJ249765.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
4442	13642	22734	26.88	0.0E+00	AJ249765.1	NT	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4446	13645	22740	0.87	0.0E+00	W26179.1	EST_HUMAN	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4448	13645	22741	0.87	0.0E+00	W26179.1	EST_HUMAN	24q7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4484	13682		2.27	0.0E+00	AF200629.1	NT	24q7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4487	13685		1.02	0.0E+00	M14123.1	NT	Homo sapiens HPS1 gene, intron 5
							Human endogenous retrovirus HERV-K10
4488	13688	22778	0.72	0.0E+00	AA228126.1	EST_HUMAN	zf58c04.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811
4488	13688	22777	0.72	0.0E+00	AA228126.1	EST_HUMAN	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN. ;
4504	13701	22795	13.33	0.0E+00	AW084964.1	EST_HUMAN	zf58c04.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811
4506	14471		2.11	0.0E+00	8051619	NT	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN. ;
4510	13708		8.68	0.0E+00	AL163207.2	NT	xg68e08.x1 NCL_CGAP_Es02 Homo sapiens cDNA clone IMAGE:2589446 3' similar to SW:AHNK_HUMAN
4512	13708	22801	3.69	0.0E+00	AW381570.1	EST_HUMAN	Q09666 NEUROBLAST DIFFERENTIATION ASSOCIATED PROTEIN AHNAK ;
4517	13713	22806	1.93	0.0E+00	AJ278120.1	NT	Homo sapiens LIM domain kinase 2 (LIMK2), transcript variant 2a, mRNA
4517	13713	22807	1.93	0.0E+00	AJ278120.1	NT	Homo sapiens chromosome 21 segment HS21C007
4519	13715	22809	1.19	0.0E+00	4758467	NT	PM1-HT0305-101198-002-003 HT0305 Homo sapiens cDNA
4520	13716	22810	1.72	0.0E+00	AF108830.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4524	13720	22815	1.43	0.0E+00	Z66526.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4528	13724	22820	1.14	0.0E+00	AF111163.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
							Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
							Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
							H.sapiens pancreatic polypeptide receptor PP1 gene
							Homo sapiens pyrin (MIEFV) gene, complete cds

Page 362 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4528	13724	22821	1.14	0.0E+00	AF111163.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
4536	14472	22829	4.41	0.0E+00	6005973	NT	Homo sapiens zinc finger protein 195 (ZNF195), mRNA
4541	13736	22834	7.2	0.0E+00	AF208161.1	NT	Homo sapiens syncytin precursor, mRNA, complete cds
4546	13741	22841	1.23	0.0E+00	AF152337.1	NT	Homo sapiens protocadherin gamma C3 (PCDH-gamma-C3) mRNA, complete cds
4549	13744	22845	1.3	0.0E+00	5454175	NT	Homo sapiens zinc finger protein 211 (ZNF211), mRNA
4561	13755	22853	33.93	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
4568	13762	22858	16.96	0.0E+00	4505016	NT	Homo sapiens low density lipoprotein receptor-related protein 6 (LRP6) mRNA, and translated products
4572	13766	22861	1.1	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
4577	13771	22867	1.06	0.0E+00	4502556	NT	Homo sapiens calcium/calmodulin-dependent protein kinase IV (CAMK4) mRNA
4580	13774	22870	1.11	0.0E+00	BE871908.1	EST_HUMAN	601447832F1 NIH_MGC 65 Homo sapiens cDNA clone IMAGE:3852127 5'
4583	13777	22870	2.86	0.0E+00	L35485.1	NT	Homo sapiens iduronate sulphate sulphatase (IDS) gene, complete cds
4585	13779	22870	12.96	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4585	13779	22871	12.96	0.0E+00	7662091	NT	Homo sapiens PTEN (PTEN) gene, exons 3 through 5
4602	13796	22886	2.51	0.0E+00	AF143314.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4605	13799	22889	11.6	0.0E+00	AJ245418.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4605	13799	22890	11.6	0.0E+00	AJ245418.1	NT	Homo sapiens mRNA for KIAA0795 protein, partial cds
4607	13801	22891	0.73	0.0E+00	AB018338.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4615	13809	22891	0.64	0.0E+00	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4626	13820	22891	1.54	0.0E+00	AA174072.1	EST_HUMAN	zp18g08.s1 Strategene fetal retina 937202 Homo sapiens cDNA clone IMAGE:609854 3'
4628	13822	22891	1.75	0.0E+00	7657410	NT	Homo sapiens cdc (odd Oz)/ken-m, Drosophila) homolog 1 (ODZ1), mRNA
4630	13824	22891	5.76	0.0E+00	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4631	13825	22913	1.18	0.0E+00	H92741.1	EST_HUMAN	y92b01.s1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:231721 3'
4631	13825	22814	1.18	0.0E+00	H92741.1	EST_HUMAN	y92b01.s1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:231721 3'
4632	13826	22915	1.92	0.0E+00	AF184110.1	NT	Homo sapiens cyclophilin-related protein (NKTR) gene, complete cds
4633	13827	22916	5.71	0.0E+00	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
4634	13828	22916	1.76	0.0E+00	AB037521.1	NT	Homo sapiens gene for natriuretic protein, partial cds
4638	13832	22920	1.07	0.0E+00	AB007868.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
4643	13837	22926	36.33	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
4643	13837	22927	36.33	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
4643	13837	22927	2.55	0.0E+00	AF167441.1	NT	Mus musculus E-cadherin binding protein E7 mRNA, complete cds
4644	13838	22828	2.55	0.0E+00	AF167441.1	NT	Mus musculus E-cadherin binding protein (ANT-2) gene, complete cds
4654	13848	22840	1.04	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds

363/382

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4654	13848	22941	1.04	0.0E+00	L78510.1	NT	Homo sapiens ADP/ATP-carrier protein (ANT-2) gene, complete cds
4654	13848	22942	1.04	0.0E+00	L78510.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4655	13849	22943	1.68	0.0E+00	AB028970.1	NT	Homo sapiens mRNA for KIAA1047 protein, partial cds
4655	13849	22944	1.68	0.0E+00	AB028970.1	NT	Homo sapiens mRNA for KIAA1047 protein, partial cds
4655	13849	22944	1.68	0.0E+00	Y18890.1	NT	Homo sapiens mRNA for K (HERV-K), gag, pol and env genes
4656	13850	22954	7.88	0.0E+00	Y18890.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
4658	13862	22963	2.3	0.0E+00	BE081527.1	EST_HUMAN	QV2-BT0835-160400-142-H05 BT0835 Homo sapiens cDNA clone IMAGE:787605 3'
4658	13862	22963	2.3	0.0E+00	BE081527.1	EST_HUMAN	z98b07.s1 Soares_NhiHMPu_S1 Homo sapiens cDNA clone IMAGE:787605 3'
4659	13863	22964	1.23	0.0E+00	AA418246.1	NT	Homo sapiens truncated tenascin XB (TNXB) gene, partial cds and TNXA gene recombination breakpoint region
4675	13869		2.11	0.0E+00	AF086841.1	NT	Homo sapiens chromosome 21 segment HS21C078
4683	13875	22975	1.02	0.0E+00	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
4683	13875	22976	1.02	0.0E+00	AL163278.2	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
4683	13876	22977	2.48	0.0E+00	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
4684	13876	22978	2.48	0.0E+00	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
4685	13877	22978	2.47	0.0E+00	M74098.1	NT	Human displacement protein (CCAAT) mRNA
4687	13879	22981	1.63	0.0E+00	AW294800.1	EST_HUMAN	UI-H-BI2-ah1-c-05-0-J1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2726792 3'
4687	13879	22982	1.63	0.0E+00	AW294800.1	EST_HUMAN	UI-H-BI2-ah1-c-05-0-J1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2726792 3'
4689	13881	22983	2.61	0.0E+00	6453812	NT	Human AHNK nucleoprotein mRNA, 5' end
4689	13881	22984	2.61	0.0E+00	T56945.1	EST_HUMAN	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4690	9419	18553	0.78	0.0E+00	T56945.1	EST_HUMAN	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4690	9419	18554	0.78	0.0E+00	BE278730.1	EST_HUMAN	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4693	13884	23016	1.01	0.0E+00	M80902.1	NT	Homo sapiens cytochrome P450 2D6
4724	13915	23019	2.93	0.0E+00	M89197.1	NT	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds
4727	13918	23019	2.93	0.0E+00	M89197.1	NT	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds
4727	13918	23020	2.93	0.0E+00	M89197.1	NT	Human haptoglobin and haptoglobin-related protein (NKTR) gene, complete cds
4732	13923	23027	1.32	0.0E+00	AF184110.1	NT	Homo sapiens cyclophilin-related protein (KIAA1084), mRNA
4733	13924	23028	0.81	0.0E+00	7662479	NT	Homo sapiens KIAA1084 protein (KIAA1084), mRNA
4735	13928	23029	1.65	0.0E+00	7662181	NT	Homo sapiens KIAA0563 gene product (KIAA0563), mRNA
4740	13931	23035	1.12	0.0E+00	U07563.1	NT	Human proto-oncogene tyrosine-protein kinase (ABL) gene, exon 1a and exons 2-10, complete cds
4745	13936	23040	0.99	0.0E+00	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4753	13944	23060	0.95	0.0E+00	X58467.1	NT	Human CYP2D7P pseudogene for cytochrome P450 2D6
4770	13959	23062	1.19	0.0E+00	AF026801.1	NT	Human alpha-3 type IX collagen (COL9A3) gene, promoter region, and exons 1-26
4772	13961	23063	1.2	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA
4772	13961	23063	1.2	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA

Page 364 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4775	13984	23086	0.86	0.0E+00	7018320	NT	Homo sapiens protein0008 (AD013), mRNA
4775	13984	23087	0.86	0.0E+00	7018320	NT	Homo sapiens protein0008 (AD013), mRNA
4786	13985	23090	1.99	0.0E+00	AW444637.1	EST_HUMAN	UI-H-B13-ajw-c-04-0-UI.s1 NCI CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733284 3'
4801	13990	23098	1.24	0.0E+00	AF303134.1	NT	Homo sapiens aldehyde dehydrogenase 12 (ALDH12) mRNA, complete cds
4804	13993		1.63	0.0E+00	AF083242.1	NT	Homo sapiens HSPC024-Iso mRNA, complete cds
4853	14042	23135	0.67	0.0E+00	J00191.1	NT	Human MHC class I transplantation antigen (hla) gene
4853	14042	23136	0.67	0.0E+00	J00191.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
4860	14048		5.76	0.0E+00	AF240786.1	NT	M.fascicularis mRNA for metalloprotease-like, disintegrin-like protein, IVa
4862	14050	23144	1.87	0.0E+00	X87205.1	NT	Homo sapiens Williams-Buren syndrome deletion transcript 9 (WBSCR9) mRNA, complete cds
4864	14052	23146	2.5	0.0E+00	AF084479.1	NT	Mus musculus zinc finger transcription factor Kaiso mRNA, complete cds
4865	14053	23147	1.79	0.0E+00	AF097416.1	NT	Homo sapiens fragile X mental retardation 2 (FMR2) mRNA
4868	14054	23148	5.28	0.0E+00	4503798	NT	Homo sapiens actin, alpha, cardiac muscle (ACTC), mRNA
4868	14056	23150	17.49	0.0E+00	4885048	NT	ZINC FINGER PROTEIN 132
4869	14057	23151	1.01	0.0E+00	P52740	SWISSPROT	Homo sapiens hypothetical protein DKFZp792E1312 (DKFZp792E1312), mRNA
4871	14059	23163	1.92	0.0E+00	8922180	NT	Homo sapiens hypothetical protein FLJ20073 (FLJ20073), mRNA
4874	14062	23157	5.79	0.0E+00	8923080	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
4878	14066	23161	1.05	0.0E+00	7661979	NT	Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-
4878	14067	23162	1.61	0.0E+00	M94081.1	NT	J61 segments; and Tcr-C-alpha gene, exons 1-4
4878	14067	23163	1.61	0.0E+00	M94081.1	NT	Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-
4881	14069	23165	1.73	0.0E+00	X94628.1	NT	J61 segments; and Tcr-C-alpha gene, exons 1-4
4881	14069	23166	1.73	0.0E+00	X94628.1	NT	H. sapiens MeCP-2 gene
4884	14072	23169	3.1	0.0E+00	AL163280.2	NT	H. sapiens MeCP-2 gene
4895	14083	23176	1.21	0.0E+00	5032150	NT	Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28kD (TAF2I) mRNA
4905	14093	23186	1.59	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4907	14096	23188	3.26	0.0E+00	X92841.1	NT	H. sapiens MICA gene
4909	14097	23190	2.44	0.0E+00	4585642	NT	Homo sapiens zinc finger protein (KIAA0412) mRNA
4910	14098	23191	0.84	0.0E+00	AB037884.1	NT	Homo sapiens mRNA for KIAA1443 protein, partial cds
4911	14099	23192	1.86	0.0E+00	AB014533.1	NT	Homo sapiens mRNA for KIAA0693 protein, partial cds
4912	14100	23193	2.45	0.0E+00	6677648	NT	Mus musculus zinc finger protein interacting with K protein 1 (Zfk1); mRNA
4913	14101	23194	1.89	0.0E+00	5174580	NT	Homo sapiens meningioma expressed antigen 6 (colled-cell proline-rich) (MGEA6), mRNA

Page 365 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4915	14103	23198	8.44	0.0E+00	4758189	NT	Homo sapiens desmoplakin (DPI, DPII) (DSP) mRNA
4917	14105	23198	1.31	0.0E+00	5174560	NT	Homo sapiens meningioma expressed antigen 6 (coiled-coil proline-rich) (MGEA6), mRNA
4917	14105	23189	1.31	0.0E+00	5174560	NT	Homo sapiens meningioma expressed antigen 6 (coiled-coil proline-rich) (MGEA6), mRNA
4921	14109	23205	33.09	0.0E+00	AF055068.1	NT	Homo sapiens MHC class 1 region
4923	14111		3.19	0.0E+00	4505508	NT	Homo sapiens oploid receptor, delta 1 (OPRD1) mRNA
4924	14112	23208	3.02	0.0E+00	AF091711.1	NT	Homo sapiens splice variant AKAP350 mRNA, partial cds
4936	14123	23218	3.83	0.0E+00	4503684	NT	Homo sapiens farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltransferase, geranyltransferase) (FDPS) mRNA
4938	14125	23220	8.87	0.0E+00	4557472	NT	Homo sapiens chloride channel 5 (nephrolithiasis 2, X-linked, Dent disease) (CLCN5) mRNA
4938	14125	23221	8.87	0.0E+00	4557472	NT	Homo sapiens chloride channel 5 (nephrolithiasis 2, X-linked, Dent disease) (CLCN5) mRNA
4946	14133		0.62	0.0E+00	AI291129.1	EST_HUMAN	qm1505.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881921 3' similar to TR:Q61632 Q61632
4972	14159	23250	1.26	0.0E+00	AL163284.2	NT	EN-2/LACZ FUSION PROTEIN :
4981	14168	23258	1.19	0.0E+00	AW452728.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
4989	14176	23267	0.98	0.0E+00	4502398	NT	U-H-B3-ahv-02-O-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3068691 3'
4992	14179		10.84	0.0E+00	U14987.1	NT	Homo sapiens beaded filament structural protein 1, filensin (BFSP1) mRNA
5003	14180	23280	1.08	0.0E+00	M10978.1	NT	Human ribosomal protein L21 mRNA, complete cds
5005	14192		3.04	0.0E+00	BE408863.1	EST_HUMAN	Human endogenous retroviral DNA (4-1), complete retroviral segment
5009	14186	23285	5.9	0.0E+00	4758189	NT	601303729F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638118 5'
5015	14202	23289	1.97	0.0E+00	7862401	NT	Homo sapiens desmoplakin (DPI, DPII) (DSP) mRNA
5019	14206	23291	2.07	0.0E+00	AB028668.1	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
5032	14217	23301	2.25	0.0E+00	8923441	NT	Homo sapiens mRNA for KIAA1043 protein, partial cds
5032	14217	23302	2.25	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
5046	14229	23311	0.76	0.0E+00	AA601246.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
5046	14229	23312	0.76	0.0E+00	AA601246.1	EST_HUMAN	no14g09.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140
5046	14229	23313	0.76	0.0E+00	AA601246.1	EST_HUMAN	E239140 SPALT PROTEIN ;
5049	14231	23315	1.68	0.0E+00	AF161463.1	NT	no14g09.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140
5049	14231	23316	1.68	0.0E+00	AF161463.1	NT	E239140 SPALT PROTEIN ;
							Homo sapiens HSPC114 mRNA, complete cds
							Homo sapiens HSPC114 mRNA, complete cds
							Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12 (MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), calretinin (CALT), NAD(P)H dehydrogenase-like protein (NSDHL), end LI>
5051	14233	23318	3.31	0.0E+00	U82671.2	NT	

Page 366 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5051	14233	23319	3.31	0.0E+00	U82671.2	NT	Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12 (MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), cathectin (CALT), NAD(P)H dehydrogenase-like protein (NSDHL), and LI>
5057	9496	19630	0.81	0.0E+00	AF195658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
5059	14239		1.1	0.0E+00	AL050253.1	NT	H. sapiens mRNA similar to D28763 mouse mRNA for seizure-related gene product 6. Shares domains with BMP's, Tollid, Sushi repeat proteins
5061	14241		1.06	0.0E+00	4758225	NT	Homo sapiens E2F transcription factor 2 (E2F2) mRNA
5073	14253	23336	1.24	0.0E+00	AF016705.1	NT	Homo sapiens E6-AP ubiquitin-protein ligase (UBE3A) gene, exon 3
5078	14256	23339	0.85	0.0E+00	U53588.1	NT	Homo sapiens MHC class 1 region
5087	14267		1.48	0.0E+00	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
5089	14269		33.47	0.0E+00	D50857.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
5097	14277	23361	1.02	0.0E+00	AF207880.1	NT	Mus musculus testis 2 (Tst2) gene, partial cds
5115	14295	23383	2.97	0.0E+00	X52888.1	NT	Bacillus amyloqueliciens sacB gene for levansucrase (EC 2.4.1.10)
5116	14296	23384	0.68	0.0E+00	X72791.1	NT	Human endogenous retrovirus mRNA for gag protein
5128	14307	23398	0.69	0.0E+00	AF272663.1	NT	Homo sapiens gephyrin mRNA, complete cds
5133	14311	23402	0.99	0.0E+00	AF240035.1	NT	Homo sapiens vascular endothelial cadherin 2 mRNA, complete cds
5134	14312	23403	0.99	0.0E+00	AF240035.1	NT	Homo sapiens vascular endothelial cadherin 2 mRNA, complete cds
5138	14316	23407	1.22	0.0E+00	5454153	NT	Homo sapiens cyclophilin (USA-CYP) mRNA
5146	14325	23416	0.85	0.0E+00	AA683268.1	EST_HUMAN	ae92b04.st Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:1020367.3
5156	14335	23425	2.49	0.0E+00	11421001	NT	Homo sapiens HEF like Protein (HEFL), mRNA
5158	14335	23426	1.75	0.0E+00	Y12477.1	NT	Homo sapiens putative GPR37 gene, exon 2
5159	14338	23427	1.75	0.0E+00	Y12477.1	NT	Homo sapiens putative GPR37 gene, exon 2
5172	14351	23439	1.23	0.0E+00	Y08032.1	NT	Human endogenous retrovirus-K, LTR U5 and gag gene
5174	14352	23440	0.85	0.0E+00	5902091	NT	Homo sapiens solute carrier family 5 (inositol transporters), member 3 (SLC5A3), mRNA
5187	14363	23450	1.5	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
5187	14363	23451	0.63	0.0E+00	7708245	NT	Homo sapiens 4F2 light chain (LOC51597), mRNA
5188	14364	23452	0.63	0.0E+00	7708245	NT	Homo sapiens 4F2 light chain (LOC51597), mRNA
5189	14365	23453	1.06	0.0E+00	7682421	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
5198	14374	23461	0.98	0.0E+00	4826795	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 2 (KCNIE2) mRNA
5202	14377	23464	2.03	0.0E+00	U28555.1	NT	Human versican V2 core protein precursor splice-variant mRNA, complete cds
5210	14385	23470	0.94	0.0E+00	U71601.1	NT	Human zinc finger protein zfp47 (z47) mRNA, partial cds
5211	14386	23471	1.18	0.0E+00	4757889	NT	Homo sapiens chromosome 8 open reading frame 1 (C8ORF1) mRNA
5216	14473	23476	1.16	0.0E+00	AF195658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
			1.05	0.0E+00	AF167336.1	NT	Homo sapiens interleukin 1 receptor accessory protein (IL1RAP) gene, exon 4

Page 367 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5219	14393	23478	0.75	0.0E+00	AF231922.1	NT	Homo sapiens chromosome 21 unknown mRNA
5220	14394	23479	1.22	0.0E+00	4826777	NT	Homo sapiens jumonji (mouse) homolog (JMU) mRNA
5230	14404	23487	1.86	0.0E+00	7657203	NT	Homo sapiens acidic 82 kDa protein mRNA (HSU15552), mRNA
5238	14412		1.31	0.0E+00	AB040948.1	NT	Homo sapiens mRNA for KIAA1513 protein, partial cds
5278	14448	23521	1.26	0.0E+00	7682109	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
5280	14451		1.88	0.0E+00	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5282	14453	23523	1.82	0.0E+00	4503754	NT	Homo sapiens flavin containing monooxygenase 1 (FMO1) mRNA
5287	14458	23528	23.87	0.0E+00	7682177	NT	Homo sapiens KIAA0555 gene product (KIAA0555), mRNA
5298	14485	23527	23.87	0.0E+00	7682177	NT	Homo sapiens KIAA0555 gene product (KIAA0555), mRNA
5302	14534	23537	2.19	0.0E+00	AF093093.1	NT	Homo sapiens acetylase (AC02) gene, nuclear gene encoding mitochondrial protein, exon 15
5302	14534	23538	2.19	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
5313	14545	23614	1.76	0.0E+00	9256579	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
5321	14553	23623	3.91	0.0E+00	BE931080.1	EST_HUMAN	Homo sapiens protocadherin alpha 13 (PCDHA13), mRNA
5325	14557	23627	3.45	0.0E+00	AF182034.1	NT	RC3-GN0076-310800-013-003 GN0076 Homo sapiens cDNA
5325	14557	23628	3.45	0.0E+00	AF182034.1	NT	Homo sapiens polycystic kidney disease-like 2 protein (PKDL2) mRNA, complete cds
5331	14562	23635	1.86	0.0E+00	X56163.1	NT	Homo sapiens polycystic kidney disease-like 2 protein (PKDL2) mRNA, complete cds
5331	14582	23638	1.86	0.0E+00	X56163.1	NT	H. sapiens immunoglobulin heavy chain gene, variable region
5388	14617	23730	6.44	0.0E+00	BE675498.1	EST_HUMAN	H. sapiens immunoglobulin heavy chain gene, variable region
5389	14618	23731	1.72	0.0E+00	BE220753.1	EST_HUMAN	7710c06.x1 NCL_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3294250 3'
5390	14619	23732	1.68	0.0E+00	BE794412.1	EST_HUMAN	h169a02.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3943804 5'
5390	14619	23733	1.68	0.0E+00	BE794412.1	EST_HUMAN	P42694 HYPOTHETICAL PROTEIN KIAA0054. ;
5392	14621	23735	5.3	0.0E+00	M29808.1	NT	801589422F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943804 5'
5394	14623	23736	3.48	0.0E+00	A1791363.1	EST_HUMAN	601589422F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943804 5'
5398	18053	23740	4.35	0.0E+00	11421038	NT	Homo sapiens eosinophil peroxidase (EPP) gene, exon 7
5402	14630		2.86	0.0E+00	BF665962.1	EST_HUMAN	ch68a09.y6 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1472152 5' similar to gb:M18512 IG
5410	14638	23766	2.1	0.0E+00	BF526328.1	EST_HUMAN	HEAVY CHAIN PRECURSOR V-J REGION (HUMAN);
5410	14638	23767	2.1	0.0E+00	BF526328.1	EST_HUMAN	Homo sapiens Sp4 transcription factor (SP4), mRNA
5421	15224	24643	2.57	0.0E+00	4557364	NT	602118928F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4276254 5'
5425	14652	23786	4.72	0.0E+00	AF257737.1	NT	602071372F1 NCL_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4214272 5'
5425	14652	23789	4.72	0.0E+00	AF257737.1	NT	602071372F1 NCL_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4214272 5'
5436	14663	23816	1.92	0.0E+00	11420819	NT	Homo sapiens Bloom syndrome (BLM) mRNA
							Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
							Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
							Homo sapiens olfactory receptor, family 2, subfamily F, member 1 (OR2F1), mRNA

Page 369 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5642	14866	24249	3.34	0.0E+00	BE280197.1	EST_HUMAN	601158515F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3505323 5'
5645	14866	24253	2.69	0.0E+00	BE889810.1	EST_HUMAN	601512630F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914238 5'
5663	18061	24275	10.36	0.0E+00	9789986	NT	Homo sapiens potassium voltage-gated channel, Shal-related subfamily, member 2 (KCND2), mRNA
5679	14899	24282	9.4	0.0E+00	U34625.1	NT	Human T cell surface glycoprotein CD-6 mRNA, complete cds
5679	14899	24283	9.4	0.0E+00	U34625.1	NT	Human T cell surface glycoprotein CD-6 mRNA, complete cds
5725	14943	24339	1.66	0.0E+00	BE379007.1	EST_HUMAN	601236276F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608460 5'
5736	14955	24354	3.41	0.0E+00	U45982.1	NT	Human G protein-coupled receptor GPR-9-6 gene, complete cds
5748	14967	24368	4.14	0.0E+00	AA204740.1	EST_HUMAN	zq81d03.r1 Stralagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:648005 5' similar to TR:G854195 G854195 LEUKOCYTE SURFACE PROTEIN.1
5749	14968	24367	3.86	0.0E+00	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
5749	14968	24368	3.86	0.0E+00	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
5763	14982	24381	4.66	0.0E+00	BE257173.1	EST_HUMAN	601109532F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3350822 5'
5776	14997	24399	1.73	0.0E+00	11435630	NT	Homo sapiens peptide transporter 3 (LOC51296), mRNA
5806	15023		8.8	0.0E+00	AV650020.1	EST_HUMAN	AV650020 GLC Homo sapiens cDNA clone GLCCAD09 3'
5810	15027	24428	3.35	0.0E+00	AW575598.1	EST_HUMAN	UI-HF-BLO-acc-g-12-Q-UI.e1 NIH_MGC 37 Homo sapiens cDNA clone IMAGE:3058751 3'
5812	15029	24430	3.9	0.0E+00	H01255.1	EST_HUMAN	y27b03.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:149933 5'
5817	15034	24435	1.7	0.0E+00	X15377.1	NT	Human gene for the light and heavy chains of myeloperoxidase
5821	15038	24439	4.44	0.0E+00	BE735989.1	EST_HUMAN	601305368F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3639616 5'
5821	15038	24440	4.44	0.0E+00	BE735989.1	EST_HUMAN	601305368F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3639616 5'
5823	15040	24442	23.06	0.0E+00	AU119245.1	EST_HUMAN	AU119245 HEMBA1 Homo sapiens cDNA clone HEMBA1005360 5'
5823	15040	24443	23.06	0.0E+00	AU119245.1	EST_HUMAN	AU119245 HEMBA1 Homo sapiens cDNA clone HEMBA1005360 5'
5831	15048	24452	4.25	0.0E+00	BE293153.1	EST_HUMAN	601105344F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987863 5'
5831	15048	24463	4.25	0.0E+00	BE293153.1	EST_HUMAN	601105344F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987863 5'
5867	15104	24515	2.57	0.0E+00	AF190860.1	NT	Homo sapiens low voltage-activated T-type calcium channel alpha 1G splice variant CavT.1a (CACNA1G) mRNA, complete cds
5893	15110	24521	3.97	0.0E+00	AW163640.1	EST_HUMAN	au86h08.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2784159 5' similar to TR:O15390 O15390 GT24. [3] TR:O43840 TR:O43208 ;
5893	15110	24522	3.97	0.0E+00	AW163640.1	EST_HUMAN	au86h08.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2784159 5' similar to TR:O15390 O15390 GT24. [3] TR:O43840 TR:O43208 ;
5906	15123	24532	5.08	0.0E+00	BE789873.1	EST_HUMAN	601198756F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3941847 5'
5908	15125	24533	7.6	0.0E+00	BE889813.1	EST_HUMAN	601512058F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913311 5'
5908	15125	24534	7.6	0.0E+00	BE889813.1	EST_HUMAN	601512058F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913311 5'
5914	15131	24540	4.33	0.0E+00	L24483.1	NT	Human antigen CD27 gene, exons 1-2

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5918	15135	24544	2.28	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21G004
5918	15135	24545	2.28	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21G004
5924	15141	24552	3.32	0.0E+00	6005983	NT	Homo sapiens zona pellucida glycoprotein 3A (sperm receptor) (ZP3A), mRNA
5927	15143	24554	4.12	0.0E+00	AI838412.1	EST_HUMAN	1631f11.x1 NCI CGAP_G08 Homo sapiens cDNA clone IMAGE:2242413 3' similar to SW:WNT3_MOUSE
5928	15144	24555	1.71	0.0E+00	L32832.1	NT	P17553 WNT-3 PROTO-ONCOGENE PROTEIN PRECURSOR.
5933	15149	24559	4	0.0E+00	AA434584.1	EST_HUMAN	Homo sapiens zinc finger homeodomain protein (ATBF1-A) mRNA, complete cds
5978	15192	24608	7.22	0.0E+00	BE169131.1	EST_HUMAN	2w52c03.r1 Soares total testis NB2H8_9w Homo sapiens cDNA clone IMAGE:773688 5'
5990	15272	24701	3.28	0.0E+00	AA190755.1	EST_HUMAN	PM3-H10520-230200-002-c08 HT0520 Homo sapiens cDNA
5997	15279	24710	5.7	0.0E+00	AI840621.1	EST_HUMAN	zp88603.r1 Stratagene HeLa cell s3 837218 Homo sapiens cDNA
5997	15279	24711	5.7	0.0E+00	AI840621.1	EST_HUMAN	IL3-ST0024-230789-001-B01 ST0024 Homo sapiens cDNA
6002	15284	24717	1.76	0.0E+00	11435628	NT	IL3-ST0024-230789-001-B01 ST0024 Homo sapiens cDNA
6022	14512	23570	13.42	0.0E+00	BE867889.1	EST_HUMAN	Homo sapiens CD6 antigen (CD6), mRNA
6022	14512	23571	13.42	0.0E+00	BE867889.1	EST_HUMAN	Homo sapiens CD6 antigen (CD6), mRNA
6023	15231	24650	2.28	0.0E+00	BE550162.1	EST_HUMAN	601443667F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847697 5'
6023	15231	24651	2.28	0.0E+00	BE550162.1	EST_HUMAN	601443667F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847697 5'
6038	15244	24666	1.69	0.0E+00	BF088376.1	EST_HUMAN	7b49f03.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3231581 3' similar to SW:GG95_HUMAN
6039	15247	24669	1.94	0.0E+00	AA195106.1	EST_HUMAN	Q08379 GOLGIN-95.
6043	15211		11.49	0.0E+00	11034810	NT	Q08379 GOLGIN-95.
6051	15219	24639	2.71	0.0E+00	BF569805.1	EST_HUMAN	Q08379 GOLGIN-95.
6058	15227		2.04	0.0E+00	J03069.1	NT	CM1-HT0877-060900-397-q11 HT0877 Homo sapiens cDNA
6061	15251	24673	3.02	0.0E+00	AF217289.1	NT	CM1-HT0877-060900-397-q11 HT0877 Homo sapiens cDNA clone IMAGE:665332 5'
6061	15251	24674	3.02	0.0E+00	AF217289.1	NT	zr34g03.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:665332 5'
6066	14513	23572	2.97	0.0E+00	11420775	NT	Homo sapiens catenin (cadherin-associated protein), delta 2 (neural plakophilin-related arm-repeat protein)
6080	14526	23548	6.31	0.0E+00	BE262941.1	EST_HUMAN	Homo sapiens catenin (cadherin-associated protein), delta 2 (neural plakophilin-related arm-repeat protein)
6081	14527	23549	2.22	0.0E+00	Z37976.1	NT	(CTNND2), mRNA
6081	14527	23550	2.22	0.0E+00	Z37976.1	NT	602185852F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310076 5'
6082	14528	23551	2.98	0.0E+00	AF257737.1	NT	Human MYCL2 gene, complete cds
6082	14528	23552	2.98	0.0E+00	AF257737.1	NT	Homo sapiens cadherin 20 (CDH20) mRNA, complete cds
6088	15288	24720	2.39	0.0E+00	BF569805.1	EST_HUMAN	Homo sapiens cadherin 20 (CDH20) mRNA, complete cds
6090	15291	24724	3.87	0.0E+00	L01978.1	NT	Homo sapiens melanoma antigen, family B, 2 (MAGEB2), mRNA

Page 371 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6098	15298	24730	5.25	0.0E+00	BF308096.1	EST_HUMAN	601889823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
6101	15301	24733	2.33	0.0E+00	U41302.1	NT	Human chromosome 16 creatine transporter (SLC6A8) and (CDM) paralogous genes, complete cds
6137	15321	24756	2.26	0.0E+00	AU133213.1	EST_HUMAN	AU133213 NT2RP4 Homo sapiens cDNA clone NT2RP4001556 5'
6150	15334		2.53	0.0E+00	AU143706.1	EST_HUMAN	AU143706 Y79AA1 Homo sapiens cDNA clone Y79AA1002365 5'
6165	14534	23537	2.38	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
6165	14534	23538	2.38	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
6174	15356	24784	4.35	0.0E+00	11436699	NT	Homo sapiens vitamin D (1,25-dihydroxyvitamin D3) receptor (VDR), mRNA
6174	15356	24785	4.35	0.0E+00	11436699	NT	Homo sapiens vitamin D (1,25-dihydroxyvitamin D3) receptor (VDR), mRNA
							qc67a07.x1 Soares_placenta_8to9weeks_2NbHP8tb9W Homo sapiens cDNA clone IMAGE:1714644 3'
							similar to SW:ARSD_HUMAN P51689 ARYL SULFATASE D PRECURSOR ; contains element HGR
6188	15370	24810	34.37	0.0E+00	A1126344.1	EST_HUMAN	repetitive element ;
							qc67a07.x1 Soares_placenta_8to9weeks_2NbHP8tb9W Homo sapiens cDNA clone IMAGE:1714644 3'
							similar to SW:ARSD_HUMAN P51689 ARYL SULFATASE D PRECURSOR ; contains element HGR
6188	15370	24811	34.37	0.0E+00	A1126344.1	EST_HUMAN	repetitive element ;
6190	15372	24813	4.12	0.0E+00	11426392	NT	Homo sapiens myosin, heavy polypeptide 8, skeletal muscle, perinatal (MYH8), mRNA
6190	15372	24814	4.12	0.0E+00	11426392	NT	Homo sapiens myosin, heavy polypeptide 8, skeletal muscle, perinatal (MYH8), mRNA
6192	15374		14	0.0E+00	BF337976.1	EST_HUMAN	602035089F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4182839 5'
							zr60f09.r1 Stratagene muscle 637209 Homo sapiens cDNA clone IMAGE:562601 5' similar to TR:G806562
6194	15376	24816	2.36	0.0E+00	AA128453.1	EST_HUMAN	G806562 NEBULIN ;
6213	15394		2.23	0.0E+00	AU118607.1	EST_HUMAN	AU118607 HEMBA1 Homo sapiens cDNA clone HEMBA1003969 5'
6214	15395	24838	1.95	0.0E+00	AF005213.1	NT	Homo sapiens ankyrin 1 (ANK1) mRNA, complete cds
6214	15395	24839	1.95	0.0E+00	AF005213.1	NT	Homo sapiens ankyrin 1 (ANK1) mRNA, complete cds
6223	15404	24846	7.18	0.0E+00	X70172.1	NT	H. sapiens DNA for ZNGP2 pseudogene, exon 4
6225	15408	24847	9.65	0.0E+00	U45448.1	NT	Human P2x1 receptor mRNA, complete cds
6225	15408	24848	9.65	0.0E+00	U45448.1	NT	Human P2x1 receptor mRNA, complete cds
6231	15412	24853	2.5	0.0E+00	AW950516.1	EST_HUMAN	EST362598 IMAGE resequences, MAGA Homo sapiens cDNA
							x639a05.y1 NCI_CGAP_Lu31 Homo sapiens cDNA clone IMAGE:2578640 5' similar to TR:Q08050 Q08050
6260	15441	24880	2.71	0.0E+00	AW239326.1	EST_HUMAN	HNFS3FH TRANSCRIPTION FACTOR GENESIS ;
6270	15450	24889	4.1	0.0E+00	11427135	NT	Homo sapiens glucagon-like peptide 2 receptor (GLP2R), mRNA
6281	15461	24903	2.21	0.0E+00	AW405627.1	EST_HUMAN	UI-HF-BLO-abs-d-07-0-UI.r1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3057489 5'
6317	15497	24941	4.45	0.0E+00	A1752561.1	EST_HUMAN	cn17d05.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NH7BC_cn17d05 random

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6317	15497	24942	4.45	0.0E+00	A1762561.1	EST_HUMAN	cn17d05.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn17d05 random
6374	15554	25011	2.08	0.0E+00	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
6377	15557	25013	5.82	0.0E+00	BF217905.1	EST_HUMAN	601885485F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4103729 5'
6381	15561	25017	3.89	0.0E+00	AU128622.1	EST_HUMAN	AU128622 NT2RP2 Homo sapiens cDNA clone NT2RP2005913 5'
6392	15572	25028	6.76	0.0E+00	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
6395	15575	25030	5.9	0.0E+00	BE739870.1	EST_HUMAN	601593156F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3947365 5'
6395	15575	25031	5.9	0.0E+00	BE739870.1	EST_HUMAN	601593156F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3947365 5'
6407	15588	25047	2.02	0.0E+00	BE787610.1	EST_HUMAN	601481713F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884258 5'
6407	15588	25048	2.02	0.0E+00	BE787610.1	EST_HUMAN	601481713F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884258 5'
6448	15646	25114	3.8	0.0E+00	BE736046.1	EST_HUMAN	601305658F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3638903 5'
6457	15654	25123	3.92	0.0E+00	M34872.1	NT	Human amyloid-beta protein (APP) gene, exon 11
6457	15654	25124	3.92	0.0E+00	M34872.1	NT	Human amyloid-beta protein (APP) gene, exon 11
6468	15665	25136	2.95	0.0E+00	AA397551.1	EST_HUMAN	z81504.11 Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TRG300482
6471	15668	25137	6.84	0.0E+00	AU142402.1	EST_HUMAN	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT);
6478	15676	25171	7.06	0.0E+00	BF673096.1	EST_HUMAN	AU142402 Y78AA1 Homo sapiens cDNA clone Y78AA1000277 5'
6510	15706	25171	3.93	0.0E+00	AW500548.1	EST_HUMAN	602153009F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4284128 5'
6514	15710	25174	12.31	0.0E+00	AW157233.1	EST_HUMAN	UIHF-BNO-ak1-01-Q-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077493 5'
6556	15752	25214	2.38	0.0E+00	11427235	NT	UIHF-BNO-ak1-01-Q-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:2783799 3' similar to
6556	15752	25215	2.38	0.0E+00	11427235	NT	TR:O60463 O60463 TYPE-2 PHOSPHATIDIC ACID PHOSPHOHYDROLASE. [1];
6574	15770						TR:O60463 O60463 TYPE-2 PHOSPHATIDIC ACID PHOSPHOHYDROLASE. [1];
6604	15800						TR:O60463 O60463 TYPE-2 PHOSPHATIDIC ACID PHOSPHOHYDROLASE. [1];
6610	15806	25262	3.19	0.0E+00	4758695	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
6610	15806	25263	3.19	0.0E+00	4758695	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
6626	15822	25282	4.61	0.0E+00	X98922.1	NT	z173a08.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727958 3' similar to gb:S85855
6626	15822	25283	4.61	0.0E+00	X98922.1	NT	PROHIBITIN (HUMAN);
6626	15822	25284	4.61	0.0E+00	X98922.1	NT	601431238F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916568 5'
6650	15845		2.28	0.0E+00	AW513513.1	EST_HUMAN	601431238F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916568 5'
6652	15847	25306	9.98	0.0E+00	D52650.1	EST_HUMAN	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
							Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
							H. sapiens mRNA for gamma-glutamyltransferase
							H. sapiens mRNA for gamma-glutamyltransferase
							H. sapiens mRNA for gamma-glutamyltransferase
							xc046a01.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2707032 3' similar to gb:M14123_cds4
							RETROVIRUS-RELATED POL POLYPROTEIN (HUMAN);
							HUM084C02B Clontech human fetal brain polyA+ mRNA (#8535) Homo sapiens cDNA clone GEN-084C02

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6661	15856	25315	6.79	0.0E+00	BE378495.1	EST_HUMAN	601236488F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608709 5'
6663	15858	25317	2.22	0.0E+00	AA410545.1	EST_HUMAN	z32e04.r1 Soares ovary tumor NBH07 Homo sapiens cDNA clone IMAGE:724062 5'
6691	15866	25345	10.28	0.0E+00	AA982527.1	EST_HUMAN	α80g02.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1802194 3' similar to gb:M36072 60S
6694	15869	25348	5.08	0.0E+00	10947037	NT	RIBOSOMAL PROTEIN L7A (HUMAN);
6694	15869	25350	5.08	0.0E+00	10947037	NT	Homo sapiens ankyrin 1, erythrocytic (ANK1), transcript variant 1, mRNA
6708	15903	25365	2.95	0.0E+00	AV718377	EST_HUMAN	Homo sapiens ankyrin 1, erythrocytic (ANK1), transcript variant 1, mRNA
6711	15906	25365	2.28	0.0E+00	AU124051	EST_HUMAN	AV718377 FHTB Homo sapiens cDNA clone FHTBAAF11 5'
6739	15934	25393	8.1	0.0E+00	AW592233.1	EST_HUMAN	AU124051 NT2RM2 Homo sapiens cDNA clone NT2RM2001575 5'
6739	15934	25394	8.1	0.0E+00	AW592233.1	EST_HUMAN	h448a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2835098 3'
6762	15957	25412	6	0.0E+00	11422857	NT	h448a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2835098 3'
6767	15962	25418	7.02	0.0E+00	AB020630.1	NT	Homo sapiens tumor protein p73 (TP73), mRNA
6767	15962	25419	7.02	0.0E+00	AB020630.1	NT	Homo sapiens mRNA for KIAA0823 protein, partial cds
6769	15964	25422	4.5	0.0E+00	7706638	NT	Homo sapiens mRNA for KIAA0823 protein, partial cds
6783	15978	25436	3.18	0.0E+00	BE315402.1	EST_HUMAN	Homo sapiens polyomavirus (PKDL), mRNA
6783	15978	25437	3.18	0.0E+00	BE315402.1	EST_HUMAN	601141119F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140740 5'
6790	15985	25445	2.37	0.0E+00	X14766.1	NT	601141119F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140740 5'
6789	15994	25452	2.92	0.0E+00	AI954607.1	EST_HUMAN	Human mRNA for GABA-A receptor, alpha 1 subunit
6802	15997	25455	5.73	0.0E+00	9256595	NT	wq34a12.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2473160 3' similar to SW:MGB3_HUMAN
6807	16002	25482	2.77	0.0E+00	AW958311.1	EST_HUMAN	O15480 MELANOMA-ASSOCIATED ANTIGEN B3 ;
6822	16016	25481	3.11	0.0E+00	BE794823.1	EST_HUMAN	Homo sapiens protocadherin alpha 8 (PCDH8), mRNA
6855	16055	25522	2.85	0.0E+00	BE712515.1	EST_HUMAN	EST370381 IMAGE resequences; IMAGE Homo sapiens cDNA
6858	15995	25057	3.59	0.0E+00	11560151	NT	EST370381 IMAGE resequences; IMAGE Homo sapiens cDNA
6889	15595	25058	3.59	0.0E+00	11560151	NT	QV2-HT0698-250700-282-b08 HT0698 Homo sapiens cDNA
6891	15597	25061	12.21	0.0E+00	AI290909.1	EST_HUMAN	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
6891	15597	25062	12.21	0.0E+00	AI290909.1	EST_HUMAN	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
6902	16059	25527	4.88	0.0E+00	AF153466.1	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
6907	16095		15.37	0.0E+00	BE259829.1	EST_HUMAN	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
6908	16098	25502	24.85	0.0E+00	AW183779.1	EST_HUMAN	qm09a08.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881288 3' similar to SW:RL2B_HUMAN
6925	16118	25584	6.68	0.0E+00	C08158.1	EST_HUMAN	P29318 60S RIBOSOMAL PROTEIN L23A ;
							qm09a08.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881288 3' similar to SW:RL2B_HUMAN
							P29318 60S RIBOSOMAL PROTEIN L23A ;
							Homo sapiens polycystic kidney disease 2-like protein (PKD2L) gene, exon 8
							Homo sapiens polycystic kidney disease 2-like protein (PKD2L) gene, exon 8
							601109942F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350722 5'
							601109942F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350722 5'
							au86c04.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783142 5' similar to gb:M36072
							60S RIBOSOMAL PROTEIN L7A (HUMAN);
							C06158 Human pancreatic islet Homo sapiens cDNA clone hbc5605

Page 374 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor.
6925	16118	25585	6.68	0.0E+00	C06158.1	EST_HUMAN	C06158 Human pancreatic islet Homo sapiens cDNA clone hbc5605
6927	16120	25588	5.28	0.0E+00	BE746215.1	EST_HUMAN	601579683F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3927548 5'
6942	16086	25564	2.48	0.0E+00	BE900549.1	EST_HUMAN	601673425F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3956238 5'
6955	16133	25602	3.1	0.0E+00	AF019084.1	NT	Homo sapiens keratin 2a (KRT2E) gene, complete cds
6955	16133	25603	3.1	0.0E+00	AF019084.1	NT	Homo sapiens keratin 2a (KRT2E) gene, complete cds
7001	16179	25650	2.7	0.0E+00	S78468.1	NT	AIGF=androgen-induced growth factor AIGF [human, placenta, Genomic/mRNA, 498 nt, segment 5 of 5]
7001	16178	25651	2.7	0.0E+00	S78468.1	NT	AIGF=androgen-induced growth factor AIGF [human, placenta, Genomic/mRNA, 498 nt, segment 5 of 5]
7002	16180	25652	3.47	0.0E+00	BE563320.1	EST_HUMAN	601334603F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3888680 5'
7017	16194	25668	2.39	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
7017	16194	25669	2.39	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
7020	16197	25673	16.33	0.0E+00	BE740480.1	EST_HUMAN	601595558F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3949383 5'
7020	16197	25674	16.33	0.0E+00	BE740480.1	EST_HUMAN	601595558F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3949383 5'
7023	16200	25676	2.71	0.0E+00	7662067	NT	Homo sapiens KIAA0345 gene product (KIAA0345), mRNA
7034	16211	25687	3.29	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
7058	16233	25708	3.33	0.0E+00	BE280783.1	EST_HUMAN	601156227F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3138798 5'
7059	16236	25709	9.74	0.0E+00	BE388700.1	EST_HUMAN	601286351F1 NIH_MGC 44 Homo sapiens cDNA clone IMAGE:3613045 5'
7059	16236	25710	9.74	0.0E+00	BE388700.1	EST_HUMAN	601286351F1 NIH_MGC 44 Homo sapiens cDNA clone IMAGE:3613045 5'
7062	16239	25712	6.83	0.0E+00	AW236269.1	EST_HUMAN	xn72b01.x1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2899977 3' similar to gb:X02152_cds1 L- LACTATE DEHYDROGENASE M CHAIN (HUMAN).
7078	16255	25726	3.3	0.0E+00	AU143673.1	EST_HUMAN	AU143673 Y79AA1 Homo sapiens cDNA clone Y79AA1002307 5'
7078	16255	25729	3.3	0.0E+00	AU143673.1	EST_HUMAN	AU143673 Y79AA1 Homo sapiens cDNA clone Y79AA1002307 5'
7079	16256	25730	3.69	0.0E+00	AF072408.1	NT	Homo sapiens killer cell inhibitory receptor KIRCI gene, exons 2, 3, and 4
7081	16258	25732	2.51	0.0E+00	11421001	NT	Homo sapiens HEF like Protein (HEFL), mRNA
7081	16258	25733	2.51	0.0E+00	11421001	NT	Homo sapiens HEF like Protein (HEFL), mRNA
7091	16268	25745	2.83	0.0E+00	AU136637.1	EST_HUMAN	AU136637 PLACE1 Homo sapiens cDNA clone PLACE1004737 5'
7091	16268	25746	2.83	0.0E+00	AU136637.1	EST_HUMAN	AU136637 PLACE1 Homo sapiens cDNA clone PLACE1004737 5'
7103	16280	25760	2.95	0.0E+00	AA198387.1	EST_HUMAN	zp97h11.r1 Stragelene muscle 937208 Homo sapiens cDNA clone IMAGE:628197 5'
7125	16302	25783	2.32	0.0E+00	AF176308.1	NT	Homo sapiens KIF4 (KIF4) mRNA, complete cds
7139	16316	25797	12.52	0.0E+00	BE730772.1	EST_HUMAN	601570712F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3845403 5'
7139	16316	25798	12.52	0.0E+00	BE730772.1	EST_HUMAN	601570712F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3845403 5'
7167	16344	25822	4.03	0.0E+00	BF340331.1	EST_HUMAN	602037045F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4184839 5'
7167	16344	25823	4.03	0.0E+00	BF340331.1	EST_HUMAN	602037045F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4184839 5'

Page 375 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7198	16375	25857	2.47	0.0E+00	BF436218.1	EST_HUMAN	na645e12.x1 Soares_NSF_F8_GW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3265271 3'
7206	16383	25864	5.33	0.0E+00	AW517980.1	EST_HUMAN	xu74b01.x1 NCI_CGAP_Kid8 Homo sapiens cDNA clone IMAGE:2807401 3' similar to gb:M69066 MOESIN (HUMAN);
7208	16385	25866	13.01	0.0E+00	BE549213.1	EST_HUMAN	601078764F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3484703 5'
7214	16391	25873	2.88	0.0E+00	BE781742.1	EST_HUMAN	601487419F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3870700 5'
7216	16393	25876	2.52	0.0E+00	BE082720.1	EST_HUMAN	RC2-BT0642-150200-012-403 BT0642 Homo sapiens cDNA
7216	16393	25877	2.52	0.0E+00	BE082720.1	EST_HUMAN	RC2-BT0642-150200-012-403 BT0642 Homo sapiens cDNA
7219	16396	25880	5.18	0.0E+00	BE743215.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
7219	16396	25881	5.18	0.0E+00	BE743215.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
7230	16451	25940	2.88	0.0E+00	AV711075.1	EST_HUMAN	AV711075 Cu Homo sapiens cDNA clone CUAAG05 5'
7230	16451	25941	2.88	0.0E+00	AV711075.1	EST_HUMAN	AV711075 Cu Homo sapiens cDNA clone CUAAG05 5'
7232	16453	25948	6.94	0.0E+00	AW813783.1	EST_HUMAN	RC3-ST0197-120200-015-403 ST0197 Homo sapiens cDNA
7239	16459	25948	7.82	0.0E+00	AW863583.1	EST_HUMAN	EST375638 IMAGE resequences, MAGH Homo sapiens cDNA
7252	16472	25963	2.36	0.0E+00	11431124 NT	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
7262	16472	25964	2.36	0.0E+00	11431124 NT	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
7254	16474	25968	2.16	0.0E+00	AW057621.1	EST_HUMAN	wy6109.x1 Soares_NSF_F8_GW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2553065 3' similar to TR:Q60566 Q60566 VDX;
7262	16481	25973	2.11	0.0E+00	BE243270.1	EST_HUMAN	TCAAP3D0917 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project-TCAA Homo sapiens cDNA clone TCAAP0917
7263	16482	25974	5.84	0.0E+00	A1652239.1	EST_HUMAN	wb28a12.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2306974 3' similar to contains element MSR1 MSR1 repetitive element;
7263	16482	25975	5.84	0.0E+00	A1652239.1	EST_HUMAN	wb28a12.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2306974 3' similar to contains element MSR1 MSR1 repetitive element;
7273	16492	25983	4.32	0.0E+00	11545911 NT	NT	Homo sapiens NOD2 protein (NOD2), mRNA
7273	16492	25984	4.32	0.0E+00	11545911 NT	NT	Homo sapiens NOD2 protein (NOD2), mRNA
7287	16508	25997	2.37	0.0E+00	AW404795.1	EST_HUMAN	UI-HF-BL0-ecm-d-04-0-JL1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3058383 5'
7280	16509	26000	5.86	0.0E+00	11424829 NT	NT	Homo sapiens hypothetical protein FLJ20079 (FLJ20079), mRNA
7281	16510	26001	10.37	0.0E+00	4504536 NT	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1E (HTR1E) mRNA
7281	16510	26002	10.37	0.0E+00	4504536 NT	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1E (HTR1E) mRNA
7282	16511	26003	2.78	0.0E+00	A1691827.1	EST_HUMAN	wu32b08.x1 Soares_Dickgraefe_colon_NHGD Homo sapiens cDNA clone IMAGE:2521715 3'
7286	16514	26007	2.95	0.0E+00	BE882109.1	EST_HUMAN	601505204F2 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3906885 5'
7289	16518	26009	14.1	0.0E+00	BE891630.1	EST_HUMAN	601434522F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3919636 5'
7301	16520	26010	1.93	0.0E+00	8823939 NT	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
7301	16520	26011	1.93	0.0E+00	8823939 NT	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA

Page 376 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7315	18533	26022	12.28	0.0E+00	BE903304.1	EST_HUMAN	601674332F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3957343 5'
7318	14789	24160	2.45	0.0E+00	AA195905.1	EST_HUMAN	2p95b11.11 Striatum muscle 837209 Homo sapiens cDNA clone IMAGE:827833 5' similar to gb:X03740
7337	18553	26042	8.57	0.0E+00	BE793498.1	EST_HUMAN	MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
7345	18561	26049	25.26	0.0E+00	AV727362.1	EST_HUMAN	601598828F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943015 5'
7345	18561	26050	25.26	0.0E+00	AV727362.1	EST_HUMAN	AV727362 HTC Homo sapiens cDNA clone HTCAQH08 5'
7356	18572	26064	18.75	0.0E+00	AW516055.1	EST_HUMAN	xy04g10.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone HTCAQH08 5'
7362	18578	26069	1.96	0.0E+00	AU135741.1	EST_HUMAN	RIBOSOMAL PROTEIN S16 (HUMAN);
7367	18583	26072	3.09	0.0E+00	AW593333.1	EST_HUMAN	AU135741 PLACE1 Homo sapiens cDNA clone PLACE1002784 5'
7367	18583	26073	3.09	0.0E+00	AW593333.1	EST_HUMAN	hg13402.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2845475 3' similar to contains element MSR1 repetitive element ;
7367	18583	26074	3.09	0.0E+00	AW593333.1	EST_HUMAN	hg13402.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2845475 3' similar to contains element MSR1 repetitive element ;
7369	18585	26075	1.79	0.0E+00	Z34897.1	NT	H.sapiens mRNA for H1 histamine receptor
7370	18586	26076	3.22	0.0E+00	F13069.1	EST_HUMAN	HSC31C031 normalized infant brain cDNA Homo sapiens cDNA clone c-31c03
7377	18593	26081	1.98	0.0E+00	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
7393	18607	26097	2.67	0.0E+00	AW338094.1	EST_HUMAN	xw6601.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2832985 3' similar to gb:X17115 IG MU CHAIN C REGION (HUMAN);
7394	18608	26098	5.93	0.0E+00	AW451230.1	EST_HUMAN	UIH-B13-ah-e-01-Q-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736849 3'
7394	18608	26099	5.93	0.0E+00	AW451230.1	EST_HUMAN	UIH-B13-ah-e-01-Q-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736849 3'
7396	9498		16.35	0.0E+00	4506832	NT	Homo sapiens ribosomal protein L31 (RPL31) mRNA
7398	18611	26101	2.2	0.0E+00	AB014567.1	NT	Homo sapiens mRNA for KIAA0687 protein, partial cds
7411	18623	26117	2.76	0.0E+00	BE288449.1	EST_HUMAN	601119248F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029219 5'
7427	18637	26130	1.88	0.0E+00	AB011117.1	NT	Homo sapiens mRNA for KIAA0545 protein, partial cds
7443	18651	26143	2.9	0.0E+00	BE792155.1	EST_HUMAN	601582046F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936539 5'
7444	18652		62.57	0.0E+00	BF684061.1	EST_HUMAN	602141405F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4302432 5'
7447	18655	26146	5.83	0.0E+00	AU118386.1	EST_HUMAN	AU118386 HEMBA1 Homo sapiens cDNA clone HEMBA1003488 5'
7448	18658		11.99	0.0E+00	AW236268.1	EST_HUMAN	6012601.x1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2699677 3' similar to gb:X02152_cds1 L-LACTATE DEHYDROGENASE M CHAIN (HUMAN);
7453	18661	26150	8.59	0.0E+00	A1149809.1	EST_HUMAN	q43c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752772 3'
7453	18661	26151	8.59	0.0E+00	A1149809.1	EST_HUMAN	q43c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752772 3'
7454	18662	26152	4.17	0.0E+00	AW391937.1	EST_HUMAN	QV4-ST0234-121199-032-b06 ST0234 Homo sapiens cDNA

Page 377 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7467	16675	26158	21.87	0.0E+00	11424726	NT	Homo sapiens insulin receptor (INSR), mRNA
7474	16682	26165	1.76	0.0E+00	BF340308.1	EST_HUMAN	602037014F1 NCI_CGAP_Brm64 Homo sapiens cDNA clone IMAGE:4184979 5'
7475	16683	26166	40.58	0.0E+00	BE261209.1	EST_HUMAN	601148357F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163310 5'
7485	16692	26175	3.77	0.0E+00	U50326.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 15-17
7489	16698	26180	2.19	0.0E+00	BE773036.1	EST_HUMAN	RC1-FT0134-170700-012-07 FT0134 Homo sapiens cDNA
7489	16698	26181	2.19	0.0E+00	BE773036.1	EST_HUMAN	RC1-FT0134-170700-012-07 FT0134 Homo sapiens cDNA
7510	16715	26203	19.32	0.0E+00	AA740782.1	EST_HUMAN	db32907.s1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325412 3' similar to contains element
7517	16722	26212	3.85	0.0E+00	AF252303.1	NT	MSR1 repetitive element
7530	16735	26225	6.93	0.0E+00	CO5089.1	EST_HUMAN	Homo sapiens signaling lymphocytic activation molecule (SLAM) gene, exon 2
7537	16742	26233	2.19	0.0E+00	AA746375.1	EST_HUMAN	CO5089 Human heart cDNA (YNakamura) Homo sapiens cDNA clone 3NH4817
7537	16742	26234	2.19	0.0E+00	AA746375.1	EST_HUMAN	cat56M01.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309009 5'
7547	16752	26246	2.05	0.0E+00	M78448.1	EST_HUMAN	cat56H01.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309009 5'
7547	16752	26247	2.05	0.0E+00	M78448.1	EST_HUMAN	EST00596 Fetal brain, Striatum (cat#936206) Homo sapiens cDNA clone HFBCC26
7550	16755	26248	7.75	0.0E+00	AL157608.1	EST_HUMAN	EST00596 Fetal brain, Striatum (cat#936206) Homo sapiens cDNA clone HFBCC26
7550	16755	26248	13.17	0.0E+00	AV693658.1	EST_HUMAN	EST00596 Fetal brain, Striatum (cat#936206) Homo sapiens cDNA clone DKFZp761J2116 5'
7572	16777	26270	2.02	0.0E+00	AU116988.1	EST_HUMAN	DKFZp761J2116 .r1 761 (synonym: hamy2) Homo sapiens cDNA clone HEMBA1000424 5'
7580	16785	26278	2.07	0.0E+00	BF366553.1	EST_HUMAN	AU116988 HEMBA1 Homo sapiens cDNA clone GKCCNC03 5'
7603	16806	26302	3.42	0.0E+00	BE182380.1	EST_HUMAN	AV693658 GKC Homo sapiens cDNA clone HT0845 Homo sapiens cDNA
7603	16806	26303	3.42	0.0E+00	BE182380.1	EST_HUMAN	IL3-NT0104-200500-143-A07 NT0104 Homo sapiens cDNA
7605	16808	26308	1.71	0.0E+00	AV701152.1	EST_HUMAN	PM0-HT0845-060500-002-E05 HT0845 Homo sapiens cDNA
7618	16821	26316	3.77	0.0E+00	BE896423.1	EST_HUMAN	PM0-HT0845-060500-002-E05 HT0845 Homo sapiens cDNA
7628	16828	26325	3.72	0.0E+00	BE018293.1	EST_HUMAN	PM0-HT0845-060500-002-E05 HT0845 Homo sapiens cDNA
7659	16859	26360	5.05	0.0E+00	BE697953.1	EST_HUMAN	PM0-HT0845-060500-002-E05 HT0845 Homo sapiens cDNA
7660	16860	26361	1.88	0.0E+00	A1459545.1	EST_HUMAN	601433902F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
7660	16860	26362	1.88	0.0E+00	A1459545.1	EST_HUMAN	601433902F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
7698	16897	26408	4.25	0.0E+00	4758827	NT	601433902F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
7698	16897	26408	19.73	0.0E+00	BF206561.1	EST_HUMAN	601433902F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
7699	16898	26407	20.68	0.0E+00	AW207734.1	EST_HUMAN	601433902F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
7704	16903	26412	6.88	0.0E+00	AB018260.1	NT	UI-H-B12-age-h-01-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724312 3'
7708	16907	26415	6.88	0.0E+00	AB018260.1	NT	UI-H-B12-age-h-01-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724312 3'
7708	16907	26416	6.88	0.0E+00	AB018260.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
7708	16907	26416	6.88	0.0E+00	AB018260.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds

Table 4
Single Exon Probes Expressed in HELA Cells

[illegible]

Page 378 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7901	17117		3.33	0.0E+00	AA558707.1	EST_HUMAN	nl26208.s1 NCL_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043342 similar to gb:M85178 ALPHA-ACTININ 1, CYTOSKELETAL ISOFORM (HUMAN);
7902	14543	23612	3.76	0.0E+00	A1934954.1	EST_HUMAN	wp06g08.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2464094 3'
7903	17118	26849	10.87	0.0E+00	AW327895.1	EST_HUMAN	d02b08.x1 NIH_MGC_3 Homo sapiens cDNA clone IMAGE:2846919 5'
7921	18080	26667	1.71	0.0E+00	AW262776.1	EST_HUMAN	UI-H-BW0-aj-d-07-0-J1.s1 NCL_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729509 3'
7934	17074	26601	2.83	0.0E+00	BE965909.2	EST_HUMAN	601659088R1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895916 3'
7934	17074	26602	2.83	0.0E+00	BE965909.2	EST_HUMAN	601659088R1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895916 3'
7935	17075	26603	4.9	0.0E+00	BE185658.1	EST_HUMAN	IL5-HT0731-020500-077-405 HT0731 Homo sapiens cDNA
7949	17088	26617	6.34	0.0E+00	AL046540.1	EST_HUMAN	DKFZp434G178_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G178 5'
7949	17088	26618	6.34	0.0E+00	AL046540.1	EST_HUMAN	DKFZp434G178_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G178 5'
7958	17097	26627	24.69	0.0E+00	A1923116.1	EST_HUMAN	wn83g03.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2452468 3' similar to gb:S37431 LAMININ RECEPTOR (HUMAN);
7962	17141	26673	7.88	0.0E+00	AA760913.1	EST_HUMAN	nz11c07.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1287468 3' similar to TR:Q13686
7962	17141	26674	7.88	0.0E+00	AA760913.1	EST_HUMAN	Q13686 ALKB HOMOLOG PROTEIN. ;
7967	17148	26680	2.47	0.0E+00	BE910546.1	EST_HUMAN	nz11c07.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1287468 3' similar to TR:Q13686
7975	18410	25896	6.48	0.0E+00	BE676347.1	EST_HUMAN	Q13686 ALKB HOMOLOG PROTEIN. ;
7978	18413	25899	1.65	0.0E+00	BE615688.1	EST_HUMAN	601501090F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902926 5'
7978	18413	25900	1.65	0.0E+00	BE615688.1	EST_HUMAN	712712.x1 NCL_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3295919 3' similar to TR:O00409 O00409 CHECKPOINT SUPPRESSOR 1. ;
8014	17153	26687	2.93	0.0E+00	L39891.1	NT	601276335F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3611144 5'
8014	17153	26688	2.93	0.0E+00	L39891.1	NT	601276335F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3611144 5'
8027	17164	26701	4.05	0.0E+00	AU138211.1	EST_HUMAN	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
8040	17176	26716	3.92	0.0E+00	BE622317.1	EST_HUMAN	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
8073	17208	26741	26.14	0.0E+00	BE748899.1	EST_HUMAN	AU138211 PLAGE1 Homo sapiens cDNA clone PLAGE1008077 5'
8073	17208	26742	26.14	0.0E+00	BE748899.1	EST_HUMAN	601441096F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916270 5'
8084	17219	26754	3.84	0.0E+00	AU141882.1	EST_HUMAN	601572186T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3839012 3'
8084	17219	26755	3.94	0.0E+00	AU141882.1	EST_HUMAN	601572186T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3839012 3'
8087	17222	26758	2.47	0.0E+00	AW006022.1	EST_HUMAN	AU141882 THYRO1 Homo sapiens cDNA clone THYRO1001398 5'
8091	18081	26762	4.52	0.0E+00	BF002333.1	EST_HUMAN	AU141882 THYRO1 Homo sapiens cDNA clone THYRO1001398 5'
8108	17242	26782	3.67	0.0E+00	AW387776.1	EST_HUMAN	wz01H01.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2566225 3' similar to WP:F63H10.2
							CE11040 ZINC FINGER, C2H2 TYPE ;
							7122b10.x1 NCL_CGAP_Cot6 Homo sapiens cDNA clone IMAGE:3316699 3' similar to TR:Q13458 Q13458 TRIO. ;
							MR4-ST0118-261099-012-b03 ST0118 Homo sapiens cDNA

Page 380 of 382
Table 4
Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8108	17242	26783	3.67	0.0E+00	AW387776.1	EST_HUMAN	MIR4-ST011B-261099-012-b03 ST011B Homo sapiens cDNA
8128	17262	26805	4.34	0.0E+00	11435244	NT	Homo sapiens KIAA0247 gene product (KIAA0247), mRNA
8128	17262	26808	4.34	0.0E+00	11435244	NT	Homo sapiens KIAA0247 gene product (KIAA0247), mRNA
8133	17268	26810	7.52	0.0E+00	U36253.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 5
8135	17268	26812	17.97	0.0E+00	BE379254.1	EST_HUMAN	601237691F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609623 5'
8135	17268	26813	17.97	0.0E+00	BE379254.1	EST_HUMAN	601237691F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609623 5'
8149	17281	26826	2.37	0.0E+00	BE784768.1	EST_HUMAN	601560588F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944708 5'
8150	17282	26827	96.17	0.0E+00	BE879633.1	EST_HUMAN	601491821F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3894220 5'
8160	17292	26833	9.23	0.0E+00	BE409933.1	EST_HUMAN	601289403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3629544 5'
8161	17293	26834	1.7	0.0E+00	BE148650.1	EST_HUMAN	MIR0-HT0241-150500-011-602 HT0241 Homo sapiens cDNA
8162	17294	26835	1.74	0.0E+00	11427345	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2), mRNA
8162	17294	26836	1.74	0.0E+00	11427345	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2), mRNA
8162	17294	26837	1.74	0.0E+00	11427345	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2), mRNA
8163	17295	26838	2.96	0.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8163	17295	26839	2.96	0.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8170	17302	26847	2.12	0.0E+00	AU132940.1	EST_HUMAN	AU132940 NT2RP4 Homo sapiens cDNA clone NT2RP4000929 5'
8173	17305	26849	4.04	0.0E+00	BE903372.1	EST_HUMAN	60176357F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958835 5'
8182	17314	26856	2.31	0.0E+00	BF312552.1	EST_HUMAN	601897524F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127069 5'
8182	17314	26857	2.31	0.0E+00	BF312552.1	EST_HUMAN	601897524F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127069 5'
8184	17318	26859	3.09	0.0E+00	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
8184	17318	26860	3.09	0.0E+00	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
8191	17323		1.98	0.0E+00	W88964.1	EST_HUMAN	zh73d05.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:417705 3'
8193	17325		2.05	0.0E+00	BE906402.1	EST_HUMAN	601498533F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3900398 5'
8204	17335	26876	2.78	0.0E+00	9835487	NT	Human endogenous retrovirus, complete genome
8218	18082		15.82	0.0E+00	BF309120.1	EST_HUMAN	601890534F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131416 5'
8224	17354	26881	75.29	0.0E+00	BE267175.1	EST_HUMAN	601177407F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3632988 5'
8254	15576	25032	2.25	0.0E+00	6912461	NT	Homo sapiens atrophin-1 interacting protein 1; activin receptor interacting protein 1 (KIAA0705), mRNA
8254	15576	25033	2.25	0.0E+00	6912461	NT	Homo sapiens atrophin-1 interacting protein 1; activin receptor interacting protein 1 (KIAA0705), mRNA
8265	17392	26922	2.1	0.0E+00	BE140795.1	EST_HUMAN	RCO-HT0022-090799-002-D01 HT0022 Homo sapiens cDNA
8279	18366	23500	1.91	0.0E+00	BE312542.1	EST_HUMAN	601150023F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503020 5'

Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8282	18208		1.39	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
8284	18215		5.07	0.0E+00	AI190993.1	EST_HUMAN	qel7b12.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1739231 3'
8304	17411		2.71	0.0E+00	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
8325	17428		5.01	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
8332	17431		3.24	0.0E+00	11417802	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8351	17445		4.53	0.0E+00	5802973	NT	Homo sapiens antioxidant protein 1 (AOP1), nuclear gene encoding mitochondrial protein, mRNA
8385	18174	23756	1.22	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
8397	18184		3.55	0.0E+00	AL041831.1	EST_HUMAN	DKFZp434K0819_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434K0819 5'
8423	18334		3.6	0.0E+00	11418318	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
8431	17497		4.18	0.0E+00	AL046544.1	EST_HUMAN	DKFZp434G218_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G218 5'
8444	18219		1.67	0.0E+00	AI903497.1	EST_HUMAN	IL-BT030-271098-001 BT030 Homo sapiens cDNA
8488	18352		1.73	0.0E+00	N64484.1	EST_HUMAN	W40608.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245222 3' similar to SW:POL_BAEVM P10272 POL POLYPROTEIN;
8504	17543		4.14	0.0E+00	AF108856.1	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
8507	10089	19250	3.7	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
8507	10089	19251	3.7	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
8516	18221		1.76	0.0E+00	10092587	NT	Homo sapiens nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 (NFATC2), mRNA
8547	9805		3.58	0.0E+00	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
8584	18031	23855	1.9	0.0E+00	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8646	18155	23754	3.04	0.0E+00	AW590082.1	EST_HUMAN	hg31e08.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2947234 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
8677	18183		1.24	0.0E+00	L20483.1	NT	Human gamma-glutamyl transpeptidase mRNA, complete cds
8707	18217		2.42	0.0E+00	AF068757.1	NT	Homo sapiens somatostatin receptor subtype 3 (SSTR3) gene, 5' flanking region and partial cds
8744	17689		6.04	0.0E+00	8635487	NT	Human endogenous retrovirus, complete genome
8785	18209		2.02	0.0E+00	AI204914.1	EST_HUMAN	and5h04.x1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1694759 3'
8817	17735		1.78	0.0E+00	AI904646.1	EST_HUMAN	QV-BT065-020399-103 BT065 Homo sapiens cDNA
8828	18207		1.56	0.0E+00	BE439782.1	EST_HUMAN	HTM1-654F HTM1 Homo sapiens cDNA
8839	11182	20384	1.89	0.0E+00	8912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8839	11182	20385	1.89	0.0E+00	8912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
8858	17761	23934	1.41	0.0E+00	AF036365.1	NT	Homo sapiens caveolin-3 (CAV3) mRNA, complete cds

Page 382 of 382
Table 4

Single Exon Probes Expressed in HELA Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8872	10873	20056	2.95	0.0E+00	H30132.1	EST_HUMAN	y58908.11 Soares breast 3NBH8st Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M84099 GAMMA-GLUTAMYLTRANSEPTIDASE 5 PRECURSOR (HUMAN);
8872	10873	20057	2.95	0.0E+00	H30132.1	EST_HUMAN	y58908.11 Soares breast 3NBH8st Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M84099 GAMMA-GLUTAMYLTRANSEPTIDASE 5 PRECURSOR (HUMAN);
8886	17781		26.04	0.0E+00	D50659.1	NT	GAMMA-GLUTAMYLTRANSEPTIDASE 5 PRECURSOR (HUMAN);
8888	17783	23916	5.39	0.0E+00	11418189	NT	Human gamma-cytoplasmic actin (ACTGP9) pseudogene
8888	17783	23917	5.39	0.0E+00	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
							Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
							Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
8891	17786		1.74	0.0E+00	AB026898.1	NT	Homo sapiens GTP binding protein 1 (GTPBP1) mRNA
8909	11202	20478	1.55	0.0E+00	4758489	NT	hi86606.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979154 3'
8945	17822		1.37	0.0E+00	AW684999.1	EST_HUMAN	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8953	17827	23906	1.34	0.0E+00	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8957	17830	23908	1.31	0.0E+00	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
8990	10448	19804	1.62	0.0E+00	8922363	NT	Homo sapiens hypothetical protein FLJ10687 (FLJ10687), mRNA
8997	17858		2.87	0.0E+00	11528291	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
9021	12516	21847	3.3	0.0E+00	4885312	NT	Homo sapiens G protein-coupled receptor 24 (GPR24), mRNA
9032	14093	23186	2.05	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
9038	17881		1.78	0.0E+00	AB026900.1	NT	Homo sapiens CST gene for cerebroside sulfotransferase, exon 1, 2, 3, 4, 5
9078	17903	23902	2.37	0.0E+00	9558724	NT	Homo sapiens cleavage and polyadenylation specific factor 1, 160kD subunit (CPSF1), mRNA
9103	18377		6.14	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21Q046
9110	9877	18998	2.2	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
9157	10879	19852	1.39	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9190	17878	23859	1.41	0.0E+00	11417892	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
9198	17893		3.87	0.0E+00	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
							Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
9217	17896		1.3	0.0E+00	AB026898.1	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
9231	18007	23849	1.35	0.0E+00	8587387	NT	wu63c07.x1 NCI CGAP_Kid3 Homo sapiens cDNA clone IMAGE:2527696 3' similar to TR:Q12844 Q12844 BREAKPOINT CLUSTER REGION PROTEIN; contains TAR1.3 TAR1 repetitive element;
9257	18025	23853	2.2	0.0E+00	AW025032.1	EST_HUMAN	AV656287 GLC Homo sapiens cDNA clone GLCEPG08 3'
9280	18028		1.77	0.0E+00	AV656287.1	EST_HUMAN	Homo sapiens chromosome 12 open reading frame 3 (G12ORF3), mRNA
9278	10386	18537	3.04	0.0E+00	9988844	NT	

1/10




Fig. 1

2/10




Fig. 2

3/10




Fig. 3

4/10




Fig. 4

5/10




Fig. 5

6/10




Fig. 6




Fig. 7a




Fig. 7b

Fig. 7c

8/10




Fig. 8

9/10




Fig. 9

10/10

Fig. 10

